



CORRECTION

Correction to: Selective Laser Melting of Al_{0.3}CoCrFeNi High Entropy Alloy: Printability, Microstructure, and Mechanical Properties

FLORIAN PEYROUZET,^{1,2} DORIAN HACHET,³ ROMAIN SOULAS,¹
 CHRISTELLE NAVONE,¹ STÉPHANE GODET,³
 and STÉPHANE GORSSE^{2,4}

1.—LITEN, CEA, 38054 Grenoble, France. 2.—Univ. Bordeaux, CNRS, Bordeaux INP, ICMCB, UMR 5026, 33600 Pessac, France. 3.—Service 4MAT, Université libre de Bruxelles, 1050 Brussels, Belgium. 4.—e-mail: stephane.gorsse@icmcb.cnrs.fr

Correction to:
JOM, Vol. 71, No. 10, 2019
<https://doi.org/10.1007/s11837-019-03715-1>

The authors regret that the following mistakes were made.

1. Caption of Fig. 2. The caption should read: Fig. 2. EBSD IPF (a, c) and PF (b, d) maps taken from as-built FCC Al_{0.3}CoCrFeNi prepared using SLM, highlighting the <110> fiber texture towards the sample build direction: (a, b) the plane of the map is perpendicular to the

build direction and (c, d) parallel. IPF color-codes with respect to build-up direction (a) and tensile testing direction (c).

2. Caption of Fig. 3. The caption should read: Fig. 3. (a) Optical image showing the columnar cells and the traces of the melt pools observed in a plane parallel to the build direction. (b) Low-magnification EBSD IPF map showing random crystal orientation along tensile testing direction. The black frame indicates the size of the optical micrograph shown in (a).

3. Table S1. 13 μm should be replaced by 12 μm. Table S1. should appear as below:

We apologize to the readers for any inconvenience.

	As-cast	Recrystallized	As-built LBM
σ_y^{exp} (MPa)	275	149	730
σ_0 (MPa)	172	172	172
k_y (MPa/m ^{1/2})	0.73	0.73	0.73
\bar{D} (μm)	50	100	12
σ_{gb} (MPa)	103	73	211
$\sigma_0 + \sigma_{\text{gb}}$ (MPa)	275	245	383
M			3.3
alpha			0.2
G (GPa)			83-88
b (nm)			0.254
rho (m/m ³)			3–7.10 ¹⁴
σ_d (MPa)			241–392
$\sigma_y^{\text{estimate}}$ (MPa)	275	245	624–775

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.