



Correction to: A Machine-Learning Algorithm to Optimise Automated Adverse Drug Reaction Detection from Clinical Coding

Christopher McMaster^{1,2} · David Liew^{1,2} · Claire Keith³ · Parnaz Aminian³ · Albert Frauman^{1,2}

Published online: 15 April 2019
© Springer Nature Switzerland AG 2019

Correction to: Drug Safety
<https://doi.org/10.1007/s40264-018-00794-y>

The Author Contributions section, which previously read:

CK: Principal Investigator. CM and CK were responsible for the study design and conception; all authors were responsible for acquisition and validation of the data; CM was responsible for analysis and interpretation of the data; and all authors contributed to reviewing drafts of the manuscript and approved the final version for publication.

Should read:

CM: Principal Investigator. CM was responsible for the study design and conception; all authors were responsible for acquisition and validation of the data; CM was responsible for analysis and interpretation of the data; and all authors contributed to reviewing drafts of the manuscript and approved the final version for publication.

The original article can be found online at <https://doi.org/10.1007/s40264-018-00794-y>.

✉ Christopher McMaster
christopher.mcmaster@austin.org.au

¹ Department of Clinical Pharmacology, Austin Health, Level 5, Lance Townsend Building, Studley Rd, Heidelberg, VIC 3084, Australia

² Department of Medicine, University of Melbourne, Parkville, VIC, Australia

³ Department of Pharmacy, Austin Health, Heidelberg, VIC, Australia