



Correction to: Liquid Biopsy Applications in the Clinic

Dake Chen¹ · Tao Xu² · Shubin Wang³ · Howard Chang⁴ · Tao Yu⁴  · Yu Zhu³ · Jian Chen⁵

Published online: 17 February 2020
© Springer Nature Switzerland AG 2020

Correction to: Molecular Diagnosis & Therapy
<https://doi.org/10.1007/s40291-019-00444-8>

In the original publication of the article, the name of the fourth author, which previously read "Howard Chan", should read as "Howard Chang". The original article has been updated.

The original article can be found online at <https://doi.org/10.1007/s40291-019-00444-8>.

✉ Tao Yu
taoy@curacloudcorp.com

✉ Yu Zhu
yuzhu5@hotmail.com

✉ Jian Chen
tzcj@nttzhospital.com

¹ Department of Oncology, Tongzhou People's Hospital, Nantong 226300, China

² Department of Anesthesiology, Affiliated Shanghai Sixth People's Hospital, Shanghai Jiao Tong University, Shanghai 200233, China

³ Department of Oncology, Peking University-Shenzhen Hospital, Shenzhen, China

⁴ CuraCloud Corporation, 999 Third Ave, Suite 700, Seattle, WA 98104, USA

⁵ Department of Orthopedics, Tongzhou People's Hospital, Nantong 226300, China