

18. Matter I, Kunin J, Schein M, Eldar S (1995) Total excision versus non-resectional methods in the treatment of acute and chronic pilonidal disease. *Br J Surg* 82: 752–753
19. McCallum IJ, King PM, Bruce J (2008) Healing by primary closure versus open healing after surgery for pilonidal sinus: systematic review and meta-analysis. *BMJ* 336: 868–871
20. Menten O, Bagci M, Bilgin T et al (2008) Limberg flap procedure for pilonidal sinus disease: results of 353 patients. *Langenbecks Arch Surg* 393: 185–189
21. Muller XM, Rothenbuhler JM, Frede KE (1992) Sacro-coccygeal cyst: surgical techniques and results. *Helv Chir Acta* 58: 889–892
22. Ortiz H, Marzo J (2000) Endorectal flap advancement repair and fistulectomy for high transsphincteric and suprasphincteric fistulas. *Br J Surg* 87: 1680–1683
23. Ortiz H, Marzo J, Ciga MA et al (2009) Randomized clinical trial of anal fistula plug versus endorectal advancement flap for the treatment of high cryptoglandular fistula in ano. *Br J Surg* 96: 608–612
24. Petersen S, Wietelmann K, Evers T et al (2009) Long-term effects of postoperative razor epilaton in pilonidal sinus disease. *Dis Colon Rectum* 52: 131–134
25. Ritchie RD, Sackier JM, Hodde JP (2009) Incontinence rates after cutting seton treatment for anal fistula. *Colorectal Dis* 11: 564–571
26. Rushfeldt C, Bernstein A, Norderval S, Revhaug A (2008) Introducing an asymmetric cleft lift technique as a uniform procedure for pilonidal sinus surgery. *Scand J Surg* 97: 77–81
27. Soll C, Hahnloser D, Dindo D et al (2008) A novel approach for treatment of sacrococcygeal pilonidal sinus: less is more. *Int J Colorectal Dis* 23: 177–180
28. Sondenaa K, Andersen E, Nesvik I, Soreide JA (1995) Patient characteristics and symptoms in chronic pilonidal sinus disease. *Int J Colorectal Dis* 10: 39–42
29. Subasinghe D, Samarasekera DN (2010) Comparison of preoperative endoanal ultrasonography with intraoperative findings for fistula in ano. *World J Surg* 34: 1123–1127
30. Tang CL, Chew SP, Seow-Choen F (1996) Prospective randomized trial of drainage alone vs. drainage and fistulotomy for acute perianal abscesses with proven internal opening. *Dis Colon Rectum* 39: 1415–1417
31. Tepes B, Cerni I (2008) The use of different diagnostic modalities in diagnosing fistula-in-ano. *Hepatogastroenterology* 55: 912–915
32. Thornton M, Solomon MJ (2005) Long-term indwelling seton for complex anal fistulas in Crohn's disease. *Dis Colon Rectum* 48: 459–463
33. Toyonaga T, Matsushima M, Kiriu T et al (2007) Factors affecting continence after fistulotomy for intersphincteric fistula-in-ano. *Int J Colorectal Dis* 22: 1071–1075
34. Uribe N, Millan M, Minguez M et al (2007) Clinical and manometric results of endorectal advancement flaps for complex anal fistula. *Int J Colorectal Dis* 22: 259–264
35. Westerterp M, Volkers NA, Poolman RW, Tets WF van (2003) Anal fistulotomy between skylia and charybdis. *Colorectal Dis* 5: 549–551

coloproctology 2011 · 33:170–170
DOI 10.1007/s00053-011-0195-y
© Springer-Verlag 2011

**E. Tabori¹ · J. Herrmann² ·
B. Strittmatter³ · A. Furtwängler¹ ·
A. Herold⁴ · J. Kirsch⁴ · B. Lenhard⁵ ·
G. Pommer² · M. Schmidt-Lauber² ·
G. Kolbert⁶ · J. Meier zu Eissen⁶ ·
G. Osterholzer⁷ · M. Giensch⁸ · F. Raulf⁹ ·
H. Peleikis¹⁰**
¹ Freiburg; ² Oldenburg;
³ BCD Geschäftsstelle, Freiburg i. Br.;
⁴ Mannheim; ⁵ Heidelberg;
⁶ Hannover; ⁷ München;
⁸ Hamburg; ⁹ Münster; ¹⁰ Kiel

Erratum zu: Leitfaden und Empfehlungen für die Hygiene in der Koloproktologie

Herausgegeben vom Berufs-
verband der Coloproktologen
Deutschlands (BCD)
coloproctology (2010) 32:
147–152
[http://dx.doi.org/10.1007/
s00053-010-0099-2](http://dx.doi.org/10.1007/s00053-010-0099-2)

Die Schreibweise des Autors J. Herrmann (Oldenburg) war in dem oben genannten Beitrag leider fehlerhaft.

Der Verlag bittet, die korrekte Schreibweise zu beachten, und entschuldigt sich für den Fehler.

Korrespondenzadresse

Dr. B. Strittmatter
BCD Geschäftsstelle
Maienstr. 3, 79102 Freiburg i. Br.
info@coloproktologen.de

coloproctology 2011 · 33:170–170
DOI 10.1007/s00053-011-0189-9
© Springer-Verlag 2011

**E. Tabori¹ · B. Strittmatter² ·
A. Furtwängler¹ · A. Herold³ ·
J. Kirsch³ · B. Lenhard⁴ · G. Pommer⁵ ·
J. Herrmann⁵ · G. Osterholzer⁶ ·
M. Giensch⁷ · F. Raulf⁸ · H. Peleikis⁹**
¹ Freiburg; ² BCD Geschäftsstelle,
Freiburg i. Br.; ³ Mannheim; ⁴ Heidelberg;
⁵ Oldenburg; ⁶ München; ⁷ Hamburg;
⁸ Münster; ⁹ -, Kiel

Erratum zu: Leitfaden und Empfehlungen für die Hygiene in der Koloproktologie – Teil 2

Herausgegeben vom Berufs-
verband der Coloproktologen
Deutschlands (BCD)
coloproctology (2010) 32:
356–364,
[http://dx.doi.org/10.1007/
s00053-010-0146-z](http://dx.doi.org/10.1007/s00053-010-0146-z)

Die Angaben zu den Autoren dieses Beitrags waren leider fehlerhaft. Die Autoren M. Schmidt-Lauber (Oldenburg), G. Kolbert (Hannover) und J. Meier zu Eissen (Hannover) wurden versehentlich nicht aufgeführt. Bitte beachten Sie ebenfalls die korrekte Schreibweise von J. Herrmann (Oldenburg).

Der Verlag bittet, diese Fehler zu entschuldigen.

Korrespondenzadresse

Dr. B. Strittmatter
BCD Geschäftsstelle
Maienstr. 3, 79102 Freiburg i. Br.
info@coloproktologen.de