




## Correction to: Magnetic resonance imaging of sacroiliitis in children: frequency of findings and interobserver reliability

Katharine E. Orr<sup>1,2</sup> · Savvas Andronikou<sup>1</sup>  · Marc James Bramham<sup>1,2</sup> · Izidora Holjar-Erlc<sup>1</sup> · Flavia Menegotto<sup>1</sup> · Athimalaipet V. Ramanan<sup>3</sup>

Published online: 31 July 2018  
© Springer-Verlag GmbH Germany, part of Springer Nature 2018

### Correction to: *Pediatric Radiology*

<https://doi.org/10.1007/s00247-018-4185-x>

The original version of this article contained an error. Under the heading ‘Limitations’, the sentence ‘Another limitation was the decision to exclude one reader from interobserver analysis. While it could be argued that this positively affected interobserver agreement, it was believed that the significant differences in reporting would not allow meaningful conclusions to be drawn’ should be removed since, in the final version of the study, no reader was excluded from the analysis. The original article has been corrected.

---

The online version of the original article can be found at <https://doi.org/10.1007/s00247-018-4185-x>

---

✉ Katharine E. Orr  
katharine.orr@nhs.net

- <sup>1</sup> Bristol Royal Hospital for Children  
University Hospitals Bristol NHS Foundation Trust,  
24 Upper Maudlin Street, Bristol BS2 8BJ, UK
- <sup>2</sup> Peninsula Radiology Academy,  
Plymouth International Business Park, Plymouth, UK
- <sup>3</sup> University Hospitals Bristol NHS Foundation Trust,  
Bristol, UK