



Correction to: Possible scenarios of DNA double-helix unzipping process in single-molecule manipulation experiments

Oleksii Zdorevskyi¹ · Sergey N. Volkov¹

Published online: 6 March 2019
© European Biophysical Societies' Association 2019

Correction to:
European Biophysics Journal (2018) 47:917–924
<https://doi.org/10.1007/s00249-018-1313-3>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

In the original publication of the article, Table 1 was incorrect. The correct table (Table 1) is given below:

Table 1 Interaction energy minima (in *kcal/mol*) obtained in Poltev and Shulyupina (1986), calculated in the present paper with $\epsilon(r) = 1$ and $\epsilon(r)$ given by expression (5) for the A·T (E_{tot}^{AT}) and G·C (E_{tot}^{GC}) Watson–Crick pairs

	Obtained in Poltev and Shulyupina (1986)	Our results	
		$\epsilon(r) = 1$	$\epsilon(r)$ is given by (5)
	E_{tot}^{AT}	-11.3	-9.72
	E_{tot}^{GC}	-25.5	-15.82
	E_{HB}	-4.28	-4.34
A·T	E_{vdW}	-1.89	-1.94
	E_{Coul}	-5.16	-3.44
	E_{HB}	-6.72	-6.99
G·C	E_{vdW}	-1.60	-1.60
	E_{Coul}	-17.96	-7.21

Contributions of hydrogen bonds (E_{HB}), van der Waals (E_{vdW}) and Coulomb (E_{Coul}) interactions to the calculated energies are shown

The original article can be found online at <https://doi.org/10.1007/s00249-018-1313-3>

✉ Oleksii Zdorevskyi
zdorevskyi@bitp.kiev.ua

Sergey N. Volkov
snvolkov@bitp.kiev.ua

¹ Bogolyubov Institute for Theoretical Physics, 14-b, Metrolohichna Str., Kiev 03143, Ukraine