

Erratum to: First human use of hybrid synthetic/biologic mesh in ventral hernia repair: a multicenter trial

James G. Bittner IV¹ · Kevin El-Hayek^{2,3} · Andrew T. Strong² ·
Melissa Phillips LaPinska⁴ · Jin S. Yoo⁵ · Eric M. Pauli⁶ ·
Matthew Kroh^{2,3,7}

Published online: 21 September 2017
© Springer Science+Business Media, LLC 2017

Erratum to: Surg Endosc DOI 10.1007/s00464-017-5715-6

On page 1, right-hand column, first paragraph, second sentence from bottom: “6.8% (95% CI 2.2–16.6%)” should be changed to “7.4% (95% CI 2.4–17.8%)”.

On page 3, right-hand column, second paragraph, first sentence: “With 59 (93.6%) patients available for follow-up at 12 months, the hernia recurrence rate was 6.8% (95%

CI 2.2–16.6%)” should be changed to “With 55 (87.3%) patients available for follow-up at 12 months, the hernia recurrence rate was 7.3% (95% CI 2.4–17.8%)”.

On page 5, right-hand column, third paragraph, second sentence: “6.8%” should be changed to “7.3%”.

On page 6, Table 5, changes were made in the Event, Recurrence, and Mortality rows as well as in the footnotes. The correct version of Table 5 is displayed.

The online version of the original article can be found under doi:10.1007/s00464-017-5715-6.

✉ Matthew Kroh
Mkroh@ClevelandClinicAbuDhabi.ae

- ¹ Department of Surgery, Virginia Commonwealth University School of Medicine, Richmond, VA, USA
- ² Department of General Surgery, Digestive Disease and Surgery Institute, Cleveland Clinic, Cleveland, OH, USA
- ³ Department of Surgery, Lerner College of Medicine of Case Western Reserve University, Cleveland, OH, USA
- ⁴ Department of Surgery, University of Tennessee Graduate School of Medicine, Knoxville, TN, USA
- ⁵ Department of Surgery, Duke University School of Medicine, Durham, NC, USA
- ⁶ Department of Surgery, The Pennsylvania State University College of Medicine, Hershey, PA, USA
- ⁷ Digestive Disease Institute, Cleveland Clinic Abu Dhabi, Abu Dhabi, United Arab Emirates

Table 5 Surgical site events and morbidity at 12 months postoperatively

Event	All Hernia	Incisional	Ventral	<i>P</i> value
SSE (%) ^a	39	52.4	5.9	<0.01
Seroma	23.7	33.3	0	<0.01
Seroma + PI	8.5	9.5	5.9	1.00
Hematoma	0	0	0	1.00
Hematoma + PI	1.7	2.4	0	1.00
Wound dehiscence + PI	1.7	2.4	0	1.00
SSI	0	0	0	1.00
SSI + PI	3.4	4.8	0	1.00
Recurrence (%) ^b	7.3	7.3	7.1	1.00
Mortality (%) ^b	1.8	2.4	0	1.00

Incisional and ventral data compared using Fisher's exact test ($\alpha = 0.05$)

SSE surgical site event, PI procedural intervention, SSI surgical site infection

^aAll calculated based on 59 patients (42 incisional and 17 ventral) available at 6-month follow-up

^bBoth calculated based on 55 patients (41 incisional and 14 ventral) available at 12-month follow-up