



Correction to: Future distribution of invasive weed species across the major road network in the state of Montana, USA

Arjun Adhikari^{1,2} · Lisa J. Rew³ · Kumar P. Mainali^{4,5} · Subodh Adhikari⁶ · Bruce D. Maxwell⁷

Published online: 26 June 2020

© Springer-Verlag GmbH Germany, part of Springer Nature 2020

Correction to: Regional Environmental Change (2020) 20:60
<https://doi.org/10.1007/s10113-020-01647-0>

The recently published article contained several errors in Table 3. The corrected table is provided here.

The online version of the original article can be found at <https://doi.org/10.1007/s10113-020-01647-0>

✉ Arjun Adhikari
arjun.adhikari@okstate.edu

Lisa J. Rew
lrew@montana.edu

Kumar P. Mainali
kpmainali@gmail.com

Subodh Adhikari
subodh.adhikari1@gmail.com

Bruce D. Maxwell
bmax@montana.edu

² Natural Resource Ecology and Management, Oklahoma State University, 008C Agricultural Hall, Stillwater, OK 74078, USA

³ Department of Land Resources and Environmental Sciences, Montana State University, Bozeman 59717, USA

⁴ Conservation Innovation Center, Chesapeake Conservancy, Annapolis, MD 21401, USA

⁵ National Socio-Environmental Synthesis Center (SESYNC), University of Maryland, 1 Park Pl Suite 300, Annapolis, MD 21401, USA

⁶ Department of Entomology, Plant Pathology and Nematology, University of Idaho, 875 Perimeter Drive MS 2329, Moscow, ID 83844-2329, USA

⁷ Montana Institute on Ecosystems, Montana State University, 605, Leon Johnson Hall, Bozeman, MT 59717, USA

¹ Department of Ecology, Montana State University, 310 Lewis Hall, Bozeman, MT 59717, USA

Table 3 AUC scores, current habitat, and future habitat suitability of 11 invasive weeds projected by ensemble models under RCP8.5 along road network of State of Montana for the year 2040. All species are listed under noxious weed (PRIORITY 2B) in Montana

Species	AUC	Current habitat (km ²)	Future habitat (km ²)	Change in habitat (proportion)
<i>Cardaria draba</i>	0.96	6937	6016	-0.13
<i>Centaurea maculosa</i>	0.93	14988	11041	-0.26
<i>Cirsium arvense</i>	0.91	15091	22201	0.47
<i>Convolvulus arvensis</i>	0.77	14369	22504	0.57
<i>Cynoglossum officinale</i>	0.88	7348	8897	0.21
<i>Euphorbia esula</i>	0.92	8825	1050	-0.88
<i>Hypericum perforatum</i>	0.85	3590	26826	6.47
<i>Leucanthemum vulgare</i>	0.96	5160	7312	0.42
<i>Linaria dalmatICA</i>	0.92	9286	8243	-0.11
<i>Potentilla recta</i>	0.85	4229	10584	1.5
<i>Tanacetum vulgare</i>	0.89	5491	5778	0.05

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.