



Author Correction: An IDS-Type Sesquiterpene Synthase Produces the Pheromone Precursor (Z)- α -Bisabolene in *Nezara viridula*

Jason Lancaster¹ · Bryan Lehner¹ · Ashot Khimian² · Andrew Muchlinski¹ · Katrin Luck³ · Tobias G. Köllner³ · Donald C. Weber² · Dawn E. Gundersen-Rindal² · Dorothea Tholl¹

Published online: 2 February 2019

© Springer Science+Business Media, LLC, part of Springer Nature 2019

Author Correction: Journal of Chemical Ecology

<https://doi.org/10.1007/s10886-018-1019-0>

The original version of this article unfortunately contained a mistake. Under the heading “Insects” in “Methods and Materials” the sentence “A colony of *N. viridula* originated with field collections near Tifton, Georgia, USA” is incorrect.

The following sentence describes the correct origin of the *N. viridula* colony:

A colony of *N. viridula* originated with field collections at Stoneville, Mississippi, in 1996, and has been reared at Beltsville since that time with no additional field collections to this rearing.

The author apologizes for this oversight and for any confusion it may have caused.

Publisher’s Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s10886-018-1019-0>

✉ Dorothea Tholl
tholl@vt.edu

¹ Department of Biological Sciences, Latham Hall, 220 Ag Quad Lane, Blacksburg, VA 24061, USA

² Invasive Insect Biocontrol and Behavior Laboratory, US Department of Agriculture, Agricultural Research Service, BARC-West Building 007 Room 301, Beltsville, MD 20705, USA

³ Department of Biochemistry, Max Planck Institute for Chemical Ecology, Hans-Knöll-Strasse 8, D-07745 Jena, Germany