



Correction to: Modeling Axonal Plasticity in Artificial Neural Networks

James Ryland¹

Published online: 15 June 2021
© Springer Science+Business Media, LLC, part of Springer Nature 2021

Correction to: Neural Processing Letters (2021) 53:1119–1146
<https://doi.org/10.1007/s11063-021-10433-w>

In the original publication, the reference order has been published incorrectly. Here is the correct order for the inline citations in the paper.

References

1. Hubel DH, Wiesel TN (1962) Receptive fields, binocular interaction and functional architecture in the cat's visual cortex. *J Physiol* 160(1):106–154
2. Hubel DH, Wiesel TN (1965) Receptive fields and function architecture in two nonstriate visual areas (18 and 19) of the cat. *J Neurophysiol* 28(2):229–289
3. Quinlan PT (1998) Structural change and development in real and artificial neural networks. *Neural Netw* 11(4):577–599
4. McLaughlin T, O'Leary DDM (2005) Molecular gradients and development of retinotopic maps. *Annu Rev Neurosci* 28(1):327–355
5. Price DJ, Kennedy H, Dehay C, Zhou L, Mercier M, Jossin Y, Goffinet AM, Tissir F, Blakey D, Molnár Z (2006) The development of cortical connections. *Eur J Neurosci* 23(4):910–920
6. Sperry RW (1963) Chemoaffinity in the orderly growth of nerve fiber patterns and connections. *Proc Natl Acad Sci* 50(4):703–710
7. Gierer A (1987) Directional cues for growing axons forming the retinotectal projection. *Development* 101(3):479–489
8. Gierer A, Lewis W (1983) Model for the retino-tectal projection. *Proc R Soc Lond Ser B Biol Sci* 218(1210):77–93
9. Bishop KM, Goudreau G, O'Leary DDM (2000) Regulation of area identity in the mammalian neocortex by Emx2 and Pax6. *Science* 288(5464):344–349
10. Bishop KM, Rubenstein JLR, O'Leary DDM (2002) Distinct actions of Emx1, Emx2, and Pax6 in regulating the specification of areas in the developing neocortex. *J Neurosci* 22(17):7627–7638
11. Bishop KM, Garel S, Nakagawa Y, Rubenstein JLR, O'Leary DDM (2003) Emx1 and Emx2 cooperate to regulate cortical size, lamination, neuronal differentiation, development of cortical efferents, and thalamocortical pathfinding. *J Comp Neurol* 457(4):345–360

The original article can be found online at <https://doi.org/10.1007/s11063-021-10433-w>.

✉ James Ryland
jwr071000@utdallas.edu

¹ Department of Behavioral and Brain Sciences, University of Texas at Dallas, Richardson, TX, USA

12. Fukuchi-Shimogori T, Grove EA (2001) Neocortex patterning by the secreted signaling molecule FGF8. *Science* 294(5544):1071–1074
13. Fukuchi-Shimogori T, Grove EA (2003) Emx2 patterns the neocortex by regulating FGF positional signaling. *Nat Neurosci* 6(8):825–831
14. Hamasaki T, Leingärtner A, Ringstedt T, O’Leary DDM (2004) EMX2 Regulates sizes and positioning of the primary sensory and motor areas in neocortex by direct specification of cortical progenitors. *Neuron* 43(3):359–372
15. Gogolla N, Galimberti I, Caroni P (2007) Structural plasticity of axon terminals in the adult. *Curr Opin Neurobiol* 17(5):516–524
16. Meyer MP, Smith SJ (2006) Evidence from in vivo imaging that synaptogenesis guides the growth and branching of axonal arbors by two distinct mechanisms. *J Neurosci* 26(13):3604–3614
17. Portera-Cailliau C, Weimer RM, De Paola V, Caroni P, Svoboda K (2005) Diverse modes of axon elaboration in the developing neocortex. *PLoS Biol* 3(8):8
18. Ruthazer ES, Akerman CJ, Cline HT (2003) Control of axon branch dynamics by correlated activity in vivo. *Science* 301(5629):66–70
19. Simon DK, Leary DD (1992) Development of topographic order in the mammalian retinocollicular projection. *J Neurosci* 12(4):1212–1232
20. Simon DK, O’Leary DDM (1992) Influence of position along the medial-lateral axis of the superior colliculus on the topographic targeting and survival of retinal axons. *Dev Brain Res* 69(2):167–172
21. Simon DK, O’Leary DDM (1992) Responses of retinal axons in vivo and in vitro to position-encoding molecules in the embryonic superior colliculus. *Neuron* 9(5):977–989
22. Yates PA, Holub AD, McLaughlin T, Sejnowski TJ, O’Leary DDM (2004) Computational modeling of retinotopic map development to define contributions of EphA-ephrinA gradients, axon-axon interactions, and patterned activity. *J Neurobiol* 59(1):95–113
23. Crowley JC, Katz LC (2000) Early development of ocular dominance columns. *Science* 290(5495):1321–1324
24. Crair MC, Gillespie DC, Stryker MP (1998) The role of visual experience in the development of columns in cat visual cortex. *Science* 279(5350):566–570
25. Chapman B, Jacobson MD, Reiter HO, Stryker MP (1986) Ocular dominance shift in kitten visual cortex caused by imbalance in retinal electrical activity. *Nature* 324(6093):154–156
26. Innocenti GM, Price DJ (2005) Exuberance in the development of cortical networks. *Nat Rev Neurosci* 6(12):955–965
27. Qiao Q, Ma L, Li W, Tsai J-W, Yang G, Gan W-B (2016) Long-term stability of axonal boutons in the mouse barrel cortex. *Dev Neurobiol* 76(3):252–261
28. De Paola V, Holtmaat A, Knott G, Song S, Wilbrecht L, Caroni P, Svoboda K (2006) Cell type-specific structural plasticity of axonal branches and boutons in the adult neocortex. *Neuron* 49(6):861–875
29. Marik SA, Yamahachi H, McManus JNJ, Szabo G, Gilbert CD (2010) Axonal dynamics of excitatory and inhibitory neurons in somatosensory cortex. *PLoS Biol* 8(6):1–16
30. Srivastava N, Hinton G, Krizhevsky A, Sutskever I, Salakhutdinov R (2014) Dropout: a simple way to prevent neural networks from overfitting. *J Mach Learn Res* 15(1):1929–1958
31. Fukushima K (1980) Neocognitron: a self-organizing neural network model for a mechanism of pattern recognition unaffected by shift in position. *Biol Cybern* 36(4):193–202
32. Krizhevsky A, Sutskever I, Hinton GE (2012) ImageNet classification with deep convolutional neural networks. *Adv Neural Inf Process Syst* 25:1097–1105
33. Yamins DL, DiCarlo JJ (2016) Using goal-driven deep learning models to understand sensory cortex. *Nat Neurosci* 19:356–365
34. Fraser SE, Perkel DH (1990) Competitive and positional cues in the patterning of nerve connections. *J Neurobiol* 21(1):51–72
35. Godfrey KB, Eglén SJ, Swindale NV (2009) A multi-component model of the developing retinocollicular pathway incorporating axonal and synaptic growth. *PLoS Comput Biol* 5(12):1–22
36. Simpson HD, Goodhill GJ (2011) A simple model can unify a broad range of phenomena in retinotectal map development. *Biol Cybern* 104(1):9–29
37. Gebhardt C, Bastmeyer M, Weth F (2012) Balancing of ephrin/Eph forward and reverse signaling as the driving force of adaptive topographic mapping. *Development* 139(2):335–345
38. Benson DL, Colman DR, Huntley GW (2001) Molecules, maps and synapse specificity. *Nat Rev Neurosci* 2(12):899–909
39. Burt P, Adelson E (1983) The Laplacian pyramid as a compact image code. *IEEE Trans Commun* 31(4):532–540
40. Wandell BA, Dumoulin SO, Brewer AA (2007) Visual field maps in human cortex. *Neuron* 56(2):366–383

41. Dougherty RF, Koch VM, Brewer AA, Fischer B, Modersitzki J, Wandell BA (2003) Visual field representations and locations of visual areas v1/2/3 in human visual cortex. *J Vis* 3(10):586–598
42. Engel SA, Glover GH, Wandell BA (1997) Retinotopic organization in human visual cortex and the spatial precision of functional MRI. *Cereb Cortex* 7(2):181–192
43. Qiu A, Rosenau BJ, Greenberg AS, Hurdal MK, Barta P, Yantis S, Miller MI (2006) Estimating linear cortical magnification in human primary visual cortex via dynamic programming. *Neuroimage* 31(1):125–138
44. Issa NP, Trepel C, Stryker MP (2000) Spatial frequency maps in cat visual cortex. *J Neurosci* 20(22):8504
45. Ribot J, Aushana Y, Bui-Quoc E, Milleret C (2013) Organization and origin of spatial frequency maps in cat visual cortex. *J Neurosci* 33(33):13326–13343
46. Hubel DH, Wiesel TN (1972) Laminar and columnar distribution of geniculate-cortical fibers in the macaque monkey. *J Comp Neurol* 146(4):421–450
47. LeVay S, Hubel DH, Wiesel TN (1975) The pattern of ocular dominance columns in macaque visual cortex revealed by a reduced silver stain. *J Comp Neurol* 159(4):559–575
48. Le Vay S, Wiesel TN, Hubel DH (1980) The development of ocular dominance columns in normal and visually deprived monkeys. *J Comp Neurol* 191(1):1–51
49. Obermayer K, Blasdel GG (1993) Geometry of orientation and ocular dominance columns in monkey striate cortex. *J Neurosci* 13(10):4114–4129
50. von der Malsburg C (1973) Self-organization of orientation sensitive cells in the striate cortex. *Kybernetik* 14(2):85–100
51. Sirosh J, Miikkulainen R (1994) Cooperative self-organization of afferent and lateral connections in cortical maps. *Biol Cybern* 71(1):65–78
52. Stevens JLR, Law JS, Antolík J, Bednar JA (2013) Mechanisms for stable, robust, and adaptive development of orientation maps in the primary visual cortex. *J Neurosci* 33(40):15747–15766
53. Hubel DH, Wiesel TN, Stryker MP (1978) Anatomical demonstration of orientation columns in macaque monkey. *J Comp Neurol* 177(3):361–379
54. Blasdel GG (1992) Orientation selectivity, preference, and continuity in monkey striate cortex. *J Neurosci* 12(8):3139–3161
55. Bonhoeffer T, Grinvald A (1991) Iso-orientation domains in cat visual cortex are arranged in pinwheel-like patterns. *Nature* 353(6343):429–431
56. Durbin R, Mitchison G (1990) A dimension reduction framework for understanding cortical maps. *Nature* 343(6259):644–647
57. Goodhill GJ, Cimoneriu A (2000) Analysis of the elastic net model applied to the formation of ocular dominance and orientation columns. *Netw Comput Neural Syst* 11(2):153–168
58. Miikkulainen R, Bednar JA, Choe Y, Sirosh J (2005) *Computational maps in visual cortex*. Springer, New York
59. Issa NP, Rosenberg A, Husson TR (2008) Models and measurements of functional maps in V1. *J Neurophysiol* 99(6):2745–2754
60. Bosking WH, Zhang Y, Schofield B, Fitzpatrick D (1997) Orientation selectivity and the arrangement of horizontal connections in tree shrew striate cortex. *J Neurosci* 17(6):2112–2127
61. Horton JC, Hocking DR (1996) Intrinsic variability of ocular dominance column periodicity in normal macaque monkeys. *J Neurosci* 16(22):7228–7339
62. Humphrey AL, Sur M, Uhlrich DJ, Sherman SM (1985) Projection patterns of individual X- and Y-cell axons from the lateral geniculate nucleus to cortical area 17 in the cat. *J Comp Neurol* 233(2):159–189
63. Levy M, Lu Z, Dion G, Kara P (2014) The shape of dendritic arbors in different functional domains of the cortical orientation map. *J Neurosci* 34(9):3231–3236
64. Elston GN, Rosa MG (1997) The occipitoparietal pathway of the macaque monkey: comparison of pyramidal cell morphology in layer III of functionally related cortical visual areas. *Cereb Cortex* 7(5):432–452
65. Chklovskii DB (2000) Optimal sizes of dendritic and axonal arbors in a topographic projection. *J Neurophysiol* 83(4):2113–2119