

## Erratum to: Preliminary findings of arterial embolization with balloon-occluded and flow-dependent histoacryl glue embolization in a swine model

Shingo Hamaguchi<sup>1</sup> · Brandon D. Lohman<sup>1,2</sup> · Yukihsa Ogawa<sup>1</sup> · Yasunori Arai<sup>1</sup> · Kazuki Hashimoto<sup>1</sup> · Junichi Matsumoto<sup>2</sup> · Yasuo Nakajima<sup>1</sup>

Published online: 22 May 2015  
© Japan Radiological Society 2015

**Erratum to: Jpn J Radiol**  
**DOI 10.1007/s11604-015-0426-1**

Unfortunately, an error appeared in the Abstract of the above-mentioned article. In the Results section of the Abstract, a *p* value of 0.012 was incorrect and should be 0.039, as shown in the Results section of the main text.

---

The online version of the original article can be found under doi:[10.1007/s11604-015-0426-1](https://doi.org/10.1007/s11604-015-0426-1).

---

✉ Shingo Hamaguchi  
hal29120@me.com

<sup>1</sup> Department of Radiology, St. Marianna University  
School of Medicine, Sugao 2-16-1, Miyamae-ku,  
Kawasaki 216-8511, Japan

<sup>2</sup> Department of Emergency and Critical Care Medicine,  
St. Marianna University School of Medicine, Sugao 2-16-1,  
Miyamae-ku, Kawasaki 216-8511, Japan