



CORRECTION

Correction to: Efficacy and Tolerability of a Medical Device Repairing Emollient Cream Associated with a Topical Corticosteroid in Adults with Atopic Dermatitis: An Open-label, Intra-individual Randomized Controlled Study

Ana Beatris Rossi · Adeline Bacquey · Thérèse Nocera · Marie-Dominique Thouvenin

Published online: March 1, 2019
© The Author(s) 2019

Correction to: Dermatol Ther (Heidelb) (2018) 8:217–228
<https://doi.org/10.1007/s13555-018-0228-3>

In the original publication, the formulation of the corticosteroid cream used in the study, and is located in the ‘Materials’ subsection of the Methods was incorrectly added as ‘1% desonide’ instead of ‘0.1% desonide’. The correct text should read as ‘The TCS cream containing 0.1% desonide (LOCAPRED®) was from Pierre Fabre France (Castres, France).

Open Access. This article is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (<http://creativecommons.org/licenses/by-nc/4.0/>), which permits any non-commercial use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

The original article can be found online at <https://doi.org/10.1007/s13555-018-0228-3>.

A. B. Rossi · A. Bacquey · T. Nocera · M.-D. Thouvenin (✉)
Clinical Skin Research and Development Center,
Pierre Fabre Dermo-Cosmétique, 2 Rue Viguerie,
Hotel Dieu, Toulouse, France
e-mail: marie.dominique.thouvenin@pierre-fabre.com

A. B. Rossi · T. Nocera
Department of Dermatology, University Hospital
Toulouse, 24, chemin de Pouvoirville TSA, 31059
Toulouse CEDEX 9, France