

Author Correction to: In Vitro Drug Release After Crushing: Evaluation of Xtampza[®] ER and Other ER Opioid Formulations

Stephen P. Mayock¹ · Said Saim¹ · Alison B. Fleming¹

Published online: 1 November 2017
© Springer International Publishing AG 2017

Author Correction to: Clin Drug Investig DOI 10.1007/s40261-017-0561-9

In the original publication, Table 1, was incorrectly published.

Following correction should be noted:

Table 1, first column, last row the text was incorrectly published as “Zohydro[®] ER (oxycodone ER)” instead of “Zohydro[®] ER (hydrocodone ER)”. The corrected Table 1 is given below.

Table 1 Dissolution parameters

Drug product	Dissolution medium (volume)	Sampling times, h
Xtampza [®] ER (oxycodone DETERx)	pH 4.5 acetate with 0.03% Tween 20 (900 mL)	0.25, 1, 2, 4, 8, 12, 16, 20, 24
OxyContin [®] (oxycodone ER)	Simulated gastric fluid (900 mL)	0.25, 1, 2, 4, 6, 8, 12
MS Contin [®] (morphine sulfate)	Deaerated deionized water (900 mL)	0.25, 1, 2, 3, 6, 9, 12
Kadian [®] (morphine sulfate)	0.1 N HCl (500 mL) for 1 h/ pH 7.5 phosphate buffer (500 mL) for 8 h	0.25, 1, 2, 4, 6, 9
Opana [®] ER (oxymorphone ER)	pH 4.5, 45 mM phosphate buffer (900 mL)	0.25, 1, 2, 4, 6, 8, 10
Generic Oxymorphone HCl ER	pH 4.5, 45 mM phosphate buffer (900 mL)	0.25, 1, 2, 4, 6, 8, 10
Exalgo [®] (hydromorphone ER)	Deionized water (900 mL)	0.25, 1, 2, 4, 6, 8, 10, 12, 16, 20, 24
Generic Hydromorphone HCl ER	Deionized water (900 mL)	0.25, 1, 2, 4, 6, 8, 10, 12, 16, 20, 24
Zohydro [®] ER (hydrocodone ER)	pH 6.8 phosphate buffer (900 mL)	0.25, 1, 2, 4, 6, 8, 12

ER Extended release

The online version of the original article can be found under doi:[10.1007/s40261-017-0561-9](https://doi.org/10.1007/s40261-017-0561-9).

✉ Alison B. Fleming
afleming@collegiumpharma.com

¹ Collegium Pharmaceutical, Inc., 780 Dedham St, Ste 800, Canton, MA 02021, USA