

## Erratum to: Digital Drug Safety Surveillance: Monitoring Pharmaceutical Products in Twitter

Clark C. Freifeld · John S. Brownstein ·  
Christopher M. Menone · Wenjie Bao ·  
Ross Filice · Taha Kass-Hout · Nabarun Dasgupta

Published online: 24 May 2014  
© Springer International Publishing Switzerland 2014

**Erratum to: Drug Saf**  
DOI 10.1007/s40264-014-0155-x

An error was subsequently identified in the article, and the following correction should be noted:

**Abstract, paragraph 4, lines 3–4:** The following sentence, which previously read:

“Automated, dictionary-based symptom classification had 72 % recall and 86 % precision.”

Should read:

“Automated, dictionary-based symptom classification had 86 % recall and 72 % precision.”

---

The online version of the original article can be found under doi:[10.1007/s40264-014-0155-x](https://doi.org/10.1007/s40264-014-0155-x).

---

C. C. Freifeld  
Department of Biomedical Engineering,  
Boston University, Boston, USA

C. C. Freifeld · J. S. Brownstein  
Children’s Hospital Informatics Program,  
Boston Children’s Hospital, Boston, USA

J. S. Brownstein  
Department of Pediatrics,  
Harvard Medical School, Boston, USA

J. S. Brownstein  
Center for Biomedical Informatics,  
Harvard Medical School, Boston, USA

C. M. Menone · W. Bao · N. Dasgupta  
Epidemico, Inc., Boston, USA

R. Filice  
Georgetown University Medical Center, Washington, DC, USA

T. Kass-Hout  
US Food and Drug Administration (FDA), Silver Spring, USA

N. Dasgupta  
University of North Carolina at Chapel Hill,  
Chapel Hill 27599, USA

N. Dasgupta (✉)  
266 Newbury Street, 2nd Floor, Boston, MA 02116, USA  
e-mail: [nabarund@gmail.com](mailto:nabarund@gmail.com)