



## Correction to: An uncommon outbreak of irritant contact dermatitis caused by rubber accelerators: a historical cohort study

Attasit Rattanak<sup>1</sup> · Naesinee Chaiear<sup>1</sup>  · Jitladda Sakdapipanich<sup>2,3</sup> · Jinjutha Wiriyantawong<sup>2</sup>

Published online: 27 September 2019  
© The Malaysian Rubber Board 2019

**Correction to:** *Journal of Rubber Research*  
<https://doi.org/10.1007/s42464-019-00023-w>

The original version unfortunately contained mistakes. The institution of the author Jitladda Sakdapipanich was wrong.

Correct it should be:

<sup>2</sup>Department of Chemistry and Center of Excellence for Innovation in Chemistry, Faculty of Science, Mahidol University, Bangkok 10400, Thailand;

<sup>3</sup>Institute of Molecular Biosciences, Mahidol University at Salaya, Putthamonthon 4 Road, Salaya, Nakornpathom 73170, Thailand.

---

The original article can be found online at <https://doi.org/10.1007/s42464-019-00023-w>.

---

✉ Naesinee Chaiear  
naesinee@kku.ac.th

Attasit Rattanak  
athasit98@gmail.com

Jitladda Sakdapipanich  
jitladda.sak@mahidol.ac.th

Jinjutha Wiriyantawong  
jinjutha.wir@gmail.com

<sup>1</sup> Division of Occupational Medicine, Department of Community Medicine, Faculty of Medicine, Khon Kaen University, Khon Kaen 40002, Thailand

<sup>2</sup> Department of Chemistry and Center of Excellence for Innovation in Chemistry, Faculty of Science, Mahidol University, Bangkok 10400, Thailand

<sup>3</sup> Institute of Molecular Biosciences, Mahidol University at Salaya, Putthamonthon 4 Road, Salaya, Nakornpathom 73170, Thailand