

## Erratum to: The hyperfine excitation of OH radicals by He<sup>\*,\*\*</sup>

Eur. Phys. J. D (2016) 70: 97, <https://doi.org/10.1140/epjd/e2016-70068-x>

Sarantos Marinakis<sup>1,a</sup>, Yulia Kalugina<sup>2,3</sup>, and François Lique<sup>2</sup>

<sup>1</sup> Department of Chemistry and Biochemistry, School of Biological and Chemical Sciences, Queen Mary University of London, Joseph Priestley Building, Mile End Road, London E1 4NS, UK

<sup>2</sup> LOMC-UMR 6294, CNRS-Université du Havre, 25 rue Philippe Lebon, BP 1123, 76063, Le Havre, France


<sup>3</sup> Tomsk State University, 36 Lenin Av., 634050 Tomsk, Russia

Received 12 March 2019

Published online 7 May 2019

© EDP Sciences / Società Italiana di Fisica / Springer-Verlag GmbH Germany, part of Springer Nature, 2019

The same figure has been put twice in the published article. Figure 6 was the right one. Figure 7 had to be:



**Fig. 7.** State-to-state hyperfine cross sections for spin-orbit conserving collisions of OH( $X^2\Pi_{1/2}, v=0$ ) and He. The initial and final levels are  $j=1.5f$  and  $j=1.5e$ , respectively. The initial and final  $F$  quantum numbers are shown in the graph.

\* The online version of the original article can be found at <https://doi.org/10.1140/epjd/e2016-70068-x>

\*\* Contribution to the Topical Issue “Atomic Cluster Collisions”, edited by Alexey Verkhovtsev, Andrey V. Solov’yov, Germán Rojas-Lorenzo, and Jesús Rubayo Soneira.

<sup>a</sup> e-mail: [s.marinakis@qmul.ac.uk](mailto:s.marinakis@qmul.ac.uk)