CORRECTION Open Access

Correction to: Differences in factors influencing the use of eRehabilitation after stroke; a cross-sectional comparison between Brazilian and Dutch healthcare professionals



Berber Brouns^{1,2,3*}, Leti van Bodegom-Vos⁴, Arend J. de Kloet^{2,3}, Thea P. M. Vliet Vlieland^{1,3}, Ingrid L. C. Gil⁵, Lígia M. N. Souza⁵, Lucia W. Braga⁵ and Jorit J. L. Meesters^{1,2,3}

Correction to: BMC Health Serv Res 20, 488 (2020) https://doi.org/10.1186/s12913-020-05339-7

Following the publication of the original article [1], it was noted that due to a typesetting error the legend in the Fig. 2 is missing.

The correct figure has been included in this correction, and the original article has been corrected.

Author details

¹Department of Orthopaedics, Rehabilitation and Physical Therapy, Leiden University Medical Center, Albinusdreef 2, 2333, ZA, Leiden, The Netherlands. ²Faculty of Health, Nutrition and Sports, The Hague University for Applied Sciences, The Hague, The Netherlands. ³Basalt Rehabilitation, The Hague/ Leiden, The Netherlands. ⁴Department of Biomedical Data Sciences, section Medical Decision Making, Leiden University Medical Center, Leiden, The Netherlands. ⁵The SARAH Network of Rehabilitation Hospitals, Brasilia, Brazil.

Published online: 01 July 2020

Reference

 Brouns, et al. Differences in factors influencing the use of eRehabilitation after stroke; a cross-sectional comparison between Brazilian and Dutch healthcare professionals. BMC Health Serv Res. 2020;20:488.

The original article can be found online at https://doi.org/10.1186/s12913-020-05339-7.

Full list of author information is available at the end of the article



© The Author(s). 2020 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*} Correspondence: b.brouns@basaltrevalidatie.nl

¹Department of Orthopaedics, Rehabilitation and Physical Therapy, Leiden University Medical Center, Albinusdreef 2, 2333, ZA, Leiden, The Netherlands ²Faculty of Health, Nutrition and Sports, The Hague University for Applied Sciences, The Hague, The Netherlands




Fig. 2 Scatterplot of the ranking of all statements for the Brazilian healthcare professionals (BHP) and Dutch healthcare professionals (BHP). Lower values are statements with more influence