

CORRECTION

## Correction to: Lymph Node Status in Breast Cancer Does Not Predict Tumor Biology

Danielle M. Bello, MD<sup>1</sup>, Christy Russell, MD<sup>2</sup>, Debbie McCullough, MS<sup>2</sup>, Marni Tierno, PhD, RN<sup>2</sup>, and Monica Morrow, MD<sup>1</sup>

<sup>1</sup>Breast Service, Department of Surgery, Memorial Sloan Kettering Cancer Center, New York, NY; <sup>2</sup>Genomic Health, Redwood City, CA

### CORRECTION TO: ANN SURG ONCOL

[HTTPS://DOI.ORG/10.1245/S10434-018-6598-Z](https://doi.org/10.1245/S10434-018-6598-Z)

In the “Results” section third paragraph, second sentence, there is an error. The corrected sentence is as follows.

An  $RS \leq 25$  was recorded in 83% ( $n = 403,944$ ) of N0 patients, 87% ( $n = 21,052$ ) of N1mi patients, and 85% ( $n = 47,819$ ) of N+ patients, while the rate of  $RS > 25$  was 17, 13, and 15% in the N0, N1mi, and N+ patients, respectively (Fig. 1).

---

The original article can be found online at <https://doi.org/10.1245/s10434-018-6598-z>.

---

© Society of Surgical Oncology 2018  
Published Online: 19 July 2018

M. Morrow, MD  
e-mail: [morrowm@mskcc.org](mailto:morrowm@mskcc.org)