

Bibliography

- [1] T. Rappaport, *Wireless Communications: Principles and Practice*, Prentice Hall, Englewood Cliffs, NJ, 1996.
- [2] W. C. Y. Lee, *Mobile Communications Design Fundamentals*, John Wiley & Sons, Inc., New York, NY, 1993.
- [3] J. D. Parsons, *The Mobile Radio Propagation Channel*, Pentech Press, London, UK, 1992.
- [4] R. Steele, *Mobile Radio Communications*, Pentech Press, London, UK, 1992.
- [5] W. C. Y. Lee, *Mobile Cellular Communications*, McGraw Hill, New York, NY, 1989.
- [6] J. D. Parsons and J. G. Gardiner, *Mobile Communication Systems*, Blackie, London, UK, 1989.
- [7] W. C. Jakes, *Microwave Mobile Communications*, John Wiley & Sons, Inc., New York, NY, 1974.
- [8] J. D. Parsons, M. Henze, P. A. Ratliff, and M. J. Withers, Diversity Techniques for Mobile Radio Reception, *IEEE Transactions on Vehicular Technology*, pages 75–84, August 1976.
- [9] W. C. Jakes, A Comparison of Specific Space Diversity Techniques for Reduction of Fast Fading in UHF Mobile Radio Systems, *IEEE Transactions on Vehicular Technology*, pages 81–92, November 1971.
- [10] P. Balaban and J. Salz, Optimum Diversity Combining and Equalization in Data Transmission with Application to Cellular Mobile

- Radio-Part I: Theoretical Considerations, *IEEE Transactions on Communications*, pages 885–894, May 1992.
- [11] S.-S. Jeng, G. Okamoto, G. Xu, H. P. Lin, and W. J. Vogel, Experimental Evaluation of Smart Antenna system Performance for Wireless Communications, *IEEE Transactions on Antennas and Propagation*, pages 749–757, June 1998.
- [12] A. Naguib, A. Paulraj, and T. Kailath, Capacity Improvement with Base-Station Antenna Arrays in Cellular CDMA, *IEEE Transactions on Vehicular Technology*, pages 691–698, August 1994.
- [13] R. Kohno, H. Imai, and S. Pasupathy, Combination of an Adaptive Antenna Array and a Canceler of Interference for Direct-Sequence Spread Spectrum Multiple-Access System, *IEEE Journal on Selected Areas in Communications*, pages 675–682, May 1990.
- [14] G. Okamoto, S.-S. Jeng, S. Tseng, and G. Xu, Evaluation of Beam-forming Algorithm Effectiveness for the Smart Wireless LAN System, *Proc. of VTC'98*, May 1998.
- [15] L. Goldberg, Wireless LANs: Mobile-Computing's Second Wave, *Electronic Design*, pages 55–72, June 1995.
- [16] A. Juodikis, Wireless LANs: Considerations and Implementations, *Communication Systems Design*, pages 48–53, September 1995.
- [17] C. Leidigh, An 802 LAN Standard Primer, *Communication Systems Design*, pages 30–40, September 1995.
- [18] R. O. LaMaire, A. Krishna, P. Bhagwat, and J. Panian, Wireless LANs and Mobile Networking: Standards and Future Directions, *IEEE Communications Magazine*, pages 86–94, August 1996.
- [19] J. Abramowitz, Wireless LANs: A Status Report, *Telecommunications*, page 70, March 1997.
- [20] M. Leonard, Wireless Data Links Broaden LAN Options, *Electronic Design*, pages 51–55, March 1992.

-
- [21] P. Dunn, Wireless LAN Suppliers Foresee Growth As User Conditions Fade, *Chilton's Electronic News*, page 18, February 1991.
- [22] J. Ubois, Wireless LANs Are Due For An Encore, *MacWEEK*, pages 24–25, March 1993.
- [23] R. Lauriston, Wireless LANs: Your Next Network?, *PC World*, pages 224–228, September 1992.
- [24] L. Goldberg, MAC Protocols: The Key To Robust Wireless Systems, *Electronic Design*, pages 63–74, June 1994.
- [25] Electronic News Publishing Corporation, Triquint, Proxim eye 2.4GHz markets, *Electronic News*, pages 62–63, August 1994.
- [26] J. Edney, IEEE 802.11 Standards: New Options, More Freedom in Wireless LAN Connectivity, *Commercial Wireless Systems Supplement*, pages 23–26, September 1995.
- [27] J. McGarvey, Lucent Upgrades WaveLAN Gear, *Interactive Week*, page 31, April 1998.
- [28] C. Mason, Raytheon Advances Into WLAN Market, *Wireless Week*, pages 1,8, April 1997.
- [29] G. Okamoto, S.-S. Jeng, and G. Xu, Adapting SDMA for Wireless LAN Systems via the SWL Protocol, *Submitted for publication in the IEEE Transactions on Vehicular Technology*, 1998.
- [30] G. Okamoto and G. Xu, The Smart Wireless LAN System: Physical Layer Design and Results, *Proc. of VTC'97*, May 1997.
- [31] G. Okamoto and G. Xu, Throughput Multiplication of Wireless LANs: Spread Spectrum with SDMA, *Proc. of VTC'96*, April 1996.
- [32] G. Okamoto and G. Xu, Multimedia Communications over Wireless LANs via the SWL Protocol, *Proc. of HICSS'97*, January 1997.
- [33] G. Okamoto and G. Xu, The Smart Wireless LAN System: Adapting SDMA for IEEE 802.11, *Proc. of Austin Telecommunications Conference*, November 1996.

- [34] G. Okamoto, The Smart Wireless LAN System: Physical Layer Design, *Proc. of University of Texas Student Research Conference*, October 1996.
- [35] G. Okamoto, Spread Spectrum with SDMA for Wireless LANs: Simulation and Results, *Proc. of University of Texas Student Research Conference*, November 1995.
- [36] H. L. Bertoni, S. Kim, and W. Honcharenko, Review of In-Building Propagation Phenomena at UHF Frequencies, *Proc. of Asilomar'95*, pages 761–765, November 1995.
- [37] W. Honcharenko, H. L. Bertoni, J. L. Dailing, J. Qian, and H. D. Yee, Mechanism Governing UHF Propagation on Single Floors in Modern Office Buildings, *IEEE Trans. Vehicular Technology*, pages 496–504, November 1992.
- [38] S.-S. Jeng, G. Xu, H. P. Lin, and W. J. Vogel, Experimental Studies of Spatial Signature Variation at 900 MHz for Smart Antenna Systems, *Accepted for publication in the IEEE Transactions on Antennas and Propagation*, 1998.
- [39] A. Paulraj, R. Roy, and T. Kailath, A Subspace Rotation Approach to Signal Parameter Estimation, *Proceedings of the IEEE*, **74**(7):1044–1045, July 1986.
- [40] T. J. Shan, A. Paulraj, and T. Kailath, A Subspace Rotation Approach to Signal Parameter Estimation, *IEEE Trans. on Acoustics, Speech, and Signal Processing*, **33**(10):1377–1385, October 1987.
- [41] S.U. Pillai and B.H. Kwon, Forward/Backward Spatial Smoothing Techniques for Coherent Signal Identification, *IEEE Trans. ASSP*, **37**(1):8–15, 1989.
- [42] J. H. Winters, J. Salz, and R. D. Gitlin, The Capacity of Wireless Communication Systems can be Substantially Increased by the Use of Antenna Diversity, *Proc. of the 1st International Conference on Universal Personal Communications*, pages 28–32, September 1992.

- [43] D. Johnson and D. Dudgeon, *Array Signal Processing Concepts and Techniques*, Prentice Hall, Englewood Cliffs, NJ, 1993.
- [44] R. O. Schmidt, A Signal Subspace Approach to Multiple Emitter Location and Spectral Estimation, *Ph.D. Thesis, Stanford University*, 1983.
- [45] G. Zelniker and F. Taylor, *Advanced Digital Signal Processing, Theory and Applications*, Marcel Dekker, Inc., New York, NY, 1994.
- [46] C. Nobel, Wireless LANs Meet IEEE Standard, *PC Week*, page 10, April 1998.
- [47] G. Miller, Wireless LAN Standard Ratified, *Wireless Integration*, pages 4,10, July/August 1997.
- [48] J. Shandle, Wireless LANs: Welcome to the Virtual Workplace, *Electronics*, pages 26–28, April 1992.
- [49] A. Champness, 802.11's Step Toward Standardization, *Wireless World*, pages 46–49, April 1997.
- [50] B. Tuch, An IEEE802.11 WLAN Primer, *Communication Systems Design*, pages 27–33, September 1997.
- [51] L. Kleinrock and F. A. Tobagi, Packet Switching in Radio Channels: Part I - Carrier Sense Multiple-Access Modes and Their Throughput-Delay Characteristics, *IEEE Trans. on Communications*, pages 1400–1416, December 1975.
- [52] F. A. Tobagi and L. Kleinrock, Packet Switching in Radio Channels: Part II - The Hidden Terminal Problem in Carrier Sense Multiple Access and the Busy Tone Solution, *IEEE Trans. on Communications*, pages 1417–1433, December 1975.
- [53] R. Garces and J. J. Garcia-Luna-Aceves, A Near-Optimum Access Protocol Based on Incremental Collision Resolution and Distributed Transmission Queues, *INFOCOM'98*, pages 158–165, March 1998.

- [54] K. C. Chen, Medium Access Control of Wireless LANs for Mobile Computing, *IEEE Network Magazine*, pages 50–63, September/October 1994.
- [55] et al J. Chen, A Comparison of MAC Protocols for Wireless Local Networks Based on Battery Power Consumption, *INFOCOM'98*, pages 150–157, March 1998.
- [56] P802.11, *Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications*, IEEE Press, May 1997.
- [57] J. Stine and G. de Veciana, Tactical Communications Using the IEEE 802.11 MAC Protocol, *MILCOM'98*, October 1998.
- [58] J. Sobrinho and A. S. Krishnakumar, Real-Time Traffic Over the IEEE 802.11 Medium Access Control Layer, *Bell Labs Technical Journal*, pages 172–187, Autumn 1996.
- [59] M. Fahey, Lucent Delivers Standard-Compliant Products, *Wireless Integration*, pages 6,11, May/June 1998.
- [60] A. Emmett, Proxim's Product Suites, *Wireless Integration*, page 9, May/June 1998.
- [61] G. Xu and S.Q. Li, Throughput Multiplication of Wireless LANs for Multimedia Services: SDMA Protocol Design, *Proc. of Globecom'94*, August 1994.
- [62] W. Chen, S. Q. Li, and M. Schwartz, A New Voice Scheduling Scheme for Broadcast Bus Local Area Networks, *Proc. IEEE Infocorn*, pages 448–457, 1989.
- [63] S. Q. Li and M. El Zarki, Dynamic Bandwidth Allocation on a Slotted Ring with Integrated Services, *IEEE Trans. Communication*, pages 826–833, July 1988.
- [64] S. Sigmond, Priority SDMA for Wireless LAN, *Master Thesis, University of Texas at Austin*, June 1995.

- [65] K. Sakakibara, Performance Approximation of a Multi-Base Station Slotted ALOHA for Wireless LANs, *IEEE Trans. on Vehicular Technology*, pages 448–454, November 1992.
- [66] W. Yang and G. Xu, A New Method for Designing Smart Antenna Downlink Weighting Vectors Based on the Filter Bank Concept, *Proc. of Conference on Advanced Signal Processing Algorithms, Architectures, and Implementations VII*, July 1997.
- [67] R. Sinha, T. Todd, V. Kezys, and J. Litva, Smart Antenna Basestations in Indoor SDMA Networks, *Proc. of Wireless'97*, July 1997.
- [68] F. Shad, T. Todd, V. Kezys, and J. Litva, Indoor SDMA Capacity Using a Smart Antenna Basestation, *Proc. of ICUPC'97*, October 1997.
- [69] S.-S. Jeng, G. Okamoto, and G. Xu, Experimental Evaluation of Smart Antenna System Performance for Capacity Improvement, *Proc. of Globecom'97*, November 1997.
- [70] S. Andersson, M. Millnert, M. Viberg, and B. Wahlberg, An Adaptive Array for Mobile Communication Systems, *IEEE Trans. on Vehicular Technology*, **40**(1):230–236, 1991.
- [71] J. H. Winters, Signal Acquisition and Tracking with Adaptive Arrays in the Digital Mobile Radio System IS-54 with Flat Fading, *IEEE Trans. on Vehicular Technology*, **42**(4):377–384, November 1993.
- [72] B. Veen and K. Buckley, Beamforming: A Versatile Approach to Spatial Filtering, *IEEE ASSP Magazine*, pages 4–22, April 1998.
- [73] G. Strang, *Linear Algebra and Its Applications*, Harcourt, Brace, Jovanovich, San Diego, CA, 1988.
- [74] R. J. Leopold and A. Miller, The Iridium Communications System, *IEEE MTT-S Digest*, pages 575–578, 1993.

-
- [75] J. Berkebile, A Two-Element Phase-Array Antenna for Reducing Multipath Effects in Hand-Held Satcom Units, *Microwave Journal*, pages 24–36, January 1996.
- [76] R. H. Roy, ESPRIT, Estimation of Signal Parameters via Rotational Invariance Techniques, *Ph.D. Thesis, Stanford University*, August 1987.
- [77] S.-S. Jeng, G. Okamoto, and G. Xu, Experimental Evaluation of Fading Reduction and Diversity Gain for Smart Antenna Systems, *Proc. of VTC'98*, May 1998.
- [78] N. Abramson, The Aloha System—Another Alternative for Computer Communications, *Proc. Fall Joint Comput. Conf, AFIPS Conf.*, page 37, 1979.
- [79] L. G. Roberts, *Aloha Packet System with and without Slots and Capture (ASS Note 8)*, Stanford Research Institute, Advanced Research Projects Agency, Network Information Center, Stanford, CA, 1972.
- [80] D. Bertsekas and R. Gallager, *Data Networks*, Prentice Hall, Englewood Cliffs, NJ, 1992.

Index

- Aloha protocol, 20, 185
 - collision avoidance, 23
 - contention resolution via splitting, 24
 - CSMA, 21
 - four-way handshaking, 24
 - slotting, 21
- Array response matrix, 10
- Beamforming
 - complex conjugate SS, 14
 - definition, 11
 - dominant DOA, 13
 - feasibility, 130
 - pseudoinverse DOA, 13
 - pseudoinverse SS, 14, 67
 - SIR performance
 - experimental results, 141
 - simulation results, 157
- Data scrambler/descrambler, 66
- Diversity gain
 - definition, 134
 - experimental results, 133
- DOA
 - based beamforming, 12
 - estimation, 11
- Dynamic slot assignment
 - FCFS
 - design, 69
 - results, 161
 - first fit all
 - design, 164
 - results, 164, 167
 - first fit new
 - design, 68
 - results, 161
 - sorting benefits, 69
- EERL, 79, 98, 126, 133, 179
- ESPRIT, 11, 13, 128, 149, 153
- Experimental environment, 98
- Experimental results summary, 153
- Fading reduction
 - experimental results, 133
 - peak-to-peak definition, 134
- First fit SDMA/TDMA, 68
- IEEE 802.11, 17
 - and smart antenna systems, 44, 67
 - background, 17
 - DCF, 32, 60, 68
 - operation, 42
 - design objectives, 28
 - DSSS systems, 47
 - Lucent, 50
 - fast version, 17, 49, 54
 - FHSS systems, 47
 - Proxim, 53
 - IR systems, 46, 48
 - limitations, 4, 193
 - scope, 18
 - MAC Layer, 19
 - network operation, 39
 - interframe spaces, 39
 - transmitting data, 40

- transmitting real time traffic, 41
- PCF, 33
 - operation, 43
- PHY Layer, 46
 - DSSS systems, 47
 - FHSS systems, 47
 - IR systems, 48
 - PLCP frame format, 64
 - power saving mechanism, 34
 - RadioLAN alternative, 54
 - WEP encryption, 63
- Iridium, 147, 152, 155
- JVC Office LAN, 56
- LEO satellite emulation
 - experimental results, 147
 - experimental setup, 99
- Lucent
 - IAPP, 18
 - WaveLAN, 3, 50
 - WavePOINT-II, 52
- MATLAB, 63, 74, 157–159, 179
- Multipath angle spread, 125
- MUSIC, 13
- Network utilization
 - comparison between SWL and 802.11, 188
 - definition, 187
- OpenAir Standard, 18, 52, 193
- Proxim
 - OpenAir Standard, 52
 - RangeLAN2, 3, 52
 - RangeLAN802, 53
- RadioLAN narrow band system, 54
- Relative amplitude change, 106
- Relative angle change, 106
- SDMA, 5, 88, 105
- SHARC DSP chip, 88
 - computational advantages, 93
 - DMA capability, 93
 - I/O port, 93
 - photograph, 94
 - SHARC board, 92
- Singular value decomposition, 106
- Smart antenna systems
 - and moving users, 46, 120, 133, 141, 157
 - and the 802.11 MAC, 44
 - benefits, 1, 7, 153
- Smart antenna testbeds, 79
 - 1.5 GHz testbed, 79, 119
 - 1.8 GHz testbed, 79, 87
 - backplane, 94
 - base station, 88
 - basesite handsets, 94
 - basesite T/R board, 89
 - computational units, 93
 - DMA Capability, 93
 - frequencies, 89
 - handset antenna, 98
 - handset T/R channel, 96
 - portable handsets, 96
 - sampling rates, 90
 - SHARC board, 92

- vocoders, 93
- 900 MHz testbed, 79
 - antenna array, 82
 - distribution box, 83
 - MUX/DEMUX box, 85
 - RF/IF unit, 83
- stability of testbed, 87
- transmitting tower, 99
- Smart antennas and FDD systems, 113, 130, 154
- Smart wireless LAN system, 59
 - dynamic slot allocation
 - capacity results, 166
 - design, 68
 - worst-case SINR results, 161
 - MAC design, 60
 - MAC results, 185
 - motivation, 5
 - PHY design, 63
 - PHY results, 179
 - timing synchronization
 - design, 70
 - results, 171
- Spatial diversity, 5, 105, 113, 120, 124, 130
- Spatial signature
 - based beamforming, 12
 - calculation of variations, 106
 - correlation for closely spaced transmitters, 119
 - definition, 7, 10
 - stability for stationary users, 107
 - 1.8 GHz testbed, 109
 - 900 MHz testbed, 108
 - with people walking around the transmitters, 112
 - variation due to small displacement, 120
 - variation with displacement, 113
 - 1.8 GHz testbed, 115
 - 900 MHz testbed, 115
 - variation with frequency shift, 113
- SS-SDMA, 69
- Timing synchronization
 - algorithm design, 72
 - background, 70
 - combined algorithm, 173
 - effectiveness, 174
 - quick algorithm, 76
 - results, 171
 - sorting, 171
 - standard algorithm, 74
- Voice delay failure comparison for SWL and 802.11, 188
- Wireless LANs
 - adapted for smart antenna systems, 59
 - advantages, 2
 - adaptability, 3
 - installation speed, 3
 - mobility, 2
 - no wiring costs, 3
 - aloha protocol, 20
 - challenges, 19
 - hidden node problem, 26, 32
 - rapid growth, 4