
Index

- adjusted mean, 212
- analysis of covariance, 211
- analysis of variance, 10, 37–39, 42, 68, 156, 320
- Bartlett's paradox, 170, 175
- Bayes factor, 60, 63, 64, 70, 72, 111, 115, 131–136, 142, 155, 190, 192, 193, 220, 252, 255–257, 284, 313, 329
 - fractional, 134
 - intrinsic, 136
- Bayes' rule, 345
- Bayes' theorem, 31, 345
- Bayesian model assessment, 155
- Bayesian order restricted inference, 310
- calibration, 177
- Carnap, 335, 348
- Cohen's d , 24
- completing and splitting, 132, 135, 139, 317
- conditional predictive ordinate, 160, 162
- confidence interval, 182, 183, 198
- conjunction fallacy, 352
- contingency table, 247
- covariate, 211
- credibility interval, 283, 288, 292
- criterion-based methods, 155
- data
 - adolescent alcohol use, 277, 289–292
 - androgyny, 240
 - balance scale task, 241
 - blood pressure, 319
 - cold pressor test, 213
 - complicated grief, 19, 79, 81, 90
 - customer satisfaction, 248
 - dissociative identity disorder, 8, 27, 28, 46, 50, 51, 53, 74, 75, 77, 85, 334
 - emotional reactivity, 12, 14, 77, 79, 88
 - individual growth, 276, 289
 - math achievement, 276, 277, 285–289
 - mood-facilitation hypothesis, 15
 - peer evaluation, 13
 - posttraumatic stress disorder, 18
 - school effects, 276, 285
 - Wechsler memory scale-revised, 8
- data analysis
 - confirmatory, 278, 293
 - exploratory, 293
- David Hume, 332
- DeFinetti, 348
- deviance function, 162
- deviance information criterion, 160, 161, 318
 - effective number of parameters, 318
- Diagnostic and Statistical Manual of Mental Disorders, 7
- effect size, 24
- encompassing prior approach, 55, 217, 220, 315
- falsification, 338, 350
- Fisher, 187

- Gibbs sampler, 39, 41, 44–47, 71, 111, 218, 231, 254, 255, 280, 282, 283, 288, 291, 322
 - burn-in, 39, 45, 49, 283, 287, 288, 291, 292
 - conditional distributions, 322
 - convergence, 41, 42, 45, 49, 283, 284, 356
 - convergence diagnostic \widehat{R} , 40–42, 49
 - Gibbs stopper, 165
 - initial values, 282, 283
- Goodman's riddle, 333
- hierarchical Bayes, 319
- hypothesis, 329
 - alternative, 95, 98, 278, 279
 - informative, 53, 74, 78, 80, 138, 139, 141, 146, 152, 215, 222, 229, 277, 278, 286, 290
 - null, 94, 98, 278–280
- hypothesis testing, 7
 - multiple, 17, 23, 96, 99
 - p-value, 184
 - power, 11
 - type I error, 11, 23, 185
 - type II error, 11, 23
- importance sampling, 116, 128
- inadmissible, 186
- inequality constraints, 9, 15, 21, 23, 37, 42, 44, 46, 47, 229, 276, 279, 284, 288, 293, 329
- inference
 - Bayesian, 280, 339, 343, 351
 - deductive, 339
 - frequentist, 182
 - inductive, 331, 332
 - subjective, 198
- inverse probability sampling, 44, 45, 232, 323
- isotonic regression, 311
- L measure, 160, 318
 - Monte Carlo estimate, 161
- latent class analysis, 227
 - class weight, 228
 - class-specific probabilities, 228
 - confirmatory, 229
 - exploratory, 229
 - inequality constrained, 230
- likelihood function, 28, 38, 231
- likelihood-ratio test, 251, 311
- Lindley's paradox, 170, 175, 315
- log-linear model, 247, 250–252, 259, 261, 263, 267
- logarithm of pseudomarginal likelihood, 163, 318
- logical probability, 336
- marginal likelihood, 55, 58–60, 70, 160, 163, 329, 352
 - Monte Carlo estimate, 166
- Markov chain Monte Carlo, 181, 195, 311
- model, 329
 - complexity, 318
 - fit, 355
 - non-nested, 188, 195
 - restricted, 330
 - simplicity, 355
 - unrestricted, 330
- model selection, 220, 233, 276, 280, 284, 330
 - Bayesian, 97, 334, 351
- multilevel model, 274–276, 280
 - data, 273, 274
 - level, 273, 274
 - likelihood, 281
- Occam's razor, 193, 314
- odds ratio, 249
- ordering
 - simple, 111
 - umbrella, 111
 - unimodal, 111
- parsimony, 193
- Popper, 337, 350
- posterior distribution, 27, 31–33, 43, 46, 62, 218, 231, 280–284, 287, 288, 291
- posterior estimates, 34–36, 39, 48, 50
- posterior model probability, 64, 65, 116, 155, 220, 255–258, 280, 284, 288, 292, 314, 329
- posterior predictive distribution, 318
- posterior predictive model selection, 318
- prior distribution, 27, 29–31, 36, 38, 43, 46, 56, 231

- conjugate, 30, 32, 156, 281, 282
- diffuse, 284, 287
- encompassing, 101, 111, 217, 281, 284
- hyperparameters, 321
- hyperpriors, 321
- improper, 314
- intrinsic, 137, 138, 145
- intrinsic-EP, 145
- normalized conditional, 103, 157
- reference, 38
- Zellner and Siow, 144, 147, 149, 151, 152
- prior model probability, 64, 116
- prior predictive distribution, 177
- prior sensitivity, 36, 57, 65, 66, 72, 74
- probabilistic logic, 339
- probabilistic valuations, 343
- probability distribution
 - beta, 232
 - degrees of freedom, 282, 283, 287, 291
 - Dirichlet, 232, 253
 - gamma, 253, 254
 - inverse gamma, 157
 - inverse Wishart, 281–283, 287, 291
 - multinomial, 232
 - multivariate normal, 113
 - multivariate T, 113, 127
 - multivariate truncated T, 115
 - normal, 275, 276, 281–283, 287, 291
 - scaled inverse χ^2 , 40, 281, 282, 287, 291
 - truncated normal, 161, 284
- sampling plan, 184–186, 201
- scientific method, 293
- test statistic, 104, 112, 113
- truth valuations, 341
- uniformity of nature, 332
- violation of the axioms of probability, 353