

# Subject Index

- Antenna temperature, 65, 329–337
  - definition of, 65
  - peculiar units at short wavelengths, 65, 329, 336–337
- Astration
  - definition of, 118
- Atoms
  - hydrogenic
    - definition of, 5
    - reduced mass of, 241–243
  - Rydberg constant for, *see* Rydberg constant
  - size limit to, 107–113
- Black-body radiation, 60
- Bohr atom, 3–7, 112, 283–284
- Bohr radius, 37, 287
  - definition of, 4
- Boltzmann equation, 67, 72, 74, 75, 79, 80, 86
- Bremsstrahlung, *see* Free-free radiation
- C II regions, *see* RRLs, carbon
- Carbon monoxide (CO), 118, 169, 175–181, 183, 194–196
  - Galactic rotation curve from, 137
  - Galactocentric distribution of, 141, 142
- Clumping, *see* H II regions, density inhomogeneities
  - definition of, 164
- Collisions
  - effect on level population, 11, 42, 79–86, 88, 297
- Cosmic rays
  - intensity of, 144
  - ionization by, 143, 144, 150, 208–212
- Cosmological abundance, 156–160
  - definition of, 155
- Damping constant, 33
  - classical, 25
  - quantum mechanical, 27
- Departure coefficients, 78–86, 125, 297–327
  - “blurring” of sublevels, 85–86, 93
  - the “Cases” of the calculations, 80
- Dielectronic “capture”, 104, 167
- Dielectronic recombination, 104–107, 166,
  - see* RRLs, Solar
- Dispersion measure, 144–145, *see* Pulsars
  - definition of, 144
- Doppler shift, *see* Line shift
- Dust
  - selective absorption by, 161
- Einstein emission and absorption
  - coefficients, 67–71
  - energy density form of, 67
  - specific intensity form of, 67
- Emission measure (EM), 123–126, 131, 133
  - definition of, 10
- Euler’s constant, 63
- Excitation parameter (U), 123
- Extreme Low-Density component (ELD), 147, 148, 152
- Extreme Low-Density Warm Ionized Medium (ELDWIM), 149
- Flux density, 329
  - definition of, 59, 329
  - free-free radiation, 65–66
  - spectral
    - definition of, 65

- Forbidden transitions, 133  
 auroral lines, 128  
 definition of, 128  
 nebular lines, 128
- Formaldehyde ( $\text{H}_2\text{CO}$ ), 167  
 resolving distances with, 139, 167, 194
- Formyl cation ( $\text{HCO}^+$ ), 236
- Fourier transform, 25, 32
- Free-free radiation, 61–67  
 absorption coefficient  
 Altenhoff approximation to, 63  
 Hjellming approximation to, 64  
 Rayleigh–Jeans form of, 62–63  
 at low frequencies, 64  
 at low temperatures, 64  
 emission coefficient, 64  
 observations compared with theory,  
 65–66  
 spectrum of, 65–67  
 theory of, 62–64  
 transfer equation, 64–65  
 turnover frequency, 66
- Galactic rotation law, 136–137
- Galactic standard of rest, 136
- Galaxies, external, *see* Sources, special
- Galaxy, The, *see* H II regions, surveys of  
 “chimney”-like structures, 153  
 background radiation, 108  
 density waves, 197–200  
 distance ambiguity, 136–137  
 dust gradient, 161  
 evolution of, 156  
 gradient of  $^3\text{He}^+/\text{H}^+$ , 163–165  
 He II gradient, 160–162  
 large-scale characteristics of, 1–154  
 metallicity gradient, 162  
 rotation law, 136  
 subcentral point, 136  
 temperature gradient, 161  
 thickness of, 152–154
- Gaunt factor, 62–63
- Giant Molecular Cloud (GMC), 151
- giant molecular cloud (GMC), 149
- H II regions  
 density inhomogeneities, 50, 66  
 surveys of, 137–140  
 temperature gradients, 51, 66  
 ultracompact, 130
- Hamburg IAU  
 detection announcement, 14
- He II regions, *see* RRLs, helium
- Heisenberg Principle, 26
- Helium, *see* RRLs, helium  
 hyperfine transition, 163, *see* Spectral  
 lines,  $^3\text{He}$  hyperfine line  
 neutral component, 157
- Hydrogen  
 atomic neutral layers, 174–181  
 molecules, 140, 141, 169, 175–181
- Impact parameter, 33
- Inglis–Teller effect, 9
- Intensity  
 continuum  
*see* Free-free radiation, 163  
 line, 29  
 thermal, 29
- Interstellar Medium (ISM), *see* RRLs,  
 carbon, 165–187
- ISAS  
 BICE, 203
- James Clerk Maxwell, 221
- Kirchhoff’s laws, 60, 64, 88
- Ladenburg f, *see* Oscillator strength
- Line broadening  
 early estimate, 8  
 natural, 25–28  
 pressure, *see* Line broadening, Stark  
 quasistatic, 9  
 radiation, 107–111  
 resonance, 34  
 Stark, 9, 11, 19, 30–55, 94, 99–100, 102,  
 131–132, 281–283  
 apparent absence of, 23, 40  
 Bohr theory, 31  
 $C_2$  coefficient, 37–38  
 choice between approximations, 36–39  
 collision duration, 35  
 distinction between quasistatic and  
 impact, 35–39  
 early estimate, 8  
 elastic “ion line width”, 43  
 impact, 33, 40–46  
 impact, ions, 43  
 in astronomical plasmas, 32  
 inelastic “electron line width”, 44  
 inelastic “ion line width”, 45  
 inelastic collisions, 42  
 inelastic cross sections, 44  
 level compensation, 40, 44  
 line splitting, 37  
 linear, 31, 34

- nonadiabatic, *see* Line broadening, Stark, inelastic collisions
  - onset of, 24
  - phase shift, 32–34
  - problems with revised theory, 49
  - quadratic, 31, 34
  - quantum theory, 44
  - revised theory for RRLs, 49
  - test of revised theory, 49, 51, 53
  - theory, 24, 30
- thermal, *see* Line profile, thermal, 28–30
- turbulence, 30, 134–135
- van der Waals, 34
- Line profile
  - Doppler, *see* Line profile, thermal
  - Gaussian, *see* Line profile, thermal
  - Lorentz, 25–28, 32–33, 48, 107–110
    - damping constant, 25
    - errors, 46
  - thermal, 9, 28, 29, 48, 52, 69, 94, 132–134, 173, 184, 188, 201, 211, 222, 225, 274, 281
    - derivation of, 28
  - turbulence, 28, 30–31, 122, 163
  - Voigt, 46–48, 52–54, 132, 133, 188, 189, 215
    - approximate line width, 48
    - characteristics of, 48
    - derivation of, 46
    - Voigt function, 48
- Line shift
  - Euclidean, 28
  - general relativity, 28
- Local Standard of Rest, 1
- local standard of rest, 136
- LTE, *see* Thermodynamic equilibrium
- Maxwell–Boltzmann velocities, *see* Velocity distribution, Maxwell–Boltzmann
- Mean intensity
  - definition of, 79, 107
- Metallicity
  - definition of, 129
- Observatories
  - Bell Labs
    - Holmdel, 94
  - Bonn University
    - Stockert, 17
  - CSIRO
    - Parkes, 17, 21, 201
  - DKR-1000
    - Pushchino, 99, 112, 201
  - ESA
    - ISO, 179
  - Harvard University
    - Agassiz Station, 18, 19, 155
  - IIS
    - Gauribidanur, 188, 201
  - ISAS
    - BICE, 203
    - BIRT, 203–205
  - James Clerk Maxwell
    - Mauna Kea, 95
  - Lebedev
    - Pushchino, 12, 14, 52, 94, 184, 188
  - MIT
    - Haystack, 21
  - MPIfR
    - Effelsberg, 52, 53, 167, 222, 231, 237
  - NAIC
    - Arecibo, 173
  - NASA
    - Kuiper Airborne, 95, 183
  - NEROC, 19
  - NRAO
    - Green Bank, 17–19, 105, 134, 146, 164, 166, 201
    - Kitt Peak, 94, 219
    - Socorro, 127, 158, 159, 175, 180, 199, 215, 217, 227, 232, 233
  - RIU
    - Kharkov, 99–101, 112, 189
  - SAO
    - Pulkovo, 12, 14–16
  - Space Research Center
    - Crimea, 12
  - UC Berkeley
    - Hat Creek, 21
- Opacity, *see* Optical depth
- Optical depth, *see* RRLs, line absorption
  - coefficient or Free–free radiation, absorption coefficient
  - definition of, 57
- Oscillator
  - damping constant
    - classical, 25
  - electric dipole, 25
  - spectrum, 25
- Oscillator strength, 68, 285–288
  - Menzel algorithm for, 68, 109
  - origin of the term, 68
- Parsec
  - definition of, 10
- Photodissociation region (PDR), 176, 179–181, 183, 185–187, 205, 207, 208

- Planck function  
 definition of, 59–60  
 frequency form, 60  
 non-LTE correction to, 76–77, 88–91  
 Rayleigh–Jeans approximation to, 60, 108  
 wavelength form, 60  
 Wien approximation to, 60
- Planetary nebulae, 133, 213–217  
 distance to, 213, 215–217  
 expansion rates, 217  
 Galactic distribution of, 214  
 morphology of, 213  
 physical characteristics of, 215  
 RRLs detected from, 215  
 Stark broadening of RRLs, 215–217
- Protostars, 178, 179
- Pulsars, 144–145, 152–153
- Radiation transfer, 56–78  
 absorption coefficient, 57  
 emission coefficient, 57  
 equation of, 57  
 integrating factor, 57  
 masers, 91, 96–99  
 partial maser effect, 74–78, 90, 122
- “Radio”  
 etymology of, 117
- Rayleigh unit  
 definition of, 152
- RRLs  
 carbon, 99–113, 165–174  
   width of, 167  
 definition, 2  
 detectability, 7, 11, 52  
 detection of, 12–21  
   carbon, 21  
   detection of  
     helium, 21  
 diffuse emission, 119–120, 141–154  
   location of, 145  
   temperature of, 142–145, 147–149  
 Doppler shift, 14, *see* Line shift, Doppler  
 helium, 9, 154–165  
 in planetary nebulae, 156  
 intensity, 9, 11, 52, 67–78, 86–94  
   beamwidth effects, 51  
   non-LTE, 74–78, 86–94  
 inversion regime, 93  
 line absorption coefficient, 67–69, 75–77  
 line emission coefficient, 70, 76  
 line frequencies, 3–6, 155, 241–243, 245–280  
 hyperfine structure, 258–280  
 line-to-continuum ratio, 7, 9, 77–78, 88–90  
 LTE transfer equation, 71–72  
 masers, *see* Radiation transfer, masers  
 naming convention, 17  
 net absorption coefficient, 98  
 non-LTE transfer equation, 76–78  
 overcooled regime, 93  
 overheated regime, 93  
 Solar, 218–220  
   dielectronic recombination, 218–219  
   Stark broadening of, 220  
   Zeeman broadening of, 219–220  
 sulfur, 172–174  
   detection of, 168  
   use in cosmological studies, 162–165  
 Rydberg constant, 3–5, 241
- Saha–Boltzmann ionization equation, 68, 79, 103, 185
- Source function  
 definition of, 59  
 relationship to Planck function, 59, 74–78
- Sources, special  
 Cassiopeia A, 99–106, 112, 113, 187, 188, 190–201, 206, 209–211  
 galaxies, 231–237  
   list of detections, 233  
   models of, 234–237  
 quasars, 232, 237  
 radio type, 232  
 starburst types, 237  
 MWC349, *see* Stars, MWC349  
 Sagittarius A, 99, 201  
 Sun, *see* RRLs, Solar
- Specific intensity, 329  
 definition of, 58–59  
 free–free radiation, 64  
 properties of, 58  
 units of, 58, 59
- Spectral lines  
 Balmer series, 3, 41, 115  
 Brackett series, 6  
 Cl III, 55  
 CO, *see* Carbon monoxide  
 Fraunhofer, 2  
 H $\alpha$ , 41  
 H<sub>2</sub>, *see* Hydrogen, molecular  
 H<sub>2</sub>CO, *see* Formaldehyde  
 HCO<sup>+</sup>, *see* Formyl cation  
<sup>3</sup>He hyperfine line, 162–165  
 He I, 161  
 He III, 156

- Humphreys series, 7
- Lyman  $\alpha$ , 41
- Lyman series, 3
- N II, 129
- O II, 55, 129, 185
- O III, 55, 129
- Paschen  $\alpha$ , 41
- Paschen series, 3, 41
- Pfund series, 6
- RRL, *see* RRLs
- series limit, 3
- Stark splitting, *see* Line broadening, Stark
- Stars
  - formation of, 130, 141, 162, 170, 179, 197, 237
  - $\eta$  Carina, 230
  - hydrogen burning, 162
  - MWC349, *see* Radiation transfer, masers, 94–96, 221–230
  - Sun, *see* RRLs, Solar
- Statistical equilibrium, 78–80
- Stellar atmospheres
  - blanketed, 156
  - Stellar winds, 118, 149, 159, 175, 221, 226, 228, 229
- Strömgren sphere, 147, 149, 156–158
  - definition of, 144
  - helium, 155–160
- S II regions, *see* RRLs, sulfur
- Supernova, *see* Cassiopeia A, 150, 154
  - 3C391, 143
  - classes of, 208
  - explosion of, 118, 144, 154
- TE, *see* Thermodynamic equilibrium
- Thermodynamic equilibrium, 60, 70
  - definition of, 74, 78
  - stationary models, 79
- Transition probability
  - spontaneous, 27
  - sum of, 27
- Velocity distribution
  - Maxwell–Boltzmann, 28, 38–39, 44, 62
- Weisskopf radius, 33–39
  - definition, 33