
Index

A

- Adapted clusterings, transversal voxel layer, 147
- Adaptive clustering method, IMRT plan optimization, 133
- American Cancer Society (ACS), 25, 27
- Antiepileptic drugs (AEDs), 328, 329
- Artificial neural networks (ANN), 401
- Automated Seizure Warning System (ASWS), 331

B

- Beam's-eye view (BEV) approach, 57
- Blind Source Separation (BSS), 254
- Brain chaos, EEG time series
 - electrode sites, 332–333
 - pre-seizure patterns, 331
 - sequential epochs, 332
- Breast cancer screening, optimization models
 - ACS policy recommendations, 49
 - clinical symptoms and treatments, 26
 - cost-effectiveness of, 27
 - decision process, 46–47
 - disease development and progression
 - Markov assumptions, 44
 - non-invasive *vs.* invasive, 45
 - state transition diagram for, 44–45
 - lumpectomy and mastectomy, 46
 - mammogram recommendations
 - potential benefits and risks, 30
 - for women, increased risk, 29

- mammography techniques
 - efficacy and mathematical, 28–29
 - malignant cancer cells, 27
 - in situ* and invasive, 28
- patient condition monitoring
 - Bernoulli distributions
 - parameters, 46
 - and decision making, 45
- policy and quality of, 48
- and treatments, 47

C

- Cardiovascular diseases, 26
- Chebyshev approximation problem, 94
- Classification and regression trees (CART), 419
 - nearest-neighbor methods, 419
- Clinical breast exam (CBE), 45, 46
- Clustering via concave quadratic programming (CCQP)
 - advantages of, 347–348
 - QIP problem, 347
- Clustering via MIP with quadratic constraint (CMIPQC), 348
- Cold ischemia time* (CIT), 2, 15, 16
- Complexity theory
 - insertion supernode/substitution supernode, 312
 - 3-layer supergraph, 313
 - Σ -cross, 312
- Conformal radio therapy, 169
- Convex hull of individual minima (CHIM), 143

D

- DAMIP model, Mixed-integer programming (MIP), 405, 418–419
- Data mining (DM), 326, 333
 - microarray data analysis, 359, 360, 372–375
- Data representations, optimization techniques
 - applications
 - mixed signals and normalized scatterplot, 276–277
 - original source and mixed signals, 278
 - SCA to fMRI data, 279–287
 - subspace clustering algorithm, 276–278
 - independent component analysis (ICA)
 - BSS linear, separability, 259–263
 - fixed point algorithm, 258–259
 - global Hessian diagonalization, kernel-based density, 263–266
 - infomax algorithm and Kullback–Leibler divergence, 267
 - log-likelihood, 266
 - natural gradient algorithm, 267–269
 - network entropy, 266–267
 - non-Gaussianity maximization, 254–258
 - sparse component analysis and blind source separation, 269–272
 - mixing matrix identification, algorithm, 272
 - orthogonal m -planes clustering algorithm, 275–276
 - sources identification, 272–273
 - subspace clustering algorithm, 273–274
- Directed acyclic graph (DAG), 401
 - Direct kidney exchange*, 20
- Divide and Conquer algorithm, 394
- Dose-volume (DV)
 - conditions, 104
 - constraints, 102
- Dose-volume histograms (DVHs), 53, 71
 - control techniques

- 3DCRT and, 67
 - norms, choice of, 67
 - NP-hard problem, 66
 - OAR and, 69
 - parameters, 68, 70
 - PTV and, 67–68
 - wedges, 69, 71
 - curve, 135
 - dose distribution, 135–136
 - requirements and techniques, 103
 - treatment plan, 66
- Ductal carcinoma *in situ* (DCIS), 44–45
 - Dynamic index policy, 18–19
 - Dynamic multileaf collimator (DMLC), 171
- E**
- Electroencephalograms (EEGs)
 - events and signals, 329, 332
 - pre-seizure and normal, 340
 - recordings and samples, 330, 332
 - seizure development process, 326
 - seizures prediction, 329–330
 - Epilepsy, optimization and data mining
 - brain functions, 326
 - electrode selection and detection, 349–350
 - epileptic brain clustering
 - CCQP, 347–348
 - CMIPQC, 348
 - false-positive rate, 350
 - neurologic dysfunctions, 325
 - normal and epileptic EEGs
 - entropy three-dimensional plots, 334
 - multiclass problems, 333
 - novel techniques, 348
 - real seizure precursors, 349
 - repetitive and predictive patterns, 33
 - seizure precursor detection
 - epileptogenesis process, 340
 - FSMC, 344–346
 - FSMQIP, 343–344
 - FSQIP, 341–343
 - Ising model, 341

- support vector machines (SVM),
 - 338–340
 - TSSNNs, 334–338
 - Equivalent uniform dose (EUD),
 - 134–135, 157–158, 160
 - functions and constraints, 106
 - models and concepts, 105
 - Niemierko’s concept, 136
 - predicted and resulting changes of, 113–114
 - Euler–Lagrange equations, 247
 - Evolutionary trees
 - cluster analysis, 293–294
 - neighbor joining
 - Expectation-maximization (EM)
 - algorithm, 306
 - Extreme compromises, scalar
 - problems, 139–140
- F**
- Feature selection via maximum clique (FSMC)
 - brain connectivity and graphs, 344–345
 - clique problem, 345–346
 - eigenvalues, 346
 - electron, prediction performance, 345
 - Feature selection via multi-quadratic integer programming (FSMQIP)
 - mathematical model for, 343
 - seizure precursor patterns, 344
 - Feature selection via quadratic integer programming (FSQIP)
 - brain network, 341
 - branch-and-bound method, 342
 - epileptic seizures predictability analysis, 343
 - T-index curve, 342–343
 - fMRI analysis, 266
 - fastICA result, 284, 286
 - non-independent* and *non-sparse* source signals, 279
 - orthogonal m -planes clustering algorithm, 285
 - setting, 282
 - Sparse Component Analysis (SCA) application in
 - real data, 281–287
 - toy data, 279–281
- G**
- General linear model (GLM), 279
 - General multiple function classification (GMFC), 396
 - General single function classification (GSFC), 396, 409
 - Gene regulation matrix (GRM), 371
 - Genetic Algorithms (GA), 306
 - Genomics analysis algorithms
 - DNA sequence
 - base pairs, 292
 - nucleotides, 291
 - Multiple sequence alignment (MSA) and, 300–307
 - novel graph-theoretical-based, 307–308
 - complexity theory, 311–316
 - conflict graph, construction, 310–311
 - errors, 308
 - evolutionary distance problem, 308–309
 - integer programming formulation,
 - computational model, 316–318
 - MWCMS model, 307, 316
 - sequencing by hybridization, 308
 - phylogenetic analysis
 - evolutionary tree, 292
 - maximum likelihood methods, 298–300
 - pairwise distance based methods, 293–295
 - parsimony methods, 295–296
 - tree terminology, 293
 - Gibbs sampler approach, MSA, 306
 - Gross tumor volume (GTV), 113
- H**
- Helical tomotherapy, 170–171
 - Hidden Markov model (HMM), 306
 - Human Iteration Loop
 - scalarization, 129–130

I

- Image registration, energy
 - minimization
 - Gauss maps, 214–215
 - image sequences process
 - fixed boundary conditions, 225–226
 - pairwise procedures, 226
 - transformations in, 225
 - intensity scaling, 229–230
 - magnetic resonance and computed tomography, 213–214
 - numerical methods
 - boundary value problems, 226
 - geometric multigrid formulation, 227
 - nested finite elements spaces, 227–228
 - optimality conditions
 - Eulerian and Lagrangian fashion, 223
 - finite displacements, 224
 - landmark constraints, 224–225
 - Lebesgue square integrable derivatives, 222
 - raw magnetic resonance, 231
 - registering and interpolating methods, 214
 - regularity measures
 - non-linearized elastic potential, 221
 - plate spline functions, 220
 - scaling functions, 215
 - similarity measures
 - finite displacements, 217–218
 - joint entropy, 219
 - optical flow equations, 218
 - parametric registration, 220
 - squared differences, 217
 - transformation, 230
 - variational framework
 - curvilinear coordinate system, 216
 - optical flow field, 217
 - rectangular spatial coordinates, 215–216
- Image segmentation, energy
 - minimization
 - edge detection and multiscale principle, 232
 - variational methods, advantages of, 231
 - geodesic active contours, 235
 - level-set method
 - advantages, 235
 - Hamilton–Jacobi equation, 237
 - topological changes, 235–236
 - zero-level set of, 236
 - region and edge growing
 - hybrid growing methods, 232
 - traveling salesman problem, 233
 - snake model
 - drawbacks of, 234
 - edge detector, 234
- Incentive-compatibility (IC), 20
- Increasing failure rate (IFR), 8, 9, 11
- Independent Component Analysis (ICA), 253
- Indirect kidney exchange*, 21
- Integer programming (IP), 304, 317, 318, 395
- Intensity modulated proton therapy (IMPT)
 - approaches and algorithms, 110–112
 - passive scattering techniques, 109
 - spot scanning (SC) technique, 109–110
 - treatment planning tools, 110
- Intensity modulated radiation therapy (IMRT), 54–56
 - asymmetry property, 123
 - beam setup and intensity maps, 160–161
 - compensator-based, 170
 - database, navigation, 148
 - decision-making, 156–157
 - ideal point, minimum values, 150–151
 - nadir point, maximum values, 151–152
 - possible extensions, 154
 - restriction mechanism, 149
 - selection mechanism, 152–154
 - user interface, 154–156
- head-and-neck cancer
 - locking an organ, 160
 - navigation screens, 159
 - salivary glands and, 158

- multicriteria optimization
 - inverse treatment planning
 - problem, 134–136
 - multiobjective linear programming, 134
 - Niemierko's EUD concept, 136
 - Pareto boundary, approximation, 140–144
 - Pareto solutions and planning
 - domain, 136–137
 - prostate case, 133
 - solution strategies, 138–140
 - weighted sum method, 134
 - numerical realization, 144
 - adaptive clustering method, 145–147
 - beamlets, 145
 - cluster hierarchy, 146
 - intensity map, 145
 - inverse treatment planning
 - problem, asymmetry, 147–148
 - transversal voxel layer, hierarchical clustering, 146
 - prostate cancer, 157
 - EUD target, standard deviation, 158
 - research topics, 161–162
 - tomotherapy based, 170–171
 - treatment planning problem
 - beam arrangement and orientation, 124, 126
 - forward treatment planning, 127
 - gantry movement, 124
 - intensity maps, 126
 - radiotherapy, 123
 - setup geometry optimization, 125
 - treatment planning process, 171
 - virtual engineering process,
 - optimization
 - boundary shape, convey methods, 131
 - concept, 128
 - design problem, spaces, 128
 - linear programming, asymmetry, 132–133
 - multicriteria optimization
 - problem, 129–130
 - parameters, 132
 - Pareto optimal, 129
 - Intensity modulated radiotherapy (IMRT) treatment planning
 - applications and algorithms of, 112
 - concepts and algorithms, 90–91
 - convex problems, 91
 - 3D spot scanning technique, 87
 - EUD predicted changes, 113
 - inverse approaches for, 84, 89
 - optimization models
 - barrier-penalty multiplier method, 106
 - beamlet weights*, 84
 - BFGS method, 99
 - dose bound constraints, 91–93
 - dose-volume histogram* function, 99
 - DV constraints and conditions, 103–105
 - elastic constraints, 93–94
 - HYPERION software, 107
 - linear approximation, 94–95
 - MILP programs, 103
 - multicriteria, 86, 98–100
 - nonlinear conditions, 100–107
 - Pareto minimal point, 98
 - partial volume conditions, 102–105
 - piecewise models and extensions, 95–98
 - probability functions and, 101–102
 - solution and goals, 100
 - uniform dose conditions, 105–106
 - pencil beam kernels, 88
 - radiation field and body, 87
 - sensitivity analysis
 - lagrange multipliers, 108
 - multicriteria approaches, 108–109
 - optimization tool, 107
 - techniques of, 90
 - tools for, 86
 - Invasive ductal carcinoma (IDC), 45
- J**
- JADE algorithm, 266
 - Jukes–Cantor distance, 293
- K**
- Kidney
 - allocation system
 - cadaveric classes, 3

Kidney (*Continued*)
 optimization, 16–22
 zero-antigen mismatch, 3–4
 transplantation and optimization
 increasing failure rate (IFR), 8
 Markov decision process (MDP)
 model, 8–9
 optimal stopping problem, 7–8
 Kuhn–Tucker theorem, 36
 Kullback–Leibler divergence, 267

L

Lagrange equation, 258
 Lexicographic max-ordering problem,
 140
 LINDO optimization software, 389
 Linear discriminant function (LDF),
 389
 Linear programming (LP), 75
 techniques, 339
 Linear programming (LP) models
 dose bound constraints
 inverse approaches, 91
 normal-tissue volumes, 92
 problems and treatments, 93
 elastic constraints
 Chebyshev approximation
 problem, 93–94
 treatment goals, 93
 partial-volume constraints, 94
 Linear programming (LP) models
 classification models
 multigroup
 disease diagnosis and, 393
 error-minimizing separation, 392
 single discriminant function, 391
 two-group
 applications of, 390
 binary digits cell representing, 391
 computational studies, 387
 multiple solutions, 389
 normalization approach, 388
 Linear program with equilibrium
 constraints (LPEC), 398
 Liver
 allocation system
 factors for, 4–5
 MELD system, 5–6
 schematic representation, 6–7

transplantation and optimization
 living-donor, 10
 Markov decision process (MDP)
 model, 11–12
 optimal stopping problem, 9–10
 Longest common subsequences (LCS),
 316–317
 complete paths, 310–311
 Lymphoepithelioma, 158

M

Magnetic resonance imaging (MRI),
 29
 Mammography screening optimization
 models
 applications of, 48–49
 breast cancer treatments, 48
 cost-effectiveness of, 30, 49
 limitations of, 32
 machine-learning techniques, 33
 Markovian stochastic process, 31–32
 and treatment policies, 30
 tumor growth rates, 31
 Marcinkiewics’s theorem, 261
 Markov decision process (MDP)
 model, 8, 11
 Mathematical programming
 approaches
 Bayesian inference and classification
 prior probability distribution, 384
 treatments, 383
 classification models, 386
 linear programming, 387–393
 mixed-integer programming,
 393–397
 nonlinear programming, 397–399
 progress, 420–422
 support vector machine (SVMs),
 399–401
 discriminant functions
 Bayes decision rules, 386
 homoscedastic model, 385
 parameter values, 384
 learning, training, and cross-
 validation
 attributes for, 382–383
 classification matrix and rules, 383
 quantitative measurements, 382

- pattern recognition, discriminant analysis, and statistical, 382
 - support vector machines, 386
- Mathematical programming (MP), 372
- Maximum Clique Problem (MCP), 345
- Maximum likelihood (ML)
 - evolution model, 298
 - hill-climbing algorithm, 300
 - tree likelihood, 298
 - conditional likelihood, 299
 - simple tree, 299
- Microarray data analysis,
 - mathematical programming approaches
 - biology and
 - cDNA and oligonucleotide microarrays, 358
 - genetic information, expression stages, 357
 - empty spaces, feature selection, 366–367
 - gene expression data
 - clustering and classification, 359–360
 - mathematical programming formulations, 360–363
 - multiclass support vector machines, 363–365
 - tissue classification, 360
 - gene selection and tissue classification, 368–369
 - e-constraint method, 368
 - mixed integer (non) linear optimization, 368
- large-scale mixed-integer (non)linear optimization theory, 372
- regulatory networks
 - generic network modeling, multicriteria optimization, 371–372
 - mixed-integer formulations, 370–371
- research
 - biological constraints incorporation, 373
 - empty spaces analyzation and uncertainty considerations, 374
 - global optimization, 373–374
 - interpretation and visualization, 375
 - large-scale combinatorial and multiobjective optimization, 373
 - mixed-integer dynamic optimization, 374–375
 - multiclass problems, 374
 - reformulations, 375
 - support vector machines (SVMs) and, 362–363, 365–367
 - tissue classification, 359
- Minimizing the maximum deviation (MMD), 387–389
- Minimizing the sum of deviations (MSD), 387–390
- Minimizing the sum of interior distances (MSID), 289, 387
- MINSEPARATION algorithm, 178–181
- MIN-TNMU algorithm, 209–210
- Mixed-integer linear programming (MILP)
 - binary variables, 85
 - leaf sequencing, 86
- Mixed-integer programming (MIP), 63, 71–73, 78
 - algorithm, upper and lower bounds, 75
- Mixed-integer programming (MIP) classification models
 - Bayes optimal rule, 401–402
 - DAMIP model, 405, 418–419
 - discrete support vector machine predictive models
 - model variations, 406–409
 - novel classification model, features, 402
 - reserved judgment region modeling, 403
 - validation and computational effort, 409
- medical and biological applications
 - biomarker analysis, atherosclerosis, 415–416
 - cell motility and morphology data, human lung carcinoma, 413
 - drug delivery, ultrasonic-assisted cell disruption, 414

- Mixed-integer programming (MIP)
 - classification models (*Continued*)
 - erythemato-squamous disease, determination, 410–411
 - fingerprinting native and angiogenic microvascular networks, 416–417
 - heart disease, prediction, 411–412
 - human cancer, CpG island methylation, 411–413
 - protein localization sites, prediction, 417–418
 - sarcoma, tumor shape and volume, 414–415
 - soil types determination, 418
- misclassified observations, 393
- multigroup
 - misclassifications, 396
 - parametric procedures, 397
- SVM predictive models, 402–409
- two-group
 - binary variables, 393
 - discriminant function, 395–396
 - procedures and algorithms, 394
- Minimum weight common mutated sequence (MWCMS), 309, 310, 315
- Model for End Stage Liver Disease (MELD), 5, 6
- Molecular Phylogenetics, 293
- Monitor units (MUs)
 - left and right leaves, 174–175
- Multileaf collimators (MLCs), 83, 124–125, 144, 161
 - beam angles and parameters, 85
 - field shapes, 89
 - limitations, 106
 - tungsten leaves, 88
 - uses of, 84
- Multileaf collimators sequencing, algorithm
 - dynamic multileaf collimator (DMLC)
 - multiple leaf pairs, 191–195
 - single leaf pair, 188–191
 - field splitting with feathering
 - field matching problem, 202
 - hot and cold spot, 203
 - profile splitting, 204–206
 - split point, 203
 - field splitting without feathering
 - multiple leaf pairs, optimal, 199–201
 - one leaf pair, optimal, 196–199
 - models and constraints
 - dynamic multileaf collimator (DMLC), 172
 - leaves cross section, 172–173
 - segmental multileaf collimator (SMLC), 171–172
 - problem description, 169–171
 - segmental multileaf collimator (SMLC)
 - multiple leaf pairs, 177–188
 - single leaf pair, 173–177
 - segments minimization, 206
 - Engel algorithm, 209–210
 - Langer algorithm, 207–209
- MULTIPAIR algorithm, 177–178, 184
- Multiple sequence alignment (MSA)
 - alignment approaches, 301–303
 - dynamic programming, 301
 - graph-based algorithms
 - Eulerian path approach, 305
 - maximum-weight trace, 304–305
 - minimum spanning tree and traveling salesman problem, 305
 - iterative algorithms, 305
 - deterministic, 307
 - probabilistic, 306
 - progressive algorithms
 - schema, 303
 - shortcomings of, 303–304
 - scoring alignment
 - independent columns, 301–302
 - scoring matrices, 302
 - sequence analysis problems, 300
- Multi-Quadratic Integer Programming (MQIP) problem, 341
 - CPLEX and XPRESS-MP solvers, 344
- Multisurface method tree algorithm (MSMT), 390, 392
- Mumford–Shah functional approaches
 - approximation techniques, 247
 - Edge detector-based segmentation, 246

- image segmentation model, 245
 - level-set method, 246–247
 - Newton-type methods, 248
- N**
- Nadir point
 - convex maximization problem, 151–152
 - Neighbor Joining (NJ)
 - general schema of, 295
 - modified distance matrix, 294
 - NMR brain imaging techniques, 279
 - Nonlinear programming classification models, 398–399
 - Nonlinear programming (NLP) method, 95
 - Normal tissue complication probability (NTCP), 54, 65, 136
 - Normal tissue control probability (NTCP), 101
- O**
- One-against-all (OAA) classifier, 363, 365
 - One-against-one (OAO) classifier, 364–365
 - Organ allocation and acceptance, optimization
 - kidney
 - classes of, 3
 - zero-antigen mismatch, patient and, 3–4
 - liver, 4
 - adult and pediatric patients, 4
 - schematic representation of, 6–7
 - UNOS Status 1 and Model for End Stage Liver Disease (MELD) scores, 5
 - patients
 - kidney transplantation, 7–9
 - liver transplantation, 9–12
 - societal
 - kidney, 16–22
 - Markov chain, 13
 - Poisson process, 12–13
 - Organ Procurement Organizations (OPOs), 2–4, 15–17, 19
 - Organs-at-risk (OARs), 53, 55, 66, 83, 84, 87, 88, 92, 99, 102, 104–107, 110, 112, 113
 - DVH control, 69
 - Ovarian cancers, 26
- P**
- Panel-reactive antibody* (PRA), 3, 4
 - Panning target volume (PTV), 83, 84, 87, 88, 91, 92, 96, 99, 101, 102, 104, 105, 107, 111–114
 - Pap smears prostate tests, 26
 - Parametric misclassification minimization (PMM) procedure, 398
 - Pareto set, Intensity modulated radiation therapy (IMRT), 129
 - Parkinson's disease, 329
 - Parmigiani
 - disease-associated factors, 42
 - transition probabilities, 41
 - Parsimony methods, tree building score computation, 296–297
 - tree topologies, 297–298
 - Partial differential equation (PDE), 237
 - Partially observable Markov decision process (POMDP), 34
 - Partial volume (PV) constraint, 85, 104, 106, 108, 112
 - Paul Scherrer Institute (PSI), 110
 - Payback debt*, 3–4
 - Person years of life lost (PYLL), 33
 - 4D-Planning, organ geometry, 161
 - Planning target volume(s) (PTVs), 83, 84, 87, 88, 92, 99, 104, 105
 - Poisson process, 8, 12
 - Prostate cancer
 - and Intensity modulated radiation therapy (IMRT), 157–158
 - PTV (Planning Target Volume), 59–61, 64–65, 69–74
 - DVH control, 67–68
 - isodose lines and, 76–77
- Q**
- Quadratic discriminant function (QDF), 389

- Quadratic programming (QP)
 - problems, 95–98, 101
- Quality-adjusted life expectancy (QALE), 8–9
- Quality-adjusted life years (QALYs), 16, 17
- Quality of life (QOL), 17

- R**
- Radiation therapy treatments
 - computed tomography and medical tools, 83
 - forward* and *inverse* approach, 84
 - linear accelerator, 84
- RAGNU software package, 389
- Randomized control trials (RCTs), 27, 30
- Reformulation-linearization techniques (RTLs), 341
- Robust linear programming (RLP), 390

- S**
- Scientific Registry of Transplant Recipients, 2
- Screening examination models
 - Kirch and Klein
 - age-specific incidence rates, 37
 - disease detection point, 35
 - Ozekici and Pliska
 - age of detection, 41
 - dynamic programming, 39
 - Markov decision chain, 40
 - Shwartz
 - lymph-node involvement levels, 37
 - policy evaluation, 39
 - risks in, 38
 - tumor growth rate, 38–39
 - Zelen
 - possible states, 42
 - screening programs, 43
 - stable disease, 44
- Segmental multileaf collimator (SMLC), 171
 - algorithms for, 173–188
 - leaf trajectory, 174
 - multiple leaf pairs
 - optimal algorithm with inter-pair minimum separation constraint, 178–181
 - optimal schedule, without minimum separation constraint, 177–178
 - tongue-and-groove effect, elimination, 181–188
 - single leaf pair
 - leaves movement, 174–175
 - optimal unidirectional algorithm, 175–177
- Seizure prediction
 - clinical syndromes, 326
 - epileptogenesis mechanisms, 328
 - onset and spread of, 327
 - research motivations
 - diagnosis and treatment, 328–329
 - intracranial electrodes, 329
 - phase synchronization measure, 330
 - respective surgery, 328
 - temporal changes and properties, 331
 - types of, 327
- Sequential Quadratic Programming (SQP) method, 101
- Shape optimization
 - edge detector–based segmentation
 - Eulerian semiderivative, 240
 - Hadamard–Zolesio structure theorem, 242
 - perturbation vector fields, 243
 - sensitivity analysis, 238
 - technical assumptions, 241
 - level-set–based descent framework
 - Armijo-type line search procedure, 245
 - zero-level set band, 244
 - Mumford–Shah functional
 - approaches, 245–248
- Shortest common supersequences (SCSQ), 316, 317
- Shortest common superstring (SCST), 316, 317
- Simulated Annealing (SA), 306
- SINGLEPAIR algorithm, for SMLC, 175–177
- Skitovitch–Darmois theorem, 254

- Sparse Component Analysis (SCA),
 253
 in fMRI toy data, 279
 analysis, 282
 denoised source signals, 281
 NMR brain imaging techniques,
 279
non-independent and *non-sparse*
 source signals, 279–280
 recovered source signals, 280–281
 in real fMRI data
 Blind Signal Separation, 282–283
 recovered source signals, ICA, 282
 Spot scanning (SC), 86, 87, 109, 110
 Spread-out Bragg peak (SOBP), 109
 Successive linearization algorithm
 (SLA), 399
 Support vector machines (SVMs)
 data points, 400–401
 EEG classification framework,
 338–340
 gene selection
 heat maps, 367
 recursive feature elimination
 procedure, 367–368
 Lagrange multiplier, 400
 microarray data, classification
 gene functionality, 365–366
 molecular cancer, 365
 misclassification errors, 339
 multiclass classifiers
 OAA and OAO, 363–365
 procedure of, 338
 regularization theory and, 362
- T**
- Tchebycheff problem, 139, 144, 148
 Three-dimensional Conformal
 Radiation Treatment (3DCRT),
 optimization, 55
 beam
 angles, 61–62
 shape generation and collimator,
 57
 weights, 59–61
 external-beam radiation treatments
 dose-based and biological models,
 54
 machine, 54
 hot and cold spots, 55
 IMRT plan optimization and, 56
 multiple beams, effect of
 dosage distribution, 56
 radiation therapy, 53
 radiation treatment procedure, 58
 solution quality
 Dose-volume histogram (DVH),
 65–66
 solution time reduction techniques
 isodose plots, 77
 normal tissue voxel reduction,
 72–73
 three-phase approach, 73–77
 treatment planning process, 58
 input data, 59
 upper bounds on beam weights,
 computation, 65
 stringent bound, calculation, 64
 wedge filters
 heel and toe, 57
 universal wedge, 58
 wedge orientations, 62
 algorithm, 62
 postprocessing technique, 63
 Time series statistical nearest
 neighbors (TSSNNs)
 abnormal activity and seizure
 pre-cursors, 338
 classification results of, 336–338
 EEG epoch, seizure classifications,
 335–336
 TONGUEANDGROOVE algorithm,
 184–187, 201, 209
Top Trading Cycles and Chains
 (TTCC) mechanism, 21
 Total number of monitor units
 (TNMU), 210
 admissible segmentation pair, 210
 I complexity $C(I)$, 209
 Traveling Salesman Problem (TSP),
 305
 Treated cancer-free (TrNC), 47
 Tumor control probability (TCP), 54,
 65, 101, 136
- U**
- United Network for Organ Sharing
 (UNOS), 1–6, 9, 17, 19

Unweighted Pair Group Method using
Arithmetic averages (UPGMA),
294

V

Virtual engineering, 123, 127–129,
132, 133

Volumes of interest (VOIs), 133, 142,
144, 155, 158, 160
biological impact, 136

Voxels, 135

W

Wedge filters, 57–58