

References

- Abbott I., Van Heurck P., and Wong L. (1984). Responses to long-term fire exclusion: physical, chemical and faunal features of litter and soil in a Western Australian forest. *Australian Forestry* **47**, 237–242.
- Andersen A.N. (1988). Immediate and longer-term effects of fire on seed predation by ants in sclerophyllous vegetation of southeastern Australia. *Australian Journal of Ecology* **13**, 285–293.
- Andersen A.N. (1991). Responses of ground-foraging ant communities to three experimental fire regimes in a savanna forest of tropical Australia. *Biotropica* **23**, 575–585.
- Andersen A.N. (1992). Regulation of “momentary” diversity by dominant species in exceptionally rich ant communities of the Australian seasonal tropics. *American Naturalist* **140**, 401–420.
- Andersen A.N. (1996). Fire ecology and management. In *Landscape and Vegetation Ecology of the Kakadu Region, Northern Australia* (Eds. Finlayson C.M. and van Oertzen R.), pp. 179–196. Kluwer Academic Publishers: Dordrecht, The Netherlands.
- Andersen A.N. (1999a). Cross-cultural conflicts in fire management in northern Australia: not so black and white. *Conservation Ecology* **3(1)**. [Online: <http://www.consecol.org/vol3/iss1/art6>]
- Andersen A.N. (1999b). Fire management in northern Australia: beyond command-and-control. *Australian Biologist* **12**, 63–70.
- Andersen A.N. (1999c). My bioindicator or yours? Making the selection. *Journal of Insect Conservation* **3**, 61–64.
- Andersen A.N. and Braithwaite R.W. (1992). Burning for conservation of the Top End’s savannas. In *Conservation and Development Issues in Northern Australia* (Eds. Moffatt I. and Webb A.), pp. 117–122. North Australian Research Unit: Darwin, NT, Australia.

- Andersen A.N. and Braithwaite R.W. (1996). Plant–animal interactions in the Kakadu region of Australia's Northern Territory. In *Landscape and Vegetation Ecology of the Kakadu Region, Northern Australia* (Eds. Finlayson C.M. and Von Oertzen I.), pp. 137–154. Kluwer Academic Publishers: Dordrecht, The Netherlands.
- Andersen A.N. and Lonsdale W.M. (1990). Herbivory by insects in Australia tropical savannas: a review. *Journal of Biogeography* **17**, 433–444.
- Andersen A.N. and McKaige B.J. (1998). Burning issues: communicating fire research in northern Australia. In *Ecology for Everyone: Communicating Ecology to Scientists, the Public and the Politicians* (Eds. Wills R. and Hobbs R.J.), pp. 88–96. Surrey Beatty and Sons: Chipping Norton, NSW, Australia.
- Andersen A.N. and Morrison S. (1998). Myrmecochory in Australia's seasonal tropics: effects of disturbance on distance dispersal. *Australian Journal of Ecology* **23**, 483–491.
- Andersen A.N. and Müller W.J. (2000). Arthropod responses to experimental fire regimes in an Australian tropical savannah: ordinal-level analysis. *Austral Ecology* **25**, 199–209.
- Andersen A.N., Braithwaite R.W., Cook G.D., Corbett L.K., Williams R.J., Douglas M.M., Gill A.M., Setterfield S.A., and Muller W.J. (1998). Fire research for conservation management in tropical savannas: introducing the Kapalga fire experiment. *Australian Journal of Ecology* **23**, 95–110.
- Andersen A.N., Azcarate F.M., and Cowie I.D. (2000). Seed selection by an exceptionally rich community of harvester ants in the Australian seasonal tropics. *Journal of Animal Ecology* **69**, 975–984.
- Anderson J.M. and Ingram J.S. (1989). *Tropical Soil Biology and Fertility: A Handbook of Methods*. CAB International: Wallingford, Oxon, UK.
- Anderson J.M., Knight D., and Elliott P. (1991). Effects of invertebrates on soil properties and processes. In *Advances in Management and Conservation of Soil Fauna* (Eds. Veeresh G.K., Rajagopal D., and Viraktamath C.A.), pp. 473–485. Oxford and IBH: New Delhi.
- Andren H. and Angelstam P. (1988). Elevated predation rates as an edge effect in habitat islands—experimental evidence. *Ecology* **69**, 544–547.
- Andrew M.H. and Mott J.J. (1983). Annuals with transient seed banks: the population biology of indigenous *Sorghum* species of tropical north-western Australia. *Australian Journal of Ecology* **8**, 265–276.
- Andrzejewska L. and Gyllenberg G. (1980). Small herbivore sub-system. In *Grasslands, Systems Analysis and Man* (Eds. Breyer A.I. and Van Dyne G.M.), pp. 201–267. Cambridge University Press: Cambridge, UK.
- Anon. (1984). Report on the meteorological aspects of the Ash Wednesday fires—16 February 1983. Australian Government Printing Service: Canberra, ACT, Australia.
- Aplet G.H. and Keeton W.S. (1999). Application of historical range of variability concepts to biodiversity conservation. In *Practical Approaches to the Conservation of Biological Diversity* (Eds. Baydack R.K., Campa H.III., and Haufler J.B.), pp. 71–86. Island Press: Washington DC.
- Ashton D.H. (1975). The flowering behaviour of *Eucalyptus regnans* (Ed. Muell F.), *Australian Journal of Botany* **23**, 399–411.
- Ashton D.H. and Attiwill P.M. (1994). Tall open-alpine vegetation in the Victorian region. In *Australian Vegetation* (Ed. Groves R.H.), pp. 157–196. Cambridge University Press: Cambridge, UK.
- Ashton D.H. and Williams R.J. (1989). Dynamics of the sub-alpine vegetation in the Victorian region. In *The Scientific Significance of the Australian Alps* (Ed. Good R.), pp. 143–168. Australian Alps Liaison Committee: Canberra, ACT, Australia.

- À tchie N. and Gakahu G.C. (1989). Responses of important woody species of Kenya's rangeland to a prescribed burning. *African Journal of Ecology* **27**, 119–128.
- Attwill P.M. and Leeper G.W. (1987). *Forest Soils and Nutrient Cycles*. Melbourne University Press: Melbourne, Victoria, Australia.
- Balandreau J. (1976). Fixation rhizosphérique de l'azote (C_2H_2) en savane de Lamto. *Revue d'Ecologie et de Biologie du Sol* **13**, 529–544.
- Bamford M.J. (1986). The dynamics of small invertebrates in relation to fire in *Banksia* woodland near Perth, Western Australia. Ph.D. thesis, Murdoch University: Perth, WA, Australia.
- Bamford M.J. (1992). The impact of fire and increasing time after fire upon *Heleioporus eyrei*, *Limnodynastes dorsalis* and *Myobatrachus gouldii* (Anura: Leptodactylidae) in banksias woodland near Perth, Western Australia. *Wildlife Research* **19**, 169–178.
- Barnard P. (1987). Foraging site selection by three raptors in relation to grassland burning in a montane habitat. *African Journal of Ecology* **25**, 35–45.
- Bayley S.E. and Schindler D.W. (1991). The role of fire in determining stream water chemistry in northern coniferous forests. In *Ecosystem Experiments* (Eds. Mooney H.A., Medina E., Schindler D.W., Schultz E., and Walker B.H.), pp. 141–165. John Wiley & Sons: Chichester, UK.
- Bayley S.E., Schindler D.W., Beaty K.G., Parker B.R., and Stainton M.P. (1992). Effects of multiple fires on nutrient yields from streams draining boreal forest and fen watersheds: nitrogen and phosphorus. *Canadian Journal of Fisheries and Aquatic Sciences* **49**, 584–596.
- Beer T. and Meyer C.P. (2000). The impact on the environment: the atmosphere. In *Fire! The Australian Experience: Proceedings from the National Academies Forum Seminar*. pp. 59–77. National Academies Forum: Canberra, ACT, Australia.
- Beier C. and Rasmussen L. (1994). Effects of whole-ecosystem manipulations on ecosystem internal processes. *Trends in Ecology and Evolution* **9**, 218–223.
- Belillias C.M. and Roda F. (1993). The effects of fire on water quality, dissolved nutrient losses and the export of particulate matter from dry heathland catchments. *Journal of Hydrology* **150**, 1–17.
- Benshahar R. (1996). Woodland dynamics under the influence of elephants and fire in northern Botswana. *Vegetatio* **123**, 153–163.
- Benzie J.A.H. (1986). The distribution, abundance and the effects of fire on mound building termites (*Trinervitermes* and *Cubitermes* spp., Isoptera: Termitidae) in Northern Guinea savanna, West Africa. *Oecologia* **70**, 559–567.
- Beringer J., Pakham D., and Tapper N. (1995). Biomass burning and resulting emissions in the Northern Territory, Australia. *International Journal of Wildland Fire* **5**, 229–235.
- Biddulph J. and Kellman M. (1998). Fuels and fire savanna-gallery forest boundaries in southeastern Venezuela. *Journal of Tropical Ecology* **14**, 445–461.
- Biggs H.C. and Potgieter A.L.F. (1999). Overview of the fire management policy of the Kruger National Park. *Koedoe* **42**, 101–110.
- Blanche K.R., Andersen A.N., and Ludwig J.A. (2001). Rainfall-contingent detection of fire impacts: responses of beetles to experimental fire regimes in a tropical savanna. *Ecological Applications* **11**, 86–96.
- Blasco F. (1983). The transition from open forest to savanna in continental south-east Asia. In *Ecosystems of the World*, Vol. 13: *Tropical Savannas* (Ed. Bourlière F.), pp. 167–181. Elsevier: Amsterdam.
- Bond W.J. and van Wilgen B.W. (1996). *Fire and Plants*. Chapman & Hall: London.
- Borchert R. (1996). Phenology and flowering periodicity of neotropical dry forest species: evidence from herbarium collections. *Journal of Tropical Ecology* **12**, 65–80.

- Bormann F.H. and Likens G.E. (1991). *Pattern and Process in a Forested Ecosystem*. Springer-Verlag: New York.
- Bosch J.M. and Hewlett J.D. (1982). A review of catchment experiments to determine the effect of vegetation changes on water yield and evaporation. *Journal of Hydrology* **55**, 3–23.
- Botkin D.B. (2000). Rethinking scientific management. In *A Vision for the U.S. Forest Service: Goals for Its Next Century* (Ed. Sedjo R.A.), pp. 75–82. Resources for the Future Press: Washington DC.
- Boulton A.J. (1989). Over-summering refuges of aquatic macroinvertebrates in two intermittent streams in central Victoria. *Transactions of the Royal Society of South Australia* **113**, 23–34.
- Boulton A.J. and Brock M.A. (1999). *Australian Freshwater Ecology: Processes and Management*. Gleaneagles Publishing: Glen Osmond, Victoria, Australia.
- Boulton A.J. and Lake P.S. (1992a). The ecology of two intermittent streams in Victoria, Australia. II. *Freshwater Biology* **27**, 127–138.
- Boulton A.J. and Lake P.S. (1992b). The ecology of two intermittent streams in Victoria, Australia. III. Temporal changes in faunal composition. *Freshwater Biology* **27**, 123–138.
- Bourlière F. (1983). *Tropical Savannas*, Vol. 13: *Ecosystems of the World*. Elsevier: Amsterdam.
- Bourlière F. and Hadley M. (1983). Present-day savannas: an overview. In *Ecosystems of the World*, Vol. 13: *Tropical Savannas* (Ed. Bourlière F.), pp. 1–17. Elsevier: Amsterdam.
- Bowland A.E. and Perrin M.R. (1988). The effect of fire on the small mammal community in Hluhluwe Game Reserve. *Zeitung für Saugetierkunde* **53**, 235–244.
- Bowman D.M.J.S. (1988). Stability amid turmoil? Towards an ecology of north Australian eucalypt forests. *Proceedings of the Ecological Society of Australia* **15**, 149–158.
- Bowman D.M.J.S. (1991). Recovery of some northern Australian monsoon forest tree species following fire. *Proceedings of the Royal Society of Queensland* **101**, 21–25.
- Bowman D.M.J.S. (1992). Monsoon forests in north-western Australia. II. Forest–savanna transitions. *Australian Journal of Botany* **40**, 89–102.
- Bowman D.M.J.S. (1995). Preliminary observations on the mortality of *Allosyncarpia ternata* stems on the Arnhem Land Plateau, northern Australia. *Australian Forestry* **57**, 62–64.
- Bowman D.M.J.S. (1998). Tansley Review No. 101. The impact of Aboriginal landscape burning on the Australian biota. *New Phytologist* **140**, 385–410.
- Bowman D.M.J.S. (2000). *Australian Rainforests: Islands of Green in the Land of Fire*. Cambridge University Press: Cambridge, UK.
- Bowman D.M.J.S. and Panton W.J. (1993). Decline of *Callitris intratropica* R.T. Baker, H.G. Smith in the Northern Territory: implications for pre- and post-European colonization fire regimes. *Journal of Biogeography* **20**, 373–381.
- Bowman D.M.J.S. and Panton W.J. (1995). Munmarlary revisited: response of a north Australian *Eucalyptus tetradonta* savanna protected from fire for 20 years. *Australian Journal of Ecology* **20**, 526–531.
- Bowman D.M.J.S. and Wilson B.A. (1988). Fuel characteristics of coastal monsoon forests, Northern Territory, Australia. *Journal of Biogeography* **15**, 807–817.
- Bowman D.M.J.S., Wilson B.A., and Hooper R.J. (1988a). Response of *Eucalyptus* forest and woodland to four fire regimes at Munmarlary, Northern Territory, Australia. *Journal of Ecology* **76**, 215–232.

- Bowman D.M.J.S., Wilson B.A., and Hooper R.J. (1988b). Preliminary biogeographical analysis of the Northern Territory vascular flora. *Australian Journal of Botany* **36**, 503–517.
- Bowman D.M.J.S., Wilson B.A., and Woinarski J.C.Z. (1991). Floristic and phenological variation in a northern Australian rocky *Eucalyptus* savanna. *Proceedings of the Royal Society of Queensland* **101**, 79–90.
- Bowman D.M.J.S., Woinarski J.C.Z., and Menkorst K.A. (1993). Environmental correlates of tree species in Stage III of Kakadu National Park, northern Australia. *Australian Journal of Botany* **41**, 649–660.
- Bowman D.M.J.S., Walsh A., and Milne D.J. (2001). Forest expansion and grassland contraction within a *Eucalyptus* savanna matrix between 1941 and 1994 at Litchfield National Park in the Australian monsoonal tropics. *Global Ecology and Biogeography* **5**, 535–548.
- Bradley J. (1995). Fire: emotion and politics: a Yanyuwa case study. In *Country in Flames* (Ed. Rose D.B.), pp. 25–31. Biodiversity Series Paper No. 3. Department of the Environment, Sport and Territories Biodiversity Unit: Canberra, ACT, Australia.
- Bradstock R.A., Williams J.E. and Gill A.M. (2002). *Flammable Australia: The Fire Regimes and Biodiversity of a Continent*. Cambridge University Press: Cambridge, UK.
- Bradstock R. and Scott J. (1995). A basis for planning fire to achieve conservation and protection objectives adjacent to the urban interface. *CALMScience Supplement* **4**, 109–116.
- Braithwaite R.W. (1985). Biological research for national park management. *Proceedings of the Ecological Society of Australia* **13**, 323–333.
- Braithwaite R.W. (1987). Effects of fire regimes on lizards in the wet-dry tropics of Australia. *Journal of Tropical Ecology* **3**, 265–275.
- Braithwaite R.W. (1990). Australia's unique biota: implications for ecological processes. *Journal of Biogeography* **17**, 347–354.
- Braithwaite R.W. (1991). Aboriginal fire regimes of monsoonal Australia in the 19th century. *Search* **22**, 247–249.
- Braithwaite R.W. (1995a). A healthy savanna, endangered mammals and Aboriginal burning. In *Country in Flames* (Ed. Rose D.B.), pp. 91–102. (Department of the Environment, Sport and Territories Biodiversity Unit: Canberra, ACT, Australia.
- Braithwaite R.W. (1995b). *Kapalga Research Station: two Decades of Research for the Monsoonal Tropics*. Commonwealth Scientific and Industrial Research Organisation; Darwin, NT, Australia.
- Braithwaite R.W. (1995c). Fire intensity and the maintenance of habitat heterogeneity in a tropical savanna. *CALMScience Supplement* **4**, 189–196.
- Braithwaite R.W. and Brady P. (1993). The delicate mouse, *Pseudomys delicatulus*: a continuous breeder waiting for the good times. *Australian Mammalogist* **16**, 94–98.
- Braithwaite R.W. and Estbergs J.A. (1985). Fire patterns and woody vegetation trends in the Alligator Rivers Region of northern Australia. In *Ecology and Management of the World's Savannas* (Eds. Tohill J.C. and Mott J.J.), pp. 359–364. Australian Academy of Science: Canberra, ACT, Australia.
- Braithwaite R.W. and Estbergs J.A. (1987). Firebirds of the Top End. *Australian Natural History* **22**, 298–302.
- Braithwaite R.W. and Griffiths A.D. (1996). The paradox of *Rattus tunneyi*: endangerment of a native pest. *Wildlife Research* **23**, 1–21.
- Braithwaite R.W. and Müller W.J. (1997). Rainfall, groundwater and refuges: predicting extinctions of Australian tropical mammal species. *Australian Journal of Ecology* **22**, 57–67.

- Braithwaite R.W., Dudzinski M.L., Ridpath M.G., and Parker B.S. (1984). The impact of water buffalo on the monsoonal forest ecosystem in Kakadu National Park. *Australian Journal of Ecology* **9**, 309–322.
- Braithwaite R.W., Miller L., and Wood J.T. (1988). The structure of termite communities of the Australian tropics. *Australian Journal of Ecology* **13**, 375–391.
- Brennan K. (1996a). An annotated checklist of the vascular plants of the Alligator Rivers Region, Northern Territory, Australia. Supervising Scientist Report No. 109. Supervising Scientist: Canberra, ACT, Australia.
- Brennan K. (1996b). Flowering and fruiting phenology of native plants in the Alligator Rivers Region with particular reference to the Ranger uranium mine lease area. Supervising Scientist Report No. 107. Supervising Scientist. Canberra, ACT, Australia.
- Britton D.L. (1990). Fire and the dynamics of allochthonous detritus in a South African mountain stream. *Freshwater Biology* **24**, 347–360.
- Britton D.L., Day J.A., and Henshall-Howard M.P. (1993). Hydrochemical response during storm events in a South-African mountain catchment—the influence of antecedent conditions. *Hydrobiologia* **250**, 143–157.
- Brockett B.H., Biggs H.C., and van Wilgen B.W. (2001). A patch mosaic burning system for conservation areas in southern African savannas. *International Journal of Wildland Fire* **10**, 169–183.
- Brown J.A.H. (1972). Hydrological effects of a bushfire in a catchment in south-eastern New South Wales. *Journal of Hydrology* **15**, 77–96.
- Brook B.W. and Griffiths A.D. (2003). Fire management for the frillneck lizard *Chlamydosaurus kingii* in northern Australia. In *Species Conservation and Management: Case Studies* (Eds. Akçakaya H.R., Burgman M.A., Kindvall O., Sjögren-Gulve P., Hatfield J., and McCarthy M.A.). Oxford University Press: London, UK. (in press).
- Bullock S.H. (1995). Plant reproduction in neotropical dry forests. In *Seasonally Dry Tropical Forests* (Eds. Bullock S.H., Mooney H.A., and Medina E.), pp. 277–303. Cambridge University Press: Cambridge, UK.
- Burrows D.M. and Burrows W.H. (1992). Seed production and litter fall in some eucalypt communities in central Queensland. *Australian Journal of Botany* **40**, 389–403.
- Burrows N.D. (1995). A framework for assessing acute impacts of fire in jarrah forests for ecological studies. *CALMScience Supplement* **4**, 59–66.
- Burrows W.H., Scanlan J.C., and Rutherford M.T. (1988). Native pastures in Queensland—the resources and their management. Queensland Department of Primary Industries: Brisbane, Australia.
- Byram G.M. (1959). Combustion of forest fuels. In *Forest Fire Control and Use* (Ed. Davis K.P.), pp. 61–89. McGraw-Hill: New York.
- Calder G.J. and Day K.J. (1982). Fertility studies on four soils of the northern lateritic plains, Northern Territory. Northern Territory Department of Primary Production: Darwin, Australia.
- Carpenter S.R. (1990). Large-scale perturbations: opportunities for innovation. *Ecology* **71**, 2038–2043.
- Cass A., Savage M.J., and Wallis F.M. (1984). The effect of fire on soil and microclimate. In *Ecological Effects of Fire in South African Ecosystems* (Eds. Booyson P. de V. and Tainton N.M.), pp. 311–325. Springer-Verlag: New York.
- Catchpole W.R. and Wheeler C.J. (1992). Estimating plant biomass: a review. *Australian Journal of Ecology* **17**, 121–131.
- Catling P.C. (1991). Ecological effects of prescribed burning practices on the mammals of southeastern Australia. In *Conservation of Australia's Forest Fauna* (Ed. Lunney D.), pp. 353–363. Royal Society of New South Wales: Mossman, NSW, Australia.

- Catling P.C. (1994). Bushfires and prescribed burning: protecting native fauna. *Search* **25**, 37–40.
- Catling P.C., Coops N.C., and Burt R.J. (2001). The distribution and abundance of ground-dwelling animals in relation to time since wildfire and vegetation structure in south-eastern Australia. *Wildlife Research* **28**, 555–564.
- Cavelier J., Aide T.M., Santos C., Eusse A.M., and Dupuy J.M. (1998). The savanization of moist forests in the Sierra Nevada de Santa Marta, Colombia. *Journal of Biogeography* **25**, 901–912.
- Cheney N.P. (1981). Fire behaviour. In *Fire and the Australian Biota* (Eds. Gill A.M., Groves R.H., and Noble I.R.), pp. 151–175. Australian Academy of Science: Canberra, ACT, Australia.
- Cheney N.P. (1990). Quantifying bushfires. *Mathematical and Computer Modelling* **13**, 9–15.
- Cheney N.P. and Sullivan A. (1997). *Grassfire Fuel, Weather and Fire Behaviour*. Commonwealth Scientific and Industrial Research Organisation: Melbourne, Victoria, Australia.
- Cheney N.P., Gould J.S., and Knight I. (1992). A prescribed burning guide for young regrowth forests of silvertop ash. Research Division, Forestry Commission of New South Wales: Sydney, Australia.
- Cheney N.P., Gould J.S., and Catchpole W.R. (1993). The influence of fuel, weather and fire shape variables on fire-spread in grasslands. *International Journal of Wildland Fire* **3**, 31–44.
- Chessman B.C. (1986). Impact of the 1983 wildfires on river water quality in East Gippsland, Victoria. *Australian Journal of Marine and Freshwater Research* **37**, 399–420.
- Christensen N.L., Bartuska A.M., Brown J.H., Carpenter S., D'Antonio C., Francis R., Franklin J.F., MacMahon J.A., Noss R.F., Parsons D.J., Peterson C.H., Turner M.G., and Woodmansee R.G. (1996). The report of the Ecological Society of America Committee on the Scientific Basis for Ecosystem Management. *Ecological Applications* **6**, 665–691.
- Christensen P. (1977). The biology of *Bettongia penicillata* Gray 1937 and *Macropus eugenii* (Desmarest, 1817) in relation to fire. Ph.D. thesis. University of Western Australia: Perth, Australia.
- Christensen P.E.S. (1980). The biology of *Bettongia penicillata* Gray, 1937, and *Macropus eugenii* (Desmarest, 1817) in relation to fire. *Bulletin No. 91*, Forests Department of Western Australia.
- Christensen P.E.S. and Recher H.F. (1981). Fire and the evolution of the Australian biota. In *Ecological Biogeography of Australia* (Ed. Keast A.), D.W. Junk: The Hague.
- Clarke K.R. (1993). Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology* **18**, 117–143.
- Cole M.M. (1986). *The Savannas: Biogeography and Geobotany*. Academic Press: London.
- Collett N.G. (2000). Catastrophic wildfire and its short-term effects on families of order Coleoptera (beetles) in *Eucalyptus regnans* forest in the Central Highlands of Victoria. *Australian Forestry* **63**, 7–21.
- Comin F.A. and Williams W.D. (1994). Parched continents: our common future? In *Limnology Now: A Paradigm of Planetary Problems* (Ed. Margalef R.), pp. 473–527. Elsevier: Amsterdam.
- Cook G.D. (1991). Effects of fire regimen on two species of epiphytic orchids in tropical savannas of the Northern Territory. *Australian Journal of Ecology* **16**, 537–540.
- Cook G.D. (1992). The effects of fire on nutrient losses from Top End savannas. In *Conservation and Development Issues in Northern Australia* (Eds. Moffatt

- I. and Webb A.), pp. 123–129. North Australia Research Unit: Darwin, NT, Australia.
- Cook G.D. (1994). The fate of nutrients during fires in a tropical savanna. *Australian Journal of Ecology* **19**, 359–365.
- Cook G.D. (2001). Effects of frequent fires and grazing on stable nitrogen isotope ratios of vegetation in northern Australia. *Austral Ecology* **26**, 630–636.
- Cook G.D. and Liedloff A.C. (2001). Simulating fire ecology and fire management in northern Australia. In MODSIM 2001 Proceedings, International Congress on Modelling and Simulation Australian National University, Canberra. (Eds. Ghassemi F., Whetton P., Little R., and Littleboy M.), pp. 961–966. Modelling and Simulation Society of Australia and New Zealand: Canberra, ACT, Australia.
- Cook G.D. and Mordelet P. (1997). A tale of two savannas: the effects of fire on vegetation patterns in West Africa and the Northern Territory. In *Bushfire97: Proceedings of the Australasian Bushfire Conference* (Eds. McKaige B.J., Williams R.J., and Waggitt W.M.), pp. 45–50. Commonwealth Scientific and Research Organisation: Darwin, NT, Australia.
- Cook G.D., Hurst D., and Griffith D. (1995). Atmospheric trace gas emissions from tropical Australian savanna fires of an *CALM Science Supplement* **4**, 123–128.
- Cook G.D., Price D.M., and Woodroffe C.D. (2000). Late Quaternary alluviation on the lateritised lowlands of the Alligator Rivers Region, Northern Territory. *Australian Geographer* **31**, 155–162.
- Cook G.D., Ronce O., and Williams R.J. (1998). Suppress thy neighbour: the paradox of a successful grass that is highly flammable, but harmed by fire. In *Proceedings of the 13th Conference on Fire and Forest Meteorology*, pp. 71–74. International Association of Wildland Fire: Lorne, Australia, 1996.
- Cook P.G., Hatton T.J., Pidsley D., Herczeg A.L., Held A.L., O'Grady A., and Easum D. (1998). Water balance of a tropical woodland ecosystem, Northern Australia—a combination of micrometeorological, soil physical and groundwater chemical approaches. *Journal of Hydrology* **210**, 161–177.
- Coutinho L.M. (1982). Ecological effects of fire in Brazilian cerrado. In *Ecology of Tropical Savannas* (Eds. Huntley B.J. and Walker B.H.), pp. 273–291. Ecological Studies No. 42. Springer-Verlag: Berlin.
- Cowie I.D. and Werner P.A. (1993). Alien plant species invasive in Kakadu National Park, tropical Northern Australia. *Biological Conservation* **63**, 127–135.
- Craig A.B. (1997). A review of information on the effects of fire in relation to the management of rangelands in the Kimberley high-rainfall zone. *Tropical Grasslands* **31**, 161–187.
- Crawford C.S. (1981). *Biology of Desert Invertebrates*. Springer-Verlag: Berlin.
- Crosser P.R. (1989). Nutrient concentration–flow relationships and loads in the South Pine River, southeastern Queensland. I Phosphorus loads. *Australian Journal of Marine and Freshwater Research* **40**, 613–630.
- Crowder M.J. and Hand D.J. (1990). *Analysis of Repeated Measures*. Chapman & Hall: London.
- Crowley G.M. and Garnett S.T. (1999). Tales of fire and rain: seed dynamics of the annual grasses *Schizachyrium* spp. in relation to tropical granivores. *Australian Journal of Ecology* **24**, 208–220.
- Crowley G.M. and Garnett S.T. (2000). Changing fire management in the pastoral lands of Cape York Peninsula: 1623 to 1996. *Australian Geographical Studies* **38**, 10–26.
- Crutzen P.J. and Andreae M.O. (1990). Biomass burning in the tropics: impact on atmospheric chemistry and biochemical cycles. *Science* **250**, 1669–1678.
- Cullen J.M. and Delfosse E.S. (1990). Progress and prospects in biological control of weeds. In *Proceedings of the Ninth Australian Weeds Conference*, Adelaide,

- SA, August 6–10, 1990 (Ed. Heap. J.W.), pp. 452–476. Crop Science Society of South Australia: Adelaide, Australia.
- Cummins K.W. (1986). Riparian influence on stream ecosystems. In *Stream Protection: The Management of Streams for Instream Uses* (Ed. Campbell I.C.), pp. 45–55. Chiasholm Institute of Technology: Caulfield, Victoria, Australia.
- Daubenmire R. (1972). Phenology and other characteristics of tropical deciduous forest in north-western Costa Rica. *Journal of Ecology* **60**, 147–170.
- Davies J.G. (1998). Beetles (Coleoptera) of Mkomazi. In *Mkomazi: The Ecology, Biodiversity and Conservation of a Tanzanian Savanna* (Eds. Coe M., McWilliam N., Stone G., and Packer M.), pp. 249–268. Royal Geographical Society: London.
- Davies P.E. and Nelson M. (1993). The effect of steep slope logging of fine sediment infiltration into the beds of ephemeral and perennial streams of the Dazzler Range, Tasmania, Australia. *Journal of Hydrology* **150**, 481–504.
- Davis J.A., Finlayson B.L., and Hart B.T. (2001). Barriers to science informing community-based land and water management. *Australian Journal of Environmental Management* **8**, 99–104.
- Day J. (1985). Application of satellite imagery for fire management in Kakadu National Park. In *Towards an Expert System for Fire Management at Kakadu National Park* (Eds. Walker J., Davis J.R., and Gill A.M.), pp. 122–137. Commonwealth Scientific and Industrial Research Organisation: Canberra, ACT, Australia.
- De Bano L.F., Neary D.G., and Ffolliott P.F. (1998). *Fire's Effects on Ecosystems*. John Wiley & Sons: New York.
- de Bruyn L.A.L. and Conacher A.J. (1990). The role of termites and ants in soil modification: a review. *Australian Journal of Soil Research* **28**, 55–93.
- Denlay J., Cook G., Galbally I., Meyer M., Caruana A., and Hughes T. (2000). Vegetation burning emissions in Darwin. *Proceedings of the 15th International Clean Air and Environment Conference* **5**, pp. 497–503.
- Dickinson K.J.M. and Kirkpatrick J.B. (1985). The flammability and energy content of some important plant species and fuel components in the forests of south-eastern Tasmania. *Journal of Biogeography* **12**, 121–134.
- Disney R.H.L. (1986). Assessments using invertebrates: posing the problem. In *Wildlife Conservation Evaluation* (Ed. Usher M.B.), pp. 271–293. Chapman & Hall: London.
- Dodds W.K. (1997). Distribution of runoff and rivers related to vegetative characteristics, latitude and slope: a global perspective. *Journal of the North American Benthological Society* **16**, 162–168.
- Douglas M.M. (1999). Tropical savanna streams and their catchments: seasonal dynamics and response to catchment disturbance. Ph.D. thesis, Department of Biological Sciences, Monash University, Clayton, Australia.
- Dovers S.R. and Mobbs C.D. (1997). An alluring prospect? Ecology, and the requirements of adaptive management. In *Frontiers in Ecology: Building the Links* (Eds. Klomp N. and Lunt I.), pp. 39–52. Elsevier Science Ltd.: Oxford, UK.
- Driscoll D.A. and Roberts J.D. (1997). Impact of fuel-reduction burning on the frog *Geocrinia lutea* in southwest Western Australia. *Australian Journal of Ecology* **22**, 334–349.
- Duff G.A. and Braithwaite R.W. (1990). Fire and Top End forests—past, present and future research. In *Fire Research in Rural Queensland* (Ed. Roberts B.R.), pp. 84–97. University of Southern Queensland: Toowoomba, Australia.
- Duffey E., Morris M.G., Sheail J., Wells D.A., and Wells T.C.E. (1974). In *Grassland Ecology and Wildlife Management*, p. 281. Chapman & Hall: London.

- Dunlop C.R. and Webb L.J. (1991). Flora and vegetation. In *Monsoonal Australia: Landscape Ecology and Man in the Northern Lowlands* (Eds. Haynes C.D., Ridpath M.G., and Williams M.A.J.), pp. 41–61. Balkema: Rotterdam, The Netherlands.
- Dyer R., Cobiac C., Cafe L., and Stockwell T. (1997). Developing sustainable pasture management practices for the semi-arid tropics of the Northern Territory. Meat Research Corporation Final Report NTA 022. Northern Territory Department of Primary Industries and Fisheries: Katherine, NT, Australia.
- Dyer R., Jacklyn P., Partridge I., Russell-Smith J., and Williams D. (2001). *Savanna Burning: Understanding and Using Fire in Northern Australia*. Tropical Savannas Cooperative Research Centre: Darwin, Australia.
- Eamus D., Myers B., Duff G., and Williams D. (1999). Seasonal changes in photosynthesis of eight savanna tree species. *Tree Physiology* **19**, 665–671.
- Edwards A., Hauser P., Anderson M., McCartney M., Armstrong M., Thackway R., Allan G., Hempel C., and Russell-Smith J. (2001). A tale of two parks: contemporary fire regimes of Litchfield and Nitmiluk National Parks, monsoonal northern Australia. *International Journal of Wildland Fire* **10**, 79–89.
- Egan J.L. and Williams R.J. (1996). Lifeform distributions of woodland plant species along a moisture availability gradient in Australia's monsoonal tropics. *Australian Systematic Botany* **9**, 205–217.
- Egunjobi J.K. (1971). Savanna burning, soil fertility and herbage productivity in the derived savanna zone of Nigeria. *Proceedings of the WASA Conference*, pp. 52–58. *URCH Publications: IUCN Publications New Series, Supplementary Paper 22*, pp. 52–57. Paper presented at the 7th Biennial Conference of the West African Science Association, April 2nd, 1970, University of Ibadan, Nigeria.
- Elkins N.Z., Sabol G.V., Ward T.J., and Whitford W.G. (1986). The influence of subterranean termites on the hydrological characteristics of a Chihuahuan desert ecosystem. *Oecologia* **68**, 521–528.
- Ellis D. (1985). Taxonomic sufficiency in pollution assessment. *Marine Pollution Bulletin* **16**, 459.
- Engle D.M. and Stritzke J.F. (1995). Fire behaviour and fire effects on eastern red cedar in hardwood leaf-litter fires. *International Journal of Wildland Fire* **5**, 135–141.
- Erwin T.L. (1983). Beetles and other insects of tropical forest canopies at Manaus, Brazil, sampled by insecticidal fogging. In *Tropical Rainforest: Ecology and Management* (Eds. Sutton S.L., Whitmore T.C., and Chadwick A.C.), pp. 59–75. Blackwell: Edinburgh, UK.
- Everson T.M. and Tainton N.M. (1984). The effect of thirty years of burning on the Highland sourveld of Natal. *Journal of the Grassland Society of South Africa* **1**, 15–20.
- Ewing R. (1996). Post-fire suspended sediment from Yellowstone National Park, Wyoming. *Water Resources Bulletin* **32**, 605–627.
- Faith D.P., Dostine P.L., and Humphrey C.L. (1995). Detection of mining impacts on aquatic macroinvertebrate communities: results of a disturbance experiment and the design of a multivariate BACIP monitoring program at Coronation Hill, N.T. *Australian Journal of Ecology* **20**, 167–180.
- Feeny P. (1975). Biochemical coevolution between plants and their insect herbivores. In *Coevolution of Animals and Plants* (Eds. Gilbert L.E. and Raven L.E.), pp. 3–19. University of Texas Press: Austin.
- Fensham R.J. (1990). Interactive effects of fire frequency and site factors in tropical *Eucalyptus* forests. *Australian Journal of Ecology* **16**, 363–374.
- Fensham R.J. (1992). The establishment of eucalypt seedlings in tropical savanna forest. *Northern Territory Naturalist* **13**, 30–36.

- Fensham R.J. (1997). Aboriginal fire regimes in Queensland, Australia: analysis of the explorers' record. *Journal of Biogeography* **24**, 11–22.
- Fensham R.J. and Bowman D.M.J.S. (1992). Stand structure and the influence of overwood on regeneration in tropical eucalypt forest on Melville Island. *Australian Journal of Botany* **40**, 335–352.
- Fewkes D.W. (1967). The control of sugar cane froghoppers. *Proceedings of the British West Indies Sugar Technologists* **6**, 2–33.
- Flannery T.F. (1994). *The Future Eaters*. Reed Books: Chatswood, NSW, Australia.
- Fordyce I., Eamus D., Duff G.A., and Williams R.J. (1997). The role of seedling age and size in the recovery of *Allosyncarpia ternata* following fire. *Australian Journal of Ecology* **22**, 262–269.
- Fox A.M. (1978). The 1972 fire of Nadgee Nature Reserve. *Parks and Wildlife* **2**, 5–24.
- Fox B.J. (1982). Fire and mammalian succession in an Australian coastal heath. *Ecology* **63**, 1332–1341.
- Fox B.J. (1990). Changes in the structure of mammalian communities over successional time scales. *Oikos* **59**, 321–329.
- Fox B.J., Fox M.D., and McKay G.M. (1979). Litter accumulation after fire in a eucalypt forest. *Australian Journal of Botany* **27**, 157–165.
- Fox R.E. and Clark N.B. (1972). The incidence of termites in eucalypts of the Darwin area. *Australian Forest Research* **5**, 29–36.
- Franklin D.C. (1997). The foraging behaviour of avian nectarivores in a monsoonal Australian woodland over a six-month period. *Corella* **21**, 48–54.
- Franklin D.C. (1999). Evidence of disarray amongst granivorous bird assemblages in the savannas of northern Australia, a region of sparse human settlement. *Biological Conservation* **90**, 53–68.
- Fraser F.J. (2000). The impacts of fire and grazing on the partridge pigeon: the ecological requirements of a declining tropical granivore. Ph.D. thesis, Australian National University: Canberra, ACT, Australia.
- Friend G. (1987). Population ecology of *Mesembriomys gouldii* (Rodentia: Muridae) in the wet–dry tropics of the Northern Territory. *Australian Wildlife Research* **14**, 293–303.
- Friend G. (1996). Fire ecology of invertebrates—implications for nature conservation, fire management and future research. In *Fire and Biodiversity. The Effects and Effectiveness of Fire Management*. Biodiversity Series, Paper No. 8, pp. 155–162. Biodiversity Unit, Department of the Environment, Sport and Territories: Canberra, ACT, Australia.
- Friend G.R. (1993). Impact of fire on small vertebrates in mallee woodlands and heathlands of temperate Australia: a review. *Biological Conservation* **65**, 99–114.
- Friend G.R. and Taylor J.A. (1985). Habitat preferences of small mammals in tropical open forest of the Northern Territory. *Australian Journal of Ecology* **10**, 173–185.
- Friend G.A. and Williams M.R. (1996). Impact of fire on invertebrate communities in mallee–heath shrublands of southwestern Australia. *Pacific Conservation Biology* **2**, 244–267.
- Friend G.R., Dudzinski M.L., and Cellier K.M. (1988). *Rattus colletti* (Rodentia: Muridae) in the Australian wet–dry tropics: seasonal habitat preferences, population dynamics and the effects of buffalo (*Bubalus bubalis*). *Australian Journal of Ecology* **13**, 51–66.
- Frith H.J. and Davies S.J.J.F. (1961). Ecology of the magpie goose, *Anseranus semipalmata* Latham (Anatadidae). *CSIRO Wildlife Research* **3**, 91–141.
- Frost P.G.H. (1985). The responses of savanna organisms to fire. In *Ecology and Management of the World's Savannas* (Eds. Tothill J.C. and Mott J.J.), pp. 232–237. Australian Academy of Science: Canberra, ACT, Australia.

- Fyfe G. (1980). The effect of fire on lizard communities in central Australia. *Herpetofauna* **12**, 1–9.
- Gallus C. (1994). The New South Wales bushfires: developing a national park management strategy. *Search* **25**, 34–36.
- Gandar M.V. (1982). Trophic ecology and plant/herbivore energetics. In *Ecology of Tropical Savannas* (Eds. Huntley B.J. and Walker B.H.), pp. 514–543. Springer-Verlag: Berlin.
- Garnett S.T. and Crowley G.M. (1994). The ecology and conservation of the golden-shouldered parrot. Cape York Peninsula Land Use Strategy: Cape York Peninsula, QLD, Australia.
- Gaston K.J. and Williams P.H. (1993). Mapping the world's diversity—the higher taxon approach. *Biodiversity Letters* **1**, 2–8.
- Gentilli J. (1971). The main climatological elements. In *Climates of Australia and New Zealand*, Vol. 13: *World Survey of Climatology* (Ed. Landsberg H.E.), pp. 119–188. Elsevier: Amsterdam.
- Gill A.M. (1975). Fire and the Australian flora: a review. *Australian Forestry* **38**, 4–25.
- Gill A.M. (1977). Management of fire-prone vegetation for plant species conservation in Australia. *Search* **8**.
- Gill A.M. (1981). Adaptive responses of Australian vascular plants to fire. In *Fire and the Australian Biota* (Eds. Gill A.M., Groves R.H., and Noble I.R.), pp. 243–272. Australian Academy of Science: Canberra, ACT, Australia.
- Gill A.M. (1995). Stems and fires. In *Plant Stems: Physiology and Functional Morphology* (Ed. Gartner B.L.), pp. 323–342. Academic Press: New York.
- Gill A.M. (1997). Eucalypts and fires: interdependent or independent. In *Eucalypts Ecology: Individuals to Ecosystems* (Eds. Williams J.E. and Woinarski C.Z.), pp. 151–167. Cambridge University Press: Cambridge, UK.
- Gill A.M. and Knight I. (1991). Fire measurement. In *Conference on Bushfire Modelling and Fire Danger Rating Systems, Proceedings* (Eds. Cheney N.P. and Gill A.M.), pp. 137–146. Commonwealth Scientific and Industrial Research Organisation: Canberra: ACT, Australia.
- Gill A.M. and McCarthy M. (1998). Intervals between prescribed fires in Australia: what intrinsic variation should apply? *Biological Conservation* **85**, 161–169.
- Gill A.M. and Moore P.H.R. (1990). Fire intensities in eucalypt forests of south-eastern Australia. *Proceedings of the International Conference on Forest Fire Research, Coimbra, Portugal 1990* **B24**, 1–12.
- Gill A.M. and Moore P.H.R. (1994). Some ecological research perspectives on the disastrous Sydney fires of January 1994. *Proceedings of the Second International Conference on Forest Fire Research, Coimbra, Portugal* **1**, 63–72.
- Gill A.M., Hoare J.R.L., and Cheney N.P. (1990). Fires and their effects in the wet–dry tropics of Australia. In *Fire in the Tropical Biota. Ecosystem Processes and Global Challenges* (Ed. Goldammer J.G.), pp. 159–178. Springer-Verlag: Berlin.
- Gill A.M., Moore P.H.R., and Williams R.J. (1996). Fire weather in the wet–dry tropics of the World Heritage Kakadu National Park, Australia. *Australian Journal of Ecology* **21**, 302–308.
- Gill A.M., Ryan P.G., Moore P.H.R., and Gibson M. (2000). Fire regimes of World Heritage Kakadu National Park, Australia. *Austral Ecology* **25**, 616–625.
- Gillison A.N. (1983). Tropical savannas of Australia and the southwest Pacific. In *Ecosystems of the World*, Vol. 13: *Tropical Savannas* (Ed. Bourlière F.), pp. 183–243. Elsevier: Amsterdam.
- Gillon D. (1970). Recherches écologiques dans la savane de Lamto (Côte d'Ivoire): les effets du feu sur les arthropodes de la savane. *Terre Vie* **24**, 80–93.
- Gillon D. (1983). The fire problem in tropical savannas. In *Ecosystems of the World*, Vol. 13: *Tropical Savannas* (Ed. Bourlière F.), pp. 617–641. Elsevier: Amsterdam.

- Gillon Y. (1983). The invertebrates of the grass layer. In *Ecosystems of the World* Vol. 13: *Tropical Savannas* (Ed. Bourlière F.), pp. 289–311. Elsevier: Amsterdam.
- Glover P.E., Trump E.C., and Wateridge L.E.D. (1964). Termitaria and vegetation patterns on the Loita plains of Kenya. *Journal of Ecology* **52**, 365–377.
- Greenslade P. (1997). Short term effects of a prescribed burn on invertebrates in grassy woodland in south-eastern Australia. *Memoirs of the Museum of Victoria* **56**, 305–312.
- Gregory S.V., Swanson F.J., McKee W.A., and Cummins K.W. (1991). An ecosystem perspective of riparian zones. *Bioscience* **41**, 540–551.
- Grigg A.H. and Mulligan D.R. (1999). Litterfall from two eucalypt woodlands in central Queensland. *Australian Journal of Ecology* **24**, 662–664.
- Griffiths A.D. and Christian K.A. (1996a). Diet and habitat use of frillneck lizards in a seasonal tropical environment. *Oecologia* **106**, 39–48.
- Griffiths A.D. and Christian K.A. (1996b). The effects of fire on the frillneck lizard (*Chlamydosaurus kingii*) in northern Australia. *Australian Journal of Ecology* **21**, 386–398.
- Grobler D.C. and Silberbauer M.J. (1985). The combined effect of geology, phosphate sources and runoff on phosphate export from drainage basins. *Water Research* **19**, 975–981.
- Haines A.T., Finlayson B.L., and McMahon T.A. (1988). A global classification of river regimes. *Applied Geography* **8**, 255–272.
- Hairston N.G. (1989). *Ecological Experiments: Purpose, Design and Execution*. Cambridge University Press: Cambridge, UK.
- Hall J.D. and Lantz R.L. (1969). Effects of logging on the habitat of Coho salmon and cut throat trout in coastal streams. In *Symposium on Salmon and Trout in Streams. H.R. MacMillan Lectures in Fisheries* (Ed. Northcote T.G.), pp. 355–375. Institute of Fisheries, University of British Columbia: Vancouver, Canada.
- Hansen A.J., Rotella J.J., Kraska M.P.V., and Brown D. (1999). Dynamic habitat and population analysis: an approach to resolve the biodiversity manager's dilemma. *Ecological Applications* **9**, 1459–1476.
- Hardwick R.A., Cooper P.D., Cranston P.S., Humphreys C.L., and Dostine P.L. (1995). Spatial and temporal distribution patterns of drifting pupal exuviae of Chironomidae (Diptera) in streams of tropical northern Australia. *Freshwater Biology* **34**, 569–578.
- Hargrove W.W. and Pickering J. (1992). Pseudoreplication: a sine qua non for regional ecology. *Landscape Ecology* **6**, 251–258.
- Harris M.V. (1966). The role of termites in tropical forestry. *Insectes Sociaux* **13**, 255–266.
- Hart B.T. and Ottway E.M. (1986). Nutrient and trace metal fluxes in the Magela Creek system, Northern Australia. *Ecological Modelling* **31**, 249–265.
- Hart B.T., Ottway E.M., and Noller B.N. (1987). Magela Creek system, Northern Australia. I. 1982–3 Wet Season Water Quality. *Australian Journal of Marine and Freshwater Research* **38**, 261–288.
- Haufler J.B. (1999). Strategies for conserving terrestrial biological diversity. In *Practical Approaches to the Conservation of Biological Diversity* (Eds. Baydack R.K., Campa H.III, and Haufler J.B.), pp. 17–34. Island Press: Washington DC.
- Haynes C.D. (1985). The pattern and ecology of munwag: traditional Aboriginal fire regimes in north-central Arnhem Land. *Proceedings of the Ecological Society of Australia* **13**, 201–214.
- Haynes C.D. (1991). Use and impact of fire. In *Monsoonal Australia: Landscape, Ecology and Man in the Northern Lowlands* (Eds. Haynes C.D., Ridpath M.G., and Williams M.A.J.), pp. 61–71. Balkema: The Netherlands.

- Hays J. (1967). Land surfaces and laterites in the north of the Northern Territory. In *Landform Studies from Australia and New Guinea* (Eds. Jennings J.N. and Mabbutt J.A.). Australian National University: Canberra, ACT, Australia.
- Hellawell J.M. (1991). Development of a rationale for monitoring. In *Monitoring for Conservation and Ecology* (Ed. Goldsmith F.B.), pp. 1–14. Chapman & Hall: London.
- Hingston F.J. and Galbraith J.H. (1989). Nutrients in ash fall-out during forest fires in the south-west of Western Australia. *Australian Forestry* **52**, 321–326.
- Hoare J.R.L., Hooper R.J., Cheney N.P., and Jacobsen K.L.S. (1980). A report on the effect of fire in tall open forest and woodland with particular reference to fire management in Kakadu National Park in the Northern Territory. Australian National Parks and Wildlife Service: Canberra, ACT, Australia.
- Hochberg M.E., Menaut J.A., and Ginoux J. (1994). Influences of tree biology and fire in the spatial structure of the West African savannah. *Journal of Ecology* **82**, 217–226.
- Hoffmann W.A. (1996). The effects of cover and fire on seedling establishment in a neotropical savanna. *Journal of Ecology* **84**, 383–393.
- Hoffmann W.A. (1998). Post-burn reproduction of woody plants in a neotropical savanna: the relative importance of sexual and vegetative reproduction. *Journal of Applied Ecology* **35**, 422–433.
- Hoffmann W.A. (1999). Fire and population dynamics of woody plants in a neotropical savanna: matrix model predictions. *Ecology* **80**, 1354–1369.
- Holling C.S. (1978). *Adaptive Environmental Assessment and Management*. John Wiley & Sons: New York.
- Holling C.S. (1993). Investing in research for sustainability. *Ecological Applications* **3**, 553–555.
- Holt J.A. and Coventry R.J. (1990). Nutrient cycling in Australian savannas. *Journal of Biogeography* **17**, 427–432.
- Hooper A.D.L. (1969). Soils of the Adelaide–Alligator area. In *Lands of the Adelaide–Alligator Area, Northern Territory*, pp. 95–113. Commonwealth Scientific and Industrial Research Organisation: Land Research Series No. 25. CSIRO: Melbourne, Victoria, Australia.
- Hopkins B. (1965). Observations on savanna burning in the Olokemeji Forest Reserve, Nigeria. *Journal of Applied Ecology* **2**, 367–381.
- Hopkins B. (1983). Successional processes. In *Ecosystems of the World*, Vol. 13: *Tropical Savannas* (Ed. Bourlière F.), pp. 605–616. Elsevier: Amsterdam.
- Hopkins M.S., Head J., Ash J., Hewett R.K., and Graham A.W. (1996). Evidence of a Holocene and continuing recent expansion of lowland rainforest in humid, tropical north Queensland. *Journal of Biogeography* **23**, 737–745.
- Horton D.R. (1982). The burning question: Aborigines, fire and Australian ecosystems. *Mankind* **13**, 237–251.
- House S.M. (1997). Reproductive biology of eucalypts. In *Eucalypt Ecology. Individuals to Ecosystems* (Eds. Williams J.E. and Woinarski J.C.Z.), pp. 30–55. Cambridge University Press: Cambridge, UK.
- Hubble G.C., Isbell R.F., and Northcote K.H. (1983). Features of Australian soils. In *Soils: An Australian viewpoint* (Ed. Division of Soils, Commonwealth Scientific and Industrial Research Organisation), pp. 17–48. CSIRO/Academic Press: Melbourne, London.
- Hunter M.Jr. (1996). Benchmarks for managing ecosystems: are human activities natural? *Conservation Biology* **10**, 695–697.
- Hunter M.L.Jr. (1993). Natural fire regimes as spatial models for managing boreal forests. *Biological Conservation* **65**, 115–120.
- Huntley B.J. and Walker B.H. (1982). *Ecology of Tropical Savannas*. Springer-Verlag: New York.

- Hurst D.F., Griffith D.W.T., Carras J.N., Williams D.J., and Fraser P.J. (1994a). Measurements of trace gases emitted by Australian savanna fires during the 1990 dry season. *Journal of Atmospheric Chemistry* **18**, 35–56.
- Hurst D.F., Griffith D.W.T., and Cook G.D. (1994b). Trace gas emissions from biomass burning in tropical Australian savannas. *Journal of Geophysical Research* **99**, 16441–16456.
- Hurst D.F., Griffith D.W.T., and Cook G.D. (1996). Trace-gas emissions from biomass burning in Australia. In *Biomass Burning and Global Change* Vol. II: Biomass Burning in South America Southeast Asia and Temperate and Boreal Ecosystem, and the Oil Fires of Kuwait (Ed. Levine J.S.), pp. 787–792. MIT Press: Cambridge, MA.
- Hynes H.B.N. (1975). The stream and its valley. *Verhandlungen Internationale Vereinigung Limnologie* **19**, 1–15.
- Isbell R.F. (1983). Kimberley–Arnhem–Cape York (III). In *Soils: An Australian Viewpoint* (Ed. Division of Soils, Commonwealth Scientific and Industrial Research Organisation), pp. 189–199. CSIRO: Melbourne, Victoria, Australia.
- Isbell R.F. (1996). *The Australian Soil Classification*. CSIRO Publishing: Collingwood, Australia.
- James C.D. (1991). Temporal variation in diets and tropic partitioning by co-existing lizards (*Ctenopus*: Scincidae) in central Australia. *Oecologia* **85**, 553–561.
- Jassby A.D. and Powell T.M. (1990). Detecting changes in ecological time series. *Ecology* **71**, 2044–2052.
- Jeffrey R.A. and Williams N.J. (1980). Mining pollution and the diet of the purple striped gudgeon *Imogurnda mogurnda* (Eleoteridae) in the Finnis River, Northern Territory, Australia. *Ecological Monographs* **50**, 457–485.
- Johnson E.A. (1992). *Fire and Vegetation Dynamics: Studies from the North American Boreal Forest*. Cambridge University Press: Cambridge, U.K.
- Johnson E.A. and Miyanishi K. (1995). The need for consideration of fire behaviour and effects in prescribed burning. *Restoration Ecology* **3**, 271–278.
- Johnson E.A. and Miyanishi K. (eds.) (2001). *Forest Fires: Behaviour and Ecological Effects*. Academic Press: San Diego.
- Johnson E.A., Miyanishi K., and Weir J.M.H. (1998). Wildfires in the western Canadian boreal forest: landscape patterns and ecosystem management. *Journal of Vegetation Science* **9**, 603–610.
- Johnston F.H., Kavanagh A.M., Bowman D.M.J.S., and Scott R.K. (2002). Exposure to bushfire smoke and asthma: an ecological study. *Medical Journal of Australia* **176**, 535–538.
- Jones J.A. (1990). Termites, soil fertility and carbon cycling in dry tropical Africa: a hypothesis. *Journal of Tropical Ecology* **6**, 291–305.
- Jones R. (1969). Fire-stick farming. *Australian Natural History* **16**, 224–228.
- Julien M.H. (1987). *Biological Control of Weeds: A Catalogue of Agents and Their Target Weeds*, 2nd ed. CAB International: Wallingford, Oxon, UK.
- Junk W.J., Bayley P.B., and Sparks R.E. (1989). The flood pulse concept in river–floodplain systems. In *Proceedings of the International Large Rivers Symposium*, Vol. 106. (Ed. Dodge D.P.), pp. 110–127. Special Publication of the Canadian Department of Fisheries and Aquatic Sciences: Ottawa.
- Kakadu Board of Management (1991). *Kakadu National Park Plan of Management*. Australian National Parks and Wildlife Service: Canberra, ACT, Australia.
- Kakadu Board of Management. (1999). *Kakadu National Park Plan of Management*. Parks Australia: Canberra, Australia.
- Kauffman J.B., Cummings D.L., and Ward D.E. (1994). Relationship of fire, biomass and nutrient dynamics along a vegetation gradient in the Brazilian cerrado. *Journal of Ecology* **82**, 519–531.

- Keast A. (1981). Distributional patterns, regional biotas, and adaptations in the Australia biota: a synthesis. In *Ecological Biogeography of Australia* (Ed. Keast A.), pp. 1895–1997. Dr. W. Junk: The Hague.
- Keith D.A., Williams J.E., and Woinarski J.C.Z. (2002) Fire management and biodiversity conservation: key approaches and principles. In *Flammable Australia: The Fire Regimes and Biodiversity of a Continent* (Eds. Bradstock R.A., Williams J.E., and Gill A.M.), pp. 401–425. Cambridge University Press: Cambridge, UK.
- Kellman M. and Meave J. (1997). Fire in the tropical gallery forests of Belize. *Journal of Biogeography* **24**, 23–34.
- Kennan T.C.D. (1971). The effects of fire on two vegetation types of Matopos, Rhodesia. *Proceedings of the Annual Tall Timbers Fire Ecology Conference* **11**, 53–98.
- Kenward M.G. (1995). *Analysis of Repeated Measurements*. Clarendon Press: Oxford, UK.
- Kershaw A.P. (1985). An extended late Quaternary vegetation record from north-eastern Queensland and its implications for the seasonal tropics of Australia. *Proceedings of the Ecological Society of Australia* **13**, 179–189.
- Kershaw A.P. (1992). The development of rainforest–savanna boundaries in tropical Australia. In *Nature and Dynamics of Forest–Savanna Boundaries* (Eds. Furley P.A., Proctor J., and Ratter J.A.), pp. 255–271. Chapman & Hall: London.
- King J., Moutsinga J.B., and Doufoulon G. (1997). Conversion of anthropogenic savanna to production forest through fire protection of the foresht–savanna edge in Gabon, Central Africa. *Forest Ecology and Management* **94**, 233–247.
- Kirk R.L. (1981). Physiological, demographic and genetic adaption of Australian Aboriginals. In *Ecological Biogeography of Australia* (Ed. Keast A.), pp. 1799–1816. Dr. W. Junk: The Hague.
- Knutson H. and Campbell J.B. (1976). Relationships of grasshoppers (Acrididae) to burning, grazing, and range sites of native tallgrass prairie in Kansas. *Proceedings of the Annual Tall Timbers Conference on Ecological Animal Control and Habitat Management* **6**, 107–120.
- Kremen C. (1992). Assessing the indicator properties of species assemblages for natural areas monitoring. *Ecological Applications* **2**, 203–217.
- Kuhlbusch A.J. and Crutzen P.J. (1996). Black carbon, the global carbon cycle and atmospheric carbon dioxide. In *Biomass Burning and Global Change*, Remok Sensing, modeling and inventory development, and biomass burning in Africa. (Ed. Levine J.S.), **1**, 160–169. MIT Press: Cambridge, MA.
- Lacey C.J. (1974). Rhizomes and tropical eucalypts and their role in the recovery from fire damage. *Australia Journal of Botany* **22**, 29–38.
- Lacey C.J., Walker J., and Noble I.R. (1982). Fire in Australia tropical savannas. In *Ecology of Tropical Savannas* (Eds. Huntley B.J. and Walker B.H.), pp. 246–272. Springer-Verlag: Berlin.
- Lal R. (1987). *Tropical Ecology and Physical Edaphology*. John Wiley & Sons: New York.
- Lambeck R. (1997). Focal species: a multi–species umbrella for nature conservation. *Conservation Biology* **11**, 849–856.
- Lamont B.B., Le Maitre D.C., Cowling R.M., and Enright N.J. (1991). Canopy seed storage in woody plants. *Botanical Review* **57**, 277–317.
- Langton M. (1998). *Burning Questions: Emerging Environmental Issues for Indigenous Peoples in Northern Australia*. Centre for Indigenous Natural and Cultural Resource Management, Northern Territory University: Darwin, Australia.
- Lawrence D. (2000). *Kakadu. The Making of a National Park*. Melbourne University Press: Melbourne, Victoria, Australia.

- Lawrence G.E. (1966). Ecology of vertebrate animals in relation to chaparral fire in the Sierra Nevada foothills. *Ecology* **47**, 278–291.
- Lee K.E. (1991). The role of soil fauna in nutrient cycling. In *Advances in Management and Conservation of Soil Fauna* (Eds. Veeresh D., Rajagopal D., and Viraktamath C.A.), pp. 465–472. Oxford and IBH: New Delhi.
- Levine J.S. (1996). Introduction. In *Biomass Burning and Global Change*. pp. xxxv–xliii. MIT Press: Cambridge, MA.
- Lewis H.T. (1989). Ecological and technological knowledge of fire: Aborigines versus park rangers in northern Australia. *American Anthropologist* **91**, 940–961.
- Lober J.M., Scharffe D.H., Hao W.M., and Crutzen P.J. (1990). Importance of biomass burning in the atmospheric budgets of nitrogen-containing gasses. *Nature* **346**, 552–554.
- Lonsdale W.M. and Abrecht D.G. (1989). Seedling mortality in *Mimosa pigra*, an invasive tropical shrub. *Journal of Ecology* **77**, 371–385.
- Lonsdale W.M. and Braithwaite R.W. (1991). Assessing the effects of fire on vegetation in tropical savannas. *Australian Journal of Ecology* **16**, 363–374.
- Lonsdale W.M., Braithwaite R.W., Lane A.M., and Farmer J. (1998). Modelling the recovery of an annual savanna grass following a fire-induced crash. *Australian Journal of Ecology* **23**, 509–513.
- Lowe-McConnell R.H. (1987). *Ecological Studies in Tropical Fish Communities*. Cambridge University Press: Cambridge, UK.
- Ludwig J.A., Tongway D.J., Eager R.W., Williams R.J., and Cook G.D. (1999). Fine-scale vegetation patches decline in size and cover with increasing rainfall in Australia savannas. *Landscape Ecology* **14**, 557–566.
- Luke R.H. and McArthur A.G. (1978). Bushfires in Australia. Australia Government Publishing Service: Canberra, ACT, Australia.
- Lunney D. and O'Connell M. (1988). Habitat selection by the swamp wallaby *Wallabia bicolor*, the red-necked wallaby *Macropus rufogriseus*, and the common wombat *Vombatus ursinus*, in logged, burnt forest near Bega, New South Wales. *Australian Wildlife Research* **15**, 695–706.
- Main A.R. (1981). Fire tolerance of heathland animals. In *Ecosystems of the World*, Vol. 8: *Heathlands and Related Shrublands* (Ed. Specht R.L.), pp. 85–90. Elsevier: Amsterdam .
- Majer J.D. (1985). Fire effects on invertebrate fauna of forest and woodland. In *Fire Ecology and Management in Western Australian Ecosystems*. WAIT Environmental Studies Group Report No. 14 (Ed. Ford J.), pp. 103–106. Western Australia Institute of Technology: Perth, WA, Australia.
- Malanson G.P. (1993). *Riparian Landscapes*. Cambridge University Press: Cambridge, UK.
- Mangel M. et al. (42 other authors). (1996). Principles of the conservation of wild living resources. *Ecological Applications* **6**, 338–362.
- Marchant R. (1982). Seasonal variation in the macroinvertebrate fauna of billabongs along Magela Creek, Northern Territory. *Australia Journal of Marine and Freshwater Research* **33**, 329–342.
- Mattson D.J. (1996). Ethics and science in natural resource agencies. *Bioscience* **46**, 767–771.
- McCarthy M.A. and Burgman M.A. (1995). Coping with uncertainty in forest wildlife planning. *Forest Ecology and Management* **74**, 23–26.
- McIntyre M.J. and Minshall G.W. (1996). Changes in transport and retention of coarse particulate organic matter in streams. In *The Ecological Implications of Fire in Greater Yellowstone*. *Proceedings of the Second Biennial Conference on the Greater Yellowstone Ecosystem*, Yellowstone National Park, Wyoming, USA,

- 19–21 Sept. 1993. (Ed. Greenlee J.M.), pp. 59–75. International Association of Wildland Fire: Fairfield, Washington. pp. 59–75.
- McIvor J.G. (2001). Litterfall from trees in semiarid woodlands of north-east Queensland. *Austral Ecology* 150–155.
- McKean J.L. and Martin K.C. (1989). Distribution and status of the Carpentarian grass-wren *Amytornis*. *Northern Territory Naturalist* 11, 12–19.
- Menaut J.C. and Cesar J. (1979). Structure and primary productivity of Lamto savannas, Ivory Coast. *Ecology* 60, 1197–1210.
- Menaut J.C., Lepage M., and Abbadie L. (1995). Savannas, woodlands and dry forests in Africa. In *Seasonally Dry Tropical Forests* (Eds. Bullock S.H., Mooney H.A., and Medina E.), pp. 64–92. Cambridge University Press: Cambridge, MA.
- Miller R.B., Stout J.B., and Lee K.E. (1955). Biological and chemical changes following scrub burning on a New Zealand hill soil. *New Zealand Journal of Science and Technology* 37, 290–313.
- Milton S.J. and Dean W.R.J. (1992). An underground index of rangeland degradation: cicadas in arid southern Africa. *Oecologia* 91, 288–291.
- Minchin P.R. (1989). DECODA: Database for ecological community data. Documentation notes. Anutech Pty Ltd: Canberra, ACT, Australia.
- Minshall G.W., Brock J.T., and Varley J.D. (1989). Wildfires and Yellowstone's stream ecosystems: a temporal perspective shows that recovery parallels forest succession. *Bioscience* 39, 707–715.
- Minshall G.W., Robinson C.T., and Lawrence D.E. (1997). Postfire responses of lotic ecosystems in Yellowstone National Park, U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences* 54, 2509–2525.
- Misra R. (1983). Indian savannas. In *Ecosystems of the World*, Vol. 13: *Tropical Savannas* (Ed. Bourlière F.). Elsevier: Amsterdam.
- Moe S.R., Wegge P., and Kapela E.B. (1990). The influence of man-made fires on large herbivores in Lake Burungi area of northern Tanzania. *African Journal of Ecology* 28, 35–43.
- Moore A.W. (1960). The influence of annual burning on a soil in the derived savanna zone of Nigeria. *Transactions of the International Congress of Soil Science*, Madison, Wisconsin, pp. 257–264.
- Moore P.D. (1987). Burning issues in fire control. *Nature* 325, 486.
- Moore, P.H.R., Gill A.M., and Kohnert R. (1995). Quantifying bushfires for ecology using two electronic devices and biological indicators. *CALMScience Supplement* 4, 83–87.
- Moran V.C. and Hoffman J.H. (1989). The effects of herbivory by a weevil species, acting alone and unrestrained by natural enemies, on growth and phenology of the weed *Sesbania punicea*. *Journal of Applied Ecology* 26, 967–978.
- Morton S.R. and Andrew M.J. (1987). Ecological impact and management of fire in northern Australia. *Search* 18, 77–82.
- Morton S.R. and James C.D. (1988). The diversity and abundance of lizards in arid Australia: a new hypothesis. *American Naturalist* 132, 237–256.
- Mott J.J. and Andrew M.H. (1985). The effect of fire on the population dynamics of native grasses in tropical savannas of north-west Australia. *Proceedings of the Ecological Society of Australia* 13, 231–239.
- Mott J.J., Williams J., Andrew M.A., and Gillison A.N. (1985). Australia savanna ecosystems. In *Ecology and Management of the World's Savannas* (Eds. Tothill J.C. and Mott J.J.), pp. 56–82. Australian Academy of Science: Canberra, ACT, Australia.
- Mueller-Dombois, D. and Ellenberg, H. (1974). *Aims and Methods of Vegetation Ecology*. J. Wiley & Sons, New York.

- Müller M.J. (1982). Selected climatic data set of standard stations for vegetation science. In *Ecological Biogeography of Australia* (Ed. Keast A.), pp. 1055–1078. Dr. W. Junk: The Hague.
- Mulvaney J. and Kamminga J. (1999). *Prehistory of Australia*. Allen & Unwin: Sydney, NSW, Australia.
- Mushinsky H.R. (1992). Natural history and abundance of south-eastern five-lined skinks, *Eumeces inexpectatus*, on a periodically burned sandhill in Florida. *Herpetologica* **48**, 307–312.
- Myers B.A., Williams R.J., Fordyce I., Duff G.A., and Eamus D. (1998). Does irrigation affect leaf phenology in deciduous and evergreen trees of the savannas of northern Australia? *Australian Journal of Ecology*, **23**, 329–339.
- Naiman R.J. and Décamps H. (1997). The ecology of interfaces: riparian zones. *Annual Review of Ecology and Systematics* **28**, 621–658.
- Nakame K., Kusaka S., Mitsudera M., and Tsubota H. (1983). Effect of fire on water and major nutrient budgets in forest ecosystem: II. Nutrient balances, input (precipitation) output (discharge). *Japanese Journal of Ecology* **33**, 333–345.
- National Greenhouse Gas Inventory Committee. (1994). Land use change and forestry: workbook for carbon dioxide from the biosphere. Department of the Environment, Sport and Territories: Canberra, ACT, Australia.
- National Greenhouse Gas Inventory Committee. (1998). National Greenhouse Gas Inventory 1996 with methodology supplements. Australian Greenhouse Office: Canberra, ACT, Australia.
- Needham, R.S. (1984). Alligator River, Northern Territory, 1:250,000 Geological Series, Explanatory Notes D/53-1, 2nd Edition. Bureau of Mineral Resources: Canberra, ACT, Australia.
- Neumann F.G. and Tolhurst J. (1991). Effects of fuel reduction burning on epigeal arthropods and earthworms in dry sclerophyll eucalypt forest of west central Victoria. *Australian Journal of Ecology* **16**, 315–330.
- Newsome A.E. and Catling P.C. (1983). Animal demography in relation to fire and shortage of food: some indicative models. In *Mediterranean-Type Ecosystems: The Role of Nutrients* (Eds. D'Kruger F.J., Mitchell D.T., and Jarvis J.U.M.), pp. 490–505. Springer-Verlag: Berlin.
- Newsome A.E., Catling P.C., and Corbett L.K. (1983). The feeding ecology of the dingo. II. Dietary and numerical relationships with fluctuating prey populations in south-eastern Australia. *Australian Journal of Ecology* **8**, 345–366.
- Newstrom L.E., Frankie G.W., and Baker H.G. (1994). A new classification for plant phenology based on flowering patterns in lowland tropical rain forest trees at La Selva, Costa Rica. *Biotropica* **26**, 141–159.
- Nicholson P.H. (1981). Fire and the Australia Aborigine—an enigma. In *Fire and the Australia Biota* (Eds. Gill A.M., Groves R.H., and Noble I.R.), pp. 55–76. Australia Academy of Science: Canberra, ACT, Australia.
- Noble I.R., Bary G.A.V., and Gill A.M. (1980). McArthur's fire danger meters expressed as equations. *Australian Journal of Ecology* **5**, 201–203.
- Noss R.F. and Cooperrider A.Y. (1994). *Saving Nature's Legacy*. Island Press: Washington, DC.
- O'Connell A.M. and Menage P.M.A. (1982). Litter fall and nutrient cycling in karri (*Eucalyptus diversicolor* F. Muell.) forest in relation to stand age. *Australian Journal of Ecology* **7**, 49–62.
- O'Grady A.P., Eamus D., and Hutley L.B. (1999). Transpiration increases during the dry season: patterns of tree water use in eucalypt open-forests of Northern Australia. *Tree Physiology* **19**, 591–597.
- Oakwood M. (1997). The ecology of the northern quoll, *Dasyurus hallucatus*. Ph.D. thesis, Australia National University: Canberra, ACT, Australia.

- Oliver C.D. (1992). A landscape approach: achieving and maintaining biodiversity and economic productivity. *Journal of Forestry* **90**, 20–25.
- Olson J.S. (1963). Energy storage and the balance of producers and decomposers in ecological systems. *Ecology* **44**, 322–331.
- Orgeas J. and Andersen A.N. (2001). Fire and biodiversity: responses of grass-layer beetles to experimental fire regimes in an Australian tropical savanna. *Journal of Animal Ecology* **38**, 49–62.
- Paltridge R.M., Dostine P.L., Humphrey C.L., and Boulton A.J. (1997). Macroinvertebrate recolonization after re-wetting of a tropical seasonally flowing stream (Magela Creek, Northern Territory, Australia). *Marine and Freshwater Research* **48**, 633–645.
- Pandey A.N. (1988). Short-term study of recovery of a tropical grassland following seasonal burning. *Tropical Ecology* **29**, 159–170.
- Panton W.J. (1993). Changes in post-World War II distribution and status of monsoon rainforests in the Darwin area. *Australian Geographer* **24**, 50–59.
- Patel A. (1997). Phenological patterns of *Ficus* in relation to other forest trees in southern India. *Journal of Tropical Ecology* **13**, 681–695.
- Peterjohn W.T. and Correll D.L. (1984). Nutrient dynamics in an agricultural watershed: observations on the role of a riparian forest. *Ecology* **65**, 1466–1475.
- Peters R.H. (1991). *A Critique for Ecology*. Cambridge University Press: Cambridge, UK.
- Peterson D.W. and Reich P.B. (2001). Prescribed fire in oak savanna: fire frequency effects on stand structure and dynamics. *Ecological Applications* **11**, 914–927.
- Peterson H. and Luxton M. (1982). A comparative analysis of soil fauna populations and their role in soil decomposition processes. *Oikos* **39**, 287–388.
- Pole M.S. and Bowman D.M.J.S. (1996). Tertiary plant fossils from Australia's Top End. *Australian Systematic Botany* **9**, 113–126.
- Policansky D. (1998). Science and decision making for water resources. *Ecological Applications* **8**, 610–618.
- Poskuta J., Kolodziej A., and Kropczynska D. (1977). Photosynthesis, photorespiration, and respiration of strawberry plants as influenced by the infestation with *Tetranychus urticae* Koch. Institute of Plant Protection, Agricultural Academy: Warsaw.
- Preece, N. (2002). Aboriginal fires in monsoonal Australia from historical accounts. *Journal of Biogeography* **29**, 321–336.
- Press A.J. (1987). Fire management in Kakadu National Park: the ecological basis for the active use of fire. *Search* **18**, 244–248.
- Press A.J. (1988). Comparisons of the extent of fire in different land management systems in the Top End of the Northern Territory. *Proceedings of the Ecological Society of Australia* **15**, 167–175.
- Press T., Brock J., and Andersen A. (1995). Fauna. In *Kakadu: Natural and Cultural Heritage and Management* (Eds. Press A.J., Lea D.A.M., Webb A.L., and Graham A.D.), pp. 167–216. Australian Nature Conservation Agency and North Australian Research Unit: NT, Australia.
- Price O. and Bowman D.M.J.S. (1994). Fire-stick forestry: a matrix model in support of skilful fire management of *Callitris intratropica* R.T. Baker by north Australian Aborigines. *Journal of Biogeography* **21**, 573–580.
- Prior L.D., Eamus D., and Duff G.A. (1997a). Seasonal trends in carbon assimilation, stomatal conductance, pre-dawn leaf water potential and growth in *Terminalia ferdinandiana*, a deciduous tree of northern Australian savannas. *Australian Journal of Botany* **45**, 53–69.
- Prior L.D., Eamus D., and Duff G.A. (1997b). Seasonal and diurnal patterns of carbon assimilation, stomatal conductance and leaf water potential *Eucalyptus*

- tetradonta* saplings in a wet–dry savanna in northern Australia. *Australian Journal of Botany* **45**, 241–258.
- Puyravaud J.P., Pascal J.P., and Dufor C. (1994). Ecotone structure as an indicator of changing forest–savanna boundaries (Linganamakki region, southern India). *Journal of Biogeography* **21**, 581–593.
- Ram S.C. and Ramakrishnan P.S. (1992). Fire and nutrient cycling in seral grasslands of Cherrapunji in north-eastern India. *International Journal of Wildland Fire* **2**, 131–138.
- Rasmussen, L., Brydges T., and Mathy P. (1993). Experimental manipulations of biota and biogeochemical cycling in ecosystems—approach, methodologies, findings. Forest Ecosystem Research Report No. 4. Commission of the European Communities: Copenhagen, 18–20 May 1992, pp. 138–154.
- Recher H.R., Lunney D., and Posamentier H. (1975). A grand natural experiment: the Nadgee wildfire. *Australian Natural History* **18**, 154–163.
- Reckhow K.H. (1990). Bayesian inference in non-replicated ecological studies. *Ecology* **71**, 2053–2059.
- Redford K.H. (1987). Ants and termites as food: patterns of mammalian myrmecophagy. In *Current Mammalogy*, Vol. I (Ed. Genoways H.H.), pp. 349–399. Plenum Press: New York.
- Resetarits W.J.Jr. and Bernardo J. (1998). *Experimental Ecology: Issues and Perspectives*. Oxford University Press: New York.
- Richter D.D., Ralston C.W., and Harms W.R. (1982). Prescribed fire: effects on water quality and forest nutrient cycling. *Science* **215**, 661–662.
- Ridpath M.G. (1985). Ecology of the wet–dry tropics: How different? *Proceedings of the Ecological Society of Australia* **13**, 3–20.
- Risser P.G., Birney E.C., Blocker H.D., May S.W., Parton W.J., and Wiens J.A. (1981). *The True Prairie Ecosystem*. Hutchinson Ross: Stroudsburg, PA.
- Roberts R.G., Jones R., and Smith M.A. (1990). Thermoluminescence dating of a 50,000 year old human occupation site in northern Australia. *Nature* **345**, 153–156.
- Rogers K. and Biggs H. (1999). Integrating indicators, endpoints and value systems in strategic management of the rivers of the Kruger National Park. *Freshwater Biology* **41**, 439–451.
- Rose D.B. (1995). *Country in Flames*. Biodiversity Series, Paper No. 3. Department of the Environment, Sport, and Territories Biodiversity Unit: Canberra, ACT, Australia.
- Rosenberg D.M., Danks H.V., and Lehmkuhl D.M. (1986). Importance of insects in environmental impact assessment. *Environmental Management* **10**, 773–783.
- Rothermel R.C. and Deeming J.E. (1980). Measuring and interpreting fire behaviour for correlation with fire effects. Intermountain Forest and Range Experiment Station. U.S. Department of Agriculture, Forest Service: Ogden, UT.
- Russell-Smith J. (1985). A record of change: studies of Holocene vegetation history in the South Alligator River region, Northern Territory. *Proceedings of the Ecological Society of Australia* **13**, 191–202.
- Russell-Smith J. (1995). Fire management in Kakadu. In *Kakadu: Natural and Cultural Heritage and Management* (Eds. Press A.J., Lea D.A.M., Webb A.L., and Graham A.D.), pp. 217–223. Australian Nature Conservation Agency and North Australian Research Unit: Darwin, NT, Australia.
- Russell-Smith J. and Bowman D.M.J.S. (1991). Conservation of monsoon rainforest isolates in the Northern Territory, Australia. *Biological Conservation* **59**, 51–63.
- Russell-Smith J. and Stanton P. (2002). Fire regimes and fire management of rainforest communities across northern Australia. In *Flammable Australia: The Fire*

- Regimes and Biodiversity of a Continent* (Eds. Bradstock R.A., Williams J.E., and Gill A.M.), pp. 329–350, Cambridge University Press: Cambridge, UK.
- Russell-Smith J., Lucas D., Gapindi M., Ganbunuka B., Kaporigia N., Namingum G., Lucas K., Giuliani P., and Chaloupka G. (1997a). Aboriginal resource utilization and fire management practice in western Arnhem Land, monsoonal northern Australia: notes for pre-history, lessons for the future. *Human Ecology* **25**, 159–195.
- Russell-Smith J., Ryan P.G., and Durieu R. (1997b). A LANDSAT MSS-derived fire history of Kakadu National Park, monsoonal northern Australia, 1980–94: seasonal extent, frequency and patchiness. *Journal of Applied Ecology* **34**, 748–766.
- Russell-Smith J., Ryan P.G., Klessa D., Waight G., and Harwood R. (1998). Fire regimes, fire-sensitive vegetation and fire management of the sandstone Arnhem Plateau, monsoonal northern Australia. *Journal of Applied Ecology* **35**, 829–846.
- Russell-Smith T., Stone G., and van Noort S. (1998). In *Mkomazi: The Ecology, Biodiversity and Conservation of a Tanzanian Savanna* (Eds. Coe M., McWilliam N., Stone G., and Packer M.), pp. 171–184. Royal Geographical Society: London.
- Russell-Smith J., Whitehead P.J., Cook G.D., and Hoare J.L. (2003). Response of *Eucalyptus*-dominated savanna to frequent fires: Lessons from Munmarlary, 1973–1996. *Ecological Monographs*, in press.
- Rye P.J. (1995). Contribution by bushfire to photochemical smog. *CALMScience Supplement* **4**, 129–134.
- Sabiiti E.N. and Wein R.W. (1988). Fire behaviour and the invasion of *Acacia sieberiana* into savanna grassland openings. *African Journal of Ecology* **26**, 310–313.
- Salmon A. (1992). Australia National Parks and Wildlife Service Annual Report 1991–92. ANPWS: Canberra, ACT, Australia.
- Samson F.B. and Knopf F.L. (1999). Putting diversity into resource conservation. In *Practical Approaches to the Conservation of Biological Diversity* (Eds. Baydack R.K., Campa H.III., and Hauffer J.B.), pp. 167–176. Island Press: Washington D.C.
- Samways M.J. (1990). Land forms and winter habitat refugia in the conservation of montane grasshoppers in southern Africa. *Conservation Biology* **4**, 375–382.
- San Jose J.J. and Medina E. (1975). Effect of fire on organic matter production and water balance in a tropical savanna. In *Tropical Ecological Systems* (Eds. Golley F.B. and Medina E.), pp. 251–264. Springer-Verlag: Berlin.
- Sanaiotti T.M. and Mangusson W.E. (1995). Effect of annual fires on the production of fleshy fruits eaten by birds in a Brazilian Amazonian savanna. *Journal of Tropical Ecology* **11**, 53–65.
- Sarmiento G. (1984). *The Ecology of Neotropical Savannas*. (Harvard University Press: Cambridge, MA.)
- Sarmiento G. and Monasterio M. (1983). Life forms and phenology. In *Ecosystems of the World*, Vol. 13: *Tropical Savannas*. (Ed. Bourlière F.), pp. 79–108. Elsevier: Amsterdam.
- Sarmiento G., Goldstein G., and Meinzer F. (1985). Adaptive strategies of woody species in Neotropical savannas. *Biological Review* **60**, 315–355.
- Scanlan J.C. and Burrows W.H. (1990). Woody overstorey impact on herbaceous understorey in *Eucalyptus* spp. communities in central Queensland. *Australian Journal of Ecology* **15**, 191–197.
- Scholes R.J. and Walker B.H. (1993). *An African Savanna: Synthesis of the Nylsvley Study*. *Cambridge Studies in Applied Ecology and Resource Management*. Cambridge University Press: Cambridge, UK.
- Scott D.F. (1993). The hydrological effects of fire in South African mountain catchments. *Journal of Hydrology* **150**, 409–432.

- Seastedt T.R. (1984). The role of microarthropods in decomposition and mineralisation processes. *Annual Review of Entomology* **29**, 25–46.
- Sedjo R.A. (2000). *A Vision for the U.S. Forest Service: Goals for Its Next Century*. Resources for the Future Press: Washington DC.
- Settele J., Margules C., Poschold P., and Henle K. (1996). *Species Survival in Fragmented Landscapes*, Vol. 35: GeoJournal Library Series. Kluwer Academic Publishers: Dordrecht, The Netherlands.
- Setterfield S.A. (1997a). The impact of experimental fire regimes on seed production in two tropical eucalypt species in northern Australia. *Australian Journal of Ecology* **22**, 279–287.
- Setterfield S.A. (1997b). Factors affecting seedling regeneration of woody species in a northern Australian tropical savanna. Ph.D. thesis. Northern Territory University: Darwin, Australia.
- Setterfield S.A. (2002). Seedling establishment in an Australian tropical savanna: effects of seed supply, soil disturbance and fire. *Journal of Applied Ecology* **39**, 949–959.
- Setterfield S.A. and Williams R.J. (1996). Patterns of flowering and seed production in *Eucalyptus miniata* and *E. tetradonta* in a tropical savanna woodland, northern Australia. *Australian Journal of Botany* **44**, 107–122.
- Shea R.W., Shea B.W., Kauffman J.B., Ward D.E., Haskins C.I., and Scholes M.C. (1996). Fuel biomass and combustion factors associated with fires in savanna ecosystems of South Africa and Zambia. *Journal of Geophysical Research* **101**, 23551–23568.
- Shine R. and Lambeck R. (1989). The ecology of frillneck lizards, *Chlamydosaurus kingii* (Agamidae), in tropical Australia. *Australian Wildlife Research* **16**, 491–500.
- Silva J.F., Caswell H., and Trevisan M.C. (1991). Population responses to fire in a tropical savanna grass, *Andropogon semiberbis*: a matrix model approach. *Journal of Ecology* **79**, 345–356.
- Sinclair A.R.E. (1975). The resource limitation of trophic levels in tropical grassland ecosystems. *Journal of Animal Ecology* **44**, 497–520.
- Skarpe C. (1992). Dynamics of savanna ecosystems. *Journal of Vegetation Science* **3**, 293–300.
- Southwell C.J. and Jarman P.J. (1987). Macropod studies at Wallaby Creek. III. The effect of fire on pasture utilisation by macropodids and cattle. *Australia Wildlife Research* **14**, 117–124.
- Spain A.V. and McIvor J.G. (1988). The nature of herbaceous vegetation associated with termitaria in north-eastern Australia. *Journal of Ecology* **76**, 181–191.
- Spencer C.N. and Hauer F.R. (1991). Phosphorus and nitrogen dynamics in streams during a wildfire. *Journal of the North American Benthological Society* **10**, 24–30.
- Stander P.E., Nott T.B., and Mentis M.T. (1993). Proposed burning strategy for a semi-arid African savanna. *African Journal of Ecology* **31**, 282–289.
- Stanford J.A. and Poole G.C. (1996). A protocol for ecosystem management. *Ecological Applications* **6**, 741–744.
- Stanger M., Clayton M., Schodde R., Wombey J., and Mason I. (1998). *CSIRO list of Australian vertebrates. A reference with conservation status*. CSIRO Publishing: Collingwood, Australia.
- Stevenson G.B. (1970). *Biology of Fungi, Bacteria and Viruses*. Edward Arnold: London.
- Stevenson P.M. (1985). Traditional Aboriginal resource management in the wet-dry tropics: Tiwi case study. *Proceedings of the Ecological Society of Australia* **13**, 309–315.

- Stocker G.C. and Mott J.J. (1981). Fire in the tropical forests and woodlands of northern Australia. In *Fire and the Australian Biota* (Eds. Gill A.M., Groves R.H., and Noble I.R.), pp. 423–439. Australian Academy of Science: Canberra, ACT, Australia.
- Stocker G.C. and Sturtz J.D. (1966). The use of fire to establish Townsville lucerne in the Northern Territory. *Australian Journal of Experimental Agriculture and Animal Husbandry* **6**, 277–279.
- Swetnam T.W., Allen C.D., and Betancourt J.L. (1999). Applied historical ecology: using the past to manage for the future. *Ecological Applications* **9**, 1189–1206.
- Tapper N.J., Garden G., Gill J., and Fernon J. (1993). The climatology and meteorology of high fire danger in the Northern Territory. *Rangeland Journal* **15**, 339–351.
- Taylor J.A. and Dunlop C.R. (1985). Plant communities of the wet–dry tropics of Australia: the Alligator River region, Northern Territory. *Proceedings of the Ecological Society of Australia* **13**, 83–127.
- Taylor J.A. and Tulloch D. (1985). Rainfall in the wet–dry tropics: extreme events at Darwin and similarities between years in the period 1870–1983. *Australian Journal of Ecology* **10**, 281–295.
- Taylor J.A., Cowie I.D., and Cusack J.S. (1991). A checklist of plant species on Kapalga Research Station, Kakadu National Park, N.T. Memorandum No. 34. Commonwealth Scientific and Industrial Research Organisation, Division of Wildlife and Ecology: Darwin, NT, Australia.
- Taylor R.W. (1972). Biogeography of insects of New Guinea and Cape York Peninsula. In *Bridge and Barrier* (Ed. Walker D.), pp. 213–230. Australian National University: Canberra, ACT, Australia.
- Tothill J.C. and Mott J.J. (1985). *Ecology and Management of the World's Tropical Savannas*. Australian Academy of Science: Canberra, ACT, Australia.
- Townsend S.A. and Douglas M.M. (2000). The effect of three fire regimes on stream water quality, water yield and export co-efficients in a tropical savanna woodland (northern Australia). *Journal of Hydrology* **229**, 118–137.
- Trainor C.R. and Woinarski J.C.Z. (1994). Responses of lizards to three experimental fires in the savanna forests of Kakadu National Park. *Wildlife Research* **21**, 131–148.
- Trapnell C.G. (1959). Ecological results of woodland burning experiments in Northern Rhodesia. *Journal of Ecology* **47**, 129–168.
- Tripodi E. (1996). Temporal and spatial variations in the macroinvertebrate communities of the seasonally flowing portions of Magela Creek, Northern Territory. Honours thesis, University of New England: Armidale, NSW, Australia.
- Trollope W.S.W. (1980). Controlling bush encroachment with fire in the savannah area of South Africa. *Proceedings of the Grassland Society of Southern Africa* **15**, 173–177.
- Trollope W.S.W. (1982). Ecological effects of fire in South African savannas. In *Ecology of Tropical Savannas* (Eds. Huntley B.J. and Walker B.H.), pp. 292–306. Springer-Verlag: New York.
- Turner M.G., Romme W.H., Gardner R.H., and Hargrove W.W. (1997). Effects of fire size and pattern on early succession in Yellowstone National Park. *Ecological Monographs* **67**, 411–433.
- Unwin G.L., Stocker G.C., and Sanderson K.D. (1985). Fire and the forest ecotone in the Herberton Highland, North Queensland. *Proceedings of the Ecological Society of Australia* **123**, 215–224.
- Uys R. (2000). The effects of different burning regimes on grassland phytodiversity. M.Sc. thesis., University of Cape Town: Cape Town, Republic of South Africa.
- Van Wagner C.E. (1973). Height of crown scorch in forest fires. *Canadian Journal of Forestry* **3**, 373–378.

- van Wilgen B.W., Biggs H.C., and Potgieter A.L.F. (1998). Fire management and research in the Kruger National Park, with suggestions on the detection of thresholds of potential concern. *Koedoe* **41**, 69–87.
- van Wilgen B.W., Richardson D.M., and Seydack A.H.W. (1994). Managing fynbos for biodiversity: constraints and options in a fire-prone environment. *South African Journal of Science* **90**, 322–329.
- Vanderwoude C., Andersen A.N., and House A.P.N. (1997). Ant communities as bioindicators in relation to fire management of spotted gum (*Eucalyptus maculata* Hook). Forests of south-east Queensland. *Memoirs of the Museum of Victoria* **56**, 671–675.
- Vanderzalm J.L., Hooper M.A., Hooper B.M., Martin P., Ryan B., and Nurhayati M. (2000). Particulate air quality in regional northwest Australia and southeast Asia. *Clean Air* **34**, 29–34.
- Vlok J.H.J. and Yeaton R.I. (1999). The effect of overstorey proteas on plant species richness in South African mountain fynbos. *Diversity and Distributions* **5**, 213–222.
- Wade P.M. (1994). Management of macrophytic vegetation. In *The Rivers Handbook*, Vol. 2: *Hydrological and Ecological Principles* (Eds. Calow P. and Petts G.E.), pp. 363–385. Blackwell Science Publications: Oxford, UK.
- Walker B.H. (1987). *Determinants of Tropical Savannas*. IRL Press: Oxford, UK.
- Walker J. (1981). Fuel dynamics in Australian vegetation. In *Fire and the Australian Biota* (Eds. Gill A.M., Groves R.H., and Noble I.R.), pp. 101–127. Australian Academy of Science: Canberra, ACT, Australia.
- Wallace J.B., Eggert S.L., and Meyer J.L. (1997). Multiple trophic levels of a forest stream linked to terrestrial litter inputs. *Science* **277**, 102–104.
- Warren S.D., Scifres C.J., and Teel P.D. (1987). Response of grassland arthropods to burning: a review. *Agriculture, Ecosystems and Environment* **19**, 105–130.
- Waters T.F. (1995). Sediment in streams: sources, biological effects and control. American Fisheries Society, Monograph No. 7. AFS, p. 251, Bethesda, MD.
- Webb L.J. (1968). Environmental relationships of the structural types of Australian rainforest vegetation. *Ecology* **49**, 296–311.
- Weis A.E. and Berenbaum M.R. (1989). Herbivorous insects and green plants. In *Plant-Animal Interactions* (Ed. Abrahamson W.G.), pp. 123–162. McGraw-Hill: New York.
- Welcomme R.L. (1979). *Fisheries Ecology of Floodplain Rivers*. Longman: London.
- Wellington A.B. and Noble I.R. (1985). Seed dynamics and factors limiting recruitment of the mallee *Eucalyptus incrassata* in semi-arid south-eastern Australia. *Journal of Ecology* **73**, 657–666.
- Wells W.G. (1985). The influence of fire on erosion rates in Californian chaparral. In *Chaparral Ecosystems Research Conference* (Ed. Centre C.W.R.), pp. 57–62. University of California: Santa Barbara.
- Werner P.A. (1991). *Savanna Ecology and Management: Australia Perspectives and Intercontinental Comparisons*. Blackwell Scientific: London.
- Werner, P.A. (1986) Population dynamics and productivity of selected forest trees in Kakadu National Park. Canberra: Australian National Parks and Wildlife Service.
- Werner P.A. and Murphy P.G. (2001). Size specific biomass allocation and water content of above- and below- ground components of three *Eucalyptus* species in a northern Australian savanna. *Australian Journal of Botany* **49**, 155–167.
- West O. (1965). Fire in vegetation and its use in pasture management with special reference to tropical and sub-tropical Africa. Commonwealth Bureau of Pastures and Field Crops, Hurley, Berkshire: Berkshire, UK.

- Whelan R.J. (1995). *The Ecology of Fire*. Cambridge University Press: Cambridge, UK.
- White K. (1998). Fire behaviour and on ground evidence of fire intensity for remote sensing evaluation. In *Malgarra: Burning the Bush. Fourth North Australia Fire Management Workshop, Kalumburu, North Kimberley, Western Australia* (Eds. Saint P. and Russell-Smith J.), pp. 20–25. Cooperative Research Centre for Tropical Savannas: Darwin, NT, Australia.
- White L.A. (1984). Dark cracking clays of the estuarine flood plains of the Northern Territory. In *The Properties and Utilization of Cracking Clay Soils*, Vol. 5: *Reviews in Rural Science*. (Eds. McGarity J.W., Houlst E.H., and So H.B.). University of New England: Armidale, NSW, Australia.
- Williams J.E., Whelan R.J., and Gill A.M. (1994). Fire and environmental heterogeneity in southern temperate forest ecosystems: implications for management. *Australian Journal of Botany* **42**, 125–137.
- Williams M.A.J. (1969). Geomorphology of the Adelaide–Alligator area. *Lands of the Adelaide–Alligator Area, Northern Territory. CSIRO Land Research Series No. 25*, Melbourne 1969 **25**, 71–94.
- Williams M.A.J. (1991). Evolution of the landscape. In *Monsoonal Australia: Landscape Ecology and Man in the Northern Lowlands* (Eds. Haynes C.D., Ridpath M.G., and Williams M.A.J.), pp. 5–17. Balkema, Rotterdam, The Netherlands.
- Williams R.J. (1995). Tree mortality in relation to fire intensity in a tropical savanna of the Kakadu region, Northern Territory, Australia. *CALMScience Supplement* **4**, 77–82.
- Williams R.J. (1997). Fire and floral phenology in a humid tropical savanna at Kapalga, Kakadu National Park. In *Bushfire97: Proceedings of the Australasian Bushfire Conference* (Eds. McKaige B.J., Williams R.J., and Waggitt W.M.), pp. 54–59. Commonwealth Scientific and Industrial Research Organisation: Darwin, NT, Australia.
- Williams R.J. and Bradstock R.A. (2000). Fire regimes and the management of biodiversity in temperate and tropical *Eucalyptus* forest landscapes in Australia. In *Fire and Forest Ecology. Innovative Silviculture and Vegetation Management. Tall Timbers Fire Ecology Conference Proceedings*, No. 21 (Eds. Moser W.K. and Moser C.F.), pp. 139–150. Tall Timbers Research Station: Tallahassee, FL.
- Williams R.J. and Douglas M. (1995). Windthrow in a tropical savanna in Kakadu National Park, north Australia. *Journal of Tropical Ecology* **11**, 547–558.
- Williams R.J. and Lane A. (1999). Wet season burning as a fuel management tool in wet–dry tropical savannas: applications at Ranger Mine, Northern Territory, Australia. In *People and Rangelands Proceedings, Sixth International Rangelands Congress* (Eds. Eldridge D. and Freudenberger D.), pp. 972–977. International Rangeland Conference: Aitkenvale, Australia.
- Williams R.J., Duff G.A., Bowman D.M.J.S., and Cook G.D. (1996). Variation in the composition and structure of tropical savannas as a function of rainfall and soil texture along a large-scale climatic gradient in the Northern Territory, Australia. *Journal of Biogeography* **23**, 747–756.
- Williams R.J., Cook G.D., Ludwig J.L., and Tongway D. (1997a). Torch, trees, teeth and tussocks: Disturbances in the tropical savannas of the Northern Territory (Australia). In *Frontiers in Ecology: Building the Links* (Eds. Klomp N. and Lunt I.), pp. 55–66. Elsevier Science Ltd: Oxford, UK.
- Williams R.J., Myers B.A., Muller W.J., Duff G.A., and Eamus D. (1997b). Leaf phenology of woody species in a north Australian tropical savanna. *Ecology* **78**, 2542–2558.
- Williams R.J., Gill A.M., and Moore P.H.R. (1998). Seasonal changes in fire behaviour in a tropical savanna in Northern Australia. *International Journal of Wildland Fire* **8**, 227–239.

- Williams R.J., Cook G.D., Gill A.M., and Moore P.H.R. (1999a). Fire regime, fire intensity and tree survival in a tropical savanna in northern Australia. *Australian Journal of Ecology* **24**, 50–59.
- Williams R.J., Myers B.A., Eamus D., and Duff G.A. (1999b). Reproductive phenology of woody species in a north Australian tropical savanna. *Biotropica* **31**, 626–636.
- Williams R.J., Griffiths A.D., and Allan G.E. (2002). Fire regimes and biodiversity in the savannas of northern Australia. In *Flammable Australia: The Fire Regimes and Biodiversity of a Continent* (Eds. Bradstock R.A., Williams J.E., and Gill A.M.), pp. 281–304. Cambridge University Press: Cambridge, UK.
- Wilson B.A. (1996). Fire effects on vertebrate fauna and implications for fire management and conservation. In *Fire and Biodiversity: The Effects and Effectiveness of Fire Management*. Biodiversity Series Paper No. 8, pp. 131–147. (Department of Environment, Sport and Territories Biodiversity Unit: Canberra, ACT, Australia).
- Wilson B.A. and Bowman D.M.J.S. (1987). Fire, storm, flood and drought: the vegetation ecology of Howards Peninsula, Northern Territory, Australia. *Australian Journal of Ecology* **12**, 165–174.
- Wilson B.A., Brocklehurst P.S., Clark M.J., and Dickinson K.J.M. (1990). Vegetation survey of the Northern Territory, Australia. Technical Report No. 49. Conservation Commission of the Northern Territory: Darwin, Australia.
- Wilson B.A., Russell-Smith J., and Williams R.J. (1996). Terrestrial vegetation. In *Landscape and Vegetation Ecology of the Kakadu Region, Northern Australia* (Eds. Finlayson C.M. and von Oertzen I.), pp. 57–79. Kluwer Academic Publishers: Dordrecht, The Netherlands.
- Wilson E.O. (1986). The current state of biological diversity. In *Biodiversity* (Ed. Wilson E.O.), pp. 3–18. National Academy Press: Washington, DC.
- Wilson E.O. (1987). The little things that run the world. *Conservation Biology* **1**, 344–346.
- Woinarski J.C.Z. (1990). Effects of fire on bird communities of tropical communities and open forests in northern Australia. *Australian Journal of Ecology* **15**, 1–22.
- Woinarski J.C.Z. (1993). Australian tropical savannas: their avifauna, conservation status and threats. In *Birds and Their Habitats: Status and Conservation in Queensland* (Eds. Catterall C.P., Driscoll P.V., Hulsman K., Muir D., and Taplin A.), pp. 45–63. Queensland Ornithological Society: St. Lucia, Australia.
- Woinarski J.C.Z. and Braithwaite R.W. (1990). Conservation foci for Australian birds and mammals. *Search* **21**, 65–69.
- Woinarski J.C.Z. and Recher H.F. (1997). Impact and response: a review of the effects of fire on the Australian avifauna. *Pacific Conservation Biology* **3**, 183–205.
- Woinarski J.C.Z., Brock C., Fisher A., Milne D., and Oliver B. (1999a). Response of birds and reptiles to fire regimes on pastoral land in the Victoria River District, Northern Territory. *Rangeland Journal* **21**, 24–38.
- Woinarski J.C.Z., Franklin D., and Connors G. (1999b). Landscape mapping of nectar resources as a base for conservation management. *Australia Biologist* **12**, 97–105.
- Woinarski J.C.Z., Fisher A., and Milne D. (1999c). Distribution patterns of vertebrates in relation to an extensive rainfall gradient and soil variation in the tropical savannas of the Northern Territory, Australia. *Journal of Tropical Ecology* **15**, 381–398.
- Woinarski J.C.Z., Milne D.J., and Wanganeen G. (2001). Changes in mammal populations in relatively intact landscapes of Kakadu National Park, Northern Territory, Australia. *Austral Ecology* **26**, 360–370.

- Woinarski J., Watson M., and Gambold N. (2002). Vertebrate monitoring and resampling in Kakadu National Park. Report to Parks Australia North. Parks and Wildlife Commission of the Northern Territory: Darwin, Australia.
- Woodroffe C.D., Chappell J.M.A., Thom B.G., and Wallensky E. (1986). Geomorphological dynamics and evolution of the South Alligator tidal river and plains, Northern Territory. Australian National University, North Australia Research Unit: Darwin, Australia.
- Woodroffe C.D., Chappell J., Thom B.G., and Wallensky E. (1989). Depositional model of a macrotidal estuary and floodplain, South Alligator River, N.T. Australia. *Sedimentology* **36**, 737–756.
- Wooller R.D. and Calver M.C. (1988). Changes in assemblages of small birds in the understorey of dry sclerophyll forest in south-western Australia after fire. *Australian Wildlife Research* **15**, 331–338.
- Wright H.A. and Bailey A.W. (1982). *Fire Ecology—United States and Southern Canada*. John Wiley & Sons: New York.
- Wright R.F. (1976). The impact of forest fire on the nutrient influxes to small lakes in northeastern Minnesota. *Ecology* **57**, 649–663.
- Yeaton R.I., Frost S., and Frost P.G.H. (1986). A direct gradient analysis of grasses in a savanna. *African Journal of Science* **82**, 482–486.
- Yibarbuk F., Whitehead P.J., Russell-Smith J., Jackson D., Godjuwa C., Fisher A., Cooke P., Choquenot D., and Bowman D.M.J.S. (2001). Fire ecology and Aboriginal land management in central Arnhem Land, northern Australia: a tradition of ecosystem management. *Journal of Biogeography* **28**, 325–343.
- York A. (1999a). Long-term effects of frequent low-intensity burning on the abundance of litter-dwelling invertebrates in coastal blackbutt forests of southeastern Australia. *Journal of Insect Conservation* **3**, 191–199.
- York A. (1999b). Long-term effects of repeated prescribed burning on forest invertebrates: management implications for the conservation of biodiversity. In *Australia's Biodiversity—Responses to Fire, Plants, Birds and Invertebrates*. (Eds. Gill A.M., Woinarski J.C.Z., and York A.), pp. 181–266. Biodiversity Technical Paper No. 1. Environment Australia, Department of the Environment and Heritage: Canberra, ACT, Australia.

Index

A

- Aboriginal burning, 3, 4–6, 7–9, 29, 159, 160
- Adaptive management, 6–7
- Africa. *See* International comparisons
- Ants. *See* Insects
- Aquatic invertebrates, 63–64, 73, 75, 76, 78, 155
- Aquatic macrophytes, 62, 64, 73, 75, 78, 155
- Area burnt, 3

B

- Beetles. *See* Insects
- Birds, 13, 127, 128–131, 133, 137–139, 144–145, 151, 152, 158, 163

C

- Carbon dioxide, 54–58, 154–155. *See also* Trace gases
- Climate, 19–21
- Conservation management, 3, 4, 7, 8, 157–159

E

- Eucalyptus miniata*, 22, 23, 27
 - leaf phenology, 25, 88–90
 - reproductive phenology, 25, 27, 89, 92, 93, 100–101
 - seed dynamics, 92, 95, 101–102
 - seedling establishment, 94–95, 101–102
 - survival, 84, 85, 87
- Eucalyptus tetrodonta*, 22, 23, 27, 88–90, 92, 93
 - leaf phenology, 25
 - reproductive phenology, 25, 89, 93, 100–101
 - seed dynamics, 95, 101–102
 - seedling establishment, 94–95, 101–102
 - survival, 84, 85, 87
- Experimental design, 13–14, 28–29, 153–154

F

- Fire behavior, 33–46
 - intensity. *See* Fire regimes

- Fire behavior (*cont.*)
 rate of spread, 33, 35, 38, 39, 46
- Fire experiments, 13–14, 153–154, 164.
See also Experimental design
- Fire frequency. *See* Fire regimes
- Fire fuels, 34–38, 42–43, 46, 47–53
 litter decomposition, 47–49
 litter fall. *See* Fire fuels, litter
 production
 litter production, 47–51
- Fire intensity. *See* Fire regimes
- Fire regimes, 12, 28–29
 frequency, 1, 10, 11–12, 155–156,
 160–162
 intensity, 3
 ecological effects, 11–12, 96, 98,
 155–157
 measurement, 33, 34, 35–38, 43–44.
See also Fire regimes, intensity,
 post-fire indices
 post-fire indices, 34, 40–41, 44–45
 seasonality. *See* Fire regimes, timing
 timing, 3, 11–12, 33
- Fire weather, 21–22, 36, 38
- FLAMES simulation model, 155–156
- Fringed lizard. *See* Reptiles
- Frogs, 128–135, 140, 151
- Fuel. *See* Fire fuels
- G**
- Goals. *See* Management objectives
- Grass layer
 composition, 22, 80, 96–98, 103–105
 insects, 110–112, 124
- Grasshoppers. *See* Insects
- Greenhouse gases. *See* Carbon dioxide;
 Trace gases
- H**
- Hydrology, 64–65, 70–73, 77
- I**
- Insects, 11, 27, 28, 63, 107–125
 ants, 27, 101, 108, 110, 111, 113,
 121–123, 125
 assemblages, 109–110, 112, 125
 beetles, 108, 110, 112, 114–116, 117,
 124, 125
 as bio-indicators, 107, 125, 163
 ecological roles, 107–109
 grasshoppers, 108, 110, 116, 118–121,
 124, 125
 taxonomic sufficiency, 124
 termites, 27, 99, 108, 109, 110, 126,
 127
See also Aquatic invertebrates
- International comparisons, 3, 28, 59–60,
 105, 159
- Africa
 conservation management, 159,
 163
 fauna, 28, 108, 110, 112, 116, 125
 fire and grass-layer diversity,
 104–105
 fire and vegetation structure, 80
 fuel loads, 40
 streams, 59
- South America
 fauna, 28
 fire and vegetation structure, 80
 fuel loads, 40
 streams, 59
- L**
- Litter. *See* Fire fuels
- M**
- Mammals, 13, 15, 128–131, 145–152, 163
- Management goals. *See* Management
 objectives
- Management objectives, 7, 158–160,
 163–164. *See also* Conservation
 management
- Modeling. *See* FLAMES simulation
 model
- Monitoring, 6, 7, 161, 163, 164
- N**
- Nitrogen, 19, 53–58, 72–74, 154. *See also*
 Nutrients
- Nutrients, 9, 10, 19, 53, 65, 72–74, 77,
 154
- O**
- Objectives. *See* Management objectives
- P**
- Phenology. *See* Trees

R

- Rainforest, 9, 22, 80, 105–106, 158
- Reptiles, 128–137, 141–143, 151
 - frilled lizard, 131–132, 135–137, 144
- Riparian vegetation, 64, 67–70, 77, 155, 158–159

S

- Seed dynamics, 9, 26–27, 92, 95, 101–102
- Seedlings
 - establishment, 94–95, 101–102
 - See also* Woody sprouts
- Simulation modeling. *See* FLAMES simulation model
- Smoke, 54, 160. *See also* Trace gases
- Soils, 18–19. *See also* Nutrients
- Sorghum*, 2, 22, 35, 104
- Streams, 17, 18, 59–78, 155.
 - biota. *See* Aquatic invertebrates; Aquatic macrophytes
 - physicochemistry, 60, 63, 71–73
 - seasonality, 60–64

South America. *See* International comparisons

T

- Termites. *See* Insects
- Trace gases, 10, 53–58, 154. *See also* Carbon dioxide

Trees

- growth, 10
- leaf phenology, 24–25, 79, 81, 88–91, 102
- mortality. *See* Survival
- reproductive phenology, 25–27, 89, 91–93, 100–102
- survival, 10, 80–88, 98–100, 155–156

W

- Water quality, 70–73. *See also* Streams, physicochemistry
- Weeds, 15, 68
- Woody sprouts, 10, 11, 22
 - survival, 80, 84, 86, 88, 99, 103