

Index

- A**
- Achilles reflex, after
 - percutaneous laser disc decompression, 192
 - Adhesions, from disc surgery, 47
 - Adjacent disc syndrome, 1
 - Adynamic lateral recess stenosis, 206–207
 - Age-related changes, intervertebral disc, 38–41
 - annulus, 39
 - disc, 38–39
 - endplate, 40
 - facet joint, 40–41
 - nucleus, 39–40
 - Anatomy of intervertebral disc, 29–57
 - Animal models, disc pathology, 35–36
 - Annulus, age-related changes, 39
 - Anteflexed posture, effect on nerve roots, in neurologic examination, 75
 - Anterior longitudinal ligament, 33
 - Argon 488–514 nm laser, 23
 - Argon laser spots, projected on moon, 20
 - Ascher, Professor Peter
 - after successful procedure, 15
 - contribution of, 1–18
 - Aseptic discitis, with percutaneous laser disc decompression, 166–167
 - Atherosclerosis, intervertebral disc, 42
 - Atrophy
 - interosseous muscles, in neurologic examination, 86
 - supraspinatus muscle, in neurologic examination, 86
- B**
- Babinski's sign, in neurologic examination, 84
 - Back pain
 - discogenic, 211–215. *See also* Percutaneous laser disc decompression
 - interventional therapeutic modalities, 1–18
 - activity
 - postprocedural, 16
 - resumption of, after procedure, 16
 - adjacent disc syndrome, 1
 - Ascher, Professor Peter
 - after successful procedure, 15
 - contribution of, 1–18
 - Case, Professor Robert B., 4
 - contribution of, 3
 - chemonucleolysis, with chymopapain, 3
 - Choy/Ascher procedure, 1–18
 - after successful procedure, 15
 - chymopapain leakage, 3
 - discectomy,
 - Massachusetts General Hospital, Boston, 2
 - first patient, 14
 - Food and Drug Administration, 15
 - foraminotomy, 15
 - magnetic resonance imaging, 15
 - Messersmith Bolkow, Blohm Medilas laser, 4

- Back pain (*continued*)
 percutaneous laser disc decompression, 3–18
 procedural terminology, 15
- Bending of laser beam, on emergence from catheter, 25
- Biochemical structure, intervertebral disc, 33–34
- Biochemistry, intervertebral disc, 33–35
 biochemical structure, 33–34
 permeability, 34–35
 pressure, 34–35
- Biomechanics, intervertebral disc, 35–38
- Blood supply, intervertebral disc, 32–33
- Bone spur, nerve roots and, 68
- Bowstring sign, in neurologic examination, 81
- Burnt needle tips, with percutaneous laser disc decompression, 170
- Buttock squeeze, 176
- C**
- Calcitonin gene related peptide, 33, 44
- Cancer, metastatic, in patient selection, 68
- Carotis communis artery, 157
- Cartilage, zones of, in matrix of intervertebral disc, 34
- Case, Professor Robert B., 4
 contribution of, 3
- Catheter, bending of laser beam, on emergence from, 25
- Cauda equina syndrome, with percutaneous laser disc decompression, 168
- Caudal extrusion, disc herniation with, 184
- Caudal endplate, intervertebral disc, 31
- Central nervous system, demyelinating disease, in patient selection, 68
- Cephalad endplate, intervertebral disc, 31
- Cephalad extrusion, disc herniation with, 185
- Cerebrospinal fluid, intervertebral disc and, 32
- Cervical discs, in percutaneous laser disc decompression procedure, 157–162
 L5-S1 disc, 159–162
- Cervicalis profunda artery, 157
- Cervicalis profunda vein, 157
- Cervicalis V nerve, 157
- Cervicalis VI nerve, 157
- Chemonucleolysis, with chymopapain, 3
- Chondroitin sulfate, 39
- Choy/Ascher procedure, 1–18. *See also* Percutaneous laser disc decompression
- Choy sign, 82, 192
- Chymopapain leakage of, 3
- Classification, disc pathology, 46
- Clinical Biomechanics of Spine*, 14
- Clinical experience, with percutaneous laser disc decompression procedures, 217–221
- Clinical Orthopedic & Related Research*, 14
- CO₂ laser, 23. *See also* Laser
- Collagen fiber layers annulus fibrosus, intervertebral disc, 31
 nucleus pulposus, ring surrounding, 31
- Column stimulators, 198
- Complicated disc herniations, responding to percutaneous laser disc decompression, 183–189
- Complications of percutaneous laser disc decompression, 163–171
- Compression frame, magnetic resonance imaging, 125–128
- Computed tomography, 40, 45
 contrast-enhanced, intravenous, for lumbar imaging modalities, 95
 discography, for lumbar imaging modalities, 95
 high-resolution, for lumbar imaging modalities, 95
 myelography, for lumbar imaging modalities, 95
 in percutaneous laser disc decompression procedure, 162
 unenhanced, for lumbar imaging modalities, 95
- Computer models, disc pathology, 36
- Consultation, initial, 131–135
- Continuing radiculopathy, signs of, 16
- Contraindications, in patient selection, 68–69
- Contrast-enhanced computed tomography, intravenous, for lumbar imaging modalities, 95
- Correction of neurologic deficits, after percutaneous laser disc decompression, 191–193
- D**
- Decompression, endoscopic laser foraminoplasty, 198
- Demyelinating disease, of central nervous system, in patient selection, 68
- Deoxyribo nucleic acid, 19
- Dermatomal map, in neurologic examination, 73
- Diagnostic studies, intervertebral disc
 biologic basis for, 45–46
 computed tomography, 45
 discography, 46
 laboratory studies, 45
 magnetic resonance imaging, 45

- Diagram of laser, 23
- Diathesis, hemorrhagic
irreversible, in patient selection, 68
- Differential diagnosis, in neurologic examination, 82–87
- Disc herniation
with caudad extrusion, 184
with cephalad extrusion, 185
compression of nerve root, 43
familial incidence, 59–64
- Disc prolapse, endoscopic laser foraminoplasty, 198
- Disc protrusion, nerve root compression with, 43
- Discectomy, 59–64
endoscopic laser foraminoplasty, 198
Massachusetts General Hospital, Boston, 2
- Discitis
aseptic, with percutaneous laser disc decompression, 166–167
with percutaneous laser disc decompression, 165–166
- Discogenic back pain
See Percutaneous laser disc decompression, 211–215
- Discography, 46, 199
for lumbar imaging modalities, 95
- Dorsal root ganglion, 44
- Dorsiflexion of foot, sciatic pain with, in neurologic examination, 80
- Dynamic lateral recess stenosis, 206–207
- E**
- Electromyography, in neurologic examination, 82
- Embryologic development, intervertebral disc, 29–30
- Emitted radiation stimulation, 19
- Enclosed hydraulic structure, intervertebral disc, 31
- Endplate
age-related changes, 40
intervertebral disc, 32
- Endoscopic laser foraminoplasty, 197–209
surgical protocol, 201
- Epidemiology, percutaneous laser disc decompression, 59–64
- Epidural ecchymosis, with percutaneous laser disc decompression, 168
- Erbium:YAG 2940 nm laser, 23
- Erectile dysfunction, relief of, after percutaneous laser disc decompression, 194
- Erythrocyte sedimentation rate, with percutaneous laser disc decompression, 166
- Evaluation, independent, 201–202
- Excimer 193 nm laser, 23
- External rotation, hip joint, in neurologic examination, 84
- Extruded herniated discs, 183–186
- F**
- Facet joint
age-related changes, 40–41
intervertebral disc, 32
- Familial incidence, disc herniation, 59–64
- Fascia praevertebralis, 157
- Fever of unknown origin, with percutaneous laser disc decompression, 166
- Fiber tips, burnt, with percutaneous laser disc decompression, 170
- First interview, 131–135
listening to patient, 131–132
- magnetic resonance imaging, 133
prognosis form, 134–135
questioning patient, 132–134
- First patient, percutaneous laser disc decompression, 14
- Food and Drug Administration, 15, 24, 223–224
- Foot, dorsiflexion of, sciatic pain with, in neurologic examination, 80
- Foot drop, in neurologic examination, 78, 79
- Foraminotomy, 15
- Fusion experiment, array of UV lasers, 20
- G**
- Gastrocnemius muscle, weakness of, in neurologic examination, 78
- Genetics, percutaneous laser disc decompression, 59–64
- Glandula thyroidea, 157
- Gym ball exercises, 181
- H**
- Harvard pump, infusion of saline, 5
- Head, raising of, pain with, in neurologic examination, 81
- Heating, needle tract, with percutaneous laser disc decompression, 169–170
- Hemangioma, adjacent to disc, in patient selection, 68
- Hematoma, with percutaneous laser disc decompression, 168
- Hemorrhagic diathesis, in patient selection, irreversible, 68
- Herniated discs, extruded, 183–186
- Herniated nucleus pulposus, 60

- High-resolution computed tomography, for
lumber imaging modalities, 95
- Hijikata procedure, 2
- Hip joint
external rotation of, in
neurologic examination, 84
internal rotation of, in
neurologic examination, 83
- Histologic appearance,
nucleus pulposus,
laser tract, 9
- History of interventional
therapeutic modalities,
1–18
activity
postprocedural, 16
resumption of, after
procedure, 16
adjacent disc syndrome, 1
Ascher, Professor Peter
after successful
procedure, 15
contribution of, 1–18
Case, Professor Robert B.,
4
contribution of, 3
chemonucleolysis, with
chymopapain, 3
Choy/Ascher procedure,
1–18
after successful
procedure, 15
chymopapain leakage, 3
discectomy, Massachusetts
General Hospital,
Boston, 2
first patient, 14
Food and Drug
Administration, 15
foraminotomy, 15
Hijikata procedure, 2
International
Musculoskeletal Laser
Society, 15
interstitial pressure
measurement, 5
intervertebral disc
protrusion, 2
intradiscal electrothermal
annuloplasty, 2
intradiscal electrothermal
procedure, 3
intradiscal pressure,
volume of saline
infused and, 6
Kambin procedure, 2
laminectomy, 2
loading phase, plot of, 7
MacNab criteria, 16
magnetic resonance
imaging, 15
medications, dependency-
inducing, lack of need
for, after procedure, 16
Medilas Nd:YAG laser, 7
Medilase laser, 4, 7
Messersmith Bolkow,
Blohm Medilas laser, 4
metal frame, to stabilize
lumbar spine, 6
Nachemson, Dr. Alf,
pioneering work of, 5
Nd:YAG laser, 4, 7
needle
insertion into
intervertebral disc, 5
with window
modification, 4
nerve root involvement,
lack of signs of, after
procedure, 16
nucleotome procedure, 2
nucleus pulposus, laser
tract, 8
histologic appearance of,
9
Onik procedure, 2
pain behavior,
postprocedural, 16
percutaneous discectomy
procedure, 2
percutaneous laser disc
decompression, 3–18
percutaneous methods, 2
postprocedure intradiscal
pressure, 9
postprocedure pressure,
intradiscal pressures, 9
preoperative function,
resumption of, 16
preprocedure intradiscal
pressure, 9
pressure measurement,
needle insertion for, 5
procedural terminology, 15
productivity,
postprocedural, 16
Roven, Dr. Robert,
contribution of, 3
Saal procedure, 2
saline, infusion of, with
Harvard pump, 5
sciatica, due to
intervertebral disc
protrusion, 2
Spine Arthroplasty II
Symposium,
Montpellier, France, 1
trephine, rongeur, suction
procedure, 2
Holmium:YAG (Ho:YAG)
2150 nm laser, 23
Horizontal side support,
180
Hyaluronic acid, 39
Hydration, intervertebral
disc, 34–35
Hydraulic structure
intervertebral disc enclosed
in, 31
Hypesthesia, stocking-glove,
in neurologic
examination, 85
Hypothenar atrophy, in
neurologic
examination, 87
- I**
IMLAS. *See* International
Musculoskeletal Laser
Society
In vivo assasination of
intestinal worm, by
laser, 22
Infection
with percutaneous laser
disc decompression,
165–166
systemic, in patient
selection, 68
Infusion of saline, with
Harvard pump, 5
Initial patient consultation,
131–135
listening to patient,
131–132
magnetic resonance
imaging, 133

- prognosis form, 134–135
questioning patient,
132–134
- Internal rotation of hip joint,
in neurologic
examination, 83
- International Musculoskeletal
Laser Society, 15, 128
- Interosseous muscles,
atrophy of, in
neurologic
examination, 86
- Interstitial pressure
measurement, 5
- Interterritorial zone of
cartilage in matrix,
34
- Interventional disc,
morphologic structure,
annulus, 30–31
- Interventional therapeutic
modalities, history of,
1–18
- activity
postprocedural, 16
resumption of, after
procedure, 16
- adjacent disc syndrome, 1
- Ascher, Professor Peter
after successful
procedure, 15
contribution of, 1–18
- Case, Professor Robert B., 4
contribution of, 3
- chemonucleolysis, with
chymopapain, 3
- Choy/Ascher procedure,
1–18
after successful
procedure, 15
- chymopapain leakage, 3
- discectomy, Massachusetts
General Hospital,
Boston, 2
- first patient, 14
- Food and Drug
Administration, 15
- foraminotomy, 15
- Hijkata procedure, 2
- International
Musculoskeletal Laser
Society, 15
- interstitial pressure
measurement, 5
- intervertebral disc
protrusion, 2
- intradiscal electrothermal
annuloplasty, 2
- intradiscal electrothermal
procedure, 3
- intradiscal pressure,
volume of saline
infused and, 6
- Kambin procedure, 2
- laminectomy, 2
- loading phase, plot of, 7
- MacNab criteria, 16
- magnetic resonance
imaging, 15
- medications, dependency-
inducing, lack of need
for, after procedure, 16
- Medilas Nd:YAG laser, 7
- Medilase laser, 4, 7
- Messerschmitt Bolkow,
Blohm Medilas laser, 4
- metal frame, to stabilize
lumbar spine, 6
- Nachemson, Dr. Alf,
pioneering work of, 5
- Nd:YAG laser, 4, 7
- needle
insertion into
intervertebral disc, 5
with window
modification, 4
- nerve root involvement,
lack of signs of, after
procedure, 16
- nucleotome procedure, 2
- nucleus pulposus, laser
tract, 8
histologic appearance of,
9
- Onik procedure, 2
- pain behavior,
postprocedural, 16
- percutaneous discectomy
procedure, 2
- percutaneous laser disc
decompression, 3–18
- percutaneous methods, 2
- postprocedure intradiscal
pressure, 9
- postprocedure pressure,
intradiscal pressures, 9
- preoperative function,
resumption of, 16
- preprocedure intradiscal
pressure, 9
- pressure measurement,
needle insertion for, 5
- procedural terminology, 15
- productivity,
postprocedural, 16
- Roven, Dr. Robert,
contribution of, 3
- Saal procedure, 2
- saline, infusion of, with
Harvard pump, 5
- sciatica, due to
intervertebral disc
protrusion, 2
- Spine Arthroplasty II
Symposium,
Montpellier, France, 1
- trephine, rongeur, suction
procedure, 2
- Intervertebral disc, 38–45
anatomy of, 29–57
atherosclerosis, 42
biochemistry, 33–35
biochemical structure,
33–34
hydration, 34–35
metabolism, 35
permeability, 34–35
pressure, 34–35
biologic basis of, 41–43
biomechanics, 35–38
laboratory models, disc
pathology, 35–38
animal models, 35–36
computer models, 36
mechanisms of disc
injury, 36–38
classification, disc
pathology, 46
diagnostic studies
biologic basis for, 45–46
computed tomography, 45
discography, 46
laboratory studies, 45
magnetic resonance
imaging, 45
disc herniation,
compression of nerve
root, 43
disc surgery, consequences
of, 47
adhesions, 47
disc injury, 47

- Intervertebral disc (*continued*)
 embryologic development, 29–30
 enclosed hydraulic structure, 31
 genetic, 41–42
 intradiscal pressure, annulus deformation from, 37
 morphologic structure, 30–33
 anterior longitudinal ligament, 33
 blood supply, 32–33
 cerebrospinal fluid, 32
 endplate, 32
 facet joints, 32
 intervertebral foramen, 32
 nerve root, 32
 nerve supply, 33
 nucleus, 31–32
 posterior longitudinal ligament, 32
 pathophysiology, 29–57
 age-related changes, 38–41
 annulus, 39
 disc, 38–39
 endplate, 40
 facet joint, 40–41
 nucleus, 39–40
 atherosclerosis, 42
 biologic basic of, 41–43
 genetic, 41–42
 pain generation, mechanisms of, 44–45
 disc, 44
 nerve root, 44–45
 smoking, 42
 sports, 42
 vibration, 42
 smoking, 42
 zones of cartilage in matrix, 34
 interterritorial, 34
 pericellular, 34
 territorial, 34
 Intervertebral foramen, 32
 Intervertebralis artery, 157
 Intervertebralis vein, 157
 Interview with patient. *See* Initial patient consultaion
- Intestinal worm
Taenia saginata, French patient with, 21
In vivo assassination of, by laser, 22
- Intradiscal electrothermal annuloplasty, 2
- Intradiscal electrothermal procedures, 3
- Intradiscal pressure
 annulus deformation from, 37
 postprocedure, 9
 volume of saline infused and, 6
- Intravenous contrast-enhanced computed tomography, for lumbar imaging modalities, 95
- Intravenous contrast-enhanced magnetic resonance imaging, for lumbar imaging modalities, 95
- J**
Journal of Clinical Laser Medicine and Surgery, 14, 26, 128, 186
- Jugularis anterior vein, 157
 Jugularis externa vein, 157
 Jugularis interna vein, 157
- K**
 Kambin procedure, 2
 Keratin sulfate, 39
 Keyhole surgery. *See* Foraminotomy
- Knee to chest exercise, 176
 Knees to chest position, 178
 KTP-532 nm laser, 23
- L**
 Laboratory models, disc pathology, 35–38
 Laminectomy, 2, 59–64
 Laryngeus nerve, 157
 Laser, Medilas Nd:YAG laser, 7
 Laser Association of Neurosurgeons International, 66, 125
- Laser tract, nucleus pulposus, 8
- Lasers, 19–27
 argon 488–514 nm, 23
 argon laser spots, projected on moon, 20
 bending of laser beam, on emergence from catheter, 25
 CO₂, 23
 deoxyribonucleic acid, 19
 diagram of, 23
 emitted radiation stimulation, 19
 erbium:YAG 2940 nm, 23
 excimer 193 nm, 23
 fusion experiment, array of UV lasers, 20
 holmium:YAG (Ho:YAG) 2150 nm, 23
In vivo assassination of worm, by laser, 22
 KTP-532 nm, 23
 laser-tissue interactions, wavelength and, 26
 microwave amplification, 19
 monofrequency, laser beam, 23
 Nd:YAG 1064 nm, 23
 Nd:YAG 1318 nm, 23
 optical fiber, with central transparent core, reflective cladding, 24
 percutaneous laser disc decompression, 19–27
Taenia saginata, in intestine of French patient, 21
 wavelengths, produced by lasing media, 23
- Laser-tissue interactions, wavelength and, 26
- Lateral flexion of spine, neural foraminae, in neurologic examination, 74
- Lateral recess stenosis, 206–207
- Leakage of chymopapain, 3
- Leg flexion posture, in neurologic examination, 77
- Listening to patient, 131–132. *See also* Patient interview

- Litigation focus, with
 continuation of pain,
 16
- Loading phase, plot of, 7
- Longissimus cervicis muscle,
 157
- Long-term maintenance, 182
- Longus colli muscle, 157
- Low back pain,
 foraminotomy, 15
- Lumbar discs, in
 percutaneous laser
 disc decompression
 procedure, 138–155
- Lumbar pain, interventional
 therapeutic modalities,
 1–18
- activity
 postprocedural, 16
 resumption of, after
 procedure, 16
- adjacent disc syndrome, 1
- Ascher, Professor Peter
 after successful
 procedure, 15
 contribution of, 1–18
- Case, Professor Robert B., 4
 contribution of, 3
- chemonucleolysis, with
 chymopapain, 3
- Choy/Ascher procedure,
 1–18
- after successful
 procedure, 15
- chymopapain leakage, 3
- discectomy, Massachusetts
 General Hospital,
 Boston, 2
- first patient, 14
- Food and Drug
 Administration, 15
- foraminotomy, 15
- magnetic resonance
 imaging, 15
- Messerschmitt Bolkow,
 Blohm Medilas laser,
 4
- percutaneous laser disc
 decompression, 3–18
- procedural terminology, 15
- Lumbothoracic spine under
 compression. *See also*
 percutaneous laser
 disc decompression
- magnetic resonance
 imaging, 125–130
- compression frame,
 125–128
- M**
- MacNab criteria, 16
- Magnetic resonance imaging,
 15, 40, 45, 184, 191,
 199, 201, 212, 219
- intravenous contrast-
 enhanced, for lumbar
 imaging modalities, 95
- lumbothoracic spine under
 compression, 125–130
- in neurologic examination,
 72
- with percutaneous laser
 disc decompression,
 166
- shortcomings of, 206
- unenanced, for lumbar
 imaging modalities,
 95
- Maintenance, long-term, 182
- Malposture, endoscopic laser
 foraminoplasty, 198
- MASER. *See* Microwave
 amplification through
 stimulation of emitted
 radiation
- Massachusetts General
 Hospital, Boston, 2
- Mechanisms of disc injury,
 36–38
- Medication abuse, with pain,
 16
- Medications, dependency-
 inducing, lack of need
 for, after procedure, 16
- Medilas laser, 4
- Medilas Nd:YAG laser, 7
- Medilase laser, 4, 7
- Messerschmitt Bolkow, Blohm
 Medilas laser, 4
- Metabolism, intervertebral
 disc, 35
- Metal frame, to stabilize
 lumbar spine, 6
- Metastatic cancer, in patient
 selection, 68
- Microwave amplification
 through stimulation of
 emitted radiation, 19
- Monofrequency, laser beam,
 23
- Morphine sulfate therapy, 205
- Morphologic structure,
 intervertebral disc,
 30–33
- Multiple sclerosis, 68, 205
- Mushroom extrusion, disc
 herniation with, 185
- Mushroom-shaped extrusion,
 disc herniation with,
 186
- Myelography, for lumbar
 imaging modalities, 95
- N**
- Nachemson, Dr. Alf,
 pioneering work of, 5
- Nd:YAG laser, 4, 7
- Nd:YAG 1064 nm laser, 23
- Nd:YAG 1318 nm laser, 23
- Needle
 insertion for pressure
 measurement, 5
- insertion into
 intervertebral disc, 5
- tips, burnt, with
 percutaneous laser
 disc decompression,
 170
- tract, heating of, with
 percutaneous laser
 disc decompression,
 169–170
- with window modification,
 4
- Nerve root
 anteflexed posture, effect
 on, in neurologic
 examination, 75
- bone spur pressing on, in
 patient selection, 68
- compression, with disc
 protrusion, 43
- damage, with
 percutaneous laser
 disc decompression,
 168
- intervertebral disc, 32
- involvement, lack of signs
 of, after procedure, 16
- pain generation, 44–45
- Nerve supply, intervertebral
 disc, 33

- Neural foraminae
 lateral flexion of spine, in neurologic examination, 74
 opening of, in neurologic examination, 74, 376
- Neurologic deficits,
 correction after percutaneous laser disc decompression, 192
- Neurologic examination, 71–87
 anteflexed posture, effect on nerve roots, 75
 Babinski's sign, 84
 bowstring sign, 81
 Choy sign, 82
 dermatomal map, 73
 differential diagnosis, 82–87
 dorsiflexion of foot, sciatic pain with, 80
 electromyography, 82
 foot drop, 78, 79
 gastrocnemius muscle, weakness of, 78
 head, raising of, pain with, 81
 hip joint
 external rotation of, 84
 internal rotation of, 83
 hypothenar atrophy, 87
 interosseous muscles, atrophy of, 86
 lateral flexion, of spine, neural foraminae and, 74
 leg flexion posture, 77
 magnetic resonance imaging, 72
 opening of neural foraminae, 74, 376
 pain diagram, 71–74
 patient examination, 76–82
 patient history, 74–76
 stocking-glove hypesthesia, 85
 straight leg raising, 77, 80
 supraspinatus muscle atrophy, 86
 thenar atrophy, 87
- New England Journal of Medicine*, 14
- Nonsteroidal anti-inflammatory drugs, 38, 174
- Nucleotome procedure, 2
- Nucleus
 age-related changes, 39–40
 intervertebral disc, 31–32
- Nucleus pulposus
 laser tract, 8
 histologic appearance of, 9
 ring surrounding, collagen fiber layers, 31
- O**
- Oesophagus, 157
- Omohyoideus muscle, 157
- Onik procedure, 2
- Opening of neural foraminae, in neurologic examination, 74, 376
- Optical fiber, with central transparent core, reflective cladding, 24
- Oswestry disability index, 203–205
- P**
- Pain behavior, postprocedural, 16
- Pain clinics, 198
- Pain diagram, in neurologic examination, 71–74
- Pain generation, mechanisms of, 44–45
 disc, 44
 nerve root, 44–45
- Pain management, endoscopic laser foraminoplasty, 198
- Pain reports, in patient selection, 66–67
- Paraspinal muscle spasm, with percutaneous laser disc decompression, 163–164
- Patellar reflex, after percutaneous laser disc decompression, 192
- Pathophysiology, intervertebral discs, 29–57
- Patient examination, in neurologic examination, 76–82
- Patient history, in neurologic examination, 74–76
- Patient interview, initial, 131–135
 listening to patient, 131–132
 magnetic resonance imaging, 133
 prognosis form, 134–135
 questioning patient, 132–134
- Patient selection, 65–69, 224–225
 contraindications, 68–69
 demyelinating disease, of central nervous system, 68
 hemangioma adjacent, to disc, 68
 hemorrhagic diathesis, irreversible, 68
 magnetic resonance imaging, 66–67
 metastatic cancer, 68
 multiple sclerosis, 68
 nerve roots, bone spur pressing on, 68
 pain reports, 66–67
 preoperative, 89–102
 scoliosis, severe, 68
 spondylolisthesis, severe, 68
 symptoms, 67–68
 systemic infections, 68
 vacuum phenomenon, 68
 vertebral compression fracture, 68
- Patient target achievement score, endoscopic laser foraminoplasty, 204
- Percutaneous discectomy procedure, 2
- Percutaneous laser disc decompression, 137–162
 anatomy, intervertebral discs, 29–57
 cervical discs, 157–162
 clinical experience, 217–221
 complications of, 163–171
 discectomy, 59–64

- discogenic back pain, 211–215
- endoscopic laser foraminoplasty, 197–209
- epidemiology, 59–64
- familial incidence, disc herniation, 59–64
- follow-up, 223
- genetics, 59–64
- herniation, complex, responding to, 183–189
- initial consultation, 131–135
- interview, with patient, 131–135
- laminectomy, 59–64
- lasers, 19–27
- lumbar discs, 138–155
- magnetic resonance imaging, 125–130
- neurologic examination, 71–87
- overview, 1–18
- pathophysiology, intervertebral discs, 29–57
- patient selection, 65–69
- physical therapy, postprocedural, 173–182
- problem of L5-S1 disc, 159–162
- procedure, 137–162
 - cervical discs, 157–162
 - L5-S1 disc, 159–162
 - computed tomography, 162
 - lumbar discs, 138–155
 - thoracic discs, 155–157
- radiology in, 89–124
- results, 191–195
- Percutaneous methods to alleviate pain, 2
- Perforation of viscus, with percutaneous laser disc decompression, 168–169
- Perianular ecchymosis, with percutaneous laser disc decompression, 168
- Pericellular zone of cartilage in matrix, 34
- Physical therapy, postprocedure, 173–182
 - abdominal hollowing, 178
 - anatomy, 173–174
 - biomechanics, 173–174
 - buttock squeeze, 176
 - gym ball exercises, 181
 - horizontal side support, 180
 - knee to chest exercise, 176
 - knees to chest position, 178
 - long-term maintenance, 182
 - non-steroidal anti-inflammatory drugs, 174
 - prone on elbows position, 177
 - quadruped position, 177
 - single leg extension, 180
 - supine hamstring stretch, 175
- Physiotherapy, endoscopic laser foraminoplasty, 198
- Platysma, 157
- Posterior longitudinal ligament, 32, 38, 59
- Postprocedure intradiscal pressure, 9
- Postprocedure physical therapy, 173–182
 - abdominal hollowing, 178
 - anatomy, 173–174
 - biomechanics, 173–174
 - buttock squeeze, 176
 - gym ball exercises, 181
 - horizontal side support, 180
 - knee to chest exercise, 176
 - knees to chest position, 178
 - long-term maintenance, 182
 - non-steroidal anti-inflammatory drugs, 174
 - prone on elbows position, 177
 - quadruped position, 177
 - single leg extension, 180
 - supine hamstring stretch, 175
- Postprocedure pressure, intradiscal pressures, 9
- Preoperative function, resumption of, 16
- Preprocedure intradiscal pressure, 9
- Pressure measurement, needle insertion for, 5
- Procedural terminology, 15, 224
- Productivity, postprocedural, 16
- Prognosis form, 134–135
- Prone on elbows position, 177
- Protrusion, disc, nerve root compression with, 43
- Psychiatrist, 198
- Q**
- Quadruped position, 177
- Questioning of patient, 132–134. *See also* Patient interview
- R**
- Radial tear, endoscopic laser foraminoplasty, 198
- Radicular component, discogenic pain without, 188–189
- Radiculopathy, continuing, signs of, 16
- Radiography, routine, for lumber imaging modalities, 95
- Radiology in percutaneous laser disc decompression, 89–124
 - angulated PA, 1047
 - cerebrospinal fluid, 118
 - choice of imaging techniques, 89–102
 - computed tomography, 94. *See also* Computed tomography discography, 91, 95
 - myelography, 95
 - disc entry monitoring, 106–110
 - discography, 95
- Food and Drug Administration, 120
- herniated fragment, 113–115
- herniated nucleus pulposus, 93

- Radiology in percutaneous laser disc decompression (*continued*)
- high-resolution computed tomography, 95
 - imaging equipment selection, 103
 - imaging operative complications, 117–121
 - imaging techniques, 89–102
 - intravenous contrast-enhanced computed tomography, 95
 - intravenous contrast-enhanced magnetic resonance imaging, 95
 - intravenous gadolinium-diethylenetriamine pentaacetic acid, 98
 - lumber imaging modalities, 95
 - magnetic resonance imaging, 94, 112, 118
 - myelography, 95
 - oblique-angulated posterior-anterior, 104
 - operative complications, imaging, 117–121
 - operative technique, 102–111
 - percutaneous laser disc decompression, 103
 - peridiscal bone, soft tissues, 115–117
 - permanent imaging recording, 110–111
 - posterior-anterior, 103
 - postprocedure evaluation, 111–117
 - preoperative patient selection, 89–102
 - puncture site identification, 103–106
 - routine radiography, 95
 - treated nucleus, 112–113
 - unenhanced computed tomography, 95
 - unenhanced magnetic resonance imaging, 95
- Raising of head, pain with, in neurologic examination, 81
- Recess stenosis, endoscopic laser foraminoplasty, 198
- Reflective cladding, optical fiber, with central transparent core, 24
- Rehabilitation, postprocedure, 173–182
- abdominal hollowing, 178
 - anatomy, 173–174
 - biomechanics, 173–174
 - buttock squeeze, 176
 - gym ball exercises, 181
 - horizontal side support, 180
 - knee to chest exercise, 176
 - knees to chest position, 178
 - long-term maintenance, 182
 - non-steroidal anti-inflammatory drugs, 174
 - prone on elbows position, 177
 - quadruped position, 177
 - single leg extension, 180
 - supine hamstring stretch, 175
- Resumption of activity, after procedure, 16
- Revision endoscopic surgery, 204
- Rhomboideus minor muscle, 157
- Routine radiography, for lumber imaging modalities, 95
- Roven, Dr. Robert, contribution of, 3
- S**
- Saal procedure, 2
- Sacral-iliac joint inflammation, with percutaneous laser disc decompression, 164–165
- Saline, infusion of, with Harvard pump, 5
- Scalenus medius muscle, 157
- Scalenus posterior muscle, 157
- Sciatic pain, with dorsiflexion of foot, in neurologic examination, 80
- Scoliosis, in patient selection, 68
- Semispinalis capitis muscle, 157
- Single leg extension, 180
- Smoking, 42
- Spinal stenosis, 186–188
- Spinalis cervicis muscle, 157
- Spine*, 14
- Spine Arthroplasty II Symposium, Montpellier, France, 1
- Splenius capitis muscle, 157
- Spondylolisthesis, 68, 205
- Sports, 42
- Stenosis, spinal, 186–188
- Sternocleidomastoideus muscle, 157
- Sternohyoideus muscle, 157
- Sternothyroideus muscle, 157
- Stocking-glove hypesthesia, in neurologic examination, 85
- Straight leg raise, 192
- after percutaneous laser disc decompression, 192
 - in neurologic examination, 77, 80
- Supine hamstring stretch, 175
- Supraclavicularis muscle, 157
- Supraspinatus muscle atrophy, in neurologic examination, 86
- Surgery, consequences of, 47
- adhesions, 47
 - disc injury, 47
- Symptoms
- in patient selection, 67–68
 - patient selection and, 67–68
- Systemic infections, in patient selection, 68
- T**
- Taenia saginata*, in intestine of French patient, 21
- Territorial zone of cartilage in matrix, 34

- Thenar atrophy, in neurologic examination, 87
- Thermal end-plate necrosis, with percutaneous laser disc decompression, 167–168
- Thoracic discs, in percutaneous laser disc decompression procedure, 155–157
- Thyroidea inferior artery, 157
- Thyroidea inferior vein, 157
- Trachea, 157
- Transparent core optical fiber, reflective cladding, 24
- Transversa colli artery, 157
- Trapezius muscle, 157
- Trephine, rongeur, suction procedure, 2
- U**
- Unenhanced computed tomography, for lumbar imaging modalities, 95
- Unenhanced magnetic resonance imaging, for lumbar imaging modalities, 95
- V**
- Vacuum phenomenon, 68
- Vagus nerve, 157
- Vasoactive intestinal peptide, 33
- Vertebral compression fracture, in patient selection, 68
- Vibration, effect of, 42
- Viscus, perforation of, with percutaneous laser disc decompression, 168–169
- Visual analogue pain score, 200, 204
- Viviprudence system, 206
- W**
- Waveguide, with central transparent core, reflective cladding, 24
- Wavelengths
laser-tissue interactions, 26
produced by lasing media, 23
- White blood cell count, with percutaneous laser disc decompression, 166
- Z**
- Zones of cartilage
in matrix of intervertebral disc, 34
interterritorial, 34
pericellular, 34
territorial, 34