

# Bibliography

- Agresti, A. (1988). Logit models for repeated ordered categorical response data. In *Proceedings of the 13th Annual SAS Users Group International Conference*, pages 997–1005, Cary, NC. SAS Institute Inc.
- Agresti, A. (1989). A survey of models for repeated ordered categorical response data. *Statistics in Medicine*, 8:1209–1224.
- Agresti, A. (1990). *Categorical Data Analysis*. John Wiley and Sons, New York.
- Agresti, A. and Lang, J. B. (1993). A proportional odds model with subject-specific effects for repeated ordered categorical responses. *Biometrika*, 80:527–534.
- Agresti, A., Lipsitz, S. R., and Lang, J. B. (1992). Comparing marginal distributions of large, sparse contingency tables. *Computational Statistics and Data Analysis*, 14:55–73.
- Agresti, A. and Pendergast, J. (1986). Comparing mean ranks for repeated measures data. *Communications in Statistics—Theory and Methods*, 15:1417–1434.
- Ahn, C., Overall, J. E., and Tonidandel, S. (2001). Sample size and power calculations in repeated measurement analysis. *Computer Methods and Programs in Biomedicine*, 64:121–124.

- Ahn, C., Tonidandel, S., and Overall, J. E. (2000). Issues in use of SAS PROC.MIXED to test the significance of treatment effects in controlled clinical trials. *Journal of Biopharmaceutical Statistics*, 10:265–286.
- Aitkin, M., Anderson, D., Francis, B., and Hinde, J. (1989). *Statistical Modelling in GLIM*. Oxford University Press, Oxford.
- Akaike, H. (1973). Information theory and an extension of the maximum likelihood principle. In Petrov, B. N. and Csaki, F., editors, *Second International Symposium on Information Theory*, pages 267–281. Akademiai Kiado, Budapest.
- Akritas, M. G. (1991). Limitations of the rank transform procedure: A study of repeated measures designs, part I. *Journal of the American Statistical Association*, 86:457–460.
- Akritas, M. G. (1993). Limitations of the rank transform procedure: A study of repeated measures designs, part II. *Statistics and Probability Letters*, 17:149–156.
- Akritas, M. G. and Arnold, S. F. (1994). Fully nonparametric hypotheses for factorial designs, I: Multivariate repeated measures designs. *Journal of the American Statistical Association*, 89:336–343.
- Albert, P. S. (1999). Longitudinal data analysis (repeated measures) in clinical trials. *Statistics in Medicine*, 18:1707–1732.
- Albert, P. S. (2000). A transitional model for longitudinal binary data subject to nonignorable missing data. *Biometrics*, 56:602–608.
- Albert, P. S. and Follmann, D. A. (2000). Modeling repeated count data subject to informative dropout. *Biometrics*, 56:667–677.
- Albert, P. S. and McShane, L. M. (1995). A generalized estimating equations approach for spatially correlated binary data: Applications to the analysis of neuroimaging data. *Biometrics*, 51:627–638.
- Altman, N. S. (1990). Kernel smoothing of data with correlated errors. *Journal of the American Statistical Association*, 85:749–759.
- Amini, S. B. and Patel, K. M. (1984). A SAS program for nonparametric tests for homogeneity of dose response growth curves. In *Proceedings of the 9th Annual SAS Users Group International Conference*, pages 810–815, Cary, NC. SAS Institute Inc.
- Anderson, J. A. and Philips, P. R. (1981). Regression, discrimination and measurement models for ordered categorical variables. *Applied Statistics*, 30:22–31.

- Anderson, R. L. and Bancroft, T. A. (1952). *Statistical Theory in Research*. McGraw-Hill, New York.
- Anderson, T. W. (1984). *An Introduction to Multivariate Statistical Analysis*. John Wiley and Sons, New York.
- Anscombe, F. J. (1953). Contribution to the discussion of H. Hotelling's paper. *Journal of the Royal Statistical Society, Series B*, 15:229–230.
- Arndt, S., Davis, C. S., Miller, D. D., and Andreasen, N. C. (1993). Effect of antipsychotic withdrawal on extrapyramidal symptoms: Statistical methods for analyzing single sample repeated measures data. *Neuropsychopharmacology*, 8:67–75.
- Ashby, D., Pocock, S. J., and Shaper, A. G. (1986). Ordered polytomous regression: An example relating serum biochemistry and haematology to alcohol consumption. *Applied Statistics*, 35:289–301.
- Ashby, M., Neuhaus, J. M., Hauck, W. W., Bacchetti, P., Heilbron, D. C., Jewell, N. P., Segal, M. R., and Fusaro, R. E. (1992). An annotated bibliography of methods for analysing correlated categorical data. *Statistics in Medicine*, 11:67–99.
- Barnhart, H. X. and Williamson, J. M. (1998). Goodness-of-fit tests for GEE modeling with binary responses. *Biometrics*, 54:720–729.
- Bartlett, M. S. (1937). Properties of sufficiency and statistical tests. *Proceedings of the Royal Society of London A*, 160:268–282.
- Bartlett, M. S. (1939). A note on tests of significance in multivariate analysis. *Proceedings of the Cambridge Philosophical Society*, 35:180–185.
- Bartlett, M. S. (1966). *Stochastic Processes*. Cambridge University Press, Cambridge.
- Benard, A. and van Elteren, P. (1953). A generalization of the method of *m* rankings. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen A*, 56:358–369.
- Bhapkar, V. P. (1984). Univariate and multivariate multisample location and scale tests. In Krishnaiah, P. R. and Sen, P. K., editors, *Handbook of Statistics, Volume 4: Nonparametric Methods*, pages 31–62. Elsevier Science Publishers, Amsterdam.
- Birch, M. W. (1965). The detection of partial association, II: The general case. *Journal of the Royal Statistical Society, Series B*, 27:111–124.
- Bishop, Y. M. M., Feinberg, S. E., and Holland, P. W. (1975). *Discrete Multivariate Analysis: Theory and Practice*. The MIT Press, Cambridge, MA.

- Bliss, C. I. (1935). The calculation of the dosage-mortality curve. *Annals of Applied Biology*, 22:134–167.
- Bloch, D. A. (1986). Sample size requirements and the cost of a randomized clinical trial with repeated measurements. *Statistics in Medicine*, 5:663–667.
- Bloch, D. A. and Moses, L. E. (1988). Nonoptimally weighted least squares. *The American Statistician*, 42:50–53.
- Bock, R. D. (1963). Programming univariate and multivariate analysis of variance. *Technometrics*, 5:95–117.
- Bock, R. D. (1975). *Multivariate Statistical Methods in Behavioral Research*. McGraw-Hill, New York.
- Bonney, G. E. (1987). Logistic regression for dependent binary observations. *Biometrics*, 43:951–973.
- Boos, D. D. (1992). On generalized score tests. *The American Statistician*, 46:327–333.
- Box, G. E. P. (1950). Problems in the analysis of growth and wear curves. *Biometrics*, 6:362–389.
- Box, G. E. P. (1954). Some theorems on quadratic forms applied in the study of analysis of variance problems. II, Effects of inequality of variance and of correlation between errors in the two-way classification. *Annals of Mathematical Statistics*, 25:484–498.
- Breslow, N. E. and Clayton, D. G. (1993). Approximate inference in generalized linear mixed models. *Journal of the American Statistical Association*, 88:9–25.
- Breslow, N. E. and Lin, X. (1995). Bias correction in generalised linear mixed models with a single component of dispersion. *Biometrika*, 82:81–91.
- Brown, C. H. (1990). Protecting against nonrandomly missing data in longitudinal studies. *Biometrics*, 46:143–155.
- Brown, G. W. and Mood, A. M. (1951). On median tests for linear hypotheses. In *Proceedings of the Second Berkeley Symposium on Mathematical Statistics and Probability*, Berkeley, CA. University of California Press.
- Byrne, P. J. and Arnold, S. F. (1983). Inference about multivariate means for a nonstationary autoregressive model. *Journal of the American Statistical Association*, 78:850–855.

- Carey, V. C. (1994). A shar file for the Liang/Zeger generalized estimating equation approach to GLMs for dependent data. Available from STATLIB at <http://lib.stat.cmu.edu>.
- Carey, V. C., Zeger, S. L., and Diggle, P. (1993). Modelling multivariate binary data with alternating logistic regressions. *Biometrika*, 80:517–526.
- Carr, G. J., Hafner, K. B., and Koch, G. G. (1989). Analysis of rank measures of association for ordinal data from longitudinal studies. *Journal of the American Statistical Association*, 84:797–804.
- Chaganty, N. R. (1997). An alternative approach to the analysis of longitudinal data via generalized estimating equations. *Journal of Statistical Planning and Inference*, 63:39–54.
- Chaganty, N. R. and Shults, J. (1999). On eliminating the asymptotic bias in the quasi-least squares estimate of the correlation parameter. *Journal of Statistical Planning and Inference*, 76:145–161.
- Cnaan, A., Laird, N. M., and Slasor, P. (1997). Using the general linear mixed model to analyse unbalanced repeated measures and longitudinal data. *Statistics in Medicine*, 16:2349–2380.
- Cochran, W. G. (1950). The comparison of percentages in matched samples. *Biometrika*, 37:256–266.
- Cole, J. W. L. and Grizzle, J. E. (1966). Applications of multivariate analysis of variance to repeated measurements experiments. *Biometrics*, 22:810–828.
- Conaway, M. R. (1990). A random effects model for binary data. *Biometrics*, 46:317–328.
- Conaway, M. R. (1992). The analysis of repeated categorical measurements subject to nonignorable nonresponse. *Journal of the American Statistical Association*, 87:817–824.
- Conaway, M. R. (1993). Non-ignorable non-response models for time-ordered categorical variables. *Applied Statistics*, 42:105–115.
- Conaway, M. R. (1994). Causal nonresponse models for repeated categorical measurements. *Biometrics*, 50:1102–1116.
- Conover, W. J. and Iman, R. L. (1981). Rank transformations as a bridge between parametric and nonparametric statistics. *The American Statistician*, 35:124–133.
- Cook, R. D. (1986). Assessment of local influence. *Journal of the Royal Statistical Society, Series B*, 48:133–169.

- Cook, R. J. and Lawless, J. F. (1997). Marginal analysis of recurrent events and a terminating event. *Statistics in Medicine*, 16:911–924.
- Cornoni-Huntley, J., Brock, D. B., Ostfeld, A., Taylor, J. O., and Wallace, R. B. (1986). *Established Populations for Epidemiologic Studies of the Elderly, Resource Data Book*. National Institutes of Health (NIH Publ. No. 86-2443), Bethesda, MD.
- Crépeau, H., Koziol, J., Reid, N., and Yuh, Y. S. (1985). Analysis of incomplete multivariate data from repeated measurement experiments. *Biometrics*, 41:505–514.
- Crouchley, R. (1995). A random-effects model for ordered categorical data. *Journal of the American Statistical Association*, 90:489–498.
- Crowder, M. J. (1992). Comments on “Multivariate regression analyses for categorical data”. *Journal of the Royal Statistical Society, Series B*, 54:26–27.
- Crowder, M. J. (1995). On the use of a working correlation matrix in using generalised linear models for repeated measures. *Biometrika*, 82:407–410.
- Crowder, M. J. (1996). Keep timing the tablets: Statistical analysis of pill dissolution rates. *Applied Statistics*, 45:323–334.
- Crowder, M. J. and Hand, D. J. (1990). *Analysis of Repeated Measures*. Chapman and Hall, London.
- Cushny, A. R. and Peebles, A. R. (1905). The action of optical isomers II: Hyoscines. *Journal of Physiology*, 32:501–510.
- Cytel Software (2000). *Egret for Windows*. Cytel Software Corporation, Cambridge, MA.
- Danford, M. B., Hughes, H. M., and McNee, R. C. (1960). On the analysis of repeated-measurements experiments. *Biometrics*, 16:547–565.
- Davidian, M. and Giltinan, D. M. (1995). *Nonlinear Models for Repeated Measurement Data*. Chapman and Hall, London.
- Davis, C. S. (1991). Semi-parametric and non-parametric methods for the analysis of repeated measurements with applications to clinical trials. *Statistics in Medicine*, 10:1959–1980.
- Davis, C. S. (1992). Analysis of incomplete categorical repeated measures. In *Proceedings of the 17th Annual SAS Users Group International Conference*, pages 1374–1379, Cary, NC. SAS Institute Inc.

- Davis, C. S. (1993). A computer program for regression analysis of repeated measures using generalized estimating equations. *Computer Methods and Programs in Biomedicine*, 40:15–31.
- Davis, C. S. (1994). A computer program for nonparametric analysis of incomplete repeated measures from two samples. *Computer Methods and Programs in Biomedicine*, 42:39–52.
- Davis, C. S. (1996). Non-parametric methods for comparing multiple treatment groups to a control group, based on incomplete non-decreasing repeated measurements. *Statistics in Medicine*, 15:2509–2521.
- Davis, C. S. and Hall, D. B. (1996). A computer program for regression analysis of ordered categorical repeated measurements. *Computer Methods and Programs in Biomedicine*, 51:153–169.
- Davis, C. S. and Wei, L. J. (1988). Nonparametric methods for analyzing incomplete nondecreasing repeated measurements. *Biometrics*, 44:1005–1018.
- Dawson, J. D. (1994). Comparing treatment groups on the basis of slopes, areas-under-the-curve, and other summary measures. *Drug Information Journal*, 28:723–732.
- Dawson, J. D. and Lagakos, S. W. (1991). Analyzing laboratory marker changes in AIDS clinical trials. *Journal of Acquired Immune Deficiency Syndromes*, 4:667–676.
- Dawson, J. D. and Lagakos, S. W. (1993). Size and power of two-sample tests of repeated measures data. *Biometrics*, 49:1022–1032.
- Dawson, K. S., Gennings, C., and Carter, W. H. (1997). Two graphical techniques useful in detecting correlation structure in repeated measures data. *The American Statistician*, 51:275–283.
- Deal, E. C., McFadden, E. R., Ingram, R. H., Strauss, R. H., and Jaeger, J. J. (1979). Role of respiratory heat exchange in production of exercise-induced asthma. *Journal of Applied Physiology*, 46:467–475.
- Dempster, A. P., Rubin, D. B., and Tsutakawa, R. K. (1981). Estimation in covariance components models. *Journal of the American Statistical Association*, 76:341–353.
- Diggle, P. J. (1988). An approach to the analysis of repeated measurements. *Biometrics*, 44:959–971.
- Diggle, P. J. (1990). *Time Series: A Biostatistical Introduction*. Oxford University Press, New York.

- Diggle, P. J. and Donnelly, J. B. (1989). A selected bibliography on the analysis of repeated measurements and related areas. *Australian Journal of Statistics*, 31:183–193.
- Diggle, P. J., Heagerty, P. J., Liang, K. Y., and Zeger, S. L. (2002). *Analysis of Longitudinal Data*. Oxford University Press, Oxford.
- Diggle, P. J. and Kenward, M. G. (1994). Informative drop-out in longitudinal data analysis (with discussion). *Applied Statistics*, 43:49–93.
- Diggle, P. J., Liang, K. Y., and Zeger, S. L. (1994). *Analysis of Longitudinal Data*. Oxford University Press, Oxford.
- Dobson, A. J. (1990). *An Introduction to Generalized Linear Models*. Chapman and Hall, London.
- Draper, D. (1987). Comments on “Prediction of future observations in growth curve models”. *Statistical Science*, 2:454–461.
- Duncan, O. D. (1985). Some models of response uncertainty for panel analysis. *Social Science Research*, 14:126–141.
- Duong, Q. P. (1984). On the choice of the order of autoregressive models: A ranking and selection approach. *Journal of Time Series Analysis*, 5:145–157.
- Durbin, J. (1951). Incomplete blocks in ranking experiments. *British Journal of Mathematical and Statistical Psychology*, 4:85–90.
- Dwyer, J. H., Feinleib, M., Lippert, P., and Hoffmeister, H. (1992). *Statistical Models for Longitudinal Studies of Health*. Oxford University Press, New York.
- Elston, R. C. and Grizzle, J. E. (1962). Estimation of time-response curves and their confidence bands. *Biometrics*, 18:148–159.
- Emrich, L. J. and Piedmonte, M. R. (1992). On some small sample properties of generalized estimating equation estimates for multivariate dichotomous outcomes. *Journal of Statistical Computation and Simulation*, 41:19–29.
- Everitt, B. S. (1994a). Exploring multivariate data graphically: A brief review with examples. *Journal of Applied Statistics*, 21:63–94.
- Everitt, B. S. (1994b). *A Handbook of Statistical Analyses Using S-Plus*. Chapman and Hall, London.
- Everitt, B. S. (1995). The analysis of repeated measures: A practical review with examples. *Statistician*, 44:113–135.

- Ezzet, F. and Whitehead, J. (1991). A random effects model for ordinal responses from a crossover trial. *Statistics in Medicine*, 10:901–906.
- Fahrmeir, L. and Tutz, G. (2001). *Multivariate Statistical Modelling Based on Generalized Linear Models*. Springer-Verlag, New York.
- Fisher, R. A. (1935). The case of zero survivors. *Annals of Applied Biology*, 22:164–165.
- Fitzmaurice, G. M. and Laird, N. M. (1993). A likelihood-based method for analysing longitudinal binary responses. *Biometrika*, 80:141–151.
- Fitzmaurice, G. M., Laird, N. M., and Rotnitzky, A. G. (1993). Regression models for discrete longitudinal data. *Statistical Science*, 8:284–309.
- Fitzmaurice, G. M. and Lipsitz, S. R. (1995). A model for binary time series data with serial odds ratio patterns. *Applied Statistics*, 44:51–61.
- Fitzmaurice, G. M., Lipsitz, S. R., Molenberghs, G., and Ibrahim, J. G. (2001). Bias in estimating association parameters for longitudinal binary responses with drop-outs. *Biometrics*, 57:15–21.
- Fleiss, J. L. (1986). *The Design and Analysis of Clinical Experiments*. John Wiley and Sons, New York.
- Follmann, D. and Wu, M. (1995). An approximate generalized linear model with random effects for informative missing data. *Biometrics*, 51:151–168.
- Follmann, D., Wu, M., and Geller, N. L. (1994). Testing treatment efficacy in clinical trials with repeated binary measurements and missing observations. *Communications in Statistics—Theory and Methods*, 23:557–574.
- Friedman, M. (1937). The use of ranks to avoid the assumption of normality implicit in the analysis of variance. *Journal of the American Statistical Association*, 32:675–701.
- Frison, L. and Pocock, S. J. (1992). Repeated measures in clinical trials: Analysis using mean summary statistics and its implications for design. *Statistics in Medicine*, 11:1685–1704.
- Gange, S. J., Linton, K. L. P., Scott, A. J., DeMets, D. L., and Klein, R. (1995). A comparison of methods for correlated ordinal measures with ophthalmic applications. *Statistics in Medicine*, 14:1961–1974.
- Ghosh, M., Grizzle, J. E., and Sen, P. K. (1973). Nonparametric methods in longitudinal studies. *Journal of the American Statistical Association*, 68:29–36.

- Gibbons, R. D. and Hedeker, D. (1997). Random effects probit and logistic regression models for three-level data. *Biometrics*, 53:1527–1537.
- Gilmour, A. R., Anderson, R. D., and Rae, A. L. (1985). The analysis of binomial data by a generalized linear mixed model. *Biometrika*, 72:593–599.
- Girden, E. R. (1992). *ANOVA: Repeated Measures*. Sage Publications, Newbury Park, CA.
- Goldstein, H. (1979). *The Design and Analysis of Longitudinal Studies: Their Role in the Measurement of Change*. Academic Press, New York.
- Gornbein, J. A., Lazaro, C. G., and Little, R. J. A. (1992). Incomplete data in repeated measures analysis. *Statistical Methods in Medical Research*, 1:275–295.
- Gouriéroux, C., Monfort, A., and Trognon, A. (1984). Pseudomaximum likelihood methods: Theory. *Econometrica*, 52:681–700.
- Graubard, B. I. and Korn, E. L. (1987). Choice of column scores for testing independence in ordered  $2 \times k$  contingency tables. *Biometrics*, 43:471–476.
- Graubard, B. I. and Korn, E. L. (1994). Regression analysis with clustered data. *Statistics in Medicine*, 13:509–522.
- Greenhouse, S. W. and Geisser, S. (1959). On methods in the analysis of profile data. *Psychometrika*, 24:95–112.
- Grizzle, J. E. and Allen, D. M. (1969). Analysis of growth and dose response curves. *Biometrics*, 25:357–381.
- Grizzle, J. E., Starmer, C. F., and Koch, G. G. (1969). Analysis of categorical data by linear models. *Biometrics*, 25:489–504.
- Groves, L., Shellenberger, M. K., and Davis, C. S. (1998). Tizanidine treatment of spasticity: A meta-analysis of controlled, double-blind, comparative studies with baclofen and diazepam. *Advances in Therapy*, 15:241–251.
- Gunsolley, J. C., Getchell, C., and Chinchilli, V. M. (1995). Small sample characteristics of generalized estimating equations. *Communications in Statistics—Simulation and Computation*, 24:869–878.
- Hadgu, A. and Koch, G. G. (1999). Application of generalized estimating equations to a dental randomized clinical trial. *Journal of Biopharmaceutical Statistics*, 9:161–178.

- Hadgu, A., Koch, G. G., and Westrom, L. (1997). Analysis of ectopic pregnancy data using marginal and conditional models. *Statistics in Medicine*, 16:2403–2417.
- Hagenaars, J. A. (1990). *Categorical Longitudinal Data: Log-linear Panel, Trend, and Cohort Analysis*. Sage Publications, Newbury Park, CA.
- Hall, D. B. (1994). *Extended Generalized Estimating Equations for Longitudinal Data*. PhD thesis, Northwestern University, Evanston, IL.
- Hall, D. B. (2001). On the application of extended quasi-likelihood to the clustered data case. *Canadian Journal of Statistics*, 29:77–97.
- Hall, D. B. and Severini, T. A. (1998). Extended generalized estimating equations for clustered data. *Journal of the American Statistical Association*, 93:1365–1375.
- Hand, D. J. and Crowder, M. J. (1996). *Practical Longitudinal Data Analysis*. Chapman and Hall, London.
- Hand, D. J. and Taylor, C. C. (1987). *Multivariate Analysis of Variance and Repeated Measures*. Chapman and Hall, London.
- Hanfelt, J. J. and Liang, K. Y. (1995). Approximate likelihood ratios for general estimating functions. *Biometrika*, 82:461–477.
- Hardin, J. and Hilbe, J. (2001). *Generalized Linear Models and Extensions*. Stata Press, College Station, TX.
- Hart, J. D. and Wehrly, T. E. (1986). Kernel regression estimation using repeated measurements data. *Journal of the American Statistical Association*, 81:1080–1088.
- Harville, D. A. (1977). Maximum likelihood approaches to variance component estimation and to related problems. *Journal of the American Statistical Association*, 72:320–338.
- Harville, D. A. and Mee, R. W. (1984). A mixed-model procedure for analyzing ordered categorical data. *Biometrics*, 40:393–408.
- Hastie, T. J., Botha, J. L., and Schnitzler, C. M. (1989). Regression with an ordered categorical response. *Statistics in Medicine*, 8:785–794.
- Heagerty, P. J. (1999). Marginally specified logistic-normal models for longitudinal binary data. *Biometrics*, 55:688–698.
- Heagerty, P. J. and Zeger, S. L. (1996). Marginal regression models for clustered ordinal measurements. *Journal of the American Statistical Association*, 91:1024–1036.

- Heagerty, P. J. and Zeger, S. L. (1998). Lorelogram: A regression approach to exploring dependence in longitudinal categorical responses. *Journal of the American Statistical Association*, 93:150–162.
- Hedeker, D. and Gibbons, R. D. (1994). A random-effects ordinal regression model for multilevel analysis. *Biometrics*, 50:933–944.
- Hedeker, D. and Gibbons, R. D. (1996a). MIXOR: A computer program for mixed-effects ordinal regression analysis. *Computer Methods and Programs in Biomedicine*, 49:157–176.
- Hedeker, D. and Gibbons, R. D. (1996b). MIXREG: A computer program for mixed-effects regression analysis with autocorrelated errors. *Computer Methods and Programs in Biomedicine*, 49:229–252.
- Henderson, C. R. (1953). Estimation of variance and covariance components. *Biometrics*, 9:226–252.
- Hendricks, S. A., Wassell, J. T., Collins, J. W., and Sedlak, S. L. (1996). Power determination for geographically clustered data using generalized estimating equations. *Statistics in Medicine*, 15:1951–1960.
- Hettmansperger, T. R. (1984). *Statistical Inference Based on Ranks*. John Wiley and Sons, New York.
- Heyting, A., Tolboom, J. T. B. M., and Essers, J. G. A. (1992). Statistical handling of drop-outs in longitudinal clinical trials. *Statistics in Medicine*, 11:2043–2061.
- Hills, M. (1968). A note on the analysis of growth curves. *Biometrics*, 24:192–196.
- Hirotsu, C. (1991). An approach to comparing treatments based on repeated measures. *Biometrika*, 78:583–594.
- Hodges, J. L. and Lehmann, E. L. (1962). Rank methods for combination of independent experiments in analysis of variance. *Annals of Mathematical Statistics*, 33:482–497.
- Hoeffding, W. (1948). A class of statistics with asymptotically normal distribution. *Annals of Mathematical Statistics*, 19:293–325.
- Hogg, R. V. and Craig, A. T. (1995). *Introduction to Mathematical Statistics*. Prentice-Hall, Englewood Cliffs, NJ.
- Hosmer, Jr., D. W. and Lemeshow, S. (2000). *Applied Logistic Regression*. John Wiley and Sons, New York.
- Hotelling, H. (1931). The generalization of Student's ratio. *Annals of Mathematical Statistics*, 2:360–378.

- Hotelling, H. (1947). Multivariate quality control, illustrated by the air testing of sample bombsights. In Eisenhart, C., Hastay, M., and Wallis, W. A., editors, *Techniques of Statistical Analysis*, pages 111–184. McGraw-Hill, New York.
- Hotelling, H. (1951). A generalized  $T$  test and measure of multivariate dispersion. In Neyman, J., editor, *Proceedings of the Second Berkeley Symposium on Mathematical Statistics and Probability*, pages 23–41, Los Angeles and Berkeley, CA. University of California.
- Huynh, H. (1978). Some approximate tests for repeat measurement designs. *Psychometrika*, 43:161–175.
- Huynh, H. and Feldt, L. S. (1970). Conditions under which mean square ratios in repeated measurement designs have exact  $F$ -distributions. *Journal of the American Statistical Association*, 65:1582–1589.
- Huynh, H. and Feldt, L. S. (1976). Estimation of the Box correction for degrees of freedom from sample data in randomized block and split-plot designs. *Journal of Educational Statistics*, 1:69–82.
- Ito, K. (1962). A comparison of the powers of two multivariate analysis of variance tests. *Biometrika*, 49:455–462.
- Jansen, J. (1990). On the statistical analysis of ordinal data when extravariation is present. *Applied Statistics*, 39:75–84.
- Jennrich, R. I. and Schluchter, M. D. (1986). Unbalanced repeated-measures models with structured covariance matrices. *Biometrics*, 42:805–820.
- Johnson, N. L., Kotz, S., and Balakrishnan, N. (1997). *Discrete Multivariate Distributions*. John Wiley and Sons, New York.
- Jones, R. H. (1981). Fitting continuous-time autoregressions to discrete data. In Findley, D. F., editor, *Applied Time Series Analysis II*, pages 651–682. Academic Press, New York.
- Jones, R. H. (1993). *Longitudinal Data with Serial Correlation: A State-Space Approach*. Chapman and Hall, London.
- Jones, R. H. and Boadi-Boateng, F. (1991). Unequally spaced longitudinal data with AR(1) serial correlation. *Biometrics*, 47:161–175.
- Kalbfleisch, J. D. and Lawless, J. F. (1985). The analysis of panel data under a Markov assumption. *Journal of the American Statistical Association*, 80:863–871.
- Kalbfleisch, J. D. and Prentice, R. L. (1980). *The Statistical Analysis of Failure Time Data*. John Wiley and Sons, New York.

- Karim, M. R. and Zeger, S. L. (1988). GEE: A SAS macro for longitudinal data analysis. Technical Report 674, Department of Biostatistics, The Johns Hopkins University, Baltimore.
- Kaufmann, H. (1987). Regression models for nonstationary categorical time series: Asymptotic estimation theory. *Annals of Statistics*, 15:79–98.
- Kenward, M. G. (1987). A method for comparing profiles of repeated measurements. *Applied Statistics*, 36:296–308.
- Kenward, M. G. (1998). Selection models for repeated measurements with non-random dropout: An illustration of sensitivity. *Statistics in Medicine*, 17:2723–2732.
- Kenward, M. G. and Jones, B. (1992). Alternative approaches to the analysis of binary and categorical repeated measurements. *Journal of Biopharmaceutical Statistics*, 2:137–170.
- Kenward, M. G., Lesaffre, E., and Molenberghs, G. (1994). An application of maximum likelihood and generalized estimating equations to the analysis of ordinal data from a longitudinal study with cases missing at random. *Biometrics*, 50:945–953.
- Kenward, M. G. and Molenberghs, G. (1999). Parametric models for incomplete continuous and categorical longitudinal data. *Statistical Methods in Medical Research*, 8:51–83.
- Kepner, J. L. and Robinson, D. H. (1988). Nonparametric methods for detecting treatment effects in repeated-measures designs. *Journal of the American Statistical Association*, 83:456–461.
- Khatri, C. G. (1966). A note on a MANOVA model applied to problems in growth curves. *Annals of the Institute of Statistical Mathematics*, 18:75–86.
- Kirby, A. J., Galai, N., and Muñoz, A. (1994). Sample size estimation using repeated measurements on biomarkers as outcomes. *Controlled Clinical Trials*, 15:165–172.
- Kleinbaum, D. G. (1973). A generalization of the growth curve model which allows missing data. *Journal of Multivariate Analysis*, 3:117–124.
- Knuth, D. E. (1986). *The T<sub>E</sub>Xbook*. Addison-Wesley, Reading, MA.
- Koch, G. G. (1969). Some aspects of the statistical analysis of “split plot” experiments in completely randomized layouts. *Journal of the American Statistical Association*, 64:485–505.
- Koch, G. G. (1970). The use of non-parametric methods in the statistical analysis of a complex split plot experiment. *Biometrics*, 26:105–128.

- Koch, G. G., Amara, I. A., Stokes, M. E., and Gillings, D. B. (1980). Some views on parametric and non-parametric analysis for repeated measurements and selected bibliography. *International Statistical Review*, 48:249–265.
- Koch, G. G., Landis, J. R., Freeman, J. L., Freeman, Jr., D. H., and Lehnen, R. G. (1977). A general methodology for the analysis of experiments with repeated measurement of categorical data. *Biometrics*, 33:133–158.
- Koch, G. G. and Reinfurt, D. W. (1971). The analysis of categorical data from mixed models. *Biometrics*, 27:157–173.
- Koch, G. G. and Sen, P. K. (1968). Some aspects of the statistical analysis of the mixed model. *Biometrics*, 24:27–48.
- Korn, E. L. and Whittemore, A. S. (1979). Methods for analyzing panel studies of acute health effects of air pollution. *Biometrics*, 35:795–802.
- Koziol, J. A., Maxwell, D. A., Fukushima, M., Colmerauer, M. E. M., and Pilch, Y. H. (1981). A distribution-free test for tumor-growth curve analyses with application to an animal tumor immunotherapy experiment. *Biometrics*, 37:383–390.
- Kruskal, W. H. and Wallis, W. A. (1952). Use of ranks in one-criterion variance analysis. *Journal of the American Statistical Association*, 47:583–621.
- Kshirsagar, A. M. and Smith, W. B. (1995). *Growth Curves*. Marcel Dekker, New York.
- Kuk, A. Y. C. (1995). Asymptotically unbiased estimation in generalized linear models with random effects. *Journal of the Royal Statistical Society, Series B*, 57:395–407.
- Lachin, J. M. (1992). Some large-sample distribution-free estimators and tests for multivariate partially incomplete data from two populations. *Statistics in Medicine*, 11:1151–1170.
- Laird, N. M. (1988). Missing data in longitudinal studies. *Statistics in Medicine*, 7:305–315.
- Laird, N. M. and Lange, N. (1987). Comments on “Prediction of future observations in growth curve models”. *Statistical Science*, 2:451–454.
- Laird, N. M., Lange, N., and Stram, D. (1987). Maximum likelihood computations with repeated measures: Application of the EM algorithm. *Journal of the American Statistical Association*, 82:97–105.

- Laird, N. M. and Ware, J. H. (1982). Random-effects models for longitudinal data. *Biometrics*, 38:963–974.
- Landis, J. R., Heyman, E. R., and Koch, G. G. (1978). Average partial association in three-way contingency tables: A review and discussion of alternative tests. *International Statistical Review*, 46:237–254.
- Landis, J. R., Miller, M. E., Davis, C. S., and Koch, G. G. (1988). Some general methods for the analysis of categorical data in longitudinal studies. *Statistics in Medicine*, 7:233–261.
- LaVange, L. M., Koch, G. G., and Schwartz, T. A. (2001). Applying sample survey methods to clinical trials data. *Statistics in Medicine*, 20:2609–2623.
- Lawley, D. N. (1938). A generalization of Fisher's  $z$  test. *Biometrika*, 30:180–187.
- Lee, E. W. and Dubin, N. (1994). Estimation and sample size considerations for clustered binary responses. *Statistics in Medicine*, 13:1241–1252.
- Lee, Y. S. (1971). Asymptotic formulae for the distribution of a multivariate test statistic: Power comparisons of certain multivariate tests. *Biometrika*, 58:647–651.
- Lefante, J. J. (1990). The power to detect differences in average rates of change in longitudinal studies. *Statistics in Medicine*, 9:437–446.
- Lehmann, E. L. (1951). Consistency and unbiasedness of certain nonparametric tests. *Annals of Mathematical Statistics*, 22:165–179.
- Lehmann, E. L. (1963). Robust estimation in analysis of variance. *Annals of Mathematical Statistics*, 34:957–966.
- Lehmann, E. L. (1998). *Nonparametrics: Statistical Methods Based on Ranks*. Prentice-Hall, Upper Saddle River, NJ.
- Leppik, I. E., Dreifuss, F. E., Porter, R., Bowman, T., Santilli, N., Jacobs, M., Crosby, C., Cloyd, J., Stackman, J., Graves, N., Sutula, T., Welty, T., Vickery, J., Brundage, R., Gates, J., Gummit, R. J., and Gutierrez, A. (1987). A controlled study of progabide in partial seizures: Methodology and results. *Neurology*, 37:963–968.
- Lesaffre, E., Molenberghs, G., and DeWulf, L. (1996). Effect of dropouts in a longitudinal study: An application of a repeated ordinal model. *Statistics in Medicine*, 15:1123–1141.
- Li, N. (1994). *Analysis of Longitudinal Data Using Weighted Least Squares and Generalized Estimating Equations*. PhD thesis, University of Iowa, Iowa City, IA.

- Liang, K. Y. and Zeger, S. L. (1986). Longitudinal data analysis using generalized linear models. *Biometrika*, 73:13–22.
- Liang, K. Y. and Zeger, S. L. (1993). Regression analysis for correlated data. *Annual Review of Public Health*, 14:43–68.
- Liang, K. Y., Zeger, S. L., and Qaqish, B. (1992). Multivariate regression analyses for categorical data (with discussion). *Journal of the Royal Statistical Society, Series B*, 54:3–40.
- Lindsey, J. K. (1999). *Models for Repeated Measurements*. Oxford University Press, New York.
- Lindsey, J. K. and Lambert, P. (1998). On the appropriateness of marginal models for repeated measurements in clinical trials. *Statistics in Medicine*, 17:447–469.
- Lindsey, P. J. (2001). Adapting sample size calculations to repeated measurements in clinical trials. *Journal of Applied Statistics*, 28:81–89.
- Lindstrom, M. J. and Bates, D. M. (1988). Newton-Raphson and EM algorithms for linear mixed-effects models for repeated-measures data. *Journal of the American Statistical Association*, 83:1014–1022.
- Lipsitz, S. R. and Fitzmaurice, G. M. (1994). Sample size for repeated measures studies with binary responses. *Statistics in Medicine*, 13:1233–1239.
- Lipsitz, S. R., Fitzmaurice, G. M., Orav, E. J., and Laird, N. M. (1994a). Performance of generalized estimating equations in practical situations. *Biometrics*, 50:270–278.
- Lipsitz, S. R. and Harrington, D. P. (1990). Analyzing correlated binary data using SAS. *Computers and Biomedical Research*, 23:268–282.
- Lipsitz, S. R., Kim, K., and Zhao, L. (1994b). Analysis of repeated categorical data using generalized estimating equations. *Statistics in Medicine*, 13:1149–1163.
- Lipsitz, S. R., Laird, N. M., and Harrington, D. P. (1991). Generalized estimating equations for correlated binary data: Using the odds ratio as a measure of association. *Biometrika*, 78:153–160.
- Lipsitz, S. R., Molenberghs, G., Fitzmaurice, G. M., and Ibrahim, J. G. (2000). GEE with Gaussian estimation of the correlations when data are incomplete. *Biometrics*, 56:528–536.
- Little, R. J. A. (1995). Modeling the drop-out mechanism in repeated-measures studies. *Journal of the American Statistical Association*, 90:1112–1121.

- Little, R. J. A. and Rubin, D. B. (1987). *Statistical Analysis with Missing Data*. John Wiley and Sons, New York.
- Liu, G. and Liang, K. Y. (1997). Sample size calculations for studies with correlated observations. *Biometrics*, 53:937–947.
- Longford, N. T. (1994). Logistic regression with random coefficients. *Computational Statistics and Data Analysis*, 17:1–15.
- Lui, K. J. (1991). Sample sizes for repeated measurements in dichotomous data. *Statistics in Medicine*, 10:463–472.
- Lui, K. J. and Cumberland, W. G. (1992). Sample size requirement for repeated measurements in continuous data. *Statistics in Medicine*, 11:633–641.
- Macknin, M. L., Mathew, S., and Medendorp, S. V. (1990). Effect of inhaling heated vapor on symptoms of the common cold. *Journal of the American Medical Association*, 264:989–991.
- MacMillan, J., Becker, C., Koch, G. G., Stokes, M., and Vandivire, H. M. (1981). An application of weighted least squares methods to the analysis of measurement process components of variability in an observational study. In *American Statistical Association Proceedings of Survey Research Methods*, pages 680–685, Alexandria, VA. American Statistical Association.
- Madansky, A. (1963). Test of homogeneity for correlated samples. *Journal of the American Statistical Association*, 58:97–119.
- Makuch, R. W., Escobar, M., and Merrill, III, S. (1991). Algorithm AS 262: A two-sample test for incomplete multivariate data. *Applied Statistics*, 40:202–212.
- Mann, H. B. and Whitney, D. R. (1947). On a test of whether one of two random variables is stochastically larger than the other. *Annals of Mathematical Statistics*, 18:50–60.
- Mantel, N. and Fleiss, J. L. (1980). Minimum expected cell size requirements for the Mantel-Haenszel one-degree-of-freedom chi-square test and a related rapid procedure. *American Journal of Epidemiology*, 112:129–134.
- Mantel, N. and Haenszel, W. (1959). Statistical aspects of the analysis of data from retrospective studies of disease. *Journal of the National Cancer Institute*, 22:719–748.
- Matthews, J. N. S. (1993). A refinement to the analysis of serial data using summary measures. *Statistics in Medicine*, 12:27–37.

- Matthews, J. N. S., Altman, D. G., Campbell, M. J., and Royston, P. (1990). Analysis of serial measurements in medical research. *British Medical Journal*, 300:230–235.
- Mauchly, J. W. (1940). Significance test for sphericity of a normal  $n$ -variate distribution. *Annals of Mathematical Statistics*, 29:204–209.
- Mauger, J. W., Chilko, D., and Howard, S. (1986). On the analysis of dissolution data. *Drug Development and Industrial Pharmacy*, 12:969–992.
- Mauritsen, R. H. (1984). *Logistic Regression with Random Effects*. PhD thesis, University of Washington, Seattle, WA.
- McCullagh, P. (1980). Regression models for ordinal data. *Journal of the Royal Statistical Society, Series B*, 42:109–142.
- McCullagh, P. (1983). Quasi-likelihood functions. *Annals of Statistics*, 11:59–67.
- McCullagh, P. and Nelder, J. A. (1989). *Generalized Linear Models*. Chapman and Hall, London.
- McCulloch, C. E. and Searle, S. R. (2000). *Generalized, Linear, and Mixed Models*. John Wiley and Sons, New York.
- McGilchrist, C. A. (1994). Estimation in generalized mixed models. *Journal of the Royal Statistical Society, Series B*, 56:61–69.
- McLean, R. A., Sanders, W. L., and Stroup, W. W. (1991). A unified approach to mixed linear models. *The American Statistician*, 45:54–64.
- McNemar, Q. (1947). Note on the sampling error of the difference between correlated proportions or percentages. *Psychometrika*, 12:153–157.
- Michiels, B. and Molenberghs, G. (1997). Protective estimation of longitudinal categorical data with nonrandom dropout. *Communications in Statistics—Theory and Methods*, 26:65–94.
- Mikhail, N. N. (1965). A comparison of tests of the Wilks-Lawley hypothesis in multivariate analysis. *Biometrika*, 52:149–156.
- Miller, M. E., Davis, C. S., and Landis, J. R. (1993). The analysis of longitudinal polytomous data: Generalized estimating equations and connections with weighted least squares. *Biometrics*, 49:1033–1044.
- Mislevy, R. J. (1985). Estimation of latent group effects. *Journal of the American Statistical Association*, 80:993–997.

- Molenberghs, G., Kenward, M. G., and Lesaffre, E. (1997). The analysis of longitudinal ordinal data with nonrandom drop-out. *Biometrika*, 84:33–44.
- Molenberghs, G. and Lesaffre, E. (1994). Marginal modeling of correlated ordinal data using a multivariate Plackett distribution. *Journal of the American Statistical Association*, 89:633–644.
- Moore, D. S. and McCabe, G. P. (1993). *Introduction to the Practice of Statistics*. W.H. Freeman and Company, New York.
- Mori, M., Woodworth, G. G., and Woolson, R. F. (1992). Application of empirical Bayes inference to estimation of rate of change in the presence of informative right censoring. *Statistics in Medicine*, 11:621–631.
- Mori, M., Woolson, R. F., and Woodworth, G. G. (1994). Slope estimation in the presence of informative right censoring: Modeling the number of observations as a geometric random variable. *Biometrics*, 50:39–50.
- Morrison, D. F. (1976). *Multivariate Statistical Methods*. McGraw-Hill, New York.
- Moulton, L. H. and Zeger, S. L. (1989). Analyzing repeated measures on generalized linear models via the bootstrap. *Biometrics*, 45:381–394.
- Muñoz, A., Carey, V., Schouten, J. P., Segal, M., and Rosner, B. (1992). A parametric family of correlation structures for the analysis of longitudinal data. *Biometrics*, 48:733–742.
- Muenz, R. and Rubinstein, L. V. (1985). Markov models for covariate dependence of binary sequences. *Biometrics*, 41:91–101.
- Müller, H. G. (1988). *Nonparametric Regression Analysis of Longitudinal Data*. Springer-Verlag, Berlin.
- Muller, K. E. and Barton, C. N. (1989). Approximate power for repeated-measures ANOVA lacking sphericity. *Journal of the American Statistical Association*, 84:549–555.
- Muller, K. E., LaVange, L. M., Ramey, S. L., and Ramey, C. T. (1992). Power calculations for general linear multivariate models including repeated measures applications. *Journal of the American Statistical Association*, 87:1209–1226.
- Nanda, D. N. (1950). Distribution of the sum of roots of a determinantal equation. *Annals of Mathematical Statistics*, 21:432–439.
- Nelder, J. A. and Pregibon, D. (1987). An extended quasi-likelihood function. *Biometrika*, 74:221–232.

- Nelder, J. A. and Wedderburn, R. W. M. (1972). Generalized linear models. *Journal of the Royal Statistical Society, Series A*, 135:370–384.
- Nesselroade, J. R. and Baltes, P. B. (1980). *Longitudinal Methodology in the Study of Behavior and Development*. Academic Press, New York.
- Neter, J., Wasserman, W., and Kutner, M. H. (1985). *Applied Linear Statistical Models: Regression, Analysis of Variance, and Experimental Designs*. R.D. Irwin, Homewood, IL.
- Neuhaus, J. M. (1992). Statistical methods for longitudinal and clustered designs with binary responses. *Statistical Methods in Medical Research*, 1:249–273.
- Neuhaus, J. M. and Jewell, N. P. (1990). Some comments on Rosner's multiple logistic model for clustered data. *Biometrics*, 46:523–531.
- Neuhaus, J. M., Kalbfleisch, J. D., and Hauck, W. W. (1991). A comparison of cluster-specific and population-averaged approaches for analyzing correlated binary data. *International Statistical Review*, 59:25–35.
- Núñez Antón, V. A. (1993). *Analysis of Longitudinal Data with Unequally Spaced Observations and Time Dependent Correlated Errors*. PhD thesis, University of Iowa, Iowa City, IA.
- Núñez Antón, V. A. and Zimmerman, D. L. (2000). Modelling nonstationary longitudinal data. *Biometrics*, 56:699–705.
- O'Brien, P. C. (1984). Procedures for comparing samples with multiple endpoints. *Biometrics*, 40:1079–1087.
- Olson, C. L. (1974). Comparative robustness of six tests in multivariate analysis of variance. *Journal of the American Statistical Association*, 69:894–908.
- Omar, R. Z., Wright, E. M., Turner, R. M., and Thompson, S. G. (1999). Analyzing repeated measurements data: A practical comparison of methods. *Statistics in Medicine*, 18:1587–1603.
- Overall, J. E., Ahn, C., Shivakumar, C., and Kalburgi, Y. (1999). Problematic formulations of SAS PROC.MIXED models for repeated measurements. *Journal of Biopharmaceutical Statistics*, 9:189–216.
- Overall, J. E. and Doyle, S. R. (1994). Estimating sample sizes for repeated measurement designs. *Controlled Clinical Trials*, 15:100–123.
- Overall, J. E., Shobaki, G., and Anderson, C. B. (1998). Comparative evaluation of two models for estimating sample sizes for tests on trends across repeated measurements. *Controlled Clinical Trials*, 19:188–197.

- Page, E. B. (1963). Ordered hypotheses for multiple treatments: A significance test for linear ranks. *Journal of the American Statistical Association*, 58:216–230.
- Paik, M. C. (1988). Repeated measurement analysis for nonnormal data in small samples. *Communications in Statistics—Simulation and Computation*, 17:1155–1171.
- Paik, M. C. (1997). The generalized estimating equation approach when data are not missing completely at random. *Journal of the American Statistical Association*, 92:1320–1329.
- Palesch, Y. Y. and Lachin, J. M. (1994). Asymptotically distribution-free multivariate rank tests for multiple samples with partially incomplete observations. *Statistica Sinica*, 4:373–387.
- Pan, J. X. and Fang, K. T. (2001). *Growth Curve Models with Statistical Diagnostics*. Springer-Verlag, New York.
- Pan, W. (2001a). Akaike's information criterion in generalized estimating equations. *Biometrics*, 57:120–125.
- Pan, W. (2001b). Sample size and power calculations with correlated binary data. *Controlled Clinical Trials*, 22:211–227.
- Pandit, S. M. and Wu, S. M. (1983). *Time Series and System Analysis with Applications*. John Wiley and Sons, New York.
- Parhizgari, A. M. and Prakash, A. J. (1989). Algorithm AS 250: Tests of the equality of dispersion matrices. *Applied Statistics*, 38:553–564.
- Park, T. (1993). A comparison of the generalized estimating equation approach with the maximum likelihood approach for repeated measurements. *Statistics in Medicine*, 12:1723–1732.
- Park, T. and Davis, C. S. (1993). A test of the missing data mechanism for repeated categorical data. *Biometrics*, 49:631–638.
- Park, T., Davis, C. S., and Li, N. (1998). Alternative GEE estimation procedures for discrete longitudinal data. *Computational Statistics and Data Analysis*, 28:243–256.
- Park, T., Park, J. K., and Davis, C. S. (2001). Effects of covariance model assumptions on hypothesis tests for repeated measurements: Analysis of ovarian hormone data and pituitary-ptyeromaxillary distance data. *Statistics in Medicine*, 20:2441–2453.
- Park, T. and Woolson, R. F. (1992). Generalized multivariate models for longitudinal data. *Communications in Statistics—Simulation and Computation*, 21:925–946.

- Patel, H. I. (1986). Analysis of repeated measures designs with changing covariates in clinical trials. *Biometrika*, 73:707–715.
- Patel, H. I. (1991). Analysis of incomplete data from a clinical trial with repeated measurements. *Biometrika*, 78:609–619.
- Patterson, H. D. and Thompson, R. (1971). Recovery of inter-block information when block sizes are unequal. *Biometrika*, 58:545–554.
- Pearson, E. S. and Hartley, H. O. (1966). *Biometrika Tables for Statisticians, Volume I*. Cambridge University Press, Cambridge.
- Pendergast, J. F., Gange, S. J., Newton, M. A., Lindstrom, M. J., Palta, M., and Fisher, M. R. (1996). A survey of methods for analyzing clustered binary response data. *International Statistical Review*, 64:89–118.
- Pepe, M. S. and Anderson, G. L. (1994). A cautionary note on inference for marginal regression models with longitudinal data and general correlated response data. *Communications in Statistics—Simulation and Computation*, 23:939–951.
- Peterson, B. and Harrell, Jr., F. E. (1990). Partial proportional odds models for ordinal response variables. *Applied Statistics*, 39:205–217.
- Pickles, A. (1990). *Longitudinal Data and the Analysis of Change*. Oxford University Press, New York.
- Pillai, K. C. S. (1955). Some new test criteria in multivariate analysis. *Annals of Mathematical Statistics*, 26:117–121.
- Pillai, K. C. S. and Jayachandran, K. (1967). Power comparisons of tests of two multivariate hypotheses based on four criteria. *Biometrika*, 54:195–210.
- Plewis, I. (1985). *Analysing Change: Measurement and Explanation Using Longitudinal Data*. John Wiley and Sons, New York.
- Pocock, S. J. (1983). *Clinical Trials: A Practical Approach*. John Wiley and Sons, New York.
- Potthoff, R. F. and Roy, S. N. (1964). A generalized multivariate analysis of variance model useful especially for growth curve problems. *Biometrika*, 51:313–326.
- Pourahmadi, M. (1999). Joint mean-covariance models with applications to longitudinal data: Unconstrained parameterisation. *Biometrika*, 86:677–690.
- Preisser, J. S. and Qaqish, B. F. (1996). Deletion diagnostics for generalised estimating equations. *Biometrika*, 83:551–562.

- Prentice, R. L. (1988). Correlated binary regression with covariates specific to each binary observation. *Biometrics*, 44:1033–1048.
- Prentice, R. L. and Zhao, L. P. (1991). Estimating equations for parameters in means and covariances of multivariate discrete and continuous responses. *Biometrics*, 47:825–839.
- Pulkstenis, E., Ten Have, T. R., and Landis, J. R. (1998). Model for the analysis of binary longitudinal pain data subject to informative dropout through remedication. *Journal of the American Statistical Association*, 93:438–450.
- Pulkstenis, E., Ten Have, T. R., and Landis, J. R. (2001). A mixed effects model for the analysis of ordinal longitudinal pain data subject to informative drop-out. *Statistics in Medicine*, 20:601–622.
- Puri, M. L. and Sen, P. K. (1971). *Nonparametric Methods in Multivariate Analysis*. John Wiley and Sons, New York.
- Randles, R. H. and Wolfe, D. A. (1979). *Introduction to the Theory of Nonparametric Statistics*. John Wiley and Sons, New York.
- Rao, C. R. (1965). The theory of least squares when the parameters are stochastic and its application to the analysis of growth curves. *Biometrika*, 52:447–458.
- Rao, C. R. (1966). Covariance adjustment and related problems in multivariate analysis. In Krishnaiah, P. R., editor, *Multivariate Analysis*, pages 87–103. Academic Press, New York.
- Rao, C. R. (1967). Least squares theory using an estimated dispersion matrix and its application to measurement of signals. In *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability, Volume I*, pages 355–372, Berkeley, CA. University of California.
- Rao, C. R. (1973). *Linear Statistical Inference and Its Applications*. John Wiley and Sons, New York.
- Rao, C. R. (1987). Prediction of future observations in growth curve models. *Statistical Science*, 2:434–447.
- Raz, J. (1989). Analysis of repeated measurements using nonparametric smoothers and randomization tests. *Biometrics*, 45:851–871.
- Reiczigel, J. (1999). Analysis of experimental data with repeated measurements. *Biometrics*, 55:1059–1063.

- Robins, J. M., Rotnitzky, A., and Zhao, L. P. (1995). Analysis of semi-parametric regression models for repeated outcomes in the presence of missing data. *Journal of the American Statistical Association*, 90:106–121.
- Rochon, J. (1989). The application of the GSK method to the determination of minimum sample sizes. *Biometrics*, 45:193–205.
- Rochon, J. (1991). Sample size calculations for two-group repeated-measures experiments. *Biometrics*, 47:1383–1398.
- Rochon, J. (1998). Application of GEE procedures for sample size calculations in repeated measures experiments. *Statistics in Medicine*, 17:1643–1658.
- Rosner, B. (1984). Multivariate methods in ophthalmology with application to other paired-data situations. *Biometrics*, 40:1025–1035.
- Rothenberg, T. J. (1977). Edgeworth expansions for multivariate test statistics. Technical Report IP-255, Center for Research in Management Science, University of California, Berkeley.
- Rotnitzky, A. and Jewell, N. P. (1990). Hypothesis testing of regression parameters in semiparametric generalized linear models for cluster correlated data. *Biometrika*, 77:485–497.
- Rotnitzky, A., Robins, J. M., and Scharfstein, D. O. (1998). Semiparametric regression for repeated outcomes with nonignorable nonresponse. *Journal of the American Statistical Association*, 93:1321–1339.
- Rotnitzky, A. and Wypij, D. (1994). A note on the bias of estimators with missing data. *Biometrics*, 50:1163–1170.
- Roy, S. N. (1957). *Some Aspects of Multivariate Analysis*. John Wiley and Sons, New York.
- Roy, S. N. and Bargmann, R. E. (1958). Tests of multiple independence and the associated confidence bounds. *Annals of Mathematical Statistics*, 29:491–503.
- Roy, S. N., Gnanadesikan, R., and Srivastava, J. N. (1971). *Analysis and Design of Certain Quantitative Multiresponse Experiments*. Pergamon Press, Oxford.
- Royall, R. M. (1986). Model robust confidence intervals using maximum likelihood estimators. *International Statistical Review*, 54:221–226.
- Russell, T. S. and Bradley, R. A. (1958). One-way variances in a two-way classification. *Biometrika*, 45:111–129.

- SAS Institute (1999). *SAS/STAT User's Guide, Version 8*. SAS Institute, Cary, NC.
- Schafer, J. L. (1997). *Analysis of Incomplete Multivariate Data*. Chapman and Hall, London.
- Schall, R. (1991). Estimation in generalized linear models with random effects. *Biometrika*, 78:719–727.
- Schatzoff, M. (1966). Sensitivity comparisons among tests of the general linear hypothesis. *Journal of the American Statistical Association*, 61:415–435.
- Scheffé, H. (1959). *The Analysis of Variance*. John Wiley and Sons, New York.
- Schwarz, G. (1978). Estimating the dimension of a model. *Annals of Statistics*, 6:461–464.
- Schwertman, N. C. (1982). Algorithm AS 174: Multivariate multisample non-parametric tests. *Applied Statistics*, 31:80–85.
- Schwertman, N. C. (1985). Multivariate median and rank sum tests. In Kotz, S., Johnson, N. L., and Read, C. B., editors, *Encyclopedia of Statistical Sciences, Volume 6*, pages 85–88. John Wiley and Sons, New York.
- Searle, S. R. (1982). *Matrix Algebra Useful for Statistics*. John Wiley and Sons, New York.
- Self, S. G. and Mauritsen, R. H. (1988). Power/sample size calculations for generalized linear models. *Biometrics*, 44:79–86.
- Self, S. G., Mauritsen, R. H., and Ohara, J. (1992). Power calculations for likelihood ratio tests in generalized linear models. *Biometrics*, 48:31–39.
- Sen, P. K. (1984). Nonparametric procedures for some miscellaneous problems. In Krishnaiah, P. R. and Sen, P. K., editors, *Handbook of Statistics, Volume 4: Nonparametric Methods*, pages 699–739. Elsevier Science Publishers, Amsterdam.
- Shah, B. V., Holt, M. M., and Folsom, R. E. (1977). Inference about regression models from sample survey data. *Bulletin of the International Statistical Institute*, 47:43–57.
- Shapiro, S. S. and Wilk, M. B. (1965). An analysis of variance test for normality (complete samples). *Biometrika*, 52:591–611.

- Sharples, K. and Breslow, N. (1992). Regression analysis of correlated binary data: Some small sample results for the estimating equation approach. *Journal of Statistical Computation and Simulation*, 42:1–20.
- Shaw, D., Bijlens, L., and Senden, J. (1994). Generalised estimating equations for repeated measures designs resulting in categorical data. Unpublished SAS macro.
- Sheiner, L. B., Beal, S. L., and Dunne, A. (1997). Analysis of nonrandomly censored ordered categorical longitudinal data from analgesic trials. *Journal of the American Statistical Association*, 92:1235–1244.
- Shih, W. J. (1997). Sample size and power calculations for periodontal and other studies with clustered samples using the method of generalized estimating equations. *Biometrical Journal*, 39:899–908.
- Shoukri, M. M. and Martin, S. W. (1992). Estimating the number of clusters for the analysis of correlated binary response variables from unbalanced data. *Statistics in Medicine*, 11:751–760.
- Shults, J. and Chaganty, N. R. (1998). Analysis of serially-correlated data using quasi-least squares. *Biometrics*, 54:1622–1630.
- Simpson, G. M. and Angus, J. W. (1970). A rating scale for extrapyramidal side effects. *Acta Psychiatrica Scandinavica, Supplementum*, 212:11–19.
- Stanek, III, E. J. and Diehl, S. R. (1988). Growth curve models of repeated binary response. *Biometrics*, 44:973–983.
- Stanek, III, E. J. and Koch, G. G. (1985). The equivalence of parameter estimates from growth curve models and seemingly unrelated regression models. *The American Statistician*, 39:149–152.
- Stanish, W. M. (1986). Categorical data analysis strategies using SAS software. In Allen, D. M., editor, *Computer Science and Statistics: Proceedings of the 17th Symposium on the Interface*, pages 239–256, New York. Elsevier Science Publishers.
- Stanish, W. M., Gillings, D. B., and Koch, G. G. (1978). An application of multivariate ratio methods for the analysis of a longitudinal clinical trial with missing data. *Biometrics*, 34:305–317.
- Stanish, W. M. and Koch, G. G. (1984). The use of CATMOD for repeated measurement analysis of categorical data. In *Proceedings of the 9th Annual SAS Users Group International Conference*, pages 761–770, Cary, NC. SAS Institute Inc.

- Stasny, E. A. (1987). Some Markov-chain models for nonresponse in estimating gross labor force flows. *Journal of Official Statistics*, 3:359–373.
- Stata Corporation (2001). *Stata Reference Manual*. Stata Press, College Station, TX.
- Sterczer, A., Vörös, K., and Karsai, F. (1996). Effect of cholagogues on the volume of the gallbladder of dogs. *Research in Veterinary Science*, 60:44–47.
- Stiratelli, R., Laird, N. M., and Ware, J. H. (1984). Random-effects models for serial observations with binary response. *Biometrics*, 40:961–971.
- Stock, J. R., Weaver, J. K., Ray, H. W., Brink, J. R., and Sadoff, M. G. (1983). *Evaluation of Safe Performance Secondary School Driver Education Curriculum Demonstration Project*. U.S. Department of Transportation, National Highway Traffic Safety Administration, Washington, DC.
- Stram, D. O., Wei, L. J., and Ware, J. H. (1988). Analysis of repeated ordered categorical outcomes with possibly missing observations and time-dependent covariates. *Journal of the American Statistical Association*, 83:631–637.
- SUDAAN (2001). *SUDAAN User Manual, Release 8.0*. Research Triangle Institute, Research Triangle Park, NC.
- Ten Have, T. R. (1996). A mixed effects model for multivariate ordinal response data including correlated discrete failure times with ordinal responses. *Biometrics*, 52:473–491.
- Ten Have, T. R., Kunselman, A. R., Pulkstenis, E. P., and Landis, J. R. (1998). Mixed effects logistic regression models for longitudinal binary response data with informative drop-out. *Biometrics*, 54:367–383.
- Ten Have, T. R., Landis, J. R., and Hartzel, J. (1996). Population-averaged and cluster-specific models for clustered ordinal response data. *Statistics in Medicine*, 15:2573–2588.
- Thall, P. F. and Lachin, J. M. (1988). Analysis of recurrent events: Non-parametric methods for random-interval count data. *Journal of the American Statistical Association*, 83:339–347.
- Thall, P. F. and Vail, S. C. (1990). Some covariance models for longitudinal count data with overdispersion. *Biometrics*, 46:657–671.
- Thompson, G. L. (1991). A unified approach to rank tests for multivariate and repeated measures designs. *Journal of the American Statistical Association*, 86:410–419.

- Thompson, Jr., W. A. (1962). The problem of negative estimates of variance components. *Annals of Mathematical Statistics*, 33:273–289.
- Timm, N. H. (1980). Multivariate analysis of variance of repeated measurements. In Krishnaiah, P. R. and Sen, P. K., editors, *Handbook of Statistics, Volume 1: Analysis of Variance*, pages 41–87. Elsevier Science Publishers, Amsterdam.
- van Elteren, P. H. (1960). On the combination of independent two-sample tests of Wilcoxon. *Bulletin de l'Institut Internationale de Statistique*, 37:351–361.
- Vasey, M. W. and Thayer, J. F. (1987). The continuing problem of false positives in repeated measures ANOVA in psychophysiology: A multivariate solution. *Psychophysiology*, 24:479–486.
- Verbeke, G. and Molenberghs, G. (1997). *Linear Mixed Models in Practice*. Springer-Verlag, New York.
- Verbeke, G. and Molenberghs, G. (2000). *Linear Mixed Models for Longitudinal Data*. Springer-Verlag, New York.
- Verbeke, G., Molenberghs, G., Thijs, H., Lesaffre, E., and Kenward, M. G. (2001). Sensitivity analysis for non-random dropout: A local influence approach. *Biometrics*, 57:7–14.
- Verbyla, A. P. (1988). Analysis of repeated measures designs with changing covariates. *Biometrika*, 75:172–174.
- Verbyla, A. P. and Venables, W. N. (1988). An extension of the growth curve model. *Biometrika*, 75:129–138.
- Volberding, P. A., Lagakos, S. W., Koch, M. A., Pettinelli, C., Myers, M. W., Booth, D. K., Balfour, Jr., H. H., Reichman, R. C., Bartlett, J. A., Hirsch, M. S., Murphy, M., Hardy, W. D., Soeiro, R., Fischl, M. A., Bartlett, J. G., Merigan, T. C., Hyslop, N. E., Richman, D. D., Valentine, F. T., and Corey, L. (1990). Zidovudine in asymptomatic human immunodeficiency virus infection: A controlled trial in persons with fewer than 500 CD4-positive cells per cubic millimeter. *The New England Journal of Medicine*, 322:941–949.
- von Eye, A. (1990a). *Statistical Methods in Longitudinal Research. Volume 1. Principles and Structuring Change*. Academic Press, New York.
- von Eye, A. (1990b). *Statistical Methods in Longitudinal Research. Volume 2. Time Series and Categorical Longitudinal Data*. Academic Press, New York.

- Vonesh, E. F. and Carter, R. L. (1987). Efficient inference for random-coefficient growth curve models with unbalanced data. *Biometrics*, 43:617–628.
- Vonesh, E. F. and Chinchilli, V. M. (1996). *Linear and Nonlinear Models for the Analysis of Repeated Measurements*. Marcel Dekker, New York.
- Vonesh, E. F. and Schork, M. A. (1986). Sample sizes in the multivariate analysis of repeated measurements. *Biometrics*, 42:601–610.
- Waclawiw, M. A. and Liang, K. Y. (1993). Prediction of random effects in the generalized linear model. *Journal of the American Statistical Association*, 88:171–178.
- Walker, S. H. and Duncan, D. B. (1967). Estimation of the probability of an event as a function of several independent variables. *Biometrika*, 54:167–179.
- Wallenstein, S. (1982). Regression models for repeated measurements. *Biometrics*, 38:849–853.
- Ware, J. H. (1985). Linear models for the analysis of longitudinal studies. *The American Statistician*, 39:95–101.
- Ware, J. H., Lipsitz, S. R., and Speizer, F. E. (1988). Issues in the analysis of repeated categorical outcomes. *Statistics in Medicine*, 7:95–107.
- Wedderburn, R. W. M. (1974). Quasilikelihood functions, generalized linear models and the Gauss-Newton method. *Biometrika*, 61:439–447.
- Wegman, E. J. (1990). Hyperdimensional data analysis using parallel coordinates. *Journal of the American Statistical Association*, 85:664–675.
- Wei, L. J. and Johnson, W. E. (1985). Combining dependent tests with incomplete repeated measurements. *Biometrika*, 72:359–364.
- Wei, L. J. and Lachin, J. M. (1984). Two-sample asymptotically distribution-free tests for incomplete multivariate observations. *Journal of the American Statistical Association*, 79:653–661.
- Wei, L. J. and Stram, D. O. (1988). Analysing repeated measurements with possibly missing observations by modelling marginal distributions. *Statistics in Medicine*, 7:139–148.
- Weiss, R. E. and Lazaro, C. G. (1992). Residual plots for repeated measures. *Statistics in Medicine*, 11:115–124.
- Weissfeld, L. A. and Kshirsagar, A. M. (1992). A modified growth curve model and its application to clinical studies. *Australian Journal of Statistics*, 34:161–168.

- Wilcoxon, F. (1945). Individual comparison by ranking methods. *Biometrics*, 1:80–83.
- Wilks, S. S. (1932). Certain generalizations in the analysis of variance. *Biometrika*, 24:471–494.
- Williamson, J. M., Kim, K., and Lipsitz, S. R. (1995). Analyzing bivariate ordinal data using a global odds ratio. *Journal of the American Statistical Association*, 90:1432–1437.
- Wishart, J. (1938). Growth rate determination in nutrition studies with the bacon pig, and their analysis. *Biometrika*, 30:16–28.
- Wolfinger, R. and O’Connell, M. (1993). Generalized linear mixed models: A pseudo-likelihood approach. *Journal of Statistical Computation and Simulation*, 48:233–243.
- Wong, W. H. (1986). Theory of partial likelihood. *Annals of Statistics*, 14:88–123.
- Woolson, R. F. and Clarke, W. R. (1984). Analysis of categorical incomplete longitudinal data. *Journal of the Royal Statistical Society, Series A*, 147:87–99.
- Wu, C., Gumpertz, M. L., and Boos, D. D. (2001). Comparison of GEE, MINQUE, ML, and REML estimating equations for normally distributed data. *The American Statistician*, 55:125–130.
- Wu, M. and Bailey, K. R. (1989). Estimation and comparison of changes in the presence of informative right censoring: Conditional linear model. *Biometrics*, 45:939–955.
- Wu, M. and Carroll, R. J. (1988). Estimation and comparison of changes in the presence of informative right censoring by modeling the censoring process. *Biometrics*, 44:175–188.
- Xie, F. and Paik, M. C. (1997a). Generalized estimating equation model for binary outcomes with missing covariates. *Biometrics*, 53:1458–1466.
- Xie, F. and Paik, M. C. (1997b). Multiple imputation methods for the missing covariates in generalized estimating equation. *Biometrics*, 53:1538–1546.
- Zeger, S. L. (1988). Commentary. *Statistics in Medicine*, 7:161–168.
- Zeger, S. L. and Karim, M. R. (1991). Generalized linear models with random effects: A Gibbs sampling approach. *Journal of the American Statistical Association*, 86:79–86.

- Zeger, S. L. and Liang, K. Y. (1986). Longitudinal data analysis for discrete and continuous outcomes. *Biometrics*, 42:121–130.
- Zeger, S. L. and Liang, K. Y. (1992). An overview of methods for the analysis of longitudinal data. *Statistics in Medicine*, 11:1825–1839.
- Zeger, S. L., Liang, K. Y., and Albert, P. S. (1988). Models for longitudinal data: A generalized estimating equation approach. *Biometrics*, 44:1049–1060.
- Zeger, S. L. and Qaqish, B. (1988). Markov regression models for time series: A quasi-likelihood approach. *Biometrics*, 44:1019–1031.
- Zellner, A. (1962). An efficient method of estimating seemingly unrelated regressions and tests for aggregation bias. *Journal of the American Statistical Association*, 57:348–368.
- Zerbe, G. O. (1979a). Randomization analysis of randomized blocks extended to growth and response curves. *Communications in Statistics—Theory and Methods*, 8:191–205.
- Zerbe, G. O. (1979b). Randomization analysis of the completely randomized design extended to growth and response curves. *Journal of the American Statistical Association*, 74:215–221.
- Zerbe, G. O. and Murphy, J. R. (1986). On multiple comparisons in the randomization analysis of growth and response curves. *Biometrics*, 42:795–804.
- Zerbe, G. O. and Walker, S. H. (1977). A randomization test for comparison of groups of growth curves with different polynomial design matrices. *Biometrics*, 33:653–657.
- Zhao, L. P. and Prentice, R. L. (1990). Correlated binary regression using a quadratic exponential model. *Biometrika*, 77:642–648.
- Zhaorong, J., McGilchrist, C. A., and Jorgensen, M. A. (1992). Mixed model discrete regression. *Biometrical Journal*, 34:691–700.
- Zimmerman, D. L. (2000). Viewing the correlation structure of longitudinal data through a PRISM. *The American Statistician*, 54:310–318.
- Zimmerman, D. L. and Núñez Antón, V. A. (1997). Structured antedependence models for longitudinal data. In Gregoire, T. G., Brillinger, D. R., Diggle, P. J., Russek-Cohen, E., Warren, W. G., and Wolfinger, R., editors, *Modelling Longitudinal and Spatially Correlated Data. Methods, Applications, and Future Directions*, pages 63–76. Springer-Verlag, New York.

# Author Index

- Agresti, A., 175, 184, 187, 257,  
265, 320, 321, 350
- Ahn, C., 8, 155
- Aitkin, M., 274
- Akaike, H., 138
- Akritas, M.G., 349
- Albert, P.S., 7–9, 294–296, 310
- Allen, D.M., 83, 99
- Altman, D.G., 15
- Altman, N.S., 350
- Amara, I.A., 348
- Amini, S.B., 365
- Anderson, C.B., 8
- Anderson, D., 274
- Anderson, G.L., 313
- Anderson, J.A., 323
- Anderson, R.D., 319
- Anderson, R.L., 129
- Anderson, T.W., 48, 61, 77
- Andreasen, N.C., 269
- Angus, J.W., 18
- Anscombe, F.J., 314
- Arndt, S., 18, 269
- Arnold, S.F., 130, 349
- Ashby, D., 362
- Ashby, M., 292
- Bacchetti, P., 292
- Bailey, K.R., 7
- Balakrishnan, N., 170
- Baltes, P.B., 10
- Bancroft, T.A., 129
- Bargmann, R.E., 86
- Barnhart, H.X., 310
- Bartlett, M.S., 60, 76, 133
- Barton, C.N., 9
- Bates, D.M., 131, 133
- Beal, S.L., 321
- Becker, C., 225
- Benard, A., 349
- Bhapkar, V.P., 349
- Bijnens, L., 321
- Birch, M.W., 249, 254
- Bishop, Y.M.M., 247
- Bliss, C.I., 283
- Bloch, D.A., 9, 362
- Boadi-Boateng, F., 131, 133, 145,  
147, 149, 264
- Bock, R.D., 62, 86, 94, 122, 161
- Bonney, G.E., 294

- Boos, D.D., 13, 309  
 Botha, J.L., 324  
 Box, G.E.P., 32, 96, 110, 118, 364  
 Bradley, R.A., 129  
 Breslow, N.E., 311, 319  
 Brock, D.B., 192, 196, 225  
 Brown, C.H., 8  
 Brown, G.W., 349, 350, 354  
 Byrne, P.J., 130
- Campbell, M.J., 15  
 Carey, V.C., 130, 311, 312, 315, 320  
 Carr, G.J., 28  
 Carroll, R.J., 7  
 Carter, R.L., 336  
 Carter, W.H., 155  
 Chaganty, N.R., 315  
 Chilko, D., 116  
 Chinchilli, V.M., v, vi, 10, 311, 320  
 Clarke, W.R., 184, 204, 205, 228, 234  
 Clayton, D.G., 319  
 Cnaan, A., 9  
 Cochran, W.G., 254  
 Cole, J.W.L., 118  
 Collins, J.W., 311, 312  
 Colmerauer, M.E.M., 365  
 Conaway, M.R., 7, 319, 320  
 Conover, W.J., 349  
 Cook, R.D., 8  
 Cook, R.J., 8  
 Cornoni-Huntley, J., 192, 196, 225  
 Craig, A.T., v  
 Crépeau, H., 165, 369  
 Crouchley, R., 321  
 Crowder, M.J., vi, 10, 15, 22, 64–66, 104, 115, 117, 122, 165, 240, 291, 313, 318  
 Cumberland, W.G., 9  
 Cushny, A.R., 62  
 Cytel Software, 319
- Davidian, M., v, 10, 320  
 Davis, C.S., 33, 119, 155, 184, 204, 214, 234, 240, 268, 269, 312, 315, 320, 321, 325, 327, 331, 334, 349, 356, 362  
 Dawson, J.D., 7, 15  
 Dawson, K.S., 155  
 Deal, E.C., 16, 50, 111, 266  
 DeMets, D.L., 320  
 Dempster, A.P., 133  
 DeWulf, L., 320  
 Diehl, S.R., 184  
 Diggle, P.J., vi, 6–10, 15, 131, 133, 152, 155, 315, 320, 350  
 Dobson, A.J., 274  
 Donnelly, J.B., 9  
 Doyle, S.R., 8  
 Draper, D., 134  
 Dubin, N., 9, 311  
 Duncan, D.B., 320, 324  
 Duncan, O.D., 229  
 Dunne, A., 321  
 Duong, Q.P., 139  
 Durbin, J., 349  
 Dwyer, J.H., 10
- Elston, R.C., 51, 87, 160, 263  
 Emrich, L.J., 311  
 Escobar, M., 356  
 Essers, J.G.A., 6  
 Everitt, B.S., 9, 26, 39  
 Ezzet, F., 321
- Fahrmeir, L., 10  
 Fang, K.T., 10, 83  
 Feinberg, S.E., 247  
 Feldt, L.S., 110, 111  
 Fisher, M.R., 320  
 Fisher, R.A., 283  
 Fitzmaurice, G.M., 9, 231, 311, 312, 316, 318, 320, 338  
 Fleiss, J.L., 246, 257, 264  
 Follmann, D.A., 7, 8  
 Folsom, R.E., 309

- Francis, B., 274  
 Freeman, J.L., 169, 184  
 Freeman, Jr., D.H., 169, 184  
 Friedman, M., 252, 349  
 Frison, L., 15  
 Fukushima, M., 365  
 Fusaro, R.E., 292
- Galai, N., 8  
 Gange, S.J., 320  
 Geisser, S., 111  
 Geller, N.L., 8  
 Gennings, C., 155  
 Getchell, C., 311  
 Ghosh, M., 28  
 Gibbons, R.D., 126, 321  
 Gillings, D.B., 184, 204, 234, 348  
 Gilmour, A.R., 319  
 Giltinan, D.M., v, 10, 320  
 Girden, E.R., 10  
 Gnanadesikan, R., 77  
 Goldstein, H., 10  
 Gornbein, J.A., 6  
 Gouriéroux, C., 318  
 Graubard, B.I., 257, 295  
 Greenhouse, S.W., 111  
 Grizzle, J.E., 28, 51, 83, 87, 99,  
 118, 160, 169, 175, 177,  
 184, 255, 263
- Groves, L., 119  
 Gumpertz, M.L., 13  
 Gunsolley, J.C., 311
- Hadgu, A., 310, 342  
 Haenszel, W., 243  
 Hafner, K.B., 28  
 Hagenaaars, J.A., 10  
 Hall, D.B., 311, 312, 316–318, 321,  
 325  
 Hand, D.J., vi, 10, 15, 22, 64–66,  
 70, 102, 104, 117, 122,  
 123, 240, 291  
 Hanfelt, J.J., 309  
 Hardin, J., 313  
 Harrell, Jr., F.E., 324
- Harrington, D.P., 311, 312, 315  
 Hart, J.D., 350  
 Hartley, H.O., 53, 189  
 Hartzel, J., 321  
 Harville, D.A., 127, 321  
 Hastie, T.J., 324  
 Hauck, W.W., 292, 294, 295  
 Heagerty, P.J., 310, 318, 320  
 Hedeker, D., 126, 321  
 Heilbron, D.C., 292  
 Henderson, C.R., 127  
 Hendricks, S.A., 311, 312  
 Hettmansperger, T.R., 349, 350  
 Heyman, E.R., 240  
 Heyting, A., 6  
 Hilbe, J., 313  
 Hills, M., 53  
 Hinde, J., 274  
 Hirotsu, C., 118  
 Hodges, J.L., 349  
 Hoeffding, W., 357, 359  
 Hogg, R.V., v  
 Holland, P.W., 247  
 Holt, M.M., 309  
 Hosmer, Jr., D.W., 310  
 Hotelling, H., 45, 47, 76  
 Howard, S., 116  
 Huynh, H., 110, 111
- Ibrahim, J.G., 316  
 Iman, R.L., 349  
 Ito, K., 77
- Jansen, J., 321  
 Jayachandran, K., 77  
 Jennrich, R.I., 130–134  
 Jewell, N.P., 292, 309  
 Johnson, N.L., 170  
 Johnson, W.E., 349, 355–357, 360,  
 362  
 Jones, B., 320  
 Jones, R.H., vi, 10, 131, 133, 139,  
 145, 147, 149, 264  
 Jorgensen, M.A., 321
- Kalbfleisch, J.D., 294, 295, 355

- Kalburgi, Y., 155  
 Karim, M.R., 312, 319, 342  
 Kaufmann, H., 294  
 Kenward, M.G., 6–8, 28, 67, 102, 320  
 Kepner, J.L., 349  
 Khatri, C.G., 83, 86  
 Kim, K., 320, 321, 331  
 Kirby, A.J., 8  
 Klein, R., 320  
 Kleinbaum, D.G., 83  
 Knuth, D.E., vii  
 Koch, G.G., 28, 87, 96, 169, 175, 177, 184, 204, 225, 234, 240, 255, 268, 309, 310, 320, 342, 348–350  
 Korn, E.L., 257, 294, 295  
 Kotz, S., 170  
 Koziol, J.A., 165, 365, 369  
 Kruskal, W.H., 252, 350  
 Kshirsagar, A.M., vi, 10, 64, 83, 350  
 Kuk, A.Y.C., 319  
 Kunselman, A.R., 319  
 Kutner, M.H., vi  
  
 Lachin, J.M., 39, 349, 355, 356, 362, 368  
 Lagakos, S.W., 7, 15  
 Laird, N.M., 6, 9, 131–134, 231, 311, 312, 315, 316, 318–320, 338  
 Lambert, P., 295  
 Landis, J.R., 169, 184, 204, 234, 240, 268, 319–321, 331  
 Lang, J.B., 320, 321  
 Lange, N., 131–134  
 LaVange, L.M., 9, 309  
 Lawless, J.F., 8, 294  
 Lawley, D.N., 76  
 Lazaro, C.G., 6, 134  
 Lee, E.W., 9, 311  
 Lee, Y.S., 77  
 Lefante, J.J., 8  
 Lehmann, E.L., 247, 349, 359  
 Lehnen, R. G., 169, 184  
 Lemeshow, S., 310  
 Leppik, I.E., 24, 354, 362  
 Lesaffre, E., 8, 318, 320  
 Li, N., 311, 312, 315  
 Liang, K.Y., vi, 9, 10, 15, 152, 155, 274, 292, 294–297, 299, 300, 309–311, 315–317, 319, 320, 350  
 Lin, X., 319  
 Lindsey, J.K., vi, 10, 295  
 Lindsey, P.J., 9  
 Lindstrom, M.J., 131, 133, 320  
 Linton, K.L.P., 320  
 Lipsitz, S.R., 9, 187, 265, 294, 311, 312, 315, 316, 320, 321, 331  
 Little, R.J.A., 6, 7  
 Liu, G., 9, 310, 311  
 Lui, K.J., 9  
  
 Macknin, M.L., 255, 265, 266  
 MacMillan, J., 225  
 Madansky, A., 254  
 Makuch, R.W., 356  
 Mann, H.B., 252  
 Mantel, N., 243, 246, 264  
 Martin, S.W., 9  
 Mathew, S., 255, 265, 266  
 Matthews, J.N.S., 15, 28  
 Mauchly, J.W., 110, 112, 116  
 Mauger, J.W., 116  
 Mauritsen, R.H., 310, 311, 319  
 Maxwell, D.A., 365  
 McCabe, G.P., 18, 24, 354  
 McCullagh, P., 274, 286, 290, 314, 318, 320, 324  
 McCulloch, C.E., 10, 320  
 McGilchrist, C.A., 321  
 McLean, R.A., 125  
 McNemar, Q., 246, 254  
 McShane, L.M., 310  
 Medendorp, S.V., 255, 265, 266  
 Mee, R.W., 321  
 Merrill, III, S., 356

- Michiels, B., 8  
 Mikhail, N.N., 77  
 Miller, D.D., 269  
 Miller, M.E., 184, 204, 234, 240,  
     268, 320, 321, 331  
 Mislevy, R.J., 229  
 Molenberghs, G., 6, 8, 10, 316,  
     318, 320  
 Monfort, A., 318  
 Mood, A.M., 349, 350, 354  
 Moore, D.S., 18, 24, 354  
 Mori, M., 7  
 Morrison, D.F., 77  
 Moses, L.E., 362  
 Moulton, L.H., 296  
 Muenz, R., 294  
 Müller, H.G., 10, 350  
 Muller, K.E., 9  
 Muñoz, A., 8, 130, 311  
 Murphy, J.R., 33  
  
 Nanda, D.N., 76  
 Nelder, J.A., 274, 290, 314, 318  
 Nesselroade, J.R., 10  
 Neter, J., vi  
 Neuhaus, J.M., 292, 294, 295, 320  
 Newton, M.A., 320  
 Núñez Antón, V.A., 33, 130  
  
 O'Brien, P.C., 362  
 O'Connell, M., 319  
 Ohara, J., 311  
 Olson, C.L., 77  
 Omar, R.Z., 9  
 Orav, E.J., 311, 312, 316  
 Ostfeld, A., 192, 196, 225  
 Overall, J.E., 8, 155  
  
 Page, E.B., 349  
 Paik, M.C., 311, 312, 316  
 Palesch, Y.Y., 349  
 Palta, M., 320  
 Pan, J.X., 10, 83  
 Pan, W., 9, 310, 311  
 Pandit, S.M., 147  
  
 Parhizgari, A.M., 61  
 Park, J.K., 155  
 Park, T., 87, 155, 184, 204, 214,  
     311, 312, 315  
 Patel, H.I., 87, 161  
 Patel, K.M., 365  
 Patterson, H.D., 127  
 Pearson, E.S., 53, 189  
 Peebles, A.R., 62  
 Pendergast, J.F., 320, 350  
 Pepe, M.S., 313  
 Peterson, B., 324  
 Philips, P.R., 323  
 Pickles, A., 10  
 Piedmonte, M.R., 311  
 Pilch, Y.H., 365  
 Pillai, K.C.S., 76, 77  
 Plewis, I., 10  
 Pocock, S.J., 15, 362  
 Potthoff, R.F., 57, 81, 83, 85, 86,  
     90, 118, 134, 334, 349,  
     365  
 Pourahmadi, M., 130  
 Prakash, A.J., 61  
 Pregibon, D., 318  
 Preisser, J.S., 310  
 Prentice, R.L., 316–318, 355  
 Pulkstenis, E.P., 319, 321  
 Puri, M.L., 349–352, 354  
  
 Qaqish, B., 294, 296, 310, 315–  
     317, 320  
  
 Rae, A.L., 319  
 Ramey, C.T., 9  
 Ramey, S.L., 9  
 Randles, R.H., 357  
 Rao, C.R., 77, 83, 86, 117, 266  
 Raz, J., 350  
 Reiczigel, J., 99  
 Reid, N., 165, 369  
 Reinfurt, D.W., 169, 184  
 Robins, J.M., 8, 316  
 Robinson, D.H., 349  
 Rochon, J., 9, 311

- Rosner, B., 130, 292, 311  
 Rothenberg, T.J., 77  
 Rotnitzky, A.G., 8, 309, 316, 320  
 Roy, S.N., 57, 76, 77, 81, 83, 85,  
     86, 90, 118, 134, 334, 349,  
     365  
 Royall, R.M., 300  
 Royston, P., 15  
 Rubin, D.B., 6, 7, 133  
 Rubinstein, L.V., 294  
 Russell, T.S., 129
- Sanders, W.L., 125  
 SAS Institute, vi, 61, 126, 130,  
     135, 139, 149, 309, 313,  
     315, 319, 321, 331  
 Schafer, J.L., 6  
 Schall, R., 319  
 Scharfstein, D.O., 8  
 Schatzoff, M., 77  
 Scheffé, H., 109  
 Schluchter, M.D., 130–134  
 Schnitzler, C.M., 324  
 Schork, M.A., 9  
 Schouten, J.P., 130, 311  
 Schwartz, T.A., 309  
 Schwarz, G., 138  
 Schwertman, N.C., 350, 351, 353,  
     354  
 Scott, A.J., 320  
 Searle, S.R., 10, 74, 205, 248, 320  
 Sedlak, S.L., 311, 312  
 Segal, M.R., 130, 292, 311  
 Self, S.G., 310, 311  
 Sen, P.K., 28, 349–352, 354  
 Senden, J., 321  
 Severini, T.A., 317, 318  
 Shah, B.V., 309  
 Shaper, A.G., 362  
 Shapiro, S.S., 26  
 Sharples, K., 311  
 Shaw, D., 321  
 Sheiner, L.B., 321  
 Shellenberger, M.K., 119  
 Shih, W.J., 9, 311
- Shivakumar, C., 155  
 Shobaki, G., 8  
 Shoukri, M.M., 9  
 Shults, J., 315  
 Simpson, G.M., 18  
 Slasor, P., 9  
 Smith, W.B., vi, 10, 83, 350  
 Speizer, F.E., 187, 265, 294  
 Srivastava, J.N., 77  
 Stanek, III, E.J., 87, 184  
 Stanish, W.M., 184, 204, 234  
 Starmer, C.F., 169, 175, 177, 184,  
     255  
 Stasny, E.A., 7  
 Stata Corporation, 313  
 Sterczer, A., 99  
 Stiratelli, R., 319  
 Stock, J.R., 227  
 Stokes, M.E., 225, 348  
 Stram, D.O., 131–133, 296, 320,  
     321, 324–326, 328, 329,  
     331  
 Stroup, W.W., 125  
 SUDAAN, 313
- Taylor, C.C., vi, 10, 70, 102, 123  
 Taylor, J.O., 192, 196, 225  
 Ten Have, T.R., 319–321  
 Thall, P.F., 24, 349  
 Thayer, J.F., 62  
 Thijs, H., 8  
 Thompson, G.L., 32, 62, 349  
 Thompson, Jr., W.A., 130  
 Thompson, R., 127  
 Thompson, S.G., 9  
 Timm, N.H., 83  
 Tolboom, J.T.B.M., 6  
 Tonidandel, S., 8, 155  
 Trognon, A., 318  
 Tsutakawa, R.K., 133  
 Turner, R.M., 9  
 Tutz, G., 10
- Vail, S.C., 24  
 van Elteren, P.H., 252, 349

- Vandivire, H.M., 225  
 Vasey, M.W., 62  
 Venables, W.N., 87  
 Verbeke, G., 8, 10  
 Verbyla, A.P., 87  
 Volberding, P.A., 369  
 von Eye, A., 10  
 Vonesh, E.F., v, vi, 9, 10, 320, 336  
  
 Waclawiw, M.A., 319  
 Walker, S.H., 320, 324, 349  
 Wallace, R.B., 192, 196, 225  
 Wallenstein, S., 110  
 Wallis, W.A., 252, 350  
 Ware, J.H., 125, 131, 133, 187,  
     265, 294, 319–321, 324–  
     326, 328, 329, 331  
 Wassell, J.T., 311, 312  
 Wasserman, W., vi  
 Wedderburn, R.W.M., 274, 286  
 Wegman, E.J., 134  
 Wehrly, T.E., 350  
 Wei, L.J., 39, 296, 320, 321, 324–  
     326, 328, 329, 331, 349,  
     355–357, 360, 362, 368  
 Weiss, R.E., 134  
 Weissfeld, L.A., 64  
 Westrom, L., 310  
 Whitehead, J., 321  
 Whitney, D.R., 252  
 Whittemore, A.S., 294  
 Wilcoxon, F., 252  
 Wilk, M.B., 26  
 Wilks, S.S., 76  
 Williamson, J.M., 310, 320  
 Wishart, J., 15  
 Wolfe, D.A., 357  
 Wolfinger, R., 319  
 Wong, W.H., 294  
 Woodworth, G.G., 7  
 Woolson, R.F., 7, 87, 184, 204,  
     205, 228, 234  
 Wright, E.M., 9  
 Wu, M., 7, 8, 13  
 Wu, S.M., 147  
  
 Wypij, D., 316  
  
 Xie, F., 316  
  
 Yuh, Y.S., 165, 369  
  
 Zeger, S.L., vi, 9, 10, 15, 152, 155,  
     274, 292, 294–297, 299,  
     300, 310, 312, 315–320,  
     342, 350  
 Zellner, A., 87  
 Zerbe, G.O., 33, 67, 349, 350, 354  
 Zhao, L.P., 316–318, 320, 321, 331  
 Zhaorong, J., 321  
 Zimmerman, D.L., 130, 155

# Subject Index

- Akaike's information criterion, 138, 139, 144, 155
- alternating logistic regressions, 315, 320
- analysis of variance
  - one-way, 21, 23, 80
  - repeated measures, 12, 125
- AR-1 covariance model, 132, 136, 139, 142-145, 147, 151, 152, 155, 157-159, 167, 298, 299
- banded covariance model, 132, 135, 136, 139, 160, 164, 167
- Bayesian information criterion, 138, 139, 144, 155
- Bernoulli distribution, 280, 288
- binomial distribution, 170, 241, 273, 275, 278
- Birch's Lagrange multiplier test, 254
- box plots, 18, 24, 354
- canonical link, 279, 280, 285
- Cochran's  $Q$  test, 254
- Cochran-Mantel-Haenszel
  - statistics, 13, 240, 349
  - correlation statistic, 253-255, 257, 262-264
  - general association statistic, 251, 254, 255, 257-259, 263
  - mean score statistic, 251, 252, 254, 255, 257, 260, 262, 263
- compound symmetry, 107-110, 116, 132, 137-139, 152, 155, 157-160, 164, 167
- covariance matrix equality, 60
- derived variable analysis, 15
- divided differences
  - method of, 53, 98, 99, 102
- EM algorithm, 131-133, 321
- exponential distribution, 333
- exponential family, 275
- $F$  distribution, 48
- Fisher scoring algorithm, 132, 286, 290, 324

- Friedman's test, 252, 349
- gamma distribution, 13, 273, 275, 291, 312
- generalized estimating equations, 274, 295–297, 299–301, 303, 307–313, 316, 331
- computer software, 312
- EGEE, 317, 318
- estimation of association parameters, 314
- GEE1, 296, 316–318
- GEE2, 316–318
- model-based variance, 300, 301, 309
- robust variance, 300, 309
- sample size estimation, 310
- time-dependent covariates, 313
- working correlation matrix, 295, 297–301, 303, 309, 310, 313, 315, 316, 331
- generalized linear mixed models, 319, 320
- generalized linear model, 273, 274, 291, 311, 314, 319
- link function, 275, 279, 293, 294, 296, 303, 319–321
- random component, 275
- systematic component, 275, 279
- growth curve analysis, 12, 83
- Khatri's maximum likelihood approach, 86
- Potthoff–Roy model, 83, 85–87, 91, 93, 98, 99
- Rao's covariate-adjusted model, 86, 87, 91, 98
- Hotelling's  $T^2$  statistic, 45, 47, 48, 51, 57, 62, 64–67, 70, 73, 80–82, 90, 108, 134, 352
- Hotelling–Lawley trace statistic, 76, 77, 82, 88, 91
- hypergeometric distribution, 240
- information matrix, 282–284, 300
- informative dropout, 7
- intraclass correlation, 106
- inverse Gaussian distribution, 13, 333
- Kalman filter, 134, 149
- kernel estimation, 350
- Kronecker product, 74, 204, 248
- Kruskal–Wallis test, 21, 23, 252, 348–350, 353
- linear mixed model, 12, 125
- logistic binomial model, 319
- logistic distribution, 323
- Madansky's interchangeability test, 254
- Mantel–Haenszel statistic, 243, 246, 251
- MAR, 6, 7, 316
- marginal homogeneity, 187, 189, 191, 192, 194, 195, 208, 209, 222, 225, 254, 260
- marginal models, 292, 295, 302, 318
- MCAR, 6, 204, 240, 292, 316, 325, 326
- McNemar's test, 15, 246, 254
- missing data, 4
- informative dropout, 7
- mechanisms, 6
- nonignorable, 6
- mixed-effects cumulative logistic model, 321
- mixed-effects ordinal probit model, 321
- multinomial distribution, 170, 296, 347
- multiple hypergeometric distribution, 246, 247, 250, 252
- multisample repeated measurements, 4
- GEE, 301
- linear mixed model, 139, 145

- nonparametric methods, 350
- ordered categorical data, 326
- repeated measures ANOVA, 115
- summary statistic approach, 21
- multivariate analysis of variance, 12
- multivariate general linear model, 73–75, 78, 88, 91, 96
- multivariate normal distribution, 46, 171, 177, 273, 325, 347, 351
- Newton–Raphson algorithm, 130, 132, 133, 282, 283, 286, 290, 324
- NIH method, 15
- noncentral  $F$  distribution, 48
- nonlinear mixed models, 319, 320
- nonparametric methods
  - multivariate multisample
    - median test, 353, 354
  - multivariate multisample
    - rank sum test, 352, 353
- one-sample repeated
  - measurements, 4
  - CMH correlation test, 255, 262, 264
  - CMH general association test, 255, 258
  - CMH mean score test, 255, 260, 263
  - growth curve analysis, 87
  - nonparametric methods, 350
  - profile analysis, 81
  - repeated measures ANOVA, 106, 111
  - summary statistic approach, 16
  - unstructured multivariate
    - approach, 45, 49
  - weighted least squares
    - dichotomous response, 184, 187
    - dichotomous response with missing data, 205
    - ordered categorical response, 191
  - ordered categorical data, 13, 320
  - orthogonal polynomial
    - coefficients, 53, 86–88, 90, 98, 99, 102, 189, 198, 200, 201, 211, 219
  - overdispersion, 286
  - paired  $t$  test, 15, 16
  - parallel plots, 134
  - parallelism
    - hypothesis of, 57
  - Pearson correlation coefficient, 253
  - Pearson’s chi-square test, 21, 242, 249, 251
  - Pillai trace statistic, 76, 77, 82, 88, 91
  - Poisson distribution, 273–275, 278, 280, 281, 291, 297, 314
  - profile analysis, 78, 83
  - proportional-odds model, 320–325, 331
  - quasilikelihood, 274, 286–291, 295, 299, 300, 310, 318, 319, 332, 333
  - random intercept and slope model, 136, 139, 143, 145–147, 149–152, 160, 164, 167
  - random intercept model, 137–139, 143, 152, 160, 167
  - random-effects models, 131, 133, 143, 292–295, 298, 302, 318–321
  - rank transform method, 349
  - REML estimation, 127–134, 138, 143, 149, 155, 156, 160, 167
  - repeated measures ANOVA, 103

- response conditional models, 292  
 response feature analysis, 15  
 Roy's maximum root statistic, 76,  
     77, 82, 88, 91
- sample size estimation, 8  
 score function, 277, 282  
 seemingly unrelated regression  
     models, 87  
 semivariogram, 133  
 Shapiro–Wilk test, 26  
 sign test, 16, 18, 21, 348  
 smoothing splines, 350  
 Spearman rank correlation, 18, 21,  
     348  
 sphericity condition, 109, 110, 112,  
     115, 116  
 summary-statistic approach, 15, 348
- Taylor series variance  
     approximation, 178–181,  
     320
- transition models, 292–295, 302
- two-sample repeated  
     measurements  
     growth curve analysis, 90, 135  
     linear mixed model, 134  
     nonparametric methods, 362  
     nonparametric methods for  
         complete data, 354, 355  
     unstructured multivariate  
         approach, 45, 55  
     Wei-Johnson method, 356, 360–  
         362  
     Wei-Lachin method, 355, 356  
     weighted least squares  
         dichotomous response, 196  
         dichotomous response with  
             missing data, 209
- U* statistics  
     one-sample, 357, 358  
     two-sample, 356, 358–360
- Wald statistic, 174, 190, 213, 214,  
     301, 304, 306, 308–311,  
     326  
 weighted least squares, 13, 171,  
     273, 292, 312  
 weighted local least squares, 350  
 Wilcoxon signed rank test, 16–18,  
     21, 348–350  
 Wilcoxon–Mann-Whitney test, 26,  
     252, 348, 350  
 Wilks'  $\Lambda$  statistic, 76, 77, 82, 88,  
     91, 155  
 Wishart distribution, 46  
 Wishart matrices, 47
- van Elteren's test, 252, 349

## Springer Texts in Statistics *(continued from page ii)*

---

- McPherson*: Applying and Interpreting Statistics: A Comprehensive Guide, Second Edition
- Mueller*: Basic Principles of Structural Equation Modeling: An Introduction to LISREL and EQS
- Nguyen and Rogers*: Fundamentals of Mathematical Statistics: Volume I: Probability for Statistics
- Nguyen and Rogers*: Fundamentals of Mathematical Statistics: Volume II: Statistical Inference
- Noether*: Introduction to Statistics: The Nonparametric Way
- Nolan and Speed*: Stat Labs: Mathematical Statistics Through Applications
- Peters*: Counting for Something: Statistical Principles and Personalities
- Pfeiffer*: Probability for Applications
- Pitman*: Probability
- Rawlings, Pantula and Dickey*: Applied Regression Analysis
- Robert*: The Bayesian Choice: From Decision-Theoretic Foundations to Computational Implementation, Second Edition
- Robert and Casella*: Monte Carlo Statistical Methods
- Santner and Duffy*: The Statistical Analysis of Discrete Data
- Saville and Wood*: Statistical Methods: The Geometric Approach
- Sen and Srivastava*: Regression Analysis: Theory, Methods, and Applications
- Shao*: Mathematical Statistics
- Shorack*: Probability for Statisticians
- Shumway and Stoffer*: Time Series Analysis and Its Applications
- Terrell*: Mathematical Statistics: A Unified Introduction
- Whittle*: Probability via Expectation, Fourth Edition
- Zacks*: Introduction to Reliability Analysis: Probability Models and Statistical Methods