
Index

- A-CDMA, *see* CDMA
- ACM, *see* Additive chaos modulation
- Active/passive decomposition, 195
- Adaptive parametric control, 65
- Additive chaos modulation, 330, 331, 333–335, 337, 354–375
- Additive Chaos Modulation (ACM), 15
- Additive mixing, 194
- Atmospheric turbulence, 32, 46
- Attractor, 212
- Autonomous system, 285, 304, 308, 336

- BER, 50, *see* Bit-error rate
- Bernoulli shift, 98
- Bifurcation, 163, 183, 188
 - diagram, 256, 265, 266, 268, 305
 - flip, 184
 - Neimark–Sacker, 184
 - tangent, 184
- Binary phase shift keying, 66, 280
- Bit-error rate, 81, 243, 244, 275, 278–280, 283, 349, 350, 361, 363, 367, 370, 372, 373
- BPSK, 34, 135, *see* Binary phase shift keying
- Brownian motion, 247

- CDMA, 135
 - asynchronous (A-CDMA), 141
 - chaotic, 138
 - chip-synchronous (CS-CDMA), 143
 - system models, 140
- Channel capacity, 93

- Channel noise, 243, 244, 246, 275–281, 283, 349, 350, 363, 365, 366, 370, 372, 375
- Chaos, 163, 165, 184, 188, 197
 - transient, 163, 165, 173, 183, 188
- Chaos Masking, 60
- Chaos masking, 330–335, 337, 354–373, 375
- Chaos Masking (CMS), 15
- Chaos shift keying, 197, 330–332, 334, 335, 337, 354–373, 375
- Chaos synchronization, 30, *see* Synchronization
- Chaotic attractor, 243, 245, 259, 263, 264, 266, 271, 281, 282
- Chaotic CDMA system performances, 148
- Chaotic communication, 60, 192, 193, 243, 244, 246, 275, 281, 285, 341, 343–346, 349, 350, 353, 358, 360, 363
- Chaotic driven oscillation, 316, 322, 323, 325, 330, 337
- Chaotic modulation, 316, 337
- Chaotic optical communication, 278, 285–288, 298, 315, 330, 333, 335, 341, 344–347, 350, 353, 355, 356, 358, 362, 363, 375, 376
- Chaotic optimal CS-CDMA sequences, 146
- Chaotic Pulse Position Modulation (CPPM), 12, 31, 60

- Chaotic pulsing, 285, 310, 328, 335, 343, 350, 356
- Chebyshev polynomial maps, 144, 146
- Class A laser, 290
- Class B laser, 291–293, 315, 336
- Class C laser, 291
- CMS, *see* Chaos masking
- Code Division Multiplexing Access, *see* CDMA
- Coding function, 237, 238
- Control
 - of chaos, 197
 - of transient chaos, 163, 185, 188
- Controlling chaos, 62
- Correlation coefficient, 243, 271, 274, 281–283, 316, 317, 323, 324, 359, 360
- Correlation Delay Shift Keying (CDSK), 5
- Correlation dimension, 243, 245, 258, 263, 264, 266, 268, 281, 282
- Correlation integral, 264, 266
- Coupling strength, 269, 273, 274, 314, 318, 322, 323, 325, 347, 364, 368
- Cryptanalysis, 192, 200, 203, 216
- CS-CDMA, *see* CDMA, 146
- CSK, *see* Chaos shift keying

- Decoding scheme, 347, 354
- Delayed-feedback system, 285, 308, 336
- Desynchronization burst, 275, 364, 366–368, 370–375
- Differential Chaos Shift Keying (DCSK), 4, 60
- Distributed Dynamics Encryption, 212
- Duffing equation, 198

- Embedding, 203
 - dimension, 203, 209, 263, 266
 - space, 263, 264
- Encoding scheme, 347, 354
- Encryption, 191, 192, 203, 211
 - chaotic, 193
 - public key, 212
- Ergodic dynamical systems, 143
- Eye diagram, 353

- FCC indoor emission mask, 94
- FDMA, 135
- Feedback delay time, 285, 303–305, 308, 316, 322, 324, 336, 337, 350, 368
- Feedback strength, 303, 304, 308, 321, 323, 325, 368
- Fiber laser, 287, 344
- Finite precision issue of chaotic CDMA sequences, 149
- Fixed point, 163, 175, 183, 184
 - indecisive, 165, 181, 183
 - unequivocal, 165, 181, 183, 185
- Fokker–Planck equation, 247
- Free distance, 104
- Free-space laser communication, 46
- Frequency Division Multiplexing Access, *see* FDMA
- Frequency hopping, 67

- Gaussian noise, 83, 246, 247, 255, 275, 349
- Generating partition, 236

- Hidden Markov model, 218

- Impulse radio, 92
- Injection locked, 300, 325
- Interference, 73
- Intermittency, 264, 285, 305, 336
- Interpolated frequency hopping, 68
- Invariant measure, 232
- Ito integral, 243, 246, 250–254, 282

- Jacobian matrix, 184, 261, 269

- Known ciphertext attack, 216–218, 220

- Langevin equation, 247, 248, 252
- Laser
 - classification, 290
 - dynamics, 275, 287, 290, 291, 293, 295, 314, 315
 - noise, 255, 257, 258, 266, 280, 302, 311, 363, 366, 367, 370, 372, 375
- Lebesgue spectrum of a dynamical system, 145
- LFF, *see* Low-frequency fluctuation
- Lorentz system, 263
- Low-density parity-check code, 163
- Low-frequency fluctuation, 305, 306
- Lyapunov exponent, 184, 195–197, 215, 243, 245, 259–261, 264–266, 268, 270, 274, 281, 282

- conditional, 196, 203
- global, 261–263, 265
- largest, 263, 265, 282
- local, 268, 313
- transverse, 243, 245, 263, 268–270, 281, 282

- Markov chain, 232
- Markov process, 247
- Markovian, 247
- MCM, *see* Multiplicative chaos modulation
- Message decoding, 277, 286, 287, 330, 335, 345, 347, 349, 354–356, 358, 360, 362, 363, 366
- Message encoding, 275, 285, 287, 330–333, 335, 337, 345–347, 349, 354–356, 358–360, 362, 363, 366, 368, 370, 375
- Modulation
 - binary frequency shift keying modulation, 75
 - chaotic frequency modulation, 68
 - amplitude, 42, 49
 - chaotic frequency modulation, 61
 - Differential BPSK Modulation, 74
 - FM demodulator, 61
 - multilevel, 204
 - parameter modulation, 60
- Multiplicative chaos modulation, 354
- Multiplicative Chaos Modulation (MCM), 15
- Multiuser, 53
- Multiuser CFM Communication System, 79

- Nonautonomous system, 285, 300, 336

- OC-192, 363, 375
- OC-48, 353, 355
- Optical Communications Based on Nonlinear Dynamics, 15
- Optical feedback, 285, 287, 292, 298, 302, 304–307, 310, 315, 316, 319, 321, 330, 336, 337, 341, 344–346, 363, 368, 370, 372–376
- Optical injection, 243, 245, 254, 264, 271, 272, 278, 282, 285, 287, 292, 297–303, 315, 317, 325, 330, 336, 341, 344–346, 363, 364, 367, 368, 370, 372–376
- Optoelectronic feedback, 285, 287, 292, 298, 307–310, 314–316, 319, 322, 326, 327, 330, 333, 336, 337, 341, 343–346, 350, 356–359, 363, 370, 372–376

- Parameter
 - match, 243, 245, 268, 278, 282
 - mismatch, 66, 243, 245, 270, 275, 282, 330, 363, 376
- PCTH
 - bit-error-rate using MLSE, 113
 - definition, 96
 - frame-by-frame bit-error-rate, 110
 - multiaccess, 96
 - receiver, 100
 - transfer function, 105
- Period
 - doubling, 257, 264, 285, 302, 306, 336
 - four, 265, 305
 - one, 265, 300, 302, 305
 - two, 265, 300, 302, 305
- Phase space, 199
- PLL-Based Synchronization Scheme, 69
- Probability of detection, 51
- Pseudo-orbits, 232
- Pseudo-random sequences, 52

- QR decomposition, 262
- Quantization, 51, 52, 199, 218–220, 222
- Quasiperiodic pulsing, 310
- Quasiperiodicity, 264, 285, 306, 336

- Random Finite Approximation, 232
- Rate equation, 247, 255, 278, 293, 294, 322, 327, 332, 365, 368
- Rayleigh fading channel, 149
- Rician fading channel, 149
- Riemann–Stieltjes integral, 244, 246, 249, 250, 282
- Route to chaos, 257, 264, 268, 285, 302, 305, 306, 336
- Runge–Kutta method, 254
- Rssler oscillator, 78

- Scintillations, 47, 48
- Semiconductor laser, 46, 243, 245, 246, 254, 256, 264, 271, 272, 275, 278,

- 282, 285, 287, 291–309, 313–316, 318, 327, 333, 335–337, 341, 343, 344, 346, 347, 350, 353–355, 361–363, 375, 376
 - Shannon limit, 163
 - Signal-to-noise ratio, 29, 47, 138, 243, 275, 278–280, 283, 350, 367, 370, 372
 - SNR, 138, *see* Signal-to-noise ratio
 - Spatial capacity, 93
 - Spread spectrum, 59, 135
 - Stochastic differential equation, 243, 244, 246, 247, 254, 276, 282
 - Stochastic integral, 243, 246, 249–252, 254
 - Stochastic nonlinear system, 243, 244, 281
 - Stochastic process, 247, 249–251
 - Strange attractor, 197
 - Stratonovich integral, 243, 246, 250–254, 282
 - Symbolic dynamics, 199
 - Symmetric Chaos Shift Keying (SCSK), 6
 - Synchronization
 - anticipated, 285, 316, 322, 327, 329, 330, 337
 - condition, 41
 - deviation, 275, 364, 366, 371, 372, 374, 375
 - error, 34, 199, 243, 271, 275, 281, 282, 335, 347, 349, 350, 353, 355, 360, 364–368, 372, 373, 375
 - generalized, 271, 312
 - identical, 30, 285, 312, 322, 336
 - of chaos, 30, 60, 194, 195, 243, 244, 246, 269, 270, 274, 275, 281, 285–287, 298, 311–318, 321–327, 329–331, 333, 335–337, 343, 345–347, 349, 350, 355, 358, 360, 362, 376
 - quality of, 243–245, 271, 272, 274, 275, 277, 279, 281, 282, 285, 286, 315–317, 319, 321, 323–325, 329, 330, 332–335, 337, 346, 347, 349, 358–360, 363, 365
 - retarded, 285, 316, 322, 327–330, 337
 - robustness of, 243–245, 268, 271, 274, 275, 281, 282, 349, 364
- TDMA, 135
 - Time Division Multiplexing Access, *see* TDMA
 - Transient chaos, *see* Chaos
 - Turbo code, 163, 167, 183
 - Turbo decoding algorithm, 163, 164
 - Type I synchronous scenario, 323–326
 - Type II synchronous scenario, 323–325
- Ultra-wideband, 60, 92
 - Wiener process, 247–251