

Index

A

- Acacia drepanolobium*, 319, 324–326
Acacia tortilis, *see* Umbrella trees
Acacia xanthophloea, *see* Fever trees
Accipiter henstii, *see* Henst's goshawk
Accipiter madagascariensis, 86, 113
Acinonyx jubatus, *see* Cheetah
Acinonyx spp., 323–324, 357–358, 360, 363
 Acrantophis madagascariensis, 156, 161
African civet (*Civetticus civetta*), 226
African crowned eagle (*Stephanoaetus coronatus*), 6, 8, 32
 effects of predation, 14
African hunting dogs (*Lycaon pictus*), 51, 357
African large carnivores, 356
 after predator encounter, 367–368
 anti-predator behavior and hominin reconstruction, 365–366
 avoidance of dangerous areas, 365–366
 competition between carnivores and hominins, 364–365
 habitat selection of, 357, 359–360
 hunting tactics of, 360–361
 prey selection of, 360–362
 social organization reconstructed for Hominins, 369–370
 trade offs between anti-predator aggregation and vigilance, 367–369
African rainforests, 19
Agriotherium, 357, 359–361, 363–364
Alarm calls system, 105
 of lemur species, 106–107
Alosa sapidissima, *see* American shad
Alouatta spp., 49
 Alouatta caraya, *see* Black and gold howler monkey
 Alouattamyia baeri, *see* Cuterebrid
 Alouatta palliata, *see* Mantled howler monkey
 Alouatta pigra, *see* Black howling monkeys
Amboseli National Park, 32, 45, 321
American shad (*Alosa sapidissima*), 301
Ampijoroa Forestry Station, 64–65
Animal nocturnal behavior to moonlight, study of
 activity level with moonlight level, 183–186
 anti-predator behavior of primates, 160–163, 179
 data analysis, 183–185
 influence of moonlight on highest levels in trees, 185–188
 interspecific comparisons, 192–193
 lunar neutrality, 174–179
 lunar philia, 174–179, 194
 lunar phobia, 174–179, 194
 moon effects on predators, 193
 moon effects on prey, 193–196
 observation procedures and behavior variables, 182–183
 predation rate and risk influence in primates sociality, 193
 study site and subjects, 181–182

- vocalization and moonlight levels, 187–190
- Animal vocalization as indication to predation risk, study of
of *Galago moholi*, 212–218
of *Otolemur crassicaudatus*, 208–212, 215–218
study subjects and methods, 207–208
- Ankarafantsika National Park, 64–65, 101, 110
- Anti-predator behavior of vervet and patas, study of
diurnal anti-predator behavior, 320–327
habitat structure effects and, 316–318, 320, 324
predation risk vs predation rate, 312–316
sleeping site choice of, 319–320
study site and subjects, 317–318
- Anti-predator strategies, types of
aerial anti-predator strategy, 106–107
panic cry anti-predator strategy, 107
semantic predator recognition strategy, 107
terrestrial carnivore anti-predator strategy, 106
terrestrial snake anti-predator strategy, 106
- Aotus* spp., 42, 149, 152–153, 159, 180–181, 194–195, 215
Aotus azarai, see Owl monkeys
- Apostatic selection, 146–147, 159, 162–163
- Applied Biosystems PROCISE 494HT Protein Sequenator, 256
- Aquila verreauxi*, see Verreaux's eagles
- Arboreal-diurnal primates, 33, 36, 39
- Arboreal monkeys, 13
- Arctocebus aureus*, see Sympatric perodicticine
- Arctocebus calabarensis*, 180
- Arctodus*, see Short-faced bear
- Asian black bears (*Selenarctos thibetanus*), 38
- Asian Lorises, study of strategies by, 222–224, 234
chemical communication of pottos, 229–230
chemical communication of slender lorises, 228–229
freezing and fleeing behavior of slender lorises, 226
study sites and subjects, 224–225
vocalizations and display of pottos, 226
vocalizations and display of slender lorises, 225–226
- Asio madagascariensis*, see Madagascar long-eared owls
- Ateles*, 50
- Attack, probability of, 341
- Australopithecus*, 136, 362
- Australopithecus afarensis*, 136
- Avahi laniger*, see Eastern woolly lemurs
- Avahi occidentalis*, 73, 136
- Axis axis*, 51
- Axis porcinus*, see Hog deer
- Aye-aye (*Daubentonia madagascariensis*), 37, 107
- B**
- Bald eagle (*Haliaeetus leucocephalus*), 293, 297–298
- Bamboo lemur (*Hapalemur griseus*), 81, 89, 92, 113–114, 138, 148, 161
- Bangarus caeruleus*, 226
- Barking deer (*Muntiacus muntjak*), 51
- Barn owls, 193
- Bdeogale nigripes*, 180, 228
- Beza Mahafaly Special Reserve, 113, 181, 197, 275–276, 278
- Biomultiview, 256
- Black and gold howler monkeys (Alouatta caraya), 162
- Black-and-white ruffed lemurs (*Varecia variegata variegata*), 116–117, 157
- Black howling monkeys (*Alouatta pigra*), 150–152, 157, 163
- Black lemurs (*Eulemur macaco*), 113, 156, 162
- Black-mantled tamarins (*Saguinus nigricollis*), 159
- Blue jays (*Cyanocitta cristata*), 162
- Blue monkeys (*Cercopithecus mitis*), 29, 51
- Boa constrictor (*Boa manditra*), 77, 156, 161, 276
- Boa manditra*, see Boa constrictor
- Bonnet macaques (*Macaca radiata*), 241–242, 320

- Brachial gland exudate, study of use of
 methodology, 255–256
 result analysis of, 257–268
 volatile and semi-volatile compounds,
 257–268
- Brachyteles*, 50
- Brown mouse lemur (*Microcebus rufus*),
 84, 93, 110–111
- Bubo africanus*, *see* Eagle owls
- Bubo viginianus*, *see* Great-horned owl
- Budongo forest, 13
- Buteo brachypterus*, 78, 113, 138, 154,
 180, 276
- Buteo jamaicensis*, 114, 118
- Buteo lineatus*, 116–117
- C**
- Callithrix flaviceps*, 159, 161
- Campbell's monkeys, 17
- Canids, 28–30, 38, 47, 49, 361
- Canis aureus*, *see* Golden jackal
- Canis familiaris*, 115
- Canis latrans*, *see* Coyote
- Canis lupus*, *see* Wolves
- Canis mesomelas*, 208
- Caprimulgus vociferous*, *see*
 Whippoorwills
- Cathemeral and diurnal lemurs, 113–118
- Cebus* spp., 29, 50, 153
- Cebus albifrons*, 161
- Cephalophus* spp., 11
- Cercocebus atys*, *see* Sooty mangabeys
- Cercopithecus aethiops*, 32, 210, 308, *see*
 also Anti-predator behavior of vervet
 and patas, study of
- Cercopithecus campbelli*, 4
- Cercopithecus diana*, *see* Diana monkeys
- Cercopithecus mitis*, *see* Blue monkeys
- Cercopithecus neglectus*, *see* DeBrazza
 monkeys
- Cercopithecus nictitans*, 4
- Cercopithecus petaurista*, 4
- Cervus duvanceli*, *see* Swamp deer
- Cervus unicolor*, *see* Sambar
- Chacma baboons, predation risk and habitat
 use of
 dynamics of predation risk, in terrestrial
 environments, 339
 habitat-specific predation risk at
 De Hoop, 342–343
 individual capture probability, 341–342
 methodology, 343
 predation and habitat use in, 342–343
 predation risk and habitat activity
 patterns, 348–351
 predation risk and habitat choice,
 345–348
 probability of attack, 341
 probability of encounter, 340–341
 probability of prey capture, 341
- Chacma baboons (*Papio hamadryasI*), 319,
 339–352
- Chasmaporthetes*, 357–361, 364
- Cheetah (*Acinonyx jubatus*), 49, 323–324,
 359, 363, 368
- Cheirogaleidae, 37
- Cheirogaleus major*, 93
- Cheirogaleus medius*, 73, 107, 110–111
- Chimpanzees (*Pan troglodytes*), 6, 316,
 366
 pant hoots, 16–17
 sonso, 13
 of Tai forest, 6–7
 wild, 8
- Chitawan park, 37
- Chordeiles minor*, *see* Nighthawks
- Ciccaba woodfordii*, *see* Wood owl
- Civetticus civetta*, *see* African civet
- CLUSTAL-X, 256
- Cognitive functions, in primates, 4, 17–18,
 21
- Colobus guereza*, 320
- Colobus polykomos*, 4
- Common poorwill (*Phalaenoptilus*
nuttallii), 193
- Coquerel's dwarf lemur (*Mirza coquereli*),
 105, 107–111, 161, 174
- Coracopsis vasa*, *see* Vasa parrot
- Coturnix coturnix japonica*, 162
- Coyote (*Canis latrans*), 50
- Crematogaster* spp., 326
- Crocodylus palustris*, 29
- Crocuta* spp., 51, 357, 360–361, 363–364
Crocuta crocuta, 51
- Crowned hawk-eagles, 32, 45, 50
- Crowned lemurs (*Eulemur coronatus*), 161

Cryptic behavior, of primates, 18, 158, 160–161

Cryptoprocta fossa, 180

Cryptoprocta spp., 35, 63–65, 70, 73–74, 77, 110, 115, 138–139, 141 *see also* *Cryptoprocta fossa*, study of predatory behavior of

Cryptoprocta ferox, 152, 276

Cryptoprocta ferox, study of predatory behavior of

as predator on primates in Ankarafantsika, 72–74

scat samples and analysis, 65–66

statistical analyses of, 66–67

study site, 64–65

temporal and geographic variation in body mass of prey items, 67–70

Cuon alpinus, 38

Cuterebrid (*Alouattamyia baeri*), 291

Cyanocitta cristata, *see* Blue jays

D

Daubentonia madagascariensis, *see* Aye-aye

DeBrazza monkeys (*Cercopithecus neglectus*), 5

De Hoop Nature Reserve, 342–343

Dendroapsis polylepis, 208

Diana monkeys (*Cercopithecus diana*), 4–6, 14, 17–19, 32

cryptic behavior of, 18

putty-nosed monkey association, 6, 19

Dicrurus forficatus, *see* Drongos

Dinofelis, 357–361, 363

Diurnal prosimian, study of anti-predator strategies of canopy level, 283

group size and predator strategies, 278, 281, 283

infant vulnerability and vigilance behavior, 283–285

innate anti-predator strategy, 285

methodology, 276–277

predator sensitive foraging behavior, 278–279

sex and rank differences in anti-predator behavior, 284–285

types of anti-predator behaviors, 276–278

vigilance behavior, 279–280, 283

Drongos (*Dicrurus forficatus*), 156

Dwarf lemurs (*Microcebus coquereli*), 29

E

Eagle owls (*Bubo africanus*), 208, 214

Eastern gray squirrel (*Sciurus carolinensis*), 118

Eastern woolly lemurs (*Avahi laniger*), 84, 92, 111

Eliurus myoxinus, *see* Non-predatory rodent

Encounter, probability of, 340–342

Eravikulam National Park, 51

Erythrocebus patas, 308, 317, *see also* Anti-predator behavior of vervet and patas, study of

Estimated predation rate (EPR), 42–43, 51

Eulemur spp., 36–37, 73, 84, 89–92, 104, 130, 147–148, 152–153, 159–160, 162–163

Eulemur coronatus, *see* Crowned lemurs

Eulemur fulvus, *see* Sanford's brown lemurs

Eulemur fulvus rufus, 29, 81, 89, 113–115, 155, 161, 283

Eulemur macaco, *see* Black lemur

Eulemur macaco macaco, 156

Eulemur mongoz, *see* Mongoose lemur

Eulemur rubriventer, *see* Red-bellied lemur

inter-species variability in cathemeral activity among, 147

taxa of, 147–149

Eutriorchis astur, *see* Madagascar serpent eagle

F

Falco spp., 242

Felids, 28–30, 32, 36, 40, 46–49, 180, 226, 357, 359–360, 363

Felis concolor, *see* Puma

Felis pardalis, *see* Ocelot

Felis tigrina, *see* Oncilla

Felis viverrinas, *see* Fishing cat

Felis wiedii, *see* Margay

Felis yagouaroundi, *see* Jaguarundi

Fever trees (*Acacia xanthophloea*), 319, 321

- Ficus* trees, 243
 Fishing cat (*Felis viverrinas*), 225
 Flexibility, notion of, 21
 Forest falcon (*Micrastur semitorquatus*), 41
 Fork-marked lemur (*Phaner furcifer*), 107, 110, 174, 223
Fossa fossana, see Malagasy civet
 Fruit bat (*Pteropus rufus*), 155, 157
- G**
Galago alleni, 128
Galagoides demidovii, 216
Galagoides rondoensis, 216
Galagoides thomasi, 216
Galagoides zanzibaricus, 173–174, 195
Galago moholi, 127–128, 130–139, 174, 180, 193, 195, 206–207, 211–218, 223
Galago senegalensis, 129, 207
Galidia elegans, 36, 78, 138, 154
Galidictis spp., 36
Gallus, 66
Genetta servilina, 226
Genetta tigrina, 139, 208
 Giant hyena (*Pachycrocuta*), 357–361, 364
 Gliding effects, 130
 Golden brown mouse lemur (*Microcebus ravelobensis*), 107, 119
 Golden cat (*Profelis aurata*), 228
 Golden jackal (*Canis aureus*), 38
 Golden palm civet (*Paradoxurus zeylonensis*), 225
Gorilla, 29, 44, 368, 372
Gorilla gorilla, 366
 Gray mouse lemur (*Microcebus murinus*), 107, 110–112, 117, 119
 Great-horned owl (*Bubo virginianus*), 116–117, 152–153
 Guiana crested eagle (*Morphnus guianensis*), 49–50, 153
 Guinea baboons (*Papio papio*), 51
 Guinea fowls, 18
Guttera pulcheri, see Guinea fowls
- H**
 Habitat structure and anti-predator behavior, see Anti-predator behavior of vervet and patas, study of
Haliaeetus leucocephalus, see Bald eagle
 Hanuman langurs (*Presbytis entellus*), 37–38
Hapalemur spp., 36, 84, 86, 90–93, 104, 138, 161, 197
Hapalemur griseus, see Bamboo lemur
Hapalemur griseus alaotrensis, 148, 151
Hapalemur griseus griseus, 81, 89, 113–114
Hapalemur griseus occidentalis, 161
Hapalemur simus, 84
Harpia harpyja, see Harpy eagle
 Harpy eagle (*Harpia harpyja*), 41, 153, 161, 289–290, 294, 297–304
 Hawk-eagles (*Spizaetus cirrhatus*), 254
Hemitragus hylacrius, see Nilgiri tahr
 Henst's goshawks (*Accipiter henstii*), 37, 49, 77, 111, 113, 155, 180
 Herpestid, 28
 Hewlett-Packard 5890 Gas Chromatograph-5970 MSD, 255
 Hog deer (*Axis porcinus*), 51
 Hominin anti-predatory behavior, study of
 small cooperative groups, 372
 small groups with male protector, 372
 solitary foragers, 372–373
Homo sapiens, 366
Homotherium, 357–361, 363–364
Hyaena hyaena, 357
 Hyaenids, 28–30, 38, 47, 50, 357, 361, 363
Hyllocicla mustelina, see Wood thrush
- I**
 Individual capture probability, 340–342
Indri spp., 36, 101, 119, 130, 133, 138–139
Indri indri, 105
- J**
 Jaguar (*Panthera onca*), 40, 159, 359, 366
 Jaguarundi (*Felis yagouaroundi*), 40
 Japanese macaques (*Macaca fuscata*), 38
- K**
 Kanha Park, 37
 Kanneliya Forest Reserve, 224
 Kibale forest range, 14, 33, 51
 Kirindy forest range, 80, 110, 155
 Kiwengoma Forest Reserve, 33

L

- L. l. lydekkerianus*, 222–223, 231
L. l. nordicus, 224, 231
L. tardigradus tardigradus, *see*
 Southwestern Ceylon red
 slender loris
- Lagothrix*, 50
- Large-eared bushbaby (*Otolemur
 crassicaudatus*), 135–139, 206–212,
 215–218
- Leaping behavior, kinetics and
 kinematics of
 in *Avahi occidentalis*, 136
 in *Cryptoprocta*, 138
 and efficiency of transport, 130
 in *Galago moholi*, 127, 134–135
 and high take-off angles, 134–135
 leaping mechanics, 144–145
 leaping mechanisms, 128–129
 leaping style, 128–129
 in *Lepilemur ruficaudatus*, 137
 and musculoskeletal load, 130–131
 in *Otolemur crassicaudatus*, 134,
 136–137, 139
 as specialization, 129–131
 in *Tarsius bancanus*, 131, 134–140
 and transport speed, 131–134
- Leioheterondon madagascariensis*, 276
- Lemur antipredator strategies,
 investigation of, *see also* *Lemur
 catta*, anti-predator strategies of
 of cathemeral and diurnal lemurs,
 113–118
 methods, 101
 of nocturnal lemurs, 107–112
 predation and relation to variation in life
 history and ecology, 101–105
 strategies and alarm call systems,
 105–107
 terrestrial carnivore anti-predator
 behaviors, 119
- Lemur catta*, 37, 113, 117–118, 130, 149,
 155, 163, 275, *see also* *Lemur catta*,
 anti-predator strategies of
- Lemur catta*, anti-predator strategies of
 canopy level, 281–283
 group size and predator strategies, 283
 infant vulnerability and vigilance
 behavior, 283–284
- innate anti-predator strategy, 285
 methodology, 278–279
 predator sensitive foraging behavior,
 279–280
 sex and rank differences in anti-predator
 behavior, 284–285
 types of antipredator behaviors, 276–278
 vigilance behavior, 279–283
- Lemur predators, based on Goodman, 102
- Lemur specialist, 64, 73–74
- Leontopithecus rosalia*, 159
- Leopards (*Panthera pardus*), 6, 8–12,
 14–15, 17–18, 20, 32, 37, 40, 45, 51,
 77, 228, 289, 313, 321, 341, 344,
 355, 359–368
 daytime activities of, 9
 effect of predation, 14–17
 prey spectrum of, 11
 of savannah, 9, 12
 as scavengers, 12
- Lepilemur edwardsi*, 73, 107, 136
- Lepilemur leucopus*, 173–174, 179, 181
see also Animal nocturnal behavior
 to moonlight, study of
 moonlight effects on activity budgets,
 191–194
 self-grooming behavior of, 185, 189, 191
 vocalizations of, during moonlight,
 174–179
- Lepilemur mustelinus*, *see* Weasel sportive
 lemur
- Lepilemur mustelinus leucopus*, 136
- Lepilemur ruficaudatus*, *see* Red-tailed
 sportive lemur
- Lepilemur seallii*, 92
- Life-dinner principle, 146
- Lophotibis cristata*, 86
- Loris* spp., 39–40, 128, 131, 180, 222–235,
 253, 257, 263, 267, 269–271, *see also*
 Asian Lorises, study of strategies by
Loris tardigradus, 180
- Lycaon* spp., 359–361, 363
Lycaon lycaonoides, 357, 364
Lycaon pictus, *see* African hunting dogs

M

- M. semitorquatus*, 41
- Macaca* spp., 40
Macaca fascicularis, 51

- Macaca fuscata*, see Japanese macaques
Macaca mulatta, see Rhesus macaques
Macaca radiata, see Bonnet macaques
 Machairodontine (*Machairodus*), 357, 359–361, 363–364
 Machairodont (*Megantereon*), 357–361, 364
Machairodus, see Machairodontine
 Machiavellian intelligence hypothesis, 21
 Madagascar boa (*Sanzinia madagascariensis*), 77105, 178
 Madagascar buzzard, 76
 Madagascar harrier hawk (*Polyboroides radiatus*), 36, 86, 108–109, 116, 136, 152, 178, 214
 Madagascar long-eared owls (*Asio madagascariensis*), 36, 48, 136, 178
Madagascarophis colobrinus, 108
 Madagascar serpent eagle (*Eutriorchis astur*), 79, 81, 107, 111, 113, 155
 Madagascar tree boa (*Sanzinia madagascariensis*), 107, 113, 180
 Mahale mountains, of Tanzania, 32
 Malagasy brown-tailed mongoose (*Salanoia concolor*), 36
 Malagasy civet (*Fossa fossana*), 36
 Malagasy owls, 37
 Malagasy predator diets, 47
 Malagasy prosimians, 36, 43
 Mangabeys, 4, 8, 14, 20, 33
 Mantled howler monkey (*Alouatta palliata*), 137, 149, 157–159, 161, 163, 291
 Margay (*Felis wiedii*), 40, 161
Megantereon, see Machairodont
 Meru-Betiri Reserve, 37, 51
 Meta-analysis, 28–29, 31, 40, 49
Micrastur, 40
Micrastur semitorquatus, see Forest falcon
Microcebus spp., 29, 43, 73–74, 104, 112, 127, 138, 179, 197
Microcebus coquereli, see Dwarf lemur
Microcebus murinus, see Gray mouse lemur
Microcebus ravelobensis, see Golden brown mouse lemur
Microcebus rufus, see Brown mouse lemur
 Mid-flight rotation, 130
 Milne-Edward's sifakas (*Propithecus diadema edwardsi*), 36, 81, 84–86, 89, 91, 93, 114, 157, 283
 Mimicry, 223, 233
Miopithecus talapoin, see Talapoin monkey
Mirza coquereli, see Coquerel's dwarf lemur
 Mixed-species associations, 5–7, 281, 327
 Mobbing behavior, of primates, 110, 113, 116, 119, 246
 Mongoose lemur (*Eulemur mongoz*), 148, 152
Morphnus guianensis, see Guiana crested eagle
 Moustached tamarins (*Saguinus mystax*), 159, 161, 281
 Multi-male groups, as adaptation to predation, 3
Mungotictis decemlineata, see Narrow-striped mongoose
Muntiacus muntjak, see Barking deer
 Mustelid families, 28, 159

N
Naja naja, 208
Naja nigricillis, 208
Nandinia binotata, see Palm civet
 Narrow-striped mongoose (*Mungotictis decemlineata*), 36
Nasalis, 39
 Neotropical raptor species, 40, 47, 49
 Ngogo study site, in Kibale, 33
 Nighthawks (*Chordeiles minor*), 193
 Nilgiri langurs, 37, 51
 Nilgiri tahr (*Hemitragus hylocrius*), 51
 Niokolo-Koba National Park, 50
 Nocturnal lemurs, 74, 100–101, 104, 107–113, 138, 153, 180–181, 275–276
 Non-predatory rodent (*Eliurus myoxinus*), 111–112
Nyctereutes procyonoides, 38
Nycticebus spp., 39–40, 128, 194, 222, 233, 253, 269
Nycticebus bengalensis, see Slow lorise
Nycticebus coucang, see Slow lorise
Nycticebus coucang coucang, 255
Nycticebus pygmaeus, see Pygmy lorise

O

- Ocelot (*Felis pardalis*), 40
 Olfactory behavior, of primates, 224–225, 229, 233
 Olive colobus monkeys (*Procolobus verus*), 4, 20
 Oncilla (*Felis tigrina*), 40
Otolemur spp., 134, 136–137, 139
 Otolemur crassicaudatu, *see* Large-eared bushbaby
 Otolemur garnetti, *see* Small-eared bushbaby
Otus rutilus, 37
 Owl monkeys (*Aotus azarai*), *see* 42, 94, 148–149, 152–153

P

- Pachycrocuta*, *see* Giant hyena
 Palm civet (*Nandinia binotata*), 179, 226, 228
Panthera leo, 32, 324, 355, 361
Panthera onca, *see* Jaguar
Panthera pardus, *see* Leopards
Panthera tigris, *see* Tigers
Pan troglodytes, *see* Chimpanzees
Papio hamadryas, *see* Chacma baboons
Papio papio, *see* Guinea baboons
Paradoxurus zeylonensis, *see* Golden palm civet
Paranthropus, 362, 364, 370
Parapapio jonesi, 362
Perca fluviatilis, 162
 Periyar Tiger Reserve, 37, 51
 Perkin-Elmer Sciex API-III instrument, 255
Peromyscus leucopus, *see* White-footed mice
Phalaenoptilus nuttallii, *see* Common poorwill
Phaner furcifer, *see* Fork-marked lemur
 Phenomenex Jupiter C-18 reverse phase column, 255–256
 Philippine eagle (*Pithecophaga jeffery*), 39
Pithecophaga jeffery, *see* Philippine eagle
 Pleistocene climate, 19
 Poaching activity, by humans, 6–7
 effects of, 13
Poiana leightoni, *see* West African linsang
Polemaetus bellicosus, 208

- Polyboroides* nests, 88,
Polyboroides radiatus, *see* Madagascar harrier hawk
 Polyspecific associations, among primates, 5–6, 19–20, 50, 241, 338, 308–311, 328
Pongo, 39
 Predation and primitive cognitive evolution, 3–22
 general assumptions in adaptation to predation, 3
 Predation on lemurs, observations and experiments of
 activity cycle and risk of predation, 93–95
 body mass and risk of predation, 92
 experimental data analysis, 83–84
 experiments, 81–83
 intra-species response to experiments, 89–90
 lemur behavioral responses to multiple-predator community, 91
 lemur social aggregations and risk of predation, 91–92
 observations at raptor nest sites, 81
 observations of predation on lemurs from reported kills and scat, 84–86
 predation rates and anti-predator tactics, 90–91
 raptor nest site observations, 86–88
 review of reported kills, 80–81
 risk of predation and birth synchrony of lemurs, 93–94
 species rarity and hibernation, 93
 study site, 79–80
 Predation on primates, biogeographical analysis of
 in Africa, 31, 32–34
 in Asia, 31, 37–40
 estimated predation rates, 42–44
 frequency of occurrence in primates in predator diets, 44–49
 in Madagascar, 31, 34–37
 methodology, 28–29
 in Neotropics, 31, 40–42
 Predation rate, 14, 27, 42–43, 50, 86, 91–93, 127, 173, 196, 312–316, 329, 339

- Predation risk, 27, 83, 100–101, 104–107, 113–114, 118–119, 146, 158–159, 162, 173–174, 179, 193, 195, 197, 206–218, 206, 232, 275, 278–279, 312–316
 dynamics of, in terrestrial environments, 339–340
 and habitat activity patterns, 348–351
 and habitat choice, 342, 344–346, 351
 Predator-assessment call, 158, 295–296, 303–304
 Predator fauna, 3, 4, 7
 Predator-prey interactions, study of
 direction of scanning, 292, 298, 300
 display of other behavioral activities, 300–301, 328
 experimental play back, 296–298
 methods, 290–294
 predator perspective, 294–295
 prey perspective, 295–296, 303
 vigilance rate, 298–300, 341
 Predator-prey relationships, 28
 Predator sensitive foraging, 278–280, 283, 285
Presbytis, 37, 39
Presbytis entellus, see Hanuman langurs
 Prey capture, probability of, 340–341, 344, 351
 Primate cathemerality and predation
 behavioral crypticity, 147, 152–153, 160
 escape behavior in relation to size, 158–159
 mobbing behavior of primates, 110, 113, 161
 predator confusion by polymorphism, 159–160
 and sexual dichromatism, 147, 159, 162–163
 social groups and predation, 147, 152–153–158, 160–161
 in squirrel monkey, 41, 161
 taxonomic distribution of, 147–150
 PrimateLit, 101
Procolobus badius, see Red colobus monkeys
Procolobus verus, see Olive colobus monkeys
Profelis aurata, see Golden cats
Propithecus diadema, 133
Propithecus diadema edwardsi, 36, 114, 157, see also Milne-Edward's sifakas
Propithecus edwardsi, 81, 84–86, 89–91, 93, 283
Propithecus pardus, 364
Propithecus potto edwardsi, 223–225
Propithecus ursinus, 319
Propithecus v. verreauxi, see Verreauxi sifakas
 Prosmians, leaping kinematics and kinetics of, see Leaping behavior, kinetics and kinematics of
 Protana A/S, 255
 PROTPARS weighting scheme, 256
Pteropus rufus, see Fruit bat
 Puma (*Felis concolor*), 36, 40
 Putty-nosed monkeys, 4, 6, 14, 17–19
 Pygmy lorise (*Nycticebus pygmaeus*), 234, 253, 255, 257, 264, 269, 271
Python reticulatus, 39, 242
Python sebae, 208
- R**
 Ranomafana National Park
 activity cycle of lemurs and predation evidence in, 93–94
Lemur spp., in, 77–93
 primate prey of *Accipiter henstii* at, 88
 primate prey of *Polyboroides radiatus* at, 88
 Talatakely Trail System (TTS) in, 80, 85
 Ranthambhore forest, 37
 Raptors, 28–30, 32, 37, 39, 41–43, 46–47, 49–50, 77–78, 80, 85–86, 91–93, 101, 106–107, 110–111, 113–115, 119, 138–139, 153–154, 156–157, 159–161, 163, 180–181, 224, 249, 276, 281, 295, 297
Rattus rattus, 86
 Red-bellied lemur (*Eulemur rubriventer*), 84, 86, 92, 114, 152, 155, 283
 Red colobus monkeys (*Procolobus badius*), 4, 13–14, 20, 29, 316
 Red-fronted brown lemurs, 29, 114–116, 281
 Red ruffed lemur (*Varecia variegata*), 84, 86, 93, 114, 149, 152, 157
 Red-tailed sportive lemur (*Lepilemur ruficaudatus*), 110, 137

Reptiles, 6, 28–30, 46–47, 66, 86, 88, 101, 327
 Rete mirabile, 128
 Rhesus macaques, 37, 320
 Ring-tailed lemurs, 113, 115–118, 149, 275–285
 Rudd (*Scardinius eryophthalmus*), 162

S

Saguinus fuscicollis, 159, 161
Saguinus imperator, 161
Saguinus labiatus, 161
Saguinus mystax, *see* Moustached tamarins; Tamarins
Saguinus nigricollis, *see* Black-mantled tamarins
Saimiri spp., 50
Saimiri sciureus, *see* Squirrel monkey
Salanoia concolor, *see* Malagasy brown-tailed mongoose
 Sambar (*Cervus unicolor*), 51
 Sanford's brown lemurs (*Eulemur fulvus*), 153, 161–162
Sanzinia madagascariensis, *see* Madagascar boa; Madagascar tree boa
Scardinius eryophthalmus, *see* Rudd
 Scent marking, 224–225, 228–229, 233–234
Sciurus carolinensis, *see* Eastern gray squirrel
 Segera Ranch site, 317–318, 321, 326, 329
Selenarctos thibetanus, *see* Asian black bears
Setifer setosus, 67
 Short-faced bear (*Arctodus*), 361
 Short microhabitat, 319, 324, 327
 Signaling, 105, 121, 157, 206, 217–218, 225, 242, 270, 277
 Slow lorise (*Nycticebus bengalensis*), 38, 216, 232, 251, 253, 255, 257, 264–265, 269
 Small-eared bushbaby (*Otolemur garnettii*), 194
 Sniffing, 225, 229, 269
 Solid phase matrix extractor (SPME), 255, 257
 Sooty mangabeys, 4, 8, 14,
 Sooty mangabeys (*Cercocebus atys*), 4,

Southwestern Ceylon red slender loris (*L. tardigradus tardigradus*), 224
 Spectral Tarsiers, behavior of, towards avian and terrestrial predators
 data collection, 243–245
 field site, 243
 result analysis, 245–248

Spizaetus cirrhatus, *see* Hawk-eagle
 Squirrel monkey (*Saimiri sciureus*), 161
 Startle response behavior, 285–286
Stephanoaetus coronatus, *see* African crowned eagle
Stephanoaetus mahery, 275
 Swamp deer (*Cervus duvanceli*), 51
 Sympatric perodicticine (*Arctocebus aureus*), 223, 231
 Sympatric pottos, 179

T

Tai monkeys, hunting behavior of
 predators on
 adaptations to chimpanzee predation, 8, 13–14
 adaptations to eagle predation, 14
 adaptations to human predation, 13
 adaptations to leopard predation, 14–17
 chimpanzee hunting, 7–8
 by crowned eagles, 8–9
 habitats of, 4–5
 by human poachers, 6–7
 interaction effects, 20
 by leopards, 9–12
 polyspecific associations of, 5–6, 19–20
 predation and primate cognitive evolution, 17–18, 21

Tai National Park, 4
 Talapoin monkey, 33
 Talatakely study site (TTS), 80
Tamarindus indica, 181
 Tamarins (*Saguinus mystax*), 159, 161
 Tangkoko Nature Reserve, 243
Tarsius spp., 40, 129, 135, 137, 195–196
Tarsius bancanus, *see* Western tarsier
Tarsius spectrum, *see* Wild spectral tarsier
 Temporal crypticity strategy, 147, 152, 156
 Terborgh's model, of evolutionary adaptation, 50
 Tigers (*Panthera tigris*), 37, 355

Tinamus major, 293, 297
Trachypithecus spp., 39
 Trachypithecus cristata, 51,
 Trachypithecus johnii, *see* Nilgiri langur
 Tsaobis grooming, 342
Tursiops truncatus, 301
Tyto alba, 138, 180
Tyto alba affinis, 37
Tyto soumagnei, 37

U

Umbrella trees (*Acacia tortilis*), 321
 UV properties, of primate urine, 234

V

Vanga curvirostris, 29
Varanus indicus, 242
Varanus spp., 208
Varecia spp., 36, 101, 119, 149–150, 157,
 159, 163
 Varecia variegata, *see* Red ruffed lemur
 Varecia variegata variegata, *see*
 Black-and-white ruffed lemur
 Vasa parrot (*Coracopsis vasa*), 81, 85
 Vatoharanana study site (VATO), 80
 Verreauxi sifakas (*Propithecus v.*
 verreauxi), 37, 73, 113 115, 130,

Verreaux's eagles (*Aquila verreauxi*), 46,
 208

Visual systems, of predators and prey,
 192–194

Viverra zangalunga, 242

Viverricula indica, 36, 67, 225 274

Viverricula indica majori, 225

Vivverid, 28

Vulpes vulpes, 38

W

Weasel sportive lemur (*Lepilemur*
 mustelinus), 111

West African linsang (*Poiana leightoni*),
 226

Western tarsier (*Tarsius bancanus*), 131,
 134–140

Whippoorwills (*Caprimulgus vociferous*),
 193

White-footed mice (*Peromyscus leucopus*),
 195

Wild spectral tarsier (*Tarsius spectrum*),
 139, 174, 223

Wolves (*Canis lupus*), 38, 303, 363

Wood owl (*Ciccaba woodfordii*), 208

Wood thrush (*Hylocicla mustelina*), 118