

Subject Index

A

Abnormal diffusivity coefficients, xix
Activation process, 155–156
Atomic level
 characterization, 320–324
 description, 346–347
Atomistic considerations, 154
Atomistic modeling, 53, 64, 353
Atomistic potential, 81
Atomistic simulations, 81

B

Ball milling, 13–14
BMG, *see* Bulk metallic glass (BMG)
Boltzmann distribution, 365
Boundaries, structure and interfacial energies, 59–61
Boundary-bulk interactions, emission, and absorption, kinetics of, 71–73
Bounds, 183, 216, 218, 221, 254, 317
 Hashin-Shtrikman bounds, 237–242
 lower and upper, 231, 248
 Reuss solution for composite materials, 228–229
 strain energy density, 236
 Voigt and Reuss solutions, 230
Bulk energy, 68–69
Bulk metallic glass (BMG), 10–11

C

Canonical ensemble (NVT), 95–96
 mathematical description, 97–100
Classical secant method, 248
Coble creep, 45, 160, 162–163, 164
 diffusional creep of, 55
 grain boundaries, self-diffusivity of, 147
 NC materials, softening behavior of, 55

 three-phase models, 74
 vacancy diffusion paths during, 161
Coherent interface, 300
Coincident site lattice (CSL) model, 127–131
Cold compaction, 23, 24
Composite sphere assemblage model, 215–216
Condensation of vaporized metal, 20–21
Consistency condition, 207
Constraint Hill's tensor, 187
Constraint tensor, 188
Contact angle, 294
Continuum crystal plasticity theory, 57
Continuum mechanics, virtual force principle in, 226
Continuum micromechanics
 basic equations, 190–192
 definitions and hypothesis, 170–171
 direct method using Green's functions, 199–201
 elastic moduli for dilute matrix-inclusion composites, 193
 method using equivalent inclusion, 193–196
 spherical inhomogeneities and isotropic materials, 196–199
 extensions of linear micromechanics to nonlinear problems, 243–245
 constitutive equations of grains and grain boundary phase, 277–278
 linear comparison composite material model, 273–277
 nanocrystalline copper, application, 278–281
 secant formulation, 246–255
 tangent formulation, 256–273
 volume fractions of grain and grain-boundary phases, 273

- Continuum micromechanics (*cont.*)
 field equations and averaging procedures, 175
 field equations and boundary conditions, 175–177
 Hill lemma, 180–182
 volume averages of stress and strain fields, 178–180
 mean field theories and Eshelby's solution, 183–192
 Eshelby's inclusion solution, 184–186
 Eshelby's problem with uniform boundary conditions, 188–190
 inhomogeneous Eshelby's Inclusion, 186–188
 mean field theories for nondilute inclusion-matrix composites, 201–202
 interpretation of the self-consistent, 206–208
 Mori-Tanaka mean field theory, 208–215
 self-consistent scheme, 202–206
 modeling, 65–75
 multinclusion approaches
 composite sphere assemblage model, 215–216
 generalized self-consistent model of Christensen and Lo, 216–219
 $n + 1$ phases model of Herve and Zaoui, 219–220
 representative volume element (RVE), 171–172
 ergodic condition, 172–173
 macrohomogeneity condition and resulting properties, 174–175
 variational principles in linear elasticity, 220–221
 Hashin-Shtrikman bounds for linear elastic effective properties, 237–242
 Hashin-Shtrikman variational principles, 230–236
 variational formulation, 221–230
 Crystallites, 30
 dislocations, 30–32
 stacking faults, 32–33
 twins, 32
 Crystallization from amorphous glass, 10–12
 Crystal plasticity, 65, 170, 243, 266, 362, 363–366, 370
 continuum, 56, 57
 physical aspects of, 262
 CSL model, *see* Coincident site lattice (CSL) model
 Curve angle, 4
 Cusps, excess energy between, 137
- D**
 Deformation map, 145–147
 Deformation mechanisms, 143, 169, 170, 277
 diffusion mechanisms, 159–161
 Coble creep, 162–163
 Nabarro-Herring creep, 161–162
 triple junction creep, 163
 dislocation activity, 147–151
 experimental insight, 143–145
 grain boundary dislocation emission, 151–153
 activation process, 155–156
 atomistic considerations, 154
 dislocation geometry, 153–154
 stability, 157
 grain boundary sliding
 in NC materials, 165–167
 steady state sliding, 163–165
 map, 145–147
 NC materials, 44–45, 54, 55, 59, 143–167
 powder densification, 23
 twinning, 157–159
 Deformation twinning, 144, 145, 157–159
 Density functional theory (DFT), 87
 Diffusion mechanisms, 159–161
 Coble creep, 162–163
 Nabarro-Herring creep, 161–162
 triple junction creep, 163
 Disclinations, 70, 136, 141
 and disclination dipoles, 134–137
 and dislocation, 135
 rotational defects bounding, 134
 theory, 136
 Dislocation(s), 30–32
 activity, 112, 147–151
 emission, 69, 361
 emission process, 66
 geometry, 153–154
 model, 122–126, 127, 131, 133
 in NC materials, 112–115
 nucleation and motion, kinetics of, 62–64
 structures, competition of bulk and interface, 65–71
 Dispersion, 289–290
 Ductility, 11, 16, 25, 42–43, 42–44, 285
 grain boundaries, 117
 NC materials, 50, 53, 56, 58, 166, 167

E

ECAP, *see* Equal channel angular pressing (ECAP)

Effectiv bulk modulus, 309–310

Elastic behavior, 188

- coherent interface, 300
- interface stress, 307
- linear, 243
- surface elasticity and, 301–302

Elastic constants, 37, 39, 81, 84, 86, 89, 164, 187, 188, 307, 328, 332

- fluctuation part of, 330
- homogeneous, 257

Elastic deformation, 138–139

Elastic description of free surfaces and interfaces, 300

- interfacial excess energy, 301
- surface elasticity, 301–302
- surface stress and surface strain, 302

Elasticity theory, 135–136

Elastic moduli for dilute matrix-inclusion composites, 193

- method using equivalent inclusion, 193–196
- spherical inhomogeneities and isotropic materials, 196–199

Elastic properties, 39–40

- yield stress, 40–42

Electrodeposition, 1, 3, 7, 9–10, 17, 32, 43, 53, 70, 72

- dislocation emission process, 66
- viscoplastic behavior and, 54–55

Ellipsoidal inhomogeneities and isotropic material, 328–342

Ellipsoidal nano-inhomogeneity, 341–342

Embedded atom method, 87–89

Entropy, 94–95

Equal channel angular pressing (ECAP), 1, 2, 3–7, 8, 30, 31, 32

Equations of motion, 81, 82–85, 90, 91

- expression of, 97–98

Equiaxed microstructure, 5

Ergodic condition, 172–173

Ergodic hypothesis and microstructure, 173

Ergodic media, 173

Ergodic theory, 172

Eshelbian schemes, 75

Eshelby's fourth-order tensor, 185

Eshelby's inclusion solution, 184–186

Eshelby's nano-inhomogeneities problem solution, 320

- atomistic and continuum description of interphase, 320–328

- micromechanical framework for coating-inhomogeneity problem, 328–336
- numerical simulations and discussions, 336–344

Eshelby's nano-inhomogeneities problems, 303–304

Eshelby's problem with uniform boundary conditions, 188–190

Eshelby's tensor, 314

Eshelby's theory, 185–186, 193

Extrapolated strain rate, 270

F

Fabrication, 1–3

- one-step processes, 3
 - crystallization from amorphous glass, 10–12
 - electrodeposition, 9–10
 - severe plastic deformation, 3–9
- two-step processes, 12
 - nanoparticle synthesis, 12–21
 - powder consolidation, 22–25

Field equations and averaging procedures, 175

- field equations and boundary conditions, 175–177

Hill lemma, 180–182

- volume averages of stress and strain fields, 178–180

Field equations and boundary conditions, 175–177

Field of mesomechanics, 58

Field translation method, 370, 376

Finite deformation theory, 319

Finite element method, 362

- application, 366–370
- QC method and, 354–355

Finnis-Sinclair potential, 89–90

Flow stress, 44–45

Frank formula, 122, 123, 133

G

Generalized self-consistence scheme (GSCS), 335

Generalized self-consistent method (GSCM), 315–317

Generalized self-consistent model of Christensen and Lo, 216–219

Grain boundaries, 33–37

- construction, 108–110

- Grain boundaries, (*cont.*)
 dislocation model, low-angle, 122–126
 large-angle, 126–137
 network into self-consistent scheme,
 incorporation of, 73–75
- Grain boundaries modeling, 117–119
 applications, 138
 elastic deformation, 138–139
 plastic deformation, 139–141
 energy measures and numerical
 predictions, 119–121
 structure energy correlation, 121–122
 large-angle grain boundaries, 126–137
 low-angle grain boundaries:
 dislocation model, 122–126
- Grain boundary dislocation emission, 67, 68,
 74, 137, 139, 151–153, 151–157,
 155, 364, 370, 376, 377
 activation process, 155–156
 activity of, 71
 atomistic considerations, 154
 disclination-based model for, 140,
 141, 142
 dislocation geometry, 153–154
 effect of, 359–361
 mechanism, 56
 NC materials
 plastic deformation of, 65–66
 plasticity, 73
 stability, 157
- Grain boundary sliding
 in NC materials, 165–167
 steady state sliding, 163–165
- Grain boundary structure, 15, 35, 36, 60–61,
 65, 109
 atomic level, 57–59
 CSL Model, 127
- Grain growth, 110–112
- Grain interiors, 170, 272, 362
 dislocation activity, 146
 dislocation density evolution, 364
 in NC materials, 150
 polycrystalline aggregate and, 161
 vacancy diffusion in, 359
- Grains and grain boundary phase,
 constitutive equations of, 277–278
- Grain size, 10
- Green's functions, 75, 199–201
- Green's tensors, 330
- GSCM, *see* Generalized self-consistent
 method (GSCM)
- GSCS, *see* Generalized self-consistence
 scheme (GSCS)
- H**
- Hall-Petch law, xix, 40–42, 74, 143, 280, 377
- Hall-Petch slope, 40, 41
- Hashin-Shtrikman bounds, 237–242
 for linear elastic effective properties,
 237–242
- Hashin-Shtrikman variational principles,
 230–236
- Herring's formula, 119, 120
- Higher-order finite elements, 361–362
 application via finite element method,
 366–370
 crystal plasticity, 363–366
- High-pressure torsion (HPT), 7–9
- Hill lemma, 180–182
- Hill's macrohomogeneity condition, 181
- Hill's polarization tensor, 185
- HIP, *see* Hot isostatic pressing (HIP)
- Homogenization, 303, 334
- Hoover's equations of motion, 100
- Hot isostatic pressing (HIP), 22, 23, 24–25
- HPT, *see* High-pressure torsion (HPT)
- I**
- Imperfect interfaces, 166, 376
 treatment of, 354, 370
- Inclusions, 184, 193, 196, 201, 205, 312–313
- Inelastic response
 ductility, 42–43
 flow stress, 44–45
 strain rate sensitivity, 45–46
 thermal stability, 46–50
- Inert gas condensation (IGC), 31–32
- Infinite medium, 173
- Inhomogeneous Eshelby's inclusion,
 186–188
- Integral equation and localization, 329–334
- Interatomic potentials, 85–86
 embedded atom method, 87–89
 Finnis-Sinclair potential, 89–90
 Lennard Jones potential, 86–87
- Interface(al), 290
 elastic properties, 324
 energy, 126, 295, 304, 318–319
 evolution of, 133, 156
 as function of misorientation angle, 60
 relaxation tensor, 302
 stress, 307
 transverse compliant tensor, 302
- Interphase, 29, 35, 119, 287, 289, 320–328, 325
 parameters, 326
 stiffness tensor, 325

Interpretation of the self-consistent, 206–208
 Ion milling, 39
 Isobaric-isothermal ensemble, 91, 100
 Isobaric isothermal ensemble (NPT), 97
 Isotropic interface, 326–327

K

Kelvin expression, 299
 Kroner's method, 72
 Kunin's projection operators, 74

L

Lamé constants, 336
 Landau theory, 327
 Large-angle grain boundaries, 126–137
 Leapfrog algorithms, 105–106
 Lennard Jones potential, 86–87
 Linear comparison composite, 247
 Linear elasticity, 309–310
 Linear elastic theory, 150–151
 Linear micromechanics to nonlinear problems, 243–245
 constitutive equations of grains and grain boundary phase, 277–278
 linear comparison composite material model, 273–277
 nanocrystalline copper, application, 278–281
 Secant formulation, 246–255
 tangent formulation, 256–273
 volume fractions of grain and grain-boundary phases, 273
 Liquid/liquid interface, 292
 Liquid/vapor interface, 290–291
 Li's theory, 40–41
 Localization, 303, 328
 integral equation and, 329–334
 Low-angle grain boundaries, 122–126

M

MA, *see* Mechanical alloying (MA)
 Mandel-Hill condition, 181
 Mean field theory(ies), 196, 201–202, 206
 and Eshelby's solution, 183–192
 Eshelby's inclusion solution, 184–186
 Eshelby's problem with uniform boundary conditions, 188–190
 inhomogeneous Eshelby's Inclusion, 186–188

for nondilute inclusion-matrix composites, 201–202
 interpretation of the self-consistent, 206–208
 Mori-Tanaka mean field theory, 208–215
 self-consistent scheme, 202–206
 Measurable properties and boundary conditions
 boundaries conditions, 102–105
 order: centro-symmetry, 102
 pressure: virial stress, 101–102
 Mechanical alloying (MA), 3, 12–14, 17, 24, 32
 grain refinement mechanism, 14–17
 nanoparticle synthesis, 12–13
 NC powder synthesis, 25
 Mechanical properties, nanocrystalline materials, 37–39
 elastic properties, 39–40
 yield stress, 40–42
 inelastic response
 ductility, 42–43
 flow stress, 44–45
 strain rate sensitivity, 45–46
 thermal stability, 46–50
 Melchionna molecular dynamics method, 100–101
 Mesodomains, 171
 Mesoscopic analysis, 59–65
 Microcanonical ensemble, 91, 93–95
 Micromechanics, 370–377
 see also Continuum micromechanics
 Microstructure, 4, 6–7, 8–9, 10, 12, 29, 32, 37, 38, 53, 64, 70, 111, 182, 183
 equiaxed, 5
 ergodic hypothesis and, 173
 grain boundaries, 33–36, 73–74, 154, 165
 linear isotropic behavior of, 255
 nanocrystalline (NC) sample, 1
 nanometer-scale, 303
 NC materials, 117, 143, 144, 150, 362
 particle collection and, 21
 two-dimensional columnar, 114
 Modified secant method, 248
 Molecular dynamics (MD), 54, 56, 62, 68, 85, 108, 153, 155, 169, 359
 dislocation penetration process, 73
 methods, 97–101
 simulation, 90
 usage, 81–82
 Molecular dynamics methods, 97
 Melchionna molecular dynamics method, 100–101

- Molecular dynamics methods, (*cont.*)
 Nosé Hoover molecular dynamics method, 97–100
- Molecular simulations, predictive capabilities and limitations of applications, 108
 dislocation in NC materials, 112–115
 grain boundary construction, 108–110
 grain growth, 110–112
 equations of motion, 82–85
 interatomic potentials, 85–86
 embedded atom method, 87–89
 Finnis-Sinclair potential, 89–90
 Lennard Jones potential, 86–87
 measurable properties and boundary conditions
 boundaries conditions, 102–105
 order: centro-symmetry, 102
 pressure: virial stress, 101–102
 molecular dynamics methods, 97
 Melchionna molecular dynamics method, 100–101
 Nosé Hoover molecular dynamics method, 97–100
 numerical algorithms, 105
 predictor-corrector, 106–108
 velocity Verlet and leapfrog algorithms, 105–106
 statistical mechanics, 90–93
 canonical ensemble (NVT), 95–96
 isobaric isothermal ensemble (NPT), 97
 microcanonical ensemble (NVE), 93–95
- Molecular statics/dynamics, 57
- Mori-Tanaka lemma, 210
- Mori-Tanaka mean field theory, 212–215
 Mori Tanaka's two-phase model, 208–212
- Mori-Tanaka method (MTM), 315–318
- Mori-Tanaka two-phase model, 208–212
- Multi-coated inhomogeneity, 328
- Multinclusion approaches
 composite sphere assemblage model, 215–216
 generalized self-consistent model of Christensen and Lo, 216–219
 $n + 1$ phases model of Herve and Zaoui, 219–220
- Multiscale modeling, 57, 65
- N**
- Nabarro-Herring creep, 147, 160, 161–162, 163, 359
 vacancy diffusion paths, 161
- Nanocrystalline (NC) materials
 bridging the scales from the atomistic to continuum, 58–59
 continuum micromechanics modeling, 65–75
 mesoscopic studies, 59–65
 mesoscopic simulations of, 64–65
 viscoplastic behavior, 54–58
- Nanocrystalline copper, 278–281
- Nanograins, synthesis of, 12, 17–18
- Nano-inclusion problem
 Duan et al., 315–317
 bulk modulus, 317
 shear modulus, 317–318
 Huang and Sun, 318–319
 Lim et al., 305–307
 Sharma and Ganti, 310–313
 Sharma and Wheeler, 313–315
 Sharma et al., 304–305
 Yang, 307–310
- Nano-inhomogeneities, 335
- Nanomechanics theory, 302, 304
- Nanometer, xiii
- Nanoparticles, 327–328, 344
 ceramic, 12
 collection, 17, 19
 consolidation of, 24
 crystalline, 10
 growth and collection of clusters, 327–328
 powder, 1, 17, 21–24
 sintering and, 24
 spherical, 336, 337
 surface free energy, 302
 surface/interface elasticity effect of, 319
 synthesis of, 1–2, 12–21
- Nano-particles and negative stiffness
 behavior, 327–328
- Nanoparticle synthesis, 12–21
 MA, 12–17
 grain refinement mechanism, 14–17
 PVD, 17–21
 condensation of vaporized metal, 20–21
 evaporation of the metal source, 18–20
 growth and collection of nanoparticle clusters, 21
- Navier equation, weak formulation of, 223
- Negative bulk modulus, 327
- Non-conventional finite elements
- Nosé Hoover method, 97–100, 115

- N + 1 phases model of Herve and Zaoui, 219–220
- Nucleation, thermodynamic construct
for activation energy of, 65–71
- Numerical algorithms, 105
predictor-corrector, 106–108
velocity Verlet and leapfrog algorithms, 105–106
- Numerical integration, 105
- O**
- Oblate spheroid nano-voids, 339–341
- O-lattice, 129–130
theory, 130–131, 131, 136
- One-step processes, 3
crystallization from amorphous glass, 10–12
electrodeposition, 9–10
severe plastic deformation, 3–9
ECAP, 3–7
HPT, 7–9
- Orientation tensors, 264
- P**
- Physical vapor deposition (PVD), 17–21, 25, 35, 66, 70
condensation of vaporized metal, 20–21
evaporation of the metal source, 18–20
growth and collection of nanoparticle clusters, 21
nanoparticle synthesis, 12
- Plastic behavior, 266, 280, 281
- Plastic deformation, 3–9, 139–141, 353–377
ECAP, 3–7
microstructure, 6–7
HPT, 7–9
microstructure, 8–9
- Polarization, 185
- Polycrystals, 243
- Powder consolidation, 22–25
cold compaction, 23
HIP, 24–25
sintering, 24
- Predictor corrector, 105, 106–108
- Processing, 24, 25, 53, 58, 286
electrodeposition, 55
nanoceramics, 12
route, 1, 6, 16, 41
- Prolate spheroid nano-voids, 341
- PVD, *see* Physical vapor deposition (PVD)
- Q**
- Quasi-continuum method (QC), 354–358, 373
- R**
- Reference stress, 269
- Repatom, 355–357
- Representative volume element (RVE), 171–172
ergodic condition, 172–173
macrohomogeneity condition and resulting properties, 174–175
- Resistive heater coil, 18–19
- Resolved shear stress, 264
- Reuss solution for composite materials, 228–229
- Rotational defects bounding, 134
- S**
- Scherrer formula, 39
- Secant formulation, 246–255
- Secant method, 248
- Secant viscoplastic compliance moduli, 269
- Self-consistent mean field theory, 202, 206–207
- Self-consistent micromechanics, 57
- Self-consistent scheme, 202–206
- Severe plastic deformation, 3, 7, 12, 14, 31, 35
- Shuttleworth's relation, 293–294, 294
- Sintering, 22, 24, 120
- Size effect, 38, 39, 41, 148, 149, 152, 153, 215
dislocations activity, 112
intrinsic, 272
strain rate sensitivity and, 53
theoretical framework, 319
- Solid/liquid interface, 292
- Solid/solid interface, 292–293
- Solid/vapor interface, 291–292
- Spherical inhomogeneities and isotropic material, 336–337
- Spherical isotropic nano-inhomogeneity, 335–336
- Stability, 157
- Stacking faults, 32–33
- Statically admissible, 177, 222
- Statistical mechanics, 90–93, 353
atomistic simulations and, 81
canonical ensemble (NVT), 95–96
dislocation emission mechanism, 67
ergodic theory, 172
isobaric isothermal ensemble (NPT), 97
microcanonical ensemble (NVE), 93–95
relation to, 90–97
- Steady state sliding, 163–165

- Stick-slip mechanism, 55–56, 166, 357
 - Stiffness tensor, 328
 - Strain concentration tensors, 347–349
 - Strain gradient theory, 175
 - Strain rate sensitivity, 45–46, 53
 - Structural units, 138, 154
 - for grain boundary, 61, 66, 109
 - models, 130–134
 - Structure, 29–30
 - crystallites, 30
 - dislocations, 30–32
 - stacking faults, 32–33
 - twins, 32
 - grain boundaries, 33–37
 - triple junctions, 37
 - Surface
 - defined, 289
 - elasticity, 301–302
 - energy, 294–295
 - hydrophobicity, 295
 - Surface/interface physics, 293–294
 - surface energy, 294–295
 - surface tension and liquids, 295–296
 - in everyday life, 296–298
 - physical cause, 296
 - surface tension and solids, 299
 - origin for crystal, 299–300
 - Surface/interfacial excess quantities
 - computation, 302–303
 - Surface stress, 103, 288, 294, 302
 - tensor, 304, 310–312
 - Surface tension, 288, 298, 300
 - and liquids, 295–296
 - in everyday life, 296–298
 - physical cause, 296
 - and solids, 299
 - origin for crystal, 299–300
- T**
- Tangent formulation, 256–273
 - Tangent mean field theory, 268
 - Tangent moduli, 260
 - Tensile deformation, 63
 - Thermal activation, 45, 49
 - based modeling, 358–361
 - Thermal activation–based modeling, 358–361
 - Thermal stability, 2, 10, 15, 22, 38, 46–50
 - Three-phase models, 74, 218, 219, 220, 242, 317
 - Tight binding theory, 90
 - Triple junctions, 29, 37, 54, 55, 57, 163
 - creep, 163
 - effect of, 166
 - Eshelbian schemes, 75
 - evolution of, 30
 - extended dislocations and, 167
 - matrix phase, 74
 - role of, 146
 - Tstrain rate sensitivity, 45–46, 53, 143
 - NC materials, 50
 - “T” Stress Decomposition, 344–345
 - Twins, 32, 36, 66, 144
 - in Copper samples, 9
 - and dislocation loops, 30
 - formation of multiple, 14
 - nucleation of, 167
 - presence of, 146
 - Twinning, 32, 33, 115
 - deformation, 44, 157–159
 - NC materials, 146
 - Two phase double inclusion method, 208
 - Two-step processes, 12
 - nanoparticle synthesis, 12–21
 - MA, 12–17
 - PVD, 17–21
 - powder consolidation, 22–25
 - cold compaction, 23
 - HIP, 24–25
 - sintering, 24
- U**
- Unconstrained strain, 184
- V**
- Vacancy diffusion in grain interiors, 359
 - Vaporized metal, condensation of, 20–21
 - Variational formulation, 221–230
 - Variational principles in linear elasticity, 220–221
 - Hashin-Shtrikman bounds for linear elastic effective properties, 237–242
 - Hashin-Shtrikman variational principles, 230–236
 - variational formulation, 221–230
 - Velocity verlet, 105–106, 115
 - and leapfrog algorithms, 105–106
 - Virtual force principle, 226
 - Virtual principle in solid mechanics, 223
 - Viscoplastic behavior, 54–55
 - Voigt and Reuss solutions, 230
 - Voigt bound, 225

Voigt solution for composite materials, 225

Volume averages of stress and strain fields,
178–180

Volume fractions of grain and
grain-boundary phases, 273

Y

Yield stress, 16, 38, 40–42, 73, 171, 262
 evolution of, 376

 grain boundary sliding, 377

Young-Laplace equations, 326

Springer Series in
MATERIALS SCIENCE

*Editors: R. Hull R. M. Osgood, Jr. J. Parisi H. Warlimont
(Continued from page ii)*

- 50 **High-Resolution Imaging and Spectrometry of Materials**
Editors: F. Ernst and M. Rühle
- 51 **Point Defects in Semiconductors and Insulators**
Determination of Atomic and Electronic Structure from Paramagnetic Hyperfine Interactions By J.-M. Spaeth and H. Overhof
- 52 **Polymer Films with Embedded Metal Nanoparticles**
By A. Heilmann
- 53 **Nanocrystalline Ceramics**
Synthesis and Structure By M. Winterer
- 54 **Electronic Structure and Magnetism of Complex Materials**
Editors: D.J. Singh and D. A. Papaconstantopoulos
- 55 **Quasicrystals**
An Introduction to Structure, Physical Properties and Applications
Editors: J.-B. Suck, M. Schreiber, and P. Häussler
- 56 **SiO₂ in Si Microdevices**
By M. Itsumi
- 57 **Radiation Effects in Advanced Semiconductor Materials and Devices**
By C. Claeys and E. Simoen
- 58 **Functional Thin Films and Functional Materials**
New Concepts and Technologies
Editor: D. Shi
- 59 **Dielectric Properties of Porous Media**
By S.O. Gladkov
- 60 **Organic Photovoltaics**
Concepts and Realization Editors: C. Brabec, V. Dyakonov, J. Parisi and N. Sariciftci
- 61 **Fatigue in Ferroelectric Ceramics and Related Issues**
By D.C. Lupascu
- 62 **Epitaxy**
Physical Principles and Technical Implementation By M.A. Herman, W. Richter, and H. Sitter
- 63 **Fundamentals of Ion-Irradiated Polymers**
By D. Fink
- 64 **Morphology Control of Materials and Nanoparticles**
Advanced Materials Processing and Characterization
Editors: Y. Waseda and A. Muramatsu
- 65 **Transport Processes in Ion-Irradiated Polymers**
By D. Fink
- 66 **Multiphased Ceramic Materials**
Processing and Potential
Editors: W.-H. Tuan and J.-K. Guo
- 67 **Nondestructive Materials Characterization With Applications to Aerospace Materials**
Editors: N.G.H. Meyendorf, P.B. Nagy, and S.I. Rokhlin
- 68 **Diffraction Analysis of the Microstructure of Materials**
Editors: E.J. Mittemeijer and P. Scardi
- 69 **Chemical-Mechanical Planarization of Semiconductor Materials**
Editor: M.R. Oliver
- 70 **Applications of the Isotopic Effect in Solids**
By V.G. Plekhanov
- 71 **Dissipative Phenomena in Condensed Matter Some Applications** By S. Dattagupta and S. Puri
- 72 **Predictive Simulation of Semiconductor Processing**
Status and Challenges
Editors: J. Dabrowski and E.R. Weber
- 73 **SiC Power Materials**
Devices and Applications
Editor: Z.C. Feng

Springer Series in
MATERIALS SCIENCE

Editors: R. Hull R. M. Osgood, Jr. J. Parisi H. Warlimont

- 74 **Plastic Deformation in Nanocrystalline Materials**
By M.Yu. Gutkin and I.A. Ovid'ko
- 75 **Wafer Bonding**
Applications and Technology
Editors: M. Alexe and U. Gösele
- 76 **Spirally Anisotropic Composites**
By G.E. Freger, V.N. Kestelman,
and D.G. Freger
- 77 **Impurities Confined in Quantum Structures**
By P.O. Holtz and Q.X. Zhao
- 78 **Macromolecular Nanostructured Materials**
Editors: N. Ueyama and A. Harada
- 79 **Magnetism and Structure in Functional Materials**
Editors: A. Planes, L. Mañosa,
and A. Saxena
- 80 **Micro- and Macro-Properties of Solids**
Thermal, Mechanical
and Dielectric Properties
By D.B. Sirdeshmukh, L. Sirdeshmukh,
and K.G. Subhadra
- 81 **Metallopolymer Nanocomposites**
By A.D. Pomogailo and V.N. Kestelman
- 82 **Plastics for Corrosion Inhibition**
By V.A. Goldade, L.S. Pinchuk,
A.V. Makarevich and V.N. Kestelman
- 83 **Spectroscopic Properties of Rare Earths in Optical Materials**
Editors: G. Liu and B. Jacquier
- 84 **Hartree-Fock-Slater Method for Materials Science**
The DV-X Alpha Method for Design
and Characterization of Materials
Editors: H. Adachi, T. Mukoyama,
and J. Kawai
- 85 **Lifetime Spectroscopy**
A Method of Defect Characterization
in Silicon for Photovoltaic Applications
By S. Rein
- 86 **Wide-Gap Chalcopyrites**
Editors: S. Siebentritt and U. Rau
- 87 **Micro- and Nanostructured Glasses**
By D. Hülsenberg and A. Harnisch
- 88 **Introduction to Wave Scattering, Localization and Mesoscopic Phenomena**
By P. Sheng
- 89 **Magneto-Science**
Magnetic Field Effects on Materials:
Fundamentals and Applications
Editors: M. Yamaguchi and Y. Tanimoto
- 90 **Internal Friction in Metallic Materials**
A Handbook
By M.S. Blanter,
I.S. Golovin, H. Neuhäuser,
and H.-R. Sinning
- 91 **Ferroelectric Crystals for Photonic Applications**
Including Nanoscale Fabrication
and Characterization Techniques
Editors: P. Ferraro, S. Grilli,
and P. De Natale
- 92 **Solder Joint Technology**
Materials, Properties, and Reliability
By K.-N. Tu
- 93 **Materials for Tomorrow**
Theory, Experiments and Modelling
Editors: S. Gemming, M. Schreiber
and J.-B. Suck
- 94 **Magnetic Nanostructures**
Editors: B. Aktas, L. Tagirov,
and F. Mikhailov
- 95 **Nanocrystals and Their Mesoscopic Organization**
By C.N.R. Rao, P.J. Thomas
and G.U. Kulkarni
- 96 **Gallium Nitride Electronics**
By R. Quay
- 97 **Multifunctional Barriers for Flexible Structure**
Textile, Leather and Paper
Editors: S. Duquesne, C. Magniez,
and G. Camino
- 98 **Physics of Negative Refraction and Negative Index Materials**
Optical and Electronic Aspects
and Diversified Approaches
Editors: C.M. Krowne and Y. Zhang
-