

References

- Ablowitz, M.J., Kaup, D.J., Newell, A.C., and Segur, H. (1974). The inverse scattering transform-Fourier analysis for nonlinear problems. *Stud. Appl. Math.* **53**, 249–315.
- Akhatov, I.S., Gazizov, R.K., and Ibragimov, N.H. (1987). Group classification of the equations of nonlinear filtration. *Sov. Math. Dokl.* **35**, 384–386.
- Akhatov, I.S., Gazizov, R.K., and Ibragimov, N.H. (1988). Bäcklund transformations and nonlocal symmetries. *Soviet Math. Dokl.* **36**, 393–395. See also *CRC Handbook of Lie Group Analysis of Differential Equations*, Vol. I, 1994, Chap. 13, pp. 258–291 (N.H. Ibragimov, Ed.). CRC Press, Boca Raton, FL.
- Akhatov, I.S., Gazizov, R.K., and Ibragimov, N.H. (1991). Nonlocal symmetries. Heuristic approach. *J. Sov. Math.* **55**, 1401–1450.
- Ames, W.F., Lohner, R.J., and Adams, E. (1981). Group properties of $u_{tt} = [f(u)u_x]_x$. *Internat. J. Nonlinear Mech.* **16**, 439–447.
- Anco, S.C. (2003). Conservation laws of scaling-invariant field equations. *J. Phys. A* **36**, 8623–8638.
- Anco, S.C. (2009). Conservation laws of partial differential equations: theory, computation, and examples. *In preparation*.
- Anco, S.C. and Bluman, G.W. (1996). Derivation of conservation laws from nonlocal symmetries of differential equations. *J. Math. Phys.* **37**, 2361–2375.
- Anco, S.C. and Bluman, G.W. (1997a). Direct construction of conservation laws from field equations. *Phys. Rev. Lett.* **78**, 2869–2873.
- Anco, S.C. and Bluman, G.W. (1997b). Nonlocal symmetries and nonlocal conservation laws of Maxwell’s equations. *J. Math. Phys.* **38**, 3508–3532.
- Anco, S.C. and Bluman, G.W. (1998). Integrating factors and first integrals for ordinary differential equations. *Eur. J. Appl. Math.* **9**, 245–259; Erratum (1999) *Eur. J. Appl. Math.* **10**, 223.
- Anco, S.C. and Bluman, G.W. (2002a). Direct construction method for conservation laws of partial differential equations. Part I: Examples of conservation law classifications. *Eur. J. Appl. Math.* **13**, 545–566.
- Anco, S.C. and Bluman, G.W. (2002b). Direct construction method for conservation laws of partial differential equations. Part II: General treatment. *Eur. J. Appl. Math.* **13**, 567–585.

- Anco, S.C., Bluman, G.W., and Wolf, T. (2008). Invertible mappings of nonlinear PDEs to linear PDEs through admitted conservation laws. *Acta Appl. Math.* **101**, 21–38.
- Anco, S.C. and Dar, A. (2009). Classification of conservation laws of compressible isentropic fluid flow in $n > 1$ spatial dimensions *Proc. Roy. Soc. A*, in press.
- Anco, S.C. and Ivanova, N.M. (2007). Conservation laws and symmetries of semilinear wave equations. *J. Math. Anal. Appl.* **332**, 863–876.
- Anco, S.C. and Liu, S. (2004). Exact solutions of semilinear radial wave equations in n dimensions. *J. Math. Anal. Appl.* **297**, 317–342.
- Anco, S.C. and Pohjanpelto, J. (2001) Classification of local conservation laws of Maxwell's equations. *Acta Appl. Math.* **69**, 285–327.
- Anco, S.C. and Pohjanpelto, J. (2003) Conserved currents of massless fields of spin $s \geq 1/2$. *Proc. R. Soc. London A* **459**, 1215–1239.
- Anco, S.C. and Pohjanpelto, J. (2004) Symmetries and currents of massless neutrino fields, electromagnetic and gravitation fields. *CRM Proc. Lect. Notes* **34**, 1–12.
- Anco, S.C. and Pohjanpelto, J. (2008) Generalized symmetries of massless free fields on Minkowski space. *SIGMA* **4**, 004.
- Anco, S.C. and The, D. (2005). Symmetries, conservation laws, and cohomology of Maxwell's equations using potentials. *Acta Appl. Math.* **89**, 1–52.
- Anderson, R.L., Kumei, S., and Wulfman, C.E. (1972) Generalization of the concept of invariance of differential equations. *Phys. Rev. Lett.* **28**, 988–991.
- Anderson, I.M. and Torre, C.G. (1996). Asymptotic conservation laws in classical field theory. *Phys. Rev. Lett.* **77**, 4109–4113.
- Anderson, R.L. and Ibragimov, N.H. (1979). *Lie-Bäcklund Transformations in Applications*. SIAM, Philadelphia.
- Anderson, R.L., Kumei, S., and Wulfman, C.E. (1972). Generalization of the concept of invariance of differential equations. *Phys. Rev. Lett.* **28**, 988–991.
- Arrigo, D.J. and Hill, J.M. (1995). Nonclassical symmetries for nonlinear diffusion and absorption. *Stud. Appl. Math.* **94**, 21–39.
- Atkinson, F.V. and Peletier, L.A. (1974). Similarity solutions of the nonlinear diffusion equation. *Arch. Rat. Mech. Anal.* **54**, 373–392.
- Bäcklund, A.V. (1876). Über Flächentransformationen. *Math. Ann.* **9**, 297–320.
- Barenblatt, G.I. (1979). *Similarity, Self-Similarity, and Intermediate Asymptotics*. Consultants Bureau, New York.
- Barenblatt, G.I. (1987). *Dimensional Analysis*. Gordon and Breach, New York.
- Barenblatt, G.I. (1996). *Scaling, Self-Similarity, and Intermediate Asymptotics*. Cambridge University Press, Cambridge, UK.
- Barenblatt, G.I. and Zel'dovich, Ya.B. (1972). Self-similar solutions as intermediate asymptotics. *Ann. Rev. Fluid Mech.* **4**, 285–312.
- Benjamin, T.B., Bona, J.L., and Mahoney, J.J. (1972). Model equations for long waves in nonlinear dispersive media. *Phil. Trans. Roy. Soc. A* **272**, 47–48.
- Bessel-Hagen, E. (1921). Über die Erhaltungssätze der Elektrodynamik. *Math. Ann.* **84**, 258–276.
- Bluman, G.W. (1967). Construction of Solutions to Partial Differential Equations by the Use of Transformation Groups. Ph.D. Thesis, California Institute

of Technology.

Bluman, G.W. (1974). Use of group methods for relating linear and nonlinear partial differential equations. *Proceedings of Symposium on Symmetry, Similarity and Group Theoretic Methods in Mechanics*, Calgary, AB. pp. 203–218.

Bluman, G.W. (1980). On the transformation of diffusion processes into the Wiener process. *SIAM J. Appl. Math.* **39**, 238–247.

Bluman, G.W. (1983). On mapping linear partial differential equations to constant coefficient equations. *SIAM J. Appl. Math.* **43**, 1259–1273.

Bluman, G.W. (1990). Simplifying the form of Lie groups admitted by a given differential equation. *J. Math. Anal. Appl.* **145**, 52–62.

Bluman, G.W. (1993). Use and construction of potential symmetries, *Math. Comput. Modelling* **8**, 1–14.

Bluman, G.W. (2005). Connections between symmetries and conservation laws, *SIGMA* **1**, Paper 011.

Bluman, G.W. and Anco, S.C. (2002). *Symmetry and Integration Methods for Differential Equations for Differential Equations*. Applied Mathematical Sciences, No. 154. Springer, New York.

Bluman, G.W. and Cheviakov, A.F. (2005). Framework for potential systems and nonlocal symmetries: Algorithmic approach. *J. Math. Phys.* **46**, 123506.

Bluman, G.W. and Cheviakov, A.F. (2007). Nonlocally related systems, linearizations and nonlocal symmetries for the nonlinear wave equation. *J. Math. Anal. Appl.* **333**, 93–111.

Bluman, G.W., Cheviakov, A.F., and Ganghoffer, J.-F. (2008). Nonlocally related PDE systems for one-dimensional nonlinear elastodynamics. *J. Eng. Math.* **62**, 203–221.

Bluman, G.W., Cheviakov, A.F., and Ivanova, N.M. (2006). Framework for nonlocally related partial differential equations systems and nonlocal symmetries: Extension, simplification, and examples. *J. Math. Phys.* **47**, 113505.

Bluman, G.W. and Cole, J.D. (1969). The general similarity solution of the heat equation. *J. Math. Mech.* **18**, 1025–1042.

Bluman, G.W. and Cole, J.D. (1974). *Similarity Methods for Differential Equations*. Applied Mathematical Sciences, No. 13. Springer-Verlag, New York.

Bluman, G.W. and Doran-Wu, P. (1995). The use of factors to discover potential systems or linearizations. *Acta Appl. Math.* **2**, 79–96.

Bluman, G.W. and Gregory, R.D. (1985). On transformations of the biharmonic equation. *Mathematika* **32**, 118–130.

Bluman, G.W. and Kumei, S. (1980). On the remarkable nonlinear diffusion equation $\frac{\partial}{\partial x} [a(u+b)^{-2} \frac{\partial u}{\partial x}] - \frac{\partial u}{\partial t} = 0$. *J. Math. Phys.* **21**, 1019–1023.

Bluman, G.W. and Kumei, S. (1987). On invariance properties of the wave equation. *J. Math. Phys.* **28**, 307–318.

Bluman, G.W. and Kumei, S. (1988). Exact solutions for wave equations of two-layered media with smooth transition. *J. Math. Phys.* **29**, 86–96.

Bluman, G.W. and Kumei, S. (1989). *Symmetries and Differential Equations*. Applied Mathematical Sciences, No. 81. Springer-Verlag, New York.

Bluman, G.W. and Kumei, S. (1990a). Symmetry-based algorithms to relate partial differential equations, I. Local symmetries. *Eur. J. Appl. Math.* **1**, 189–

216.

Bluman, G.W. and Kumei, S. (1990b). Symmetry-based algorithms to relate partial differential equations, II. Linearization by nonlocal symmetries. *Eur. J. Appl. Math.* **1**, 217–223.

Bluman, G.W., Kumei, S., and Reid, G.J. (1988). New classes of symmetries for partial differential equations. *J. Math. Phys.* **29**, 806–811; Erratum, *J. Math. Phys.* **29**, 2320.

Bluman, G.W. and Reid, G.J. (1989). Sequences of related linear PDE's, *J. Math. Anal. Appl.* **144**, 565–585.

Bluman, G.W. and Shtelen, V.M. (1996a). New classes of Schrodinger equations equivalent to the free particle equation through non-local transformations. *J. Phys. A* **29**, 4473–4480.

Bluman, G.W. and Shtelen, V.M. (1996b). Developments in similarity methods relating to pioneering work of Julian Cole, in *Mathematics is for Solving Problems* (edited by L.P. Cook, V. Roytbird and M. Tulin), SIAM, Philadelphia, pp. 105–117.

Bluman, G.W. and Shtelen, V.M. (2004). Nonlocal transformations of Kolmogorov equations into the backward heat equation. *J. Math. Anal. Appl.* **291**, 419–437.

Bluman, G.W. and Temuerchaolu (2005a). Conservation laws for nonlinear telegraph equations. *J. Math. Anal. Appl.* **310**, 459–476.

Bluman, G.W. and Temuerchaolu (2005b). Comparing symmetries and conservation laws of nonlinear telegraph equations. *J. Math. Phys.* **46**, 073513.

Bluman, G.W., Temuerchaolu, and Anco, S.C. (2006). New conservation laws obtained directly from symmetry action on a known conservation law. *J. Math. Anal. Appl.* **322**, 233–250.

Bluman, G.W., Temuerchaolu, and Sahadevan, R. (2005). Local and nonlocal symmetries for nonlinear telegraph equations. *J. Math. Phys.* **46**, 023505.

Bluman, G.W. and Yan, Z. (2005). Nonclassical potential solutions of partial differential equations. *Eur. J. Appl. Math.* **16**, 239–261.

Bogoyavlenskij, O.I. (2001). Infinite symmetries of the ideal MHD equilibrium equations. *Phys. Lett. A* **291**, 256–264.

Bogoyavlenskij, O.I. (2002). Symmetry transforms for ideal magnetohydrodynamics equilibria. *Phys. Rev. E* **66**, 056410.

Boulier, F., Lazard, D., Ollivier, F., and Petitot, M. (1995). Representation for the radical of a finitely generated differential ideal, In *ISSAC '95: Proceedings of the 1995 International Symposium on Symbolic and Algebraic Computation*, ACM, New York, pp. 158–166.

Boyer, T.H. (1967). Continuous symmetries and conserved currents. *Ann. Physics* **42**, 445–466.

Bradshaw-Hajek, B.H., Edwards, M.P., Broadbridge, P., and Williams, G.H. (2007). Nonclassical symmetry solutions for reaction-diffusion equations with explicit spatial dependence. *Nonlinear Anal.* **67**, 2541–2552.

Bragg, S.L. and Hawthorne, W.R. (1950). Some exact solutions of the flow through annular cascade actuator discs. *J. Aeronaut. Sci.* **17**, 243–249.

Broadbridge, P. and Tritscher, P. (1994). An integrable fourth-order nonlinear evolution equation applied to thermal grooving of metal surfaces. *IMA J. Appl.*

- Math.* **53**, 249–265.
- Burde, G.I. (1996). New similarity reductions of the steady-state boundary layer equations. *J. Phys A* **29**, 1665–1683.
- Cantwell, B.J. (2002). *Introduction to Symmetry Analysis*. Cambridge Texts in Applied Mathematics. Cambridge University Press, Cambridge, UK.
- Carbonaro, P. (1991). Infinite Lie groups of point transformations leaving invariant the linear equation which describes in the hodograph plane the isentropic one-dimensional gas flow. *Internat. J. Non-linear Mech.* **26**, 531–536.
- Chandrasekhar, S. (1956). The instability of a layer of fluid heated below and subject to the simultaneous action of a magnetic field and rotation. II. *Proc. Roy. Soc. Ser. A* **237**, 476–484.
- Cherniha, R. (2007). New Q -conditional symmetries and exact solutions of some reaction-diffusion-convection equations arising in mathematical biology. *J. Math. Anal. Appl.* **326**, 783–799.
- Cherniha, R. and Serov, M.I. (1998). Symmetries, ansätze and exact solutions of nonlinear second-order evolution equations with convection term. *Eur. J. Appl. Math.* **9**, 527–542.
- Cheviakov, A.F. (2004). Bogoyavlenskij symmetries of ideal MHD equilibria as Lie point transformations. *Phys. Lett. A* **321**, 34–49.
- Cheviakov, A.F. (2005). Construction of exact plasma equilibrium solutions with different geometries *Phys. Rev. Lett.* **94**, 165001.
- Cheviakov, A.F. (2007). GeM software package for computation of symmetries and conservation laws of differential equations. *Comput. Phys. Commun.* **176**, 48–61.
- Cheviakov, A.F. (2008). An extended procedure for finding exact solutions of PDEs arising from potential symmetries. applications to gas dynamics. *J. Math. Phys.* **49**, 083502.
- Cheviakov, A.F. (2009a). Symbolic package GeM (v.031) for automated symmetry and conservation law computation. *University of Saskatchewan Preprint*.
- Cheviakov, A.F. (2009b). Computation of fluxes of conservation laws. To appear in *J. Eng. Math.*
- Cheviakov, A.F. and Anco, S.C. (2008) Analytical properties and exact solutions of static plasma equilibrium systems in three dimensions. *Phys. Lett. A* **372**, 13631373.
- Cheviakov, A.F. and Bluman, G.W. (2009). Potential systems and nonlocal symmetries in multi-dimensions. *University of Saskatchewan Preprint*.
- Cheviakov, A.F. and Bogoyavlenskij, O.I. (2004). Exact anisotropic MHD equilibria. *J. Phys. A* **37**, 7593–7607.
- Chou, K.S. and Qu, C. (1999). Symmetry groups and separation of variables of a class of nonlinear diffusion-convection equations. *J. Phys. A* **32**, 6271–6286.
- Clarkson, P.A. and Kruskal, M.D. (1989). New similarity solutions of the Boussinesq equation. *J. Math. Phys.* **30**, 2201–2213.
- Clarkson, P.A. and Mansfield, E.L. (1993). Nonclassical symmetry reductions and exact solutions of nonlinear reaction-diffusion equations, in P.A. Clarkson (Ed.), *Applications of Analytic and Geometric Methods to Nonlinear Differential Equations*. Kluwer, Dordrecht, pp. 375–389.

- Clarkson, P.A. and Mansfield, E.L. (1994a). Symmetry reductions and exact solutions of a class of nonlinear equations. *Phys. D* **70**, 250–288.
- Clarkson, P.A. and Mansfield, E.L. (1994b). Algorithms for the nonclassical method of symmetry reductions. *SIAM J. Appl. Math.* **54**, 1693–1719.
- Clarkson, P.A. and Mansfield, E.L. (1994c). On a shallow water wave equation. *Nonlinearity* **7**, 7975–1000.
- Clarkson, P.A. and Priestley, T.J. (1998). Shallow water wave systems. *Stud. Appl. Math.* **101**, 389–432.
- Clarkson, P.A. and Winternitz, P. (1991). Nonclassical symmetry reductions for the Kadomtsev–Petviashvili equation. *Phys. D* **49**, 257–272.
- Cole, J.D. (1951). On a quasilinear parabolic equation occurring in aerodynamics. *Quart. Appl. Math.* **9**, 225–236.
- Fokas, A.S. and Liu, Q.M. (1994). Generalized conditional symmetries and exact solutions of nonintegrable equations. *Teoret. Mat. Fiz.* **99**, 263–277.
- Friedman, A. and Kamin, S. (1980). The asymptotic behavior of gas in an n -dimensional porous medium. *Trans. Amer. Math. Soc.* **262**, 551–563.
- Fushchich, W.I., Shtelen, V.M., and Serov, M.I. (1993). *Symmetry Analysis and Exact Solutions of Equations of Nonlinear Mathematical Physics*. Kluwer, Dordrecht.
- Fushchich, W.I., Shtelen, V.M., Serov, M.I., and Popovych, R.O. (1992). Conditional symmetries of the linear heat equation. *Dokl. Ukr. Acad. Nauk A* **12**, 20–26.
- Galaktionov, V.A. (1990). On new exact blow-up solutions for nonlinear heat conduction equations with source and applications. *Diff. Int. Eqs.* **3**, 863–874.
- Galaktionov, V.A., Dorodnitsyn, V.A., Elenin, G.G., Kurdyumov, S.P., and Samarskii, A.A. (1988). A quasilinear heat equation with a source: Peaking, localization, symmetry, exact solutions, asymptotics, structures. *J. Soviet Math.* **41**, 1222–1292.
- Galaktionov, V.A. and Samarskii, A.A. (1984). Methods of constructing approximate self-similar solutions of nonlinear heat equations, IV. *Math. USSR-Sb.* **49**, 125–150.
- Galaktionov, V.A. and Svirshchevskii, S.R. (2007). *Exact Solutions and Invariant Subspaces of Nonlinear Partial Differential Equations in Mechanics and Physics*. Chapman & Hall, Boca Raton, FL.
- Galas, F. (1993). Generalized symmetries for the ideal MHD equations. *Phys. D* **63**, 87–98.
- Gardner, C.S., Greene, J.M., Kruskal, M.D., and Miura, R.M. (1967). Method for solving the Korteweg–de Vries equation. *Phys. Rev. Lett.* **19**, 1095–1097.
- Goldenfeld, N. (1992). *Lectures on Phase Transitions and the Renormalization Group*. Addison-Wesley, Reading, MA.
- Golovin, S.V. (2004). Applications of the differential invariants of infinite dimensional groups in hydrodynamics. Group analysis of nonlinear wave problems (Moscow, 2002). *Comm. Nonlin. Sci. Numer. Simul.* **9**, 35–51.
- Gordon, T.J. (1986). On the symmetries and invariants of the harmonic oscillator. *J. Phys. A* **19**, 183–189.

- Grad H. and Rubin H. (1958). Hydromagnetic equilibria and force-free fields. In *Proceedings of the Second United Nations International Conference on the Peaceful Uses of Atomic Energy*, pp. 190–204.
- Guthrie, G.A. (1994). Recursion operators and non-local symmetries. *Proc. R. Soc. London A* **446**, 107–114.
- Hasegawa, A. (1974). Propagation of wave intensity shocks in nonlinear interaction of waves and particles. *Phys. Lett. A* **47**, 165–166.
- Hashimoto, H. (1974). Exact solutions of a certain semi-linear system of partial differential equations related to a migrating predation problem. *Proc. Japan Acad.* **50**, 623–627.
- Hereman, W. (1996). *CRC Handbook of Lie Group Analysis of Differential Equations*, Vol. 3: *New Trends in Theoretical Developments and Computational Methods*, Chap. 13, pp. 367–413. (N.H. Ibragimov, Ed.). CRC Press, Boca Raton, FL.
- Hereman, W. (1997). Review of symbolic software for Lie symmetry analysis. *Math. Comput. Modelling*, **25** (8-9), 115–132.
- Hereman, W. (2005). Symbolic computation of conservation laws of nonlinear partial differential equations in multi-dimensions. *Int. J. Quant. Chem.* **106**, 278–299.
- Hopf, E. (1950). The partial differential equation $u_t + uu_x = \mu u_{xx}$. *Comm. Pure Appl. Math.* **3**, 201–230.
- Huang, D.J. and Ivanova, N.M. (2007). Group analysis and exact solutions of a class of variable coefficient nonlinear telegraph equations. *J. Math. Phys.* **48**, 073507.
- Hydon, P.E. (2000). *Symmetry Methods for Differential Equations. A Beginner's Guide*. Cambridge University Press, Cambridge, UK.
- Ibragimov, N.H. (1980). On the theory of Lie–Bäcklund transformation groups. *Math. USSR Sbornik* **37**, 205–226.
- Ibragimov, N.H. (1985). *Transformation Groups Applied to Mathematical Physics*. Reidel, Boston.
- Ibragimov, N.H. (1995). *CRC Handbook of Lie Group Analysis of Differential Equations*, Vol. 2, Chap. 11, pp. 269–293 (N.H. Ibragimov, Ed.). CRC Press, Boca Raton, FL.
- Ibragimov, N.H., Torrisi, M., and Valenti, A. (1991). Preliminary group classification of equations $v_{tt} = f(x, v_x)v_{xx} + g(x, v_x)$. *J. Math. Phys.* **32**, 2988–2995.
- Ivanova, N.M., Popovych, R.O., and Sophocleous, C. (2008a). Group analysis of variable coefficient diffusion-convection equations. III. Conservation laws. Preprint.
- Ivanova, N.M., Popovych, R.O., and Sophocleous, C. (2008b). Group analysis of variable coefficient diffusion-convection equations. IV. Potential symmetries. Preprint.
- Ivanova, N.M. and Sophocleous, C. (2008). Conservation laws and potential symmetries of systems of diffusion equations. Preprint.
- Ji, L. and Qu, C. (2007). Conditional Lie–Bäcklund symmetries and solutions to $(n + 1)$ -dimensional nonlinear diffusion equations. *J. Math. Phys.* **48**, 103509.

- Kamin, S. (1975). Similarity solutions and the asymptotics of infiltration equations. *Arch. Rational Mech. Anal.* **60**, 171–183.
- Kapcov, O.V. (1982). Extension of the symmetry of evolution equations. *Sov. Math. Dokl.* **25**, 173–176.
- Kara, A.H. and Mahomed, F.M. (2002). A basis of conservation laws for partial differential equations. *J. Nonlin. Math. Phys.* **9**, 60–72.
- Kersten, P.H.M. (1987). *Infinitesimal Symmetries: A Computational Approach*. CWI Tract No. 34. Centrum voor Wiskunde en Informatica, Amsterdam.
- King, J.R. (1989). Exact solutions to some nonlinear diffusion equations. *Quart. J. Mech. Appl. Math.* **42**, 537–552.
- Kingston, G. and Sophocleous, C. (1998). On form-preserving point transformations of partial differential equations. *J. Phys.* **A31**, 1597–1619.
- Kingston, G. and Sophocleous, C. (2001). Symmetries and form-preserving transformations of one-dimensional wave equations with dissipation. *J. Non-Linear Mech.* **36**, 987–997.
- Konopelchenko, B.G. (1987). *Nonlinear Integrable Equations*. Lecture Notes in Physics No. 270, Springer-Verlag, Berlin.
- Konopelchenko, B.G. and Mokhnachev, V.G. (1979). On the group-theoretical analysis of differential equations. *Sov. J. Nucl. Phys.* **30**, 288–292.
- Konopelchenko, B.G. and Mokhnachev, V.G. (1980). On the group theoretical analysis of differential equations. *J. Phys.* **A13**, 3113–3124.
- Korobeinikov, V.P. (1982). Certain types of solutions of Korteweg–de Vries–Burgers’ equations for plane, cylindrical, and spherical waves. In *Proceedings IUTAM Symposium on Nonlinear Wave Deformations*, Tallinn (in Russian).
- Krasil’shchik, I.S. and Kersten, P.H.M. (2000). *Symmetries and Recursion Operators for Classical and Supersymmetric Differential Equations*. Kluwer, Dordrecht.
- Krasil’shchik, I.S. and Vinogradov, A.M. (1984). Nonlocal symmetries and the theory of coverings: An addendum to A.M. Vinogradov’s ‘Local symmetries and conservation laws.’ *Acta Appl. Math.* **2**, 79–96.
- Krasil’shchik, I.S. and Vinogradov, A.M. (1989). Nonlocal trends in the geometry of differential equations: Symmetries, conservation laws, and Bäcklund transformations. *Acta Appl. Math.* **15**, 161–209.
- Kumei, S. (1975). Invariance transformations, invariance group transformations, and invariance groups of the sine-Gordon equation. *J. Math. Phys.* **16**, 2461–2468.
- Kumei, S. (1977). Group theoretical aspects of conservation laws on nonlinear dispersive waves: KdV-type equations and nonlinear Schrödinger equations. *J. Math. Phys.* **18**, 256–264.
- Kumei, S. (1981). A Group Analysis of Nonlinear Differential Equations. Ph.D. Thesis, University of British Columbia, Vancouver, BC.
- Kumei, S. and Bluman, G.W. (1982). When nonlinear differential equations are equivalent to linear differential equations. *SIAM J. Appl. Math.* **42**, 1157–1173.
- Kunzinger, M. and Popovych, R.O. (2008). Potential conservation laws. Preprint.
- Lax, P.D. (1968). Integrals of nonlinear equations of evolution and solitary waves. *Comm. Pure Appl. Math.* **21**, 467–490.

- Levi, D. and Winternitz, P. (1989). Non-classical symmetry reduction: Example of the Boussinesq equation. *J. Phys.* **A22**, 2915–2924.
- Lie, S. (1881). Über die Integration durch bestimmte Integrale von einer Klasse linearer partieller Differentialgleichungen. *Arch. Math.* **6**, 328–368; also *Gesammelte Abhandlungen*, Vol. III, pp. 492–523. B.G. Teubner, Leipzig, 1922.
- Lie, S. (1890). *Theorie der Transformationsgruppen*, Vol. II. B.G. Teubner, Leipzig.
- Lie, S. (1893). *Theorie der Transformationsgruppen*, Vol. III. B.G. Teubner, Leipzig.
- Lisle, I. (1992). Equivalence Transformations for Classes of Differential Equations. Ph.D. Thesis, University of British Columbia, Vancouver, BC.
- Liu, Q.M. and Fokas, A.S. (1996). Exact interaction of solitary waves for certain nonintegrable equations. *J. Math. Phys.* **37**, 324–345.
- Lou, S-y. (1992). Nonclassical symmetry reductions for the dispersive wave equations in shallow water. *J. Math. Phys.* **33**, 4300–4305.
- Ma, A. (1991). Extended Group Analysis of the Wave Equation. M.Sc. Thesis, University of British Columbia, Vancouver, BC.
- Magri, F. (1978). A simple model of the integrable Hamiltonian equation. *J. Math. Phys.* **19**, 1156–1163.
- Mansfield, E.L. (1996). The differential algebra package diffgrob2. *Maple Tech.* **3**, 33–37.
- Mansfield, E.L. and Clarkson, P.A. (1997). Applications of the differential algebra package diffgrob2 to classical symmetries of differential equations. *J. Symb. Comput.* **23**, 517–533.
- Martina, L., Sheftel, M.B., and Winternitz, P. (2001). Group foliation and non-invariant solutions of the heavenly equation. *J. Phys.* **A34**, 9243–9263.
- Mayer, A. (1875). Directe Begründung der Theorie der Berührungstransformationen. *Math. Ann.* **8**, 304–312.
- Meirmanov, A.M., Pukhnachev, V.V., and Shmarev, S.I. (1997). *Evolution Equations and Lagrangian Coordinates*. Walter de Gruyter, Berlin.
- Mikhailov, A.V., Shabat, A.B., and Sokolov, V.V. (1991). The symmetry approach to classification of integrable equations. In *What Is Integrability?* (V.E. Zakharov, Ed.). Springer-Verlag, Berlin, pp. 115–184.
- Mikhailov, A.V., Shabat, A.B., and Yamilov, R.I. (1987). The symmetry approach to the classification of non-linear equations. Complete lists of integrable systems. *Russ. Math. Surveys* **42**, 1–63.
- Miller, W., Jr. (1968). *Symmetry and Separation of Variables*. Addison-Wesley, Reading, MA.
- Miller, W., Jr. (1977). *Lie Theory and Special Functions*. Academic Press, New York.
- Miura, R.M. (1968). Korteweg–de Vries equation and generalizations. I. A remarkable explicit nonlinear transformation. *J. Math. Phys.* **9**, 1202–1204
- Miura, R. M. (1976). The Korteweg–de Vries equation: A survey of results. *SIAM Rev.* **18**, 412–459.
- Miura, R.M., Gardner, C.S., and Kruskal, M.D. (1968). Korteweg–de Vries equation and generalizations. II. Existence of conservation laws and constants of mo-

- tion. *J. Math. Phys.* **9**, 1204–1209.
- Momoniat, E. (2007). A mapping of a generalization of a thin film equation on a moving substrate. *Nonlin. Anal.* **66**, 1980–1988.
- Müller, E.A. and Matschat, K. (1962). Über das Auffinden von Ähnlichkeitslösungen partieller Differentialgleichungssysteme unter Benutzung von Transformationsgruppen, mit Anwendungen auf Probleme der Strömungsphysik. *Miszellaneen der Angewandten Mechanik*, Berlin, pp. 190–222.
- Newman, W.I. (1984). A Lyapunov functional for the evolution of solutions to the porous medium equation to self-similarity, I. *J. Math. Phys.* **25**, 3120–3123.
- Nishitani, T. and Tajiri, M. (1982). On similarity solutions of the Boussinesq equation. *Phys. Lett. A* **89** (8), 379–380.
- Noether, E. (1918). Invariante Variationsprobleme. *Nachr. König. Gesell. Wissen. Göttingen, Math.-Phys. Kl.*, pp. 235–257.
- Nucci, M.C. and Clarkson, P.A. (1992). The nonclassical method is more general than the direct method for symmetry reductions. An example of the Fitzhugh–Nagumo equation. *Phys. Lett. A* **164**, 49–56.
- Nutku, Y. and Sheftel, M.B. (2001). Differential invariants and group foliation for the complex Monge–Ampère equation. *J. Phys. A* **34**, 137–156.
- Oberlack, M., Wenzel, H., and Peters, N. (2001). On symmetries and averaging of the G -equation for premixed combustion. *Combust. Theory Modell.* **5**, 363–383.
- Olver, P.J. (1977). Evolution equations possessing infinitely many symmetries. *J. Math. Phys.* **18**, 1212–1215.
- Olver, P.J. (1983). Conservation laws and null divergences. *Math. Proc. Camb. Phil. Soc.* **94**, 529–540.
- Olver, P.J. (1986). *Applications of Lie Groups to Differential Equations*. Graduate Texts in Mathematics, No. 107. Springer-Verlag, New York.
- Olver, P.J. (1994). Direct reduction and differential constraints. *Proc. R. Soc. Lond. A* **444**, 509–523.
- Olver, P.J. and Rosenau, P. (1986). The construction of special solutions to partial differential equations. *Phys. Lett. A* **114**, 107–112.
- Olver, P.J. and Rosenau, P. (1987). Group-invariant solutions of differential equations. *SIAM J. Appl. Math.* **47**, 263–278.
- Ovsiannikov, L.V. (1959). Group properties of the nonlinear heat conduction equation. *Dokl. Akad. Nauk USSR* **125**, 492–495 (in Russian).
- Ovsiannikov, L.V. (1962). *Group Properties of Differential Equations*. Nauka, Novosibirsk (in Russian).
- Ovsiannikov, L.V. (1982). *Group Analysis of Differential Equations*. Academic Press, New York.
- Popovych, R.O. and Ivanova, N.M. (2004). New results on group classification of nonlinear diffusion-convection equations. *J. Phys. A* **37**, 7547–7565.
- Popovych, R.O. and Ivanova, N.M. (2005a). Potential equivalence transformations for nonlinear diffusion-convection equations. *J. Phys. A* **38**, 3145–3155.
- Popovych, R.O. and Ivanova, N.M. (2005b). Hierarchy of conservation laws of diffusion-convection equations. *J. Math. Phys.* **46**, 043502.

- Popovych, R.O., Kunzinger, M., and Ivanova, N.M. (2008). Conservation laws and potential symmetries of linear parabolic equations. *Acta. Appl. Math.* **100**, 113–185.
- Pucci, E. and Saccomandi, G. (1993). Potential symmetries and solutions by reduction of partial differential equations. *J. Phys. A* **26**, 681–690.
- Pukhnachev, V.V. (1987). Equivalence transformations and hidden symmetry of evolution equations. *Sov. Math. Dokl.* **35**, 555–558.
- Qu, C., Ji, L., and Wang, L. (2007). Conditional Lie–Bäcklund symmetries and sign-invariants to quasi-linear diffusion equations. *Stud. Appl. Math.* **119**, 355–391.
- Reid, G.J. (1990). A triangularization algorithm which determines the Lie symmetry algebra of any system of PDEs. *J. Phys. A* **23**, L853–L859.
- Reid, G.J. (1991a). Algorithms for reducing a system of PDEs to standard form, determining the dimension of its solution space and calculating its Taylor series solution. *Eur. J. Appl. Math.* **2**, 293–318.
- Reid, G.J. (1991b). Finding abstract Lie symmetry algebra of differential equations without integrating determining equations. *Eur. J. Appl. Math.* **2**, 319–340.
- Reid, G.J., Wittkopf, A.D., and Boulton, A. (1996). Reduction of systems of nonlinear partial differential equations to simplified involutive forms. *Eur. J. Appl. Math.* **7**, 604–635.
- Rosen, G. (1979). Nonlinear heat conduction in solid H_2 . *Phys. Rev. B* **19**, 2398–2399.
- Rosenau, P. and Schwarzmeier, J.L. (1986). On similarity solutions of Boussinesq-type equations. *Phys. Lett. A* **115**, 75–77.
- Saccomandi, G. (2004). A remarkable class of non-classical symmetries of the steady two-dimensional boundary-layer equations. *J. Phys. A* **37**, 7005–7017.
- Sanders, J.A. and Wang, J.P. (1998). On the integrability of homogeneous scalar evolution equations. *J. Diff. Eqns.* **147**, 410–434.
- Sanders, J.A. and Wang, J.P. (2000). On the integrability of non-polynomial scalar evolution equations. *J. Diff. Eqns.* **166**, 132–150.
- Sarlet, W., Cantrijn, F., and Crampin, M. (1987). Pseudo-symmetries, Noether’s theorem and the adjoint equations. *J. Phys. A* **20**, 1365–1376.
- Sarlet, W., Prince, G.E., and Crampin, M. (1990). Adjoint symmetries for time-independent second-order equations. *J. Phys. A* **23**, 1335–1347.
- Schiff, L.I. (1968). *Quantum Mechanics*, 3rd ed. McGraw-Hill, New York.
- Senthilvelan, M. and Torrisi, M. (2000). Potential symmetries and new solutions of a simplified model for reacting mixtures. *J. Phys. A* **33**, 405–415.
- Seyler, C.E. and Fenstermacher, D.L. (1984). A symmetric regularized long wave equation. *Phys. Fluids* **27**, 4–7.
- Shafranov, V.D. (1958). Propagation of an electromagnetic field in a medium with spatial dispersion. *Soviet Phys. JETP* **34**, 1019–1029.
- Sheftel, M.B. (2002). Method of group foliation and non-invariant solutions of partial differential equations. *Eur. Phys. J. B* **29**, 203–206.
- Sjöberg, A. and Mahomed, F.M. (2004). Non-local symmetries and conservation laws for one-dimensional gas dynamics equations. *Appl. Math. Comput.* **150**,

- 379–397.
- Sophocleous, C. (1996). Potential symmetries of nonlinear diffusion-convection equations. *J. Phys. A* **29**, 6951–6959.
- Sophocleous, C. (2005). Further transformation properties of generalized inhomogeneous nonlinear diffusion equations with variable coefficients. *Phys. A* **345**, 457–471.
- Stephani, H. (1989). *Differential Equations: Their Solution Using Symmetries*. Cambridge University Press, Cambridge, UK.
- Steudel, H. (1975a). Noether's theorem and higher conservation laws in ultra-short pulse propagation. *Ann. Physik* **32**, 205–216.
- Steudel, H. (1975b). Noether's theorem and the conservation laws of the Korteweg–de Vries equation. *Ann. Physik* **32**, 445–455.
- Storm, M.L. (1950). Heat conduction in simple metals. *J. Appl. Phys.* **22**, 940–951.
- Sukharev, M.G. (1967). Invariant solutions of equations describing the motion of fluids and gases in long pipelines. *Dokl. Akad. Nauk USSR* **175**, 781–784 (in Russian).
- Talman, J.D. (1968). *Special Functions; A Group Theoretic Approach*. W.A. Benjamin, New York.
- Temuerchaolu. (2003). An algorithmic theory of reduction of differential polynomial systems. *Adv. Math.* **32**, 208–220 (in Chinese).
- Thomas, H.C. (1944). Heterogeneous ion exchange in a flowing system. *J. Am. Chem. Soc.* **66**, 1664–1666.
- Tsaousi, C. (2008). Differential Invariants of Hyperbolic Equations. Ph.D. Thesis, University of Cyprus, Lefkosia (Nicosia), Cyprus.
- Tsaousi, C. and Sophocleous, C. (2008). On linearization of hyperbolic equations using differential invariants. *J. Math. Anal. Appl.* **338**, 762–773.
- Vainberg, M.M. (1964). *Variational Methods for the Study of Nonlinear Operators*. Holden-Day, San Francisco.
- Varley, E. and Seymour, B. (1985). Exact solutions for large amplitude waves in dispersive and dissipative systems. *Stud. Appl. Math.* **72**, 241–262.
- Vilenkin, N.J. (1968). *Special Functions and the Theory of Group Representations*. American Mathematical Society, Providence, RI.
- Vinogradov, A.M. (1989). Symmetries and conservation laws of partial differential equations: Basic notions and results. *Acta Appl. Math.* **15**, 3–21.
- Vinogradov, A.M. and Krasil'shchik, I.S. (1984). On the theory of nonlocal symmetries of nonlinear partial differential equations. *Sov. Math. Dokl.* **29**, 337–341.
- Volterra, V. (1913). *Leçons sur les Fonctions de Lignes*. Gauthier-Villars, Paris.
- Wagener, A. (2004). Problem posted on The Math Form at Drexel.
- Wahlquist, H.D. and Estabrook, F.B. (1975). Prolongation structures of nonlinear evolution equations. *J. Math. Phys.* **16**, 1–7.
- Wald, R.M. (1990). On identically closed forms locally constructed from a field. *J. Math. Phys.* **31**, 2378–2384.
- Wang, J.P. (2002). A list of 1+1 dimensional integrable equations and their properties. Recent advances in integrable systems (Kowloon 2000). *J. Nonlin.*

- Math. Phys.* **9**, 213–233.
- Whitham, G.B. (1974). *Linear and Nonlinear Waves*. Wiley, New York, NY.
- Wiltshire, R. and El-Kafri, M. (2004) Non-classical and potential symmetry analysis of Richard's equation for moisture flow in soil. *J. Phys. A* **37**, 823–839.
- Winternitz, P., Smorodinsky, J.A., Uhler, M., and Fris, I. (1967). Symmetry groups in classical and quantum mechanics. *Sov. J. Nucl. Phys.* **4**, 444–450.
- Wittkopf, A.D. (2004). Algorithms and Implementations for Differential Elimination. Ph.D. Thesis. Simon Fraser University, Burnaby, BC.
<http://ir.lib.sfu.ca:8080/retrieve/205/etd0400.pdf>
- Wolf, T. (2002a). Investigating differential equations with CRACK, LiePDE, Applsymm and ConLaw. *Handbook of Computer Algebra, Foundations, Applications, Systems* (J. Grabmeier, E. Kaltofen, and V. Weispfenning, Eds.). Springer, New York, pp. 465–468.
- Wolf, T. (2002b). A comparison of four approaches to the calculation of conservation laws. *Eur. J. Appl. Math.* **13**, 129–152.
- Wolf, T. (2004). Applications of CRACK in the classification of integrable systems. In *CRM Proceedings and Lecture Notes*. Vol. 37, pp. 283–300. AMS, Providence, RI.
- Wolf, T. and Brand, A. (1992). The computer algebra package CRACK for investigating PDEs. In *Proceedings of ERCIM Advanced Course on Partial Differential Equations and Group Theory*, Bonn.
- Wu, W.T. (1984). Basic principles of mechanical theorem proving in elementary geometries. *J. Syst. Sci. Math. Sci.* **4**, 207–235.
- Wybourne, B.G. (1974). *Classical Groups for Physicists*. Wiley, New York.
- Yoshikawa, A. and Yamaguti, M. (1974). On further properties of solutions to a certain semi-linear system of partial differential equations. *Publ. Res. Inst. Math. Sci. Kyoto Univ.* **9**, 577–595.
- Zakharov, V.E. and Shabat, A.B. (1972). Exact theory of two-dimensional self-focusing and one-dimensional self-modulation of waves in nonlinear media. *JETP* **34**, 62–69.
- Zhdanov, R.Z. (1996). Conditional symmetries and spectrum of the one-dimensional Schrödinger equation. *J. Math. Phys.* **37**, 3198–3217.

Theorem, Corollary and Lemma Index

Chapter 1

Theorem	Page Number	Theorem	Page Number
1.2.1	9	1.4.3	74
1.2.2	9	1.4.4	75
1.2.3	10	1.4.5	75
1.2.4	11	1.4.6	76
1.2.5	15	1.5.1	92
1.2.6	17	1.5.2	96
1.2.7	20	1.5.3	99
1.2.8	26	1.5.4	107
1.2.9	26	1.5.5	111
1.2.10	28		
1.3.1	39	Corollary	
1.3.2	45	1.3.1	55
1.3.3	45	1.5.1	94
1.3.4	46	1.5.2	95
1.3.5	49	1.5.3	97
1.3.6	55		
1.3.7	63	Lemma	
1.3.8	65	1.2.1	26
1.4.1	72	1.5.1	110
1.4.2	74		

Chapter 2

Theorem	Page Number	Theorem	Page Number
2.2.1	127	2.4.4	150
2.2.2	127	2.5.1	161
2.2.3	128	2.5.2	168
2.4.1	141	2.6.1	175
2.4.2	142	2.6.2	175
2.4.3	148		

Chapter 3

Theorem	Page Number	Corollary	Page Number
3.2.1	192	3.5.1	223
3.2.2	195		
3.4.1	211		
3.4.2	211		
3.5.1	223		

Chapter 4

Theorem	Page Number	Theorem	Page Number
4.2.1	250	4.3.2	292
4.2.2	250	4.3.3	293
4.3.1	290		

Chapter 5

Theorem	Page Number	Theorem	Page Number
5.3.1	338	5.3.3	340
5.3.2	340		

Author Index

A

Ablowitz, M.J., 38, 184
Adams, E., 248, 256
Akhatov, I.S., 21, 36, 191, 248,
252, 276
Ames, W.F., 248, 256
Anco, S.C., 1, 3–5, 18, 49, 65,
68, 69, 89–91, 97, 107, 111,
114–116, 118–121, 172, 173,
178, 297, 299, 304, 340, 350,
367
Anderson, I.M., 342
Anderson, R.L., 16, 117
Arrigo, D.J., 365
Atkinson, F.V., 298

B

Bäcklund, A.V., 127
Barenblatt, G.I., 298
Benjamin, T.B., 67
Bessel-Hagen, E., 4, 70
Bluman, G.W., 1, 3–5, 28, 25,
32, 34–36, 49, 51, 65, 68, 69, 79,
85, 86, 89–91, 97, 105, 107, 115,
116, 118, 119, 121, 129, 132,
137, 139, 147, 155–157, 159,
160, 163, 165, 169, 171–173,
175, 178, 191, 208, 211, 215,
217, 219, 221, 226, 228, 242,

248, 252, 253, 256, 257, 268,
271, 274, 282, 283, 285, 286,
290, 291, 293, 295–299, 304,
306, 307, 309–311, 315, 318–
320, 326–330, 332, 333, 338,
340, 350
Bogoyavlenskij, O.I., 351–353,
356, 367
Bona, J.L., 67
Boulier, F., 300
Boulton, A., 300, 367
Boyer, T.H., 4, 70, 75
Bradshaw-Hajek, B.H., 365
Bragg, S.L., 199
Brand, A., 300
Broadbridge, P., 158, 365
Burde, G.I., 366

C

Cantrijn, F., 107
Cantwell, B.J., 1, 121, 304
Carbonaro, P., 173
Chandrasekhar, S., 356
Cherniha, R., 365
Cheviakov, A.F., 36, 119, 120,
191, 211, 215, 217, 228, 248,
256, 257, 295, 298–300, 315,
319, 320, 324, 330, 332, 338,
352, 257, 367

Chou, K.S., 294
 Clarkson, P.A., 298, 308, 311–313, 364–366
 Cole, J.D., 1, 121, 129, 147, 297, 298, 304, 306, 307, 309–311
 Crampin, M., 107

D

Doran-Wu, P., 173, 191, 208, 219, 221, 226, 228
 Dorodnitsyn, V.A., 298

E

Edwards, M.P., 365
 Elenin, G.G., 298
 El-Kafri, M., 365
 Estabrook, F.B., 296

F

Fenstermacher, D.L., 67
 Fokas, A.S., 298, 366
 Friedman, A., 298
 Fris, I., 117
 Fushchich, W.I., 311

G

Galaktionov, V.A., 298, 366
 Galas, F., 351, 353
 Ganghoffer, J.-F., 295, 330
 Gardner, C.S., 42, 117, 184
 Gazizov, R.K., 21, 36, 191, 248, 252, 276
 Goldenfeld, N., 298
 Golovin, S.V., 367
 Grad, H., 199
 Gregory, R.D., 169, 172
 Greene, J.M., 184
 Guthrie, G.A., 296

H

Hasegawa, A., 286
 Hashimoto, H., 286

Hawthorne, W.R., 199
 Hereman, W., 118, 300
 Hill, J.M., 365
 Hopf, E., 129
 Huang, D.J., 119
 Hydon, P.E., 1, 5, 18, 304

I

Ibragimov, N.H., 16, 21, 22, 36, 184, 191, 211, 248, 252, 276
 Ivanova, N.M., 22, 36, 119, 191, 211–215, 217, 242, 248, 295, 315, 319, 320, 330, 338

J

Ji, L., 366

K

Kamin, S., 298
 Kapcov, O.V., 295, 296
 Kara, A.H., 117
 Kaup, D.J., 38, 184
 Kersten, P.H.M., 156, 285, 296
 King, J.R., 367
 Kingston, G., 185, 248, 271
 Konopelchenko, B.G., 184, 295
 Korobeinikov, V.P., 133
 Krasil'shchik, I.S., 156, 285, 296
 Kruskal, M.D., 42, 117, 184, 308, 311, 312
 Kumei, S., 1, 5, 18, 32, 34, 35, 115, 117, 121, 139, 155, 156, 159, 191, 221, 248, 252, 253, 256, 268, 274, 282, 285, 286, 295–297, 304, 315, 318
 Kunzinger, M., 211, 338
 Kurdyumov, S.P., 298

L

Lax, P.D., 184
 Lazard, D., 300
 Levi, D., 298, 312, 313

Lie, S., 9, 34
Lisle, I., 22
Liu, Q.M., 298, 366
Liu, S., 367
Lohner, R.J., 248, 256
Lou, S-y., 365

M

Ma, A., 191
Magri, F., 117
Mahomed, F.M., 191, 299
Mahoney, J.J., 67
Mansfield, E.L. 298, 300, 313,
364, 365
Martina, L., 366
Matschat, K., 128
Mayer, A., 9
Meirmanov, A.M., 191
Mikhailov, A.V., 184
Miller, W., Jr., 26, 37, 117
Miura, R.M., 42, 117, 132, 184
Mokhnachev, V.G., 295
Momoniat, E., 185
Müller, E.A., 128

N

Newell, A.C., 38, 184
Newman, W.I., 298
Nishitani, T., 312
Noether, E., 4, 16, 70
Nucci, M.C., 298, 308, 319
Nutku, Y., 367

O

Oberlack, M., 113
Ollivier, F., 300
Olver, P.J., 1, 2, 5, 17, 18, 24,
38, 58, 64, 117, 118, 121, 297,
298, 300, 304, 311, 366
Ovsiannikov, L.V., 1, 21, 24,
121, 252, 297, 304, 319, 366

P

Peletier, L.A., 298
Peters, N., 113
Petitot, M., 300
Pohjanpelto, J., 107, 119
Popovych, R.O., 22, 36, 119,
191, 211–214, 242, 295, 311,
338
Priestley, T.J., 366
Prince, G.E., 107
Pucci, E., 294, 299, 322, 331
Pukhnachev, V.V., 191, 295

Q

Qu, C., 294, 366

R

Reid, G.J., 156, 191, 253, 271,
285, 293, 300, 367
Rosen, G., 156
Rosenau, P., 298, 311, 312
Rubin, H., 199

S

Saccomandi, G., 294, 299, 322,
331
Sahadevan, R., 105, 248, 271
Samaraskii, A.A., 298
Sanders, J.A., 117
Sarlet, W., 107
Segur, H., 38, 184
Senthilvelan, M., 295
Serov, M.I., 311, 365
Seyler, C.E., 67
Shabat, A.B., 184
Shafranov, V.D., 199
Sheftel, M.B., 367
Shmarev, S.I., 191
Shtelen, V.M., 248, 283, 290,
291, 293, 311, 328
Sjöberg, A., 191, 299
Smorodinski, J.A., 117
Sokolov, V.V., 184

Sophocleous, C., 119, 185, 248,
271, 294, 295

Stephani, H., 1, 5, 18, 121, 304

Steudel, H., 117

Storm, M.L., 156

Svirshchevskii, S.R., 298

T

Tajiri, M., 312

Talman, J.D., 117

Temuerchaolu, 36, 51, 69, 79,
85, 86, 89, 91, 105, 116, 118,
191, 203, 219, 248, 271, 300

The, D., 107, 340, 350

Thomas, H.C., 155, 286

Torre, C.G., 342

Torrisi, M., 22, 295

Tsaousi, C., 185

Tritscher, P., 158

U

Uhlir, M., 117

V

Vainberg, M.M., 5, 64

Valenti, A., 22

Vilenkin, N.J., 117

Vinogradov, A. 156, 285, 296,
305

Volterra, V., 4, 64

W

Wahlquist, H.D., 296

Wald, R.M., 339

Wang, J.P., 117

Wang, L., 366

Wentzel, H., 113

Whitham, G.B., 286

Williams, H.H., 365

Wiltshire, R., 365

Winternitz, P., 117, 298, 312,
313, 364, 367

Wittkopf, A.D., 300, 367

Wolf, T., 3, 173, 178, 182, 300

Wu, W.T., 300

Wulfman, C.E., 117

Wybourne, B.G., 117

Y

Yamaguti, M., 286

Yamilov, R.I., 184

Yan, Z., 299, 326, 327, 329, 332,
333

Yoshikawa, A., 286

Z

Zakharov, V.E., 184

Zel'dovich, Ya.B., 298

Subject Index

Boldface indicates a key reference. References to exercises are bracketed.

- abelian Lie algebra, 160
- abelian Lie group, 159, 248, 290
- action functional, 4, **71**, [88]
- action integral, *see* action functional
- adiabatic processes, 39, 237, 353, [356]
- adjoint equation (system), 3, 54, [87],
122, 173, 182, 248, 290, 291, 357
- adjoint operator, 53, [69], 107, 111, 173
- adjoint symmetry, **107**, 357
- algebraic gauge, 346, [355]
- angular momentum operator, 27
- ansatz for solutions, **308**, 312, 320–322,
366
 - refinements of potential system,
322–326, [332]
- antisymmetric tensor, 335, 336
- ApplySym, 300
- approximate symmetries, 300
- asymptotic solution, 297, 298
- augmented system, 174, 178–182, 188,
245, 298, 306, 310
- automodel solution, *see* self-similar
solution

- Bäcklund transformation, 366
- Benjamin–Bona–Mahoney equation, [67]
- Bessel’s equation, [36]
- bi-Hamiltonian, 117
- biharmonic equation, 168, [172]
- bilinear relations, 169
- bilinear transformation, 169
- Bogoyavlenskij symmetry, [356]
- boundary layer equations, 366

- boundary value problem (BVP), 188,
297, 367
- Boussinesq equation, [88], 311
 - direct method, 312
 - nonclassical method, 311
- Boyer’s formulation, *see* conservation
law
- Bragg–Hawthorne equation, [36], [199]
- branch, 201
- Burgers’ equation, [35], 129, [137, 138],
[156], 179, 284, 311
 - Hopf–Cole transformation, **129**, [137,
138], [156], 180, 285, 311
 - integrated, 29, [37], 285
 - linearization, 284
 - local symmetries, [35]
 - point symmetries, **129**
 - potential symmetries, **284**
- BVP, *see* boundary value problem

- canonical coordinates, 299, 303, 324
- cardinality, 367
- Cauchy–Kovalevskaya form, **48**, [67],
118
- Cauchy–Riemann equations, 170
- Chandrasekhar equipartition equilibria,
[356]
- Chaplygin gas, 241
- characteristic, 3, **43**, 318
- characteristic equation, 302, 303
- characteristic form, *see* evolutionary
form
- characteristic function, **9**

- characteristic set method, 300
- Chew–Goldberger–Low equations, 367
- classical method, 297, 298, **302**, 306–309, 314, 322, [329], 364, 366
 extension to higher-order symmetries, **304**
- classification problem, **21**, 31, 343, 367
- classifying function, *see* constitutive function
- cofactor, 94
- combination potential system, **222**
- commutation relations, 27, [37], 128, 130, 135, [138], 160, 268
- commutator, 134, 169, 340
- composition transformation, 124
- computer algebra, 182
- conditional Lie–Bäcklund symmetry, **366**
- conformal mapping, 170, [172]
- conformal symmetry, 346
- conformal transformation, 345
- ConLaw, 300
- conservation law(s), **38**, 188, 191, 341
 Boyer’s formulation, **75**, [88]
 computation through symbolic manipulation software, *see* symbolic manipulation software
 curl-type, 296, 341, 342, 348
 density, **39**, 209
 direct method, 5, **46**, 78, [88], 118, 188, 211, 224
 divergence-type, **334**, 338, 340–342
 equivalence class, **43**, **57**
 equivalent, **43**, 46, [68], 192
 flux, *see* flux
 higher-order, 117
 identity, **174**, 176
 linearly dependent, **43**
 local, *see* local conservation law
 lower-degree, 244, 296, **341**, 350, 351
 multiplier(s), **43**, [89], 97, **173**
 Noether’s formulation, **72**, [88]
 Noether’s theorem, *see* Noether’s theorem
 noncritical, **111**
 nonlocal, *see* nonlocal conservation law
 order of, **39**
 sequence, **101**
 spatial flux, **39**
 symmetry action on, **90**
- conservation of
 angular momentum, 41, 118
 energy, 40, 118, 238
 entropy, 40
 mass, 40, 118, 190
 momentum, 40, 118, 206
- conserved density, *see* conservation law(s), density
- conserved flux, *see* flux
- constant of motion, **39**
- constitutive (classifying) function/parameter, **21**, 190, 194, 201, 205, 225, 228, [242], 247, 251, 276, 300, 318, [329], 343, 344, [355], 357, 359
- constraint, 298, 307–309, *see also* gauge constraint
- contact condition(s), 6, 10, 125
- contact symmetry, 2, **20**, [35], 123, 127, 152, 187, 248, 366
- contact transformation, 2, **8**, **15**, [34], 77, 89, **127**, 139, 153, [158], 178, 180, 181, 248, 367
- continuity equation, 190
- continuous symmetry, 1, 89, 117, 187
- Coulomb gauge, 335, [355]
- couplet, **222**, [241], 349
- CRACK, 182, 300
- Cronstrom gauge, 335, 346, [355]
- cubic Schrödinger equation, [38]
- curl operator, 348
- cylindrical KdV equation, *see* KdV equation
- d -Bessel process, 293
- density (fluid), 190
- determining equations for
 contact symmetries, 118, 185
 higher-order symmetries, **20**
 local conservation law multipliers, 4, **45**, **96**, 118, 177, 185, 300
 local symmetries, **20**, 107, 300, 358
 nonclassical method, 298, 300, **306**, 309
 point symmetries, **17**, 162, 185, 302, 307
 recursion operator, **29**
- diffalg, 300
- differential consequence(s), 17, 210, 304–308, 336, 339, 358
- differential form, 342
- differential invariant, 185, 366

- differential substitution, 78, 185
- DIFFGROB2, 300
- diffusion-convection equation, [36], 119, **212**, 225, 242, 294, 295, 365
 - conservation law classification, 242, 295
 - group classification, 294, 295
 - group of equivalence transformations, 212
 - linearization, 214
 - local conservation laws, **212**
 - nonclassical solution, 365
 - nonlocal conservation laws, **214**, 295
 - potential equation, 294
 - potential symmetries, 294, 295
 - potential systems, **213**, 243, 294
- dimensional analysis, 297
- direct method for construction of
 - conservation laws, 5, **46**, 78, [88], 118, 188, 224
 - PDE solutions, **308**, 312, 366
- direct substitution method, **303**, 309
- discrete symmetry, 89, 97, 117
- divergence expression, **43**, 335, 338, 339, 342
- divergence gauge, 335, 346, [355]
- divergence operator, 348
- dual, 348

- electromagnetic field tensor, 347
- elliptic equation, [172], 321, [331]
- embedding, 188
- entropy, 39, 190, 205, 237, [356]
- equation(s)
 - adjoint, *see* adjoint equation
 - Benjamin–Bona–Mahoney, [67]
 - Bessel, [36]
 - biharmonic, 168, [172]
 - boundary layer, 366
 - Boussinesq, [88], 311
 - Bragg–Hawthorne, [36], [199]
 - Burgers', *see* Burgers' equation
 - Cauchy–Riemann, 170
 - characteristic, 302
 - Chew–Goldberger–Low, 367
 - continuity, 190
 - cubic Schrödinger, [38]
 - determining, *see* determining equations
 - diffusion-convection, *see* diffusion-convection equation
 - elliptic, [172], 321, [331]
 - Euler, 40, 49, [66], 337
 - Euler–Lagrange, *see* Euler–Lagrange equations
 - evolution, *see* evolution equation
 - Fitzhugh–Nagumo, 313, 365
 - Fokker–Planck, 322
 - G , 113, [114]
 - gas dynamics, *see* planar gas dynamics (PGD) equations
 - Grad–Shafranov, [199]
 - heat, *see* heat equation
 - Helmholtz, [172]
 - hyperbolic, *see* hyperbolic equation
 - Kadomtsev–Petviashvili, 364
 - Klein–Gordon, [68], 79, 168
 - Kolmogorov, 283
 - Kolmogorov–Petrovskii–Piskunov, 365
 - Korteweg–de Vries (KdV), *see* Korteweg–de Vries equation
 - Landau–Ginzburg, 365
 - Laplace, [172]
 - linearized, **28**
 - Liouville, [35], [68]
 - Maxwell's, *see* Maxwell's equations
 - MHD, *see* MHD equations
 - Navier–Stokes, 22
 - nonlinear diffusion, *see* nonlinear diffusion equation
 - nonlinear elasticity, 295
 - nonlinear telegraph (NLT), *see* nonlinear telegraph equation
 - nonlinear wave, *see* nonlinear wave equation
 - parabolic, *see* parabolic equation
 - plasma equilibrium, *see* plasma equilibrium equations
 - porous medium, 298
 - potential, *see* potential equation(s)
 - quasi-linear diffusion, 366
 - reaction-diffusion, *see* reaction-diffusion equation
 - reaction-diffusion-convection, 365
 - Riccati, 165
 - Richard's, 365
 - Schrödinger, *see* Schrödinger equation
 - shallow water wave, 365, 366
 - sine-Gordon, 2, [38], [69], 117
 - sinh-Gordon, [69]
 - target, *see* target PDE (system)
 - Thomas, 286

- wave, *see* wave equation
- equivalence transformation, **21**, [35], 185
- Euclidean group, 352
- Euler equations, 40, 49, [66], 337
- Euler operator, 3, **44**, [67], 71, 176, 334, 339
- Euler system, 190, **205**, 241, 295, [329]
- Euler–Lagrange equations, **72**, [88]
- Eulerian formulation (framework), 190, [329]
- evolution equation, 117, 184, **211**, 225, **305**, 366
- evolutionary form, 1, **13**, 64, 107, 301, 340
- extended classical method, 305
- extended infinitesimal generator, **8**
- extended transformation, **6**
- extended tree, 190, 251
 - construction procedure, **223**, **243**
- extremum (extremal), 4, **72**, [88]

- factor, 3, **43**, 174
 - integrating, 119
- Fitzhugh–Nagumo equation, 313, 365
- flux, 3, **39**, **56**, 339, 364
 - direct computation, **58**
 - integral formula, **60**, 118
 - scaling-invariant PDE systems, **109**, [114]
- Fokker–Planck equation, 322
- form
 - Cauchy–Kovalevskaya, *see* Cauchy–Kovalevskaya form
 - characteristic, *see* evolutionary form
 - differential, 342
 - evolutionary, *see* evolutionary form
 - Hamiltonian, 117
 - invariant, *see* invariant form
 - solved, *see* solved form
- Fourier series, 158, 247, 318
- Fourier transform, 158, 168
- Fréchet derivative, 3, **21**, 28, **53**, [69], 77, [87], 107, 185

- G -equation, 113, [114]
- Galilean transformation, 132
- gauge, 334, [355]
 - algebraic, 346, [355]
 - Coulomb, 335, [355]
 - Cronstrom, 335, 346, [355]
 - divergence, 335, 346, [355]
 - Lorentz, *see* Lorentz gauge
 - Poincaré, 335, 346, [355]
 - spatial, 335, [355]
- gauge constraint(s), 243, 296, **299**, **333**, 335, 337, 340–342, 347, [355]
- gauge freedom, **333**, 336, 340, 351
- gauge invariance condition, 336
- gauge symmetries, **336**, 340
- GeM, 300, 357
- generalized conditional symmetry, **366**
- Grad–Shafranov equation, [199]
- Green’s function, 158
- Gröbner basis, 300, 367
- group
 - Euclidean, 352
 - global, 19
 - Möbius, 169
 - nonclassical, 307
- group foliation method, 366

- Hamiltonian, 117, 119
- harmonic oscillator, 26
- heat equation, 18, [35], 64, 129, [137, 138], [156], 180, [184], 248, 285, 286, 293, 309
 - backward, 214, 283, 290–293
 - classical method, **309**
 - invariant solutions, 310
 - nonclassical method, **309**
 - nonlinear, *see* nonlinear diffusion equation
 - point symmetries, **19**, 129, **310**
- Helmholtz equation, [172]
- higher-order symmetry, 2, **20**, 117, 123, 187, 250
 - classical method, **304**
 - classification problem, 31
- higher-order transformation, 2, **10**, **14**, 75
- hodograph transformation, 139, **143**, [184], 229, [282]
- homomorphism, 120, 121
- Hopf–Cole transformation, **129**, [137, 138], [156], 180, 285, 311
- hydrogen atom, 27
- hyperbolic equation, 119, 166, 168, [171], 185, 290, 321, [331]

- ideal gas, 39
- infinitesimal generator, 7, [34], 72, 123
 - evolutionary form, *see* evolutionary form
 - form
 - extended, **8**

- initial conditions, 318
- initial value problem, 117, 247, 315, 318
- integrability condition(s), 161, [171], 189, 191, 206, 296
- integral operator, 295
- integrating factor, **119**, 357
- integration by parts, 58, [69], 71, 107
- intermediate asymptotics, 298
- invariance criterion, 17, 20
- invariance of PDE, **17**, **20**
- invariant, 298, 303, 325, [330], [332], 366
 - differential, 185, 366
- invariant form, 299, 303, 306, 322, 324
- invariant form method, **302**, 309
- invariant solution(s), 6, 120, **121**, 187, 247, 295, **297**, 298, **301–308**, 315, 322, [330], 344
 - arising from nonlocally related system, 247, 299, **314**, 326, [330]
- invariant surface, 301, 302, 305
- invariant surface condition, **298**, 302–304, 306–309, 321
- inverse scattering, 117, 184
- invertible mapping(s), 124, **127**, **133**
 - of nonlinear PDE to linear PDE, 122, **139**, [155], 248, 367
 - through conservation law multipliers, 122, **173**, 248
 - through symmetries, 120, 248
 - to constant coefficient linear PDE, 122, **158**, 248
- isomorphism, 120, 121, 128, 133, 137

- Jacobian, 7, 72, 92, 142, 144, 145, 149, 175, 176, 181, 183, 303

- Kadomtsev–Petviashvili equation, 364
- Klein–Gordon equation, [68], 79, 168
- Kolmogorov equation, 283
- Kolmogorov–Petrovskii–Piskunov equation, 365
- Korteweg–de Vries (KdV) equation, 16, [37], 41, 51, 55, 63, [68], 78, [116], 119, 132, 134, [138], 363
 - adjoint operator, 55
 - conservation laws, 2, **41**, **52**, 63, [116], 117, 363, 364
 - cylindrical, [116], 133, 136, [138]
 - generalized, [68], 82, [87], 119
 - higher-order symmetries, 2, 16, [37]
 - linearizing operator, 55
 - local multipliers, 55, [68]
 - Miura transformation, 117, **132**
 - modified, 63, [68], 119, 132, [138]
 - point symmetries, **132**, [138]
 - recursion operator, 2, [37]
 - variational principle, 78
- k -plet potential system, **222**
- Kronecker symbol, 94, 150

- Lagrange system, 190, **206**, 241, 248, 295
- Lagrangian, **71**, [88]
- Lagrangian coordinates, 206, 237
- Lagrangian formulation (framework), 117, 190, [329]
- Lagrangian mass coordinate, 190, 206
- Landau–Ginzburg system, 365
- Laplace transform, 158, 168
- Laplace’s equation, [172]
- Laplacian, 27
- leading derivatives, 17, 44, 55, 118, 339, 358
- Legendre transformation, **151**, [156]
- Levi–Civita symbol, 348
- Lie algebra, 122, 123, 128, [138], 141, 160, [172], 319, 340
 - abelian, 160
- Lie group of transformations, 1, 302
 - abelian, 159
 - n -parameter, 159
 - one-parameter, 7, 72
- Lie’s algorithm, 1, 20, 188, **246**
- Lie’s classical method, *see* classical method
- Lie–Bäcklund symmetry, *see* higher-order symmetry
- Lie–Bäcklund transformation, *see* higher-order transformation
- LiePDE, 300
- linear operator, 26, 173
- linearization, *see* Fréchet derivative
 - by hodograph transformation, **143**
 - non-invertible, 190, 248
- linearized equation, **28**
- linearizing operator, *see* Fréchet derivative
- Liouville equation, [35], [68]
- local conservation law, 3, **38**, 118, 119, 189, **338**
 - of subsystems, **201**, [221]
 - trivial, **42**, 209
- local multiplier, 2, 364, 367

- local symmetry, 2, **20**, 65, **75**, [88], 123, 187, 246, 250, 304, 341
 recursion operator for, **24**
 local transformation, **5**, **13**, **249**
 one-parameter, 123
 local variable, [198, 199]
 locally equivalent, **121**
 Lorentz gauge, 335, 341, 345, 346, 348, 350, 367
 Lorentz invariance, 367
 lower-degree (curl-type) conservation law, 244, 296, **341**, 350, 351

 magnetic field line, 351, 353, 354, [356]
 magnetic surface, 351–353, [356]
 Maple, 300, 357
 mapping, 123
 conformal, 170, [172]
 invertible, 120, 121, 124, **127**
 multiplier, **159**, 162, 168
 necessary conditions, **126**, **128**, [138], **160**, 167, **175**, 178, 179, 182
 non-invertible (nonlocal), *see*
 non-invertible (nonlocal) mapping
 of surfaces, **11**
 relating PDEs, 121
 sufficient conditions, **161**, **175**, 180, [221]
 to specific target PDE, **128**, 184
 mapping equations, **126**, [138], 140, 149, 160, 162, 165, 167, 168, 170, 185
 Mathematica, 300
 Maxwell's equations, 41, 47, 49, 119, 341, **347**, [355]
 nonlocal conservation laws, **347**
 nonlocal symmetries, **347**, **350**, [355]
 point symmetries, [355]
 tree of nonlocally related systems, **349**, [355]
 method of characteristics, 318
 method of nonlinear separation, 366
 MHD equations, 120, **350**, [355, 356]
 symmetries, **351–356**
 Minkowski space, 119, 347–350, [355]
 Miura transformation, 117, **132**
 Möbius group, 169
 modified KdV equation, *see* Korteweg–de Vries equation
 multiplier, 2, **43**, 77, [89], **159**, 162, 168, 338, 367
 higher-order, 118
 non-singular, **44**, **54**
 singular, **44**, 118
 trivial, 118

 Navier–Stokes equations, 22
 Noether transformation, *see* higher-order transformation
 Noether's theorem, 4, **70**, [88], 118
 Boyer's formulation, **75**, [88]
 limitations, 77
 Noether's formulation, **72**, [88]
 non-invertible (nonlocal) mapping, 120, **129**, 190, **248**, **283**
 Hopf–Cole transformation, *see*
 Hopf–Cole transformation
 of nonlinear PDE to linear PDE, 283, **284**
 to constant coefficient linear PDE, **283**, **290**
 non-invertible linearization, 190
 nonclassical group, 307
 nonclassical method, 120, 298–300, **306**, 326, [329], 364–366
 generalization due to Burde, 366
 nonclassical potential solutions, **326**
 nonclassical solution, **307**, 364–366
 nonclassical symmetry, **306**, 307
 nonlinear diffusion equation, 23, 31, 119, 147, [155], [184], 193, 196, 202, [207–209], 225, [241], 252, [282], 285, 295, 313, 326, [332, 333], 364–367
 combination potential system, 226
 extended tree of nonlocally related systems, **227**, 252, [282]
 generalized conditional symmetry solutions, 366
 group classification, 31, **252**, **254**, **255**, [282], 359, **361**, **362**
 group of equivalence transformations, 24, 252
 higher-order symmetries, 31
 invariant solutions, 295, 328, [332]
 linearization, **147**, [156], [184], 253, [282], **285**, 295
 nonclassical method, 327–329, [333]
 nonclassical potential solution, 329, [333]
 nonclassical solution, 364, 367
 nonclassical symmetry, [332, 333]
 nonlocal symmetries, **253**
 nonlocally related subsystem, [241], [282]

- potential equation, 327, 329, [333]
- potential symmetries, 295, 367
- potential system(s), **193**, **202**, [208], 254, 295, 326, [333]
- recursion operator, 34, [37]
- subsystem(s), 196, **203**, [208], [241], 286
- tree of nonlocally related systems, **202**
- nonlinear elasticity equations, 295, [329]
- nonlinear heat conduction equation, *see* nonlinear diffusion equation
- nonlinear telegraph (NLT) equation (system), [36], 50, [69], 84, 102, 108, [116], 119, 145, 181, 193, 215, [221], 270, 289
- conservation laws, **50**, [69], **85**, 102, 108, [116], 119
- extended tree of related systems, **272**
- group classification, **271–276**
- group of equivalence transformations, [36], 215, [221]
- linearization, **145**, **181**, [221], 271, 275, **289**
- local conservation laws, **215**, [221]
- nonlocal conservation laws, **217–220**
- nonlocal symmetries, **271**, **274–276**
- nonlocally related subsystem, 289
- subsystem, 194
- symmetries, **85**, 102, 108, [116], 145, [221]
- nonlinear wave equation, [36], 58, 65, [69], 119, 228, [242], 256, [282], [294]
- conservation laws, **58**, [69], 119
- extended tree of nonlocally related systems, **232**, 256
- group classification, **256**, 257–270
- group of equivalence transformations, [36], 256, 258, 259, 261, 262, 265–267, 269
- linearization, 259, 262, 270, [282], [294]
- local conservation laws, **228**
- nonlocal symmetries, **257–270**
- potential system(s), **228**, [242], [294]
- nonlocal conservation law, [115], 120, 187, **209**, **246**, 299, **337**
- nonlocal mapping, *see* non-invertible (nonlocal) mapping
- nonlocal symmetry, [115], 120, 187, **246**, **248**, **250**, **251**, 299, [330], **337**, **340**, 344
- solutions arising from, 247, **314**
- nonlocal variable, **191**, 245, [329], 336
- nonlocally related PDE (system), 120, 153, [155–158], 159, **187**, **248**, 284, 290, [329]
- conservation laws arising from, **210**
- construction of further solutions through use of, **320**
- for more than two dimensions, 299, **333**, **336**, **337**
- invariant solutions arising from, **314**
- null generator, 122, 126, 130
- one-parameter local transformation, 123
- one-to-one mapping, *see* invertible mapping
- operator
 - adjoint, *see* adjoint operator
 - angular momentum, 27
 - curl, 348
 - divergence, 348
 - Euler, *see* Euler operator
 - integral, 295
 - linear, 26, 173
 - linear momentum, 27
 - linearizing, *see* Fréchet derivative
 - recursion, *see* recursion operator
 - self-adjoint, **64**
 - total derivative, *see* total derivative operator
- optimal system, 319
- over-determined, 18, 45, 118, 131, 185, 298–300, 358, 359
- parabolic equation, 163, 248, **290**, 321, [331]
- potential system, 292
- pivot, 360
- planar gas dynamics (PGD) equations, [36], 190, 204, 232, [242], 276, 315, 318, 324, [330–332], 357
- combination potential system, 238
- Euler system, **205**, 236, 241, [242], 276, [282], 357
- extended tree of nonlocally related systems, **236**, 276, 280
- further extended tree of nonlocally related systems, **240**
- group classification, **277–281**

- group of equivalence transformations, [36], **233**, 280, 320
- invariant, [332]
- invariant solutions, **318**, [330–332]
- Lagrange system, **206**, 233, 237, 240, [242], 248, 279, [282], 315, 318, 324, [331, 332]
- nonlocal symmetries, 248, **277–281**, 324
- nonlocally related systems, **204**, **232**
- subsystem, 206, [283]
- tree of nonlocally related systems, **208**
- plasma equilibrium equations
 - anisotropic (Chew–Goldberger–Low), 367
 - isotropic, *see* MHD equations
- Poincaré gauge, 335, 346, [355]
- Poincaré’s lemma, 335
- point symmetry, 1, **16**, 121, 123, 127, 133, 187, 247, 250, 301, 314, 322, 326, 359, 367, *see also* Lie group of transformations
- point transformation, 1, **6**, [34], 89, 123, 133, 140, 158, 178, 248, 291, 367, *see also* Lie group of transformations
- polytropic gas, [36], 239, [242], 278–281, [282], 315, 318, 324, [331], 357
- porous medium equation, 298
- potential equation(s), **191**, [198], 210, 321, 322, 326, [331], 334, 336, 342
- potential shift symmetry, 352
- potential symmetry, **250**, 294, 299, 322, 367
- potential system(s), **189**, **191**, **192**, [199], 210, [241], 246, 292, 299, 314, 321, 322, 326, [330, 331], 333, 336, 340, 341, [355]
 - combination, **222**
 - determined, 333, **336–338**, 340, 342, 348, 351
 - for linear PDEs, 248
 - gauge symmetries, **336**
 - k -plet, **222**, 250, 338
 - locally equivalent, **223**
 - spectrum of singlet, **243**
 - under-determined, **333**, **336**, 340, 341
- potential variable, 189, **191**, [198], 210, 245, 249, 299, 314, 333, 335, 338, 342, 345, 366
- pressure, 190
- projection, 249, 314, 319, 341, 344
- projective transformation, 252, 261, 262, 266, 269
- prolongation, *see* extended transformation
- quadruplet, **222**
- quantum mechanics, 26
- quasi-linear diffusion equations, 366
- quasilinear PDE (system), **143**, **151**, [156], [184]
- reaction-diffusion equation, [157], 194, [242], 287, 365
 - extended tree of nonlocally related systems, [242]
 - linearization, [242], **287**
 - nonclassical solutions, 365
 - potential system, 288
- reaction-diffusion-convection equation, 365
- recursion operator, 2, **24**, [37], 117, 184
 - for linear PDE, **25**, 117
 - for nonlinear PDE, **27**
- recycling procedure, 293
- REDUCE, 300
- reflection(s), 102
- Riccati equation, 165
- Richard’s equation, 365
- rif, 300, 364
- Runge–Lenz vector, 27
- scaling(s), 13, [37], [88], 110, [114], 132, 134, 316, 344
- Schrödinger equation, 26, 119, 283, 293
 - cubic, [38]
 - nonlinear, 117, 119
- self-adjoint, 4, **64**, 77, [88], [115], 118, 185, 230
 - operator, **64**
- self-similar asymptotics, 298
- self-similar solution, 297
 - first kind, **298**
 - second kind, **298**
- separation of variables, 117
- shallow water wave equation, 365, 366
- similarity solution, *see* invariant solution
- similarity variable, **303**, 308, 321
- sine-Gordon equation, 2, [38], [69], 117
- singlet, **222**, 250, 338
- singular multiplier, **44**

- sinh-Gordon equation, [69]
- solution
- ansatz, *see* ansatz for solutions
 - asymptotic, 297, 298
 - invariant, *see* invariant solution
 - nonclassical, **307**, 366, 367
 - nonclassical potential, **326**
 - self-similar, 297, 298
 - similarity, *see* invariant solution
 - traveling wave, 297
- solved form, 17, **45**, 118, 358
- spatial flux, **39**
- spatial gauge, 335, [355]
- special functions, 117
- specific heat, 39
- spectrum of singlet potential systems, **243**
- standard_form, 300
- stream function, 366
- streamline, 351, 353, 354, [356]
- structure constants, 128, 130
- subalgebra(s), 121
 - optimal system, 319
- subgroup, 123
- subsystem(s), 189, **193**, 200, [220], 224, 246, 314, 321, 326, 336, 366
 - local conservation law, 201, [220]
 - locally related, 194, [197], [199], 201, 224, 285
 - nonlocally related, 190, **193**, **195**, [197], 201, 224, 243, 245, 250, **336**, 341
- surfaces
 - mapping of, **11**
- symbolic manipulation software, 120, 297, 300, **357**
 - computation of conservation laws, 300, **363**
 - computation of symmetries, 300, **357**
 - group classification, **359**
- symmetry, **1**, **16**, **20**, **248**
 - adjoint, **107**
 - approximate, 300
 - Bogoyavlenskij, [356]
 - classification, 21
 - computation through symbolic manipulation software, *see* symbolic manipulation software
 - conditional Lie-Bäcklund, **366**
 - conformal, 346
 - contact, *see* contact symmetry
 - continuous, 1, 89, 117, 187
 - dilation, 344, 345
 - discrete, 89, 97, 117
 - duality-type, 346, 350
 - gauge, **336**, 340
 - generalized conditional, **366**
 - higher-order, *see* higher-order symmetry
 - local, *see* local symmetry
 - nonclassical, **306**, 307
 - nonlocal, *see* nonlocal symmetry
 - point, *see* point symmetry
 - potential, *see* potential symmetry
 - potential shift, 352
 - rotation, 344, 345
 - scaling, *see* scaling(s)
 - translation, *see* translation(s)
 - variational, *see* variational symmetry
- symmetry reduction, 247, 303, 304, 322
- target class of equations, 159
- target PDE (system), 120, 121, 123, 126, [138], 173, 178, 179, 187
- tensor
 - antisymmetric, 335, 336
 - electromagnetic field, 347
 - space-time metric, 347
- Thomas equations, 286
- total derivative operator, **7**, 26, 92, 125, 191
- transformation
 - Bäcklund, 366
 - bilinear, 169
 - conformal, 170, [172], 345
 - contact, *see* contact transformation
 - equivalence, **21**
 - extended, **6**
 - Galilean, 132
 - higher-order, *see* higher-order transformation
 - hodograph, *see* hodograph transformation
 - Hopf-Cole, *see* Hopf-Cole transformation
 - Legendre, **151**
 - Lie-Bäcklund, *see* higher-order transformation
 - local, *see* local transformation
 - Miura, *see* Miura transformation
 - Noether, *see* higher-order transformation

- nonlocal, *see* non-invertible (nonlocal) mapping
- point, *see* point transformation
- projective, *see* projective transformation
- von Mises, 366
- translation(s), 13, 102, [138], 160, 290, 297, 303, 344, 345
- traveling wave solution, 297
- tree construction procedure, **200**, **337**
 - extended, **223**, 243
- tree of nonlocally related systems, 189, **199**, 245, **337**
 - extended, 190, 199, 245, 251, **338**
 - further extended, 201, **224**, 240, 245, **338**
- triplet, **222**
- trivial conservation law, **42**, 209
- two-layered medium, 315
- under-determined, 299, 328, 333, 334, 336, 340
- variational principle, 4, 70, 77
- variational symmetry, 4, **75**, 77, [88], 118
- variational system, 185
- vector potential, 334
- velocity, 39, 49, 120, 190, [198], 205, 207, [329], 337, 351
- von Mises transformation, 366
- wave equation, [115], 168, [171], [173], 196, 230, 247, [282], 315, [331], 335, 345, 350, [355]
 - conservation law multiplier, [331]
 - invariant solutions, 317, [331]
 - nonlinear, *see* nonlinear wave equation
 - nonlocal symmetries, 247, **345**, **346**
 - point symmetries, **345**
 - potential symmetry, [331]
 - potential system, 247, 315, [331], 350, [355]
 - relativistic, 119
 - semilinear, 119
- wave propagation, 316
- wave speed, 230, 259–262, 266, 267
 - variable, 196, 247, 315