

# References

1. **J. M. Ball**, Convexity conditions and existence theorems in nonlinear elasticity, *Arch. Rational Mech. Anal.*, **63** (1977), 337–403.
2. **J. M. Ball and F. Murat**,  $W^{1,p}$ -quasi-convexity and variational problems for multiple integrals, *J. Funct. Anal.*, **58** (1984), 225–253.
3. **G. F. D. Duff**, Differential forms in manifolds with boundary, *Ann. Math.*, **56** (1952), 115–127.
4. **G. F. D. Duff and D. C. Spencer**, Harmonic tensors on Riemannian manifolds with boundary, *Ann. Math.*, **56** (1952), 128–156.
5. **F. W. Gehring**, Symmetrization of rings in space, *Trans. Amer. Math. Soc.*, **101** (1961), 499–519.
6. **F. W. Gehring**, The  $L^p$ -integrability of partial derivatives of a quasiconformal mapping, *Acta Math.*, **130** (1973), 265–277.
7. **F. W. Gehring and J. Väisälä**, Hausdorff dimension and quasiconformal mappings, *J. London Math. Soc.*, **6** (1973), 504–512.
8. **F. W. Gehring**, The  $L^p$ -integrability of the partial derivatives of quasiconformal mapping, *Bull. Amer. Math. Soc.*, **79** (1973), 465–466.
9. **F. W. Gehring**, Topics in quasiconformal mappings. Quasiconformal space mappings, 20–38, *Lect. Notes Math.*, **1508**, Springer, Berlin, 1992.
10. **F. W. Gehring and B. G. Osgood**, Lipschitz classes and quasi-conformal extension domains, *Complex Variables*, **9** (1987), 175–188.
11. **F. W. Gehring and B. G. Osgood**, Uniform domains and the quasihyperbolic metric, *J. Anal. Math.*, **36** (1979), 50–74.
12. **F. W. Gehring and B. Palka**, Quasiconformally homogeneous domains, *Journal d'analyse mathématique*, **30** (1976), 172–199.
13. **F. W. Gehring**, Topics in quasiconformal mappings, *Proceedings of ICM, Berkeley*, 1986, 62–82.
14. **F. W. Gehring**, Some metric properties of quasi-conformal mappings, *Proceedings of the International Congress of Mathematicians* (Vancouver, B. C., 1974), Vol. 2, 203–206. Canad. Math. Congress, Montreal, Que., 1975.
15. **F. W. Gehring**, Quasiconformal mappings in  $R^n$ , Lectures on quasiconformal mappings, 44–110, *Lect. Note*, **14**, Dept. Math., Univ. Maryland, College Park, Md., 1975.
16. **F. W. Gehring**, Lower dimensional absolute continuity properties of quasiconformal mappings, *Math. Proc. Cambridge Philos. Soc.*, **78** (1975), 81–93.
17. **F. W. Gehring, W. K. Hayman and A. Hinkkanen**, Analytic functions satisfying Hölder conditions on the boundary, *J. Approx. Theory*, **35** (1982), 243–249.

18. **F. W. Gehring and O. Martio**, Quasidisks and the Hardy-Littlewood property, *Complex Variables Theory Appl.*, **2** (1983), 67–78.
19. **F. W. Gehring and O. Martio**, Lipschitz classes and quasi-conformal mappings. *Ann. Acad. Sci. Fenn. Ser. A.I. Math.*, **10** (1985), 203–219.
20. **R. P. Agarwal and S. Ding**, Advances in differential forms and the A-harmonic equations, *Math. Comput. Model.*, **37** (2003), 1393–1426.
21. **C. Scott**,  $LP$ -theory of differential forms on manifolds, *Trans. Amer. Math. Soc.*, **347** (1995), 2075–2096.
22. **M. P. do Carmo**, Differential forms and applications, Springer-Verlag, Berlin, 1994.
23. **F. W. Warner**, Foundations of differentiable manifolds and Lie groups, Springer-Verlag, New York, 1983.
24. **S. Morita**, Geometry of differential forms. Translated from the two-volume Japanese original (1997, 1998) by Teruko Nagase and Katsumi Nomizu. Translations of Mathematical Monographs, 201. Iwanami Series in Modern Mathematics. American Mathematical Society, Providence, RI, 2001.
25. **S. Lang**, Differential and Riemannian manifolds, Springer-Verlag, New York, 1995.
26. **J. W. Robbin, R. C. Rogers and B. Temple**, On weak continuity and the Hodge decomposition, *Trans. Amer. Math. Soc.*, **303** (1987), 609–618.
27. **S. M. Buckley, J. J. Manfredi and E. Villamor**, Regularity theory and traces of A-harmonic functions, *Trans. Amer. Math. Soc.*, **348** (1996), 1–12.
28. **J. Cheng and A. Fang**,  $(G, H)$ -quasiregular mappings and B-harmonic equations (Chinese), *Acta Math. Sinica*, **42** (1999), 883–888.
29. **M. G. Crandall and J. Zhang**, Another way to say harmonic, *Trans. Amer. Math. Soc.*, **355** (2003), 241–263.
30. **B. E. J. Dahlberg**, Estimates of harmonic measure, *Arch. Rational Mech. Anal.*, **65** (1977), 272–288.
31. **S. Ding**, Some weighted integral inequalities for solutions of the A-harmonic equation, invited lecture at the ICM2002 Complex Analysis Satellite Conference in Shanghai, August 15–17, 2002.
32. **S. Ding, G. Bao and Y. Xing**, Sobolev-Poincaré embeddings for operators on harmonic forms on manifolds, *Comput. Math. Appl.*, **47** (2004), 259–270.
33. **S. Ding, Y. Xing and G. Bao**,  $A_r(\Omega)$ -weighted inequalities for A-harmonic tensors and related operators, *J. Math. Anal. Appl.*, **322** (2006), 219–232.
34. **S. Ding and Y. Gai**,  $A_r$ -weighted Poincaré-type inequalities for differential forms in some domains, *Acta Math. Sinica*, **46** (2003), 23–28.
35. **S. Ding**, Local and global estimates for solutions to the A-harmonic equation and related operators, *Proceedings of Conference on Differential & Difference Equations and Applications*, Florida Institute of technology, Hindawi, 2006, 351–361.
36. **S. Ding and R. P. Agarwal**, Integrability of the solutions to conjugate A-harmonic equation in  $L^s(\mu)$ -averaging domains, *Arch. Inequal. Appl.*, **2** (2004), 517–526.
37. **P. Duren**, F. W. Gehring: a biographical sketch, Quasiconformal mappings and analysis (Ann Arbor, MI, 1995), 1–4, Springer, New York, 1998.
38. **P. Duren, J. Heinonen, B. Osgood and B. Palka**, Quasiconformal mappings and analysis, a collection of papers honoring F. W. Gehring (papers from the International Symposium held in Ann Arbor, MI, August 1995), Springer-Verlag, New York, 1998.
39. **A. Fang**, On the compactness of homeomorphisms with integrable dilatations, *Acta Math. Sinica (N.S.)*, **14** (1998), 161–168.
40. **A. Fang**, Quasiconformal mappings and the theory of functions for systems of nonlinear elliptic partial differential equations of first order (Chinese), *Acta Math. Sinica*, **23** (1980), 280–292.

41. **A. Fang**, Riemann's existence theorem for nonlinear quasiconformal mappings (Chinese), *Acta Math. Sinica*, **23** (1980), 341–353.
42. **A. Fang**, Two kinds of boundary value problems for first-order systems of nonlinear elliptic partial differential equations (Chinese), *Chinese Ann. Math.*, **3** (1982), 587–594.
43. **R. Fehlmann and M. Vuorinen**, Mori's theorem for  $n$ -dimensional quasiconformal mappings, *Ann. Acad. Sci. Fenn. Ser. A I Math.*, **13** (1988), 111–124.
44. **R. Finn**, On partial differential equations (whose solutions admit no isolated singularities), *Scripta Math.*, **26** (1963), 107–115.
45. **R. Finn and J. Serrin**, On the Hölder continuity of quasi-conformal and elliptic mappings, *Trans. Amer. Math. Soc.*, **89** (1958), 1–15.
46. **R. Finn and V. Solonnikov**, Gradient estimates for solutions of the Navier-Stokes equations, *Topol. Methods Nonlinear Anal.*, **9** (1997), 29–39.
47. **O. Lehto**, Fred Gehring and Finnish mathematics, *Quasiconformal mappings and analysis* (Ann Arbor, MI, 1995), 19–32, Springer, New York, 1998.
48. **A. K. Lerner**, Weighted rearrangement inequalities for local sharp maximal functions, *Trans. Amer. Math. Soc.*, **357** (2005), 2445–2465.
49. **P. Li and J. Wang**, Hölder estimates and regularity for holomorphic and harmonic functions, *J. Differ. Geom.*, **58** (2001), 309–329.
50. **Q. Ran**, Fusion problems of very weak solutions for nonhomogeneous  $A$ -harmonic equations (Chinese), *Math. Appl (Wuhan)*, **15** (2002), 113–117.
51. **J. Serrin**, Local behavior of solutions of quasi-linear equations, *Acta Math.*, **111** (1964), 247–302.
52. **B. Stroffolini**, On weakly  $A$ -harmonic tensors, *Studia Math.*, **114** (1995), 289–301.
53. **H. Grötzsch**, Über die Verzerrung bei schlichten nichtkonformen Abbildungen und über eine damit zusammenhängende Erweiterung des Picardschen Satzes, *Ber. Verh. Sachs. Akad. Wiss. Leipzig*, **80** (1928), 503–507.
54. **M. A. Lavrent'ev**, Sur un critère différentiel des transformations homomorphes des domaines a trois dimensions, *Dokl. Akad. Nauk SSSR*, **22** (1938), 241–242.
55. **O. Teichmüller**, Untersuchungen über konforme und quasikonforme Abbildung, *Deutsche Math.*, **3** (1938), 621–678.
56. **L. V. Ahlfors**, On quasiconformal mappings, *J. Analyse Math.*, **3** (1954), 1–58, 207–208.
57. **J. Väisälä**, On quasiconformal mappings in space, *Ann. Acad. Sci. Fenn. Ser. A I*, **298** (1961), 1–36.
58. **Yu. G. Reshetnyak**, Estimates of the modulus of continuity for certain mappings (Russian), *Sibirsk. Mat. Zh.*, **7** (1966), 1106–1114.
59. **J. Heinonen, T. Kilpelainen and O. Martio**, Nonlinear potential theory of degenerate elliptic equations, Oxford University Press Inc., New York, 1993.
60. **S. Ding**, Integral estimates for the Laplace-Beltrami and Green's operators applied to differential forms, *Z. Anal. Anwendungen*, **22** (2003), 939–957.
61. **H. Gao**, Regularity for very weak solutions of  $A$ -harmonic equations (Chinese), *Acta Math. Sinica*, **44** (2001), 605–610.
62. **H. Gao**, Weighted integral inequalities for conjugate  $A$ -harmonic tensors, *J. Math. Anal. Appl.*, **281** (2003), 253–263.
63. **H. Gao**, Some properties of weakly quasiregular mappings (Chinese), *Acta Math. Sinica*, **45** (2002), 191–196.
64. **C. E. Gutierrez and R. L. Wheeden**, Sobolev interpolation inequalities with weights, *Trans. Amer. Math. Soc.*, **323** (1991), 263–281.
65. **V. Gutlyanskii, O. Martio, T. Sugawa and M. Vuorinen**, On the degenerate Beltrami equation, *Trans. Amer. Math. Soc.*, **357** (2005), 875–900.
66. **A. Iovita and M. Spiess**, Logarithmic differential forms on  $p$ -adic symmetric spaces, *Duke Math. J.*, **110** (2001), 253–278.

67. **C. A. Nolder**, Conjugate harmonic functions and Clifford algebras. *J. Math. Anal. Appl.*, **302** (2005), 137–142.
68. **C. A. Nolder**, The  $H^p$ -norm of a quasiconformal mapping, *J. Math. Anal. Appl.*, **275** (2002), 557–561.
69. **C. A. Nolder**, A characterization of certain measures using quasiconformal mappings, *Proc. Amer. Math. Soc.*, **109** (1990), 349–456.
70. **C. A. Nolder**, A quasiregular analogue of theorem of Hardy and Littlewood, *Trans. Amer. Math. Soc.*, **331**(1992), 215–226.
71. **C. A. Nolder**, Hardy-Littlewood theorems for  $A$ -harmonic tensors, *Illinois J. Math.*, **43** (1999), 613–631.
72. **C. A. Nolder**, Global integrability theorems for  $A$ -harmonic tensors, *J. Math. Anal. Appl.*, **247**(2000), 236–245.
73. **C. A. Nolder**, An  $L^p$  definition of interpolating Blaschke products, *Proc. Amer. Math. Soc.*, **128** (2000), 1799–1806.
74. **C. A. Nolder**, Carleson's inequality and quasiconformal mappings, *Rocky Mountain J. Math.*, **24** (1994), 1055–1063.
75. **S. Xie and A. Fang**, Global higher integrability for the gradient of very weak solutions of a class of nonlinear elliptic systems, *Nonlinear Anal.*, **53** (2003), 1127–1147.
76. **S. Xie and B. Dai**, Local regularity of very weak solutions of a class of nonlinear elliptic systems (Chinese), *Math. Appl. (Wuhan)*, **14** (2001), 93–97.
77. **S. Xie and J. Zhang**, Boundary higher integrability for the gradient of very weak solutions of a nonhomogeneous harmonic-type equation (Chinese), *Natur. Sci. J. Xiangtan Univ.*, **23** (2001), 6–10.
78. **S. Xie**, Regularity of very weak solutions for a nonhomogeneous  $A$ -harmonic type equation (Chinese), *J. Shanghai Jiaotong Univ. (Chin. Ed.)*, **35** (2001), 1105–1108.
79. **S. Xie**, Weakly Quasi-regular mappings and very weak solutions, invited lecture at the International Congress of Mathematicians 2002 Satellite Conference for Analysis, Shanghai, August, 2002.
80. **Y. Xing**, Weighted integral inequalities for solutions of the  $A$ -harmonic equation, *J. Math. Anal. Appl.*, **279** (2003), 350–363.
81. **Y. Xing**, Two-weight imbedding inequalities for solutions to the  $A$ -harmonic equation, *J. Math. Anal. Appl.*, **307** (2005), 555–564.
82. **Y. Xing**, Weighted Poincaré-type estimates for conjugate  $A$ -harmonic tensors, *J. Inequal. Appl.*, **1** (2005), 1–6.
83. **Y. Xing, B. Wang and S. Ding**, Global estimates for compositions of operators applied to differential forms, *Comput. Math. Appl.*, **48** (2004), 1905–1913.
84. **Y. Xing and G. Bao**, Two-weight weak reverse Hölder inequality for differential forms, *J. Nat. Sci. Heilongjiang Univ. (Heilongjiang Daxue Ziran Kexue Xuebao)*, **22** (2005), 138–140.
85. **Y. Xing**, Weighted integral inequalities for solutions of the  $A$ -harmonic equation, *J. Math. Anal. Appl.*, **279** (2003), 350–363.
86. **Y. Xing and C. Wu**, Global weighted inequalities for operators and harmonic forms on manifolds, *J. Math. Anal. Appl.*, **294** (2004), 294–309.
87. **O. Martio, S. Rickman and J. Väisälä**, Definitions for quasiregular mappings, *Ann. Acad. Sci. Fenn. Ser. A I*, **448** (1969), 1–40.
88. **O. Martio, S. Rickman and J. Väisälä**, Distortion and singularities of quasiregular mappings, *Ann. Acad. Sci. Fenn. Ser. A I*, **465** (1970), 1–13.
89. **O. Martio, S. Rickman and J. Väisälä**, Topological and metric properties of quasiregular mappings, *Ann. Acad. Sci. Fenn. Ser. A I*, **488** (1971), 1–31.
90. **J. Väisälä**, Modulus and capacity inequalities for quasiregular mappings, *Ann. Acad. Sci. Fenn. Ser. A I*, **509** (1972), 1–14.
91. **L. V. Ahlfors and A. Beurling**, Conformal invariants and function-theoretic null-sets, *Acta Math.*, **83** (1950), 101–129.

92. **M. Vuorinen**, Conformal geometry and quasiregular mappings, **1319**, Springer-Verlag, Berlin, 1988.
93. **M. Vuorinen**, Conformal invariants and quasiregular mappings, *J. Anal. Math.*, **45** (1985), 69–115.
94. **M. Vuorinen**, On the distortion of  $n$ -dimensional quasiconformal mappings, *Proc. Amer. Math. Soc.*, **96** (1986), 275–283.
95. **M. Vuorinen**, On quasiconformal mappings and domains with a complete conformal metric, *Math. Z.*, **194** (1987), 459–470.
96. **G. D. Anderson, M. Vamanamurthy and M. Vuorinen**, Dimension-free quasiconformal distortion in  $n$ -space, *Trnas. Amer. Math. Soc.*, **297** (1986), 687–706.
97. **G. D. Anderson, M. Vamanamurthy and M. Vuorinen**, Sharp distortion theorems for quasiconformal mappings, *Trnas. Amer. Math. Soc.*, **305** (1988), 95–111.
98. **M. Lehtinen and M. Vuorinen**, On Teichmüller’s modulus problem in the plane, *Rev. Roumaine Math. Pures Appl.*, **33** (1988), 97–106.
99. **T. Iwaniec and A. Lutoborski**, Integral estimates for null Lagrangians, *Arch. Rational Mech. Anal.*, **125** (1993), 25–79.
100. **G. H. Hardy and J. E. Littlewood**, Some properties of conjugate functions, *J. Reine Angew. Math.*, **167** (1932), 405–423.
101. **G. H. Hardy and J. E. Littlewood**, Some properties of fractional Integrals II, *Math. Z.*, **34** (1932), 403–439.
102. **S. Ding**, Two-weight Caccioppoli inequalities for solutions of nonhomogeneous  $A$ -harmonic equations on Riemannian manifolds, *Proc. Amer. Math. Soc.*, **132** (2004), 2367–2375.
103. **Y. Wang and C. Wu**, Sobolev imbedding theorems and Poincaré inequalities for Green’s operator on solutions of the nonhomogeneous  $A$ -harmonic equation, *Comput. and Math. Appl.*, **47** (2004), 1545–1554.
104. **S. Ding**, Local and global norm comparison theorems for solutions to the nonhomogeneous  $A$ -harmonic equation, *J. Math. Anal. Appl.*, **335** (2007), 1274–1293.
105. **T. Iwaniec**,  $p$ -harmonic tensors and quasiregular mappings, *Ann. Math.*, **136** (1992), 589–624.
106. **D. Franke, O. Martio, V. M. Miklyukov, M. Vuorinen and R. Wisk**, Quasiregular mappings and  $WT$ -classes of differential forms on Riemannian manifolds, *Pacific J. Math.*, **202** (2002), 73–92.
107. **G. Aronsson and P. Lindqvist**, On  $p$ -harmonic functions in the plane and their stream functions, *J. Differ. Equ.*, **74** (1988), 157–178.
108. **G. Aronsson**, Construction of singular solutions to the  $p$ -harmonic equation and its limit equation for  $p = \infty$ , *Manuscripta Math.*, **56** (1986), 135–158.
109. **G. Aronsson**, On certain  $p$ -harmonic functions in the plane, *Manuscripta Math.*, **61** (1988), 79–101.
110. **M. Carozza and A. Passarelli Di Napoli**, A regularity result for  $p$ -harmonic equations with measure data, *Collect. Math.*, **55** (2004), 11–19.
111. **S. Ding**, Some examples of conjugate  $p$ -harmonic differential forms, *J. Math. Anal. Appl.*, **227** (1998), 251–270.
112. **P. E. Herman, R. Peirone and R. S. Strichartz**,  $p$ -energy and  $p$ -harmonic functions on Sierpinski Gasket type fractals, *Potential Anal.*, **20** (2004), 125–148.
113. **S. Kim**, Harnack inequality for nondivergent elliptic operators on Riemannian manifolds, *Pacific J. Math.*, **213** (2004), 281–293.
114. **K. Kodaira**, Harmonic fields in Riemannian manifolds (generalized potential theory), *Ann. Math.*, **50** (1949), 587–665.
115. **P. Koskela and J. Onninen**, Mappings of finite distortion: the sharp modulus of continuity, *Trans. Amer. Math. Soc.*, **355** (2003), 1905–1920.
116. **P. Lindqvist**, On  $p$ -harmonic functions in the complex plane and curvature, *Israel J. Math.*, **63** (1988), 257–269.

117. **G. Moscarriello**, On the regularity of solutions to a class of  $p$ -harmonic equations. Nonlinear elliptic and parabolic equations and systems (Pisa, 2002), *Comm. Appl. Nonlinear Anal.*, **10** (2003), 1–8.
118. **K. Rogovin**, Local compactness for families of  $A$ -harmonic functions, *Illinois J. Math.*, **48** (2004), 71–87.
119. **T. Iwaniec and C. A. Nolder**, Hardy-Littlewood inequality for quasiregular mappings in certain domains in  $R^n$ , *Ann. Acad. Sci. Fenn. Ser. A.I. Math.* **10** (1985), 267–282.
120. **S. M. Buckley**, Pointwise multipliers for reverse Hölder spaces, *Studia Math.*, **109** (1994), 23–39.
121. **S. Ding and P. Shi**, Weighted Poincaré-type inequalities for differential forms in  $L^s(\mu)$ -averaging domains, *J. Math. Anal. Appl.*, **227** (1998), 200–215.
122. **M. Frazier and S. Roudenko**, Matrix-weighted Besov spaces and conditions of  $A_p$  type for  $0 < p < 1$ , *Indiana Univ. Math. J.*, **5** (2004), 1225–1254.
123. **J. B. Garnett**, Bounded analytic functions, Academic Press, New York, 1970.
124. **S. Ding**, New weighted integral inequalities for differential forms in some domains, *Pacific J. Math.*, **149** (2000), 43–56.
125. **C. J. Neugebauer**, Inserting  $A_p$ -weights, *Proc. Amer. Math. Soc.*, **87** (1983), 644–648.
126. **D. Cruz-Uribe and C. Peter**, Two-weight, weak-type norm inequalities for fractional integrals, Calderón-Zygmund operators and commutators, *Indiana Univ. Math. J.*, **49** (2000), 697–721.
127. **S. Ding and B. Liu**, Singular integral of the composite operator, *Applied Mathematics Letters*, **22** (2009), 1271–1275.
128. **Y. Ding and C. Lin**, Two-weight norm inequalities for the rough fractional integrals, *Int. J. Math. Math. Sci.*, **25** (2001), 517–524.
129. **J. García-Cuerva and J. M. Martell**, Two-weight norm inequalities for maximal operators and fractional integrals on non-homogeneous spaces, *Indiana Univ. Math. J.*, **50** (2001), 1241–1279.
130. **E. T. Sawyer**, A characterization of two weight norm inequalities for fractional and Poisson integrals, *Trans. Amer. Math. Soc.*, **308** (1988), 533–545.
131. **L. Wang**, Generalized abstract mean values with two weight functions and related inequalities (Chinese), *Sichuan Daxue Xuebao*, **40** (2003), 618–621.
132. **C. Wu and L. Shu**, Two-weight norm inequalities for a class of rough multilinear operators, *Anal. Theory Appl.*, **19** (2003), 209–219.
133. **Y. Xing and S. Ding**, Norm comparison inequalities for the composite operator, *Journal of Inequalities and Applications*, **2009** (2009), Article ID 212915, 13 pages, doi:10.1155/2009/212915.
134. **M. Riesz**, Sur les fonctions conjuguées, *Math. Z.*, **27** (1927), 218–277.
135. **K. Michalik and M. Ryznar**, Relative Fatou theorem for  $\alpha$ -harmonic functions in Lipschitz domains, *Illinois J. Math.*, **48** (2004), 977–998.
136. **M. Miranda**, Renato Caccioppoli and geometric measure theory (Italian), International Symposium in honor of Renato Caccioppoli (Naples, 1989) *Ricerche Mat.*, **40** (1991), suppl., 111–118.
137. **D. Mitrea and M. Mitrea**, Boundary integral methods for harmonic differential forms in Lipschitz domains, *Electron. Res. Announc. Amer. Math. Soc.*, **2** (1996), 92–97.
138. **M. Mitrea**, Sharp Hodge decompositions, Maxwell’s equations, and vector Poisson problems on nonsmooth, three-dimensional Riemannian manifolds, *Duke Math. J.*, **125** (2004), 467–547.
139. **M. Mitrea and M. Taylor**, Boundary layer methods for Lipschitz domains in Riemannian manifolds, *J. Funct. Anal.*, **163** (1999), 181–251.

140. **M. Mitrea and M. Taylor**, Potential theory on Lipschitz domains in Riemannian manifolds: Hölder continuous metric tensors, *Comm. Partial Differ. Equ.*, **25** (2000), 1487–1536.
141. **M. Mitrea and M. Taylor**, Potential theory on Lipschitz domains in Riemannian manifolds: Sobolev-Besov space results and the Poisson problem, *J. Funct. Anal.*, **176** (2000), 1–79.
142. **M. Mitrea and M. Taylor**, Potential theory on Lipschitz domains in Riemannian manifolds:  $L^p$  Hardy, and Hölder space results, *Comm. Anal. Geom.*, **9** (2001), 369–421.
143. **T. Mitsis**, Embedding  $B_\infty$  into Muckenhoupt classes, *Proc. Amer. Math. Soc.*, **133** (2005), 1057–1061.
144. **C. B. Morrey**, Multiple integrals in the calculus of variations, Springer-Verlag, Berlin, 1966.
145. **B. Muckenhoupt**, Weighted norm inequalities for the Hardy maximal function, *Trans. Amer. Math. Soc.*, **165** (1972), 207–226.
146. **B. Muckenhoupt and R. L. Wheeden**, Weighted bounded mean oscillation and the Hilbert transform, *Studia Math.*, **54** (1976), 221–237.
147. **S. Müller**, Higher integrability of determinants and weak convergence in  $L^1$ , *J. Reine Angew. Math.*, **412** (1990), 20–34.
148. **J. Nmeth**, Generalizations of the Hardy-Littlewood inequality, *Acta Sci. Math.(Szeged)*, **32** (1971), 295–299.
149. **J. Nmeth**, Generalizations of the Hardy-Littlewood inequality II, *Acta Sci. Math.(Szeged)*, **35** (1973), 127–134.
150. **L. Ni, Y. Shi and L. Tam**, Poisson equation, Poincaré-Lelong equation and curvature decay on complete Kähler manifolds, *J. Differ. Geom.*, **57** (2001), 339–388.
151. **R. Nibbi**, Some generalized Poincaré inequalities and applications to problems arising in electromagnetism, *J. Inequal. Appl.*, **4** (1999), 283–299.
152. **F. Nier**, Quelques critères pour l’inégalité de Poincaré dans  $R^d$ ,  $d \geq 2$ . (French) [Some criteria for the Poincaré inequality in  $R^d$ ,  $d \geq 2$ ] Séminaire: Équations aux Dérivées Partielles, 2002–2003, Exp. No. V, 16 pp., Sémin. Équ. Driv. Partielles, École Polytech., Palaiseau, 2003.
153. **C. A. Nolder**, Hardy-Littlewood inequality for quasiregular maps on Carnot groups, *Nonlinear Analysis*, **63** (2005), 407–415.
154. **C. A. Nolder**, Lipschitz classes of solutions to certain elliptic equations, *Ann. Acad. Sci. Fenn. Ser. A I Math.*, **17** (1992), 211–219.
155. **C. A. Nolder**, Hardy-Littlewood theorems for solutions of elliptic equations in divergence form, *Indiana Univ. Math. J.*, **40** (1991), 149–160.
156. **C. A. Nolder**, Conjugate functions and moduli of continuity, *Illinois J. Math.*, **31** (1987), 699–709.
157. **C. A. Nolder and D. M. Oberlin**, Moduli of continuity and a Hardy-Littlewood theorem. Complex analysis, Joensuu 1987, 265–272, *Lect. Notes in Math.*, **1351**, Springer, Berlin, 1988.
158. **B. Osikiewicz and A. Tonge**, An interpolation approach to Hardy-Littlewood inequalities for norms of operators on sequence spaces, *Linear Algebra Appl.*, **331** (2001), 1–9.
159. **L. E. Payne and H. F. Weinberger**, An optimal Poincaré inequality for convex domains, *Arch. Rational Mech. Anal.*, **5** (1960), 286–292.
160. **M. Pearson**, The Poincaré inequality and entire functions, *Proc. Amer. Math. Soc.*, **118** (1993), 1193–1197.
161. **I. Perić and D. Žubrinić**, Caccioppoli’s inequality for quasilinear elliptic operators, *Math. Inequal. Appl.*, **2** (1999), 251–261.
162. **A. Ponce**, A variant of Poincaré inequality, *C. R. Math. Acad. Sci. Paris*, **337** (2003), 253–257.

163. **Y. Rakotondratsimba**, Weighted vector-valued inequalities for fractional maximal operators, *Southeast Asian Bull. Math.*, **23** (1999), 471–495.
164. **Y. Rakotondratsimba**, Fractional maximal and integral operators on weighted amalgam spaces, *J. Korean Math. Soc.*, **36** (1999), 855–890.
165. **Y. Rakotondratsimba**, Two-weight inequality for fractional integral operators and Adams inequality, *Vietnam J. Math.*, **29** (2001), 269–280.
166. **A. Ranjbar-Motlagh**, A note on the Poincaré inequality, *Studia Math.*, **154** (2003), 1–11.
167. **M. M. Rao and Z. D. Ren**, Theory of Orlicz spaces (Pure and Applied Mathematics), Marcel Dekker, Newyork 1991.
168. **H. M. Reimann**, Functions of bounded mean oscillation and quasiconformal mappings, *Commentarii Helvetici*, **49** (1974), 260–276.
169. **H. M. Reimann and T. Rychener**, Funktionen beschränkter mittlerer Oszillation, *Lect. Notes Math.*, **487** (1975), Springer-Verlag, Berlin.
170. **D. C. Sanyal and M. Dutta**, On extensions of Caccioppoli’s fixed point theorem, *J. Indian Acad. Math.*, **24** (2002), 371–379.
171. **C. Sbordone**, Rearrangement of functions and reverse Hölder inequalities. Ennio De Giorgi colloquium (Paris, 1983), 139–148, *Res. Notes in Math.*, **125** (1983), Pitman, Boston, MA, 1985.
172. **G. Scheffer**, Local Poincaré inequalities in non-negative curvature and finite dimension, *J. Funct. Anal.*, **198** (2003), 197–228.
173. **G. A. Serëgin**, A local estimate of the Caccioppoli inequality type for extremal variational problems of Hencky plasticity. (Russian) Some applications of functional analysis to problems of mathematical physics (Russian), 127–138, **145**, Akad. Nauk SSSR Sibirsk. Otdel., Inst. Mat., Novosibirsk, 1988.
174. **A. Seeger, S. Wainger, J. Wright and S. Ziesler**, Singular integral and maximal operators associated to hypersurfaces:  $L^p$  theory, *J. Geom. Anal.*, **15** (2005), 477–498.
175. **Z. Shen**, Weighted estimates in  $L^2$  for Laplace’s equation on Lipschitz domains, *Trans. Amer. Math. Soc.*, **357** (2005), 2483–2870.
176. **Y. Shen and X. Guo**, Weighted Poincaré inequalities on unbounded domains and nonlinear elliptic boundary value problems, *Acta Math. Sci. (English Ed.)*, **4** (1984), 277–286.
177. **J. Strömberg and A. Torchinsky**, Weighted Hardy spaces, *Lect. Notes Math.*, **1381** (1989), Springer-Verlag, Berlin.
178. **F. Weisz**, Two-parameter Hardy-Littlewood inequalities, *Studia Math.*, **118** (1996), 175–184.
179. **S. Ding**, Weighted Hardy-Littlewood inequality for A-harmonic tensors, *Proc. Amer. Math. Soc.*, **125** (1997), 1727–1735.
180. **S. Ding**, Parametric weighted integral inequalities for A-harmonic tensors, *Z. Anal. Anwendungen*, **20** (2001), 691–708.
181. **B. Liu**,  $A_r(\lambda)$ -weighted Caccioppoli-type and Poincaré-type inequalities for A-harmonic tensors, *Int. J. Math. Math. Sci.*, **31** (2002), 115–122.
182. **B. Liu**,  $A_r^\lambda(\Omega)$ -weighted imbedding inequalities for A-harmonic tensors, *J. Math. Anal. Appl.*, **273** (2002), 667–676.
183. **S. G. Staples**,  $L^p$ -averaging domains and the Poincaré inequality, *Ann. Acad. Sci. Fenn. Ser. AI. Math.*, **14** (1989), 103–127.
184. **S. Ding and C. A. Nolder**,  $L^s(\mu)$ -averaging domains, *J. Math. Anal. Appl.*, **283** (2003), 85–99.
185. **S. Ding and B. Liu**, Whitney covers and quasi-isometry of  $L^s(\mu)$ -averaging domains, *J. Inequal. Appl.*, **6** (2001), 435–449.
186. **G. Bao**,  $A_r(\lambda)$ -weighted integral inequalities for A-harmonic tensors, *J. Math. Anal. Appl.*, **247** (2000), 466–477.
187. **G. Bao, T. Li and Y. Xing**, Two-weighted Hardy-Littlewood inequality for A-harmonic tensors, *Chinese Ann. Math. Ser. A*, **26** (2005), 113–120.



188. **G. Bao and H. Zhu**,  $A_r^\lambda(\Omega)$ -weighted Hardy-Littlewood inequality for differential forms satisfying the  $A$ -harmonic equation, *Heilongjiang Daxue Ziran Kexue Xuebao*, **23** (2006), 26–30.
189. **S. M. Buckley and P. Koskela**, Orlicz-Hardy Inequalities, *Illinois J. Math.*, **48** (2004), 782–802.
190. **R. R. Coifman, P. L. Lion, Y. Meyer and S. Semmes**, Compensated compactness and Hardy spaces, *J. Math. Pures Appl.*, **72** (1993), 247–286.
191. **Z. Liu and S. Lu**, Two-weight weak-type norm inequalities for the commutators of fractional integrals, *Integr. Equ. Oper. Theory*, **48** (2004), 397–409.
192. **Z. Lou**, Extensions of Hardy-Littlewood inequalities, *Int. J. Math. Math. Sci.*, **17** (1994), 193–195.
193. **Z. Lou and A. McIntosh**, Hardy space of exact forms on  $R^N$ , *Trans. Amer. Math. Soc.*, **357** (2005), 1469–1496.
194. **S. Ding and B. Liu**, Global integrability of the Jacobians of a composite mapping, *J. Inequal. Appl.*, **2006** (2006).
195. **K. Astala and F. W. Gehring**, Quasiconformal analogues of theorems of Koebe and Hardy-Littlewood, *Michigan Math. J.*, **32** (1985), 99–107.
196. **F. G. Avkhadiev and K. J. Wirths**, Asymptotically sharp bounds in the Hardy-Littlewood inequalities on mean values of analytic functions, *Bull. London Math. Soc.*, **33** (2001), 695–700.
197. **S. Ding and H. Xie**, Norm comparison theorems for conjugate  $A$ -harmonic tensors (Chinese), *Chinese Ann. Math. Ser. A*, **18** (1997), 205–212; translation in *Chinese J. Contemp. Math.*, **18** (1997), 151–159.
198. **W. D. Evans, D. J. Harris and L. Pick**, Weighted Hardy and Poincaré inequalities on trees, *J. London Math. Soc.*, **52** (1995), 121–136.
199. **M. K. Kwong and A. Zettl**, An extension of the Hardy-Littlewood inequality, *Proc. Amer. Math. Soc.*, **77** (1979), 117–118.
200. **J. McMullen and B. Sharp**, A remark on the Hardy-Littlewood inequality, *Proc. Amer. Math. Soc.*, **90** (1984), 95–96.
201. **S. Ding and C. A. Nolder**, Weighted Poincaré-type inequalities for solutions to the  $A$ -harmonic equation, *Illinois J. Math.*, **2** (2002), 199–205.
202. **S. G. Staples**, Averaging domains: from Euclidean spaces to homogeneous spaces, *Proceedings of Conference on Differential & Difference Equations and Applications*, Florida Institute of technology, Hindawi Publishing, 2006, 1041–1048.
203. **S. Ding and B. Liu**, Generalized Poincaré inequalities for solutions to the  $A$ -harmonic equation in certain domains, *J. Math. Anal. Appl.*, **252** (2000), 538–548.
204. **E. M. Stein**, Singular integrals and differentiability properties of functions, Princeton University Press, Princeton, 1970.
205. **R. P. Agarwal and S. Ding**, Global Caccioppoli-type and Poincaré inequalities with Orlicz norms, *J. Inequal. Appl.*, submitted.
206. **Y. Wang**, Two-weight Poincaré-type inequalities for differential forms in  $L^s(\mu)$ -averaging domains, *Applied Mathematics Letters*, **20** (2007), 1161–1166.
207. **P. A. Zharov**, On a two-weight inequality. Generalization of Hardy and Poincaré inequalities (Russian), *Trudy Mat. Inst. Steklov.*, **194** (1992), Issled. po Teor. Differ. Funktsii Mnogikh Peremen. i ee Prilozh. 14, 97–110; translation in *Proc. Steklov Inst. Math.*, **4** (1993), 101–114.
208. **J. Heinonen and P. Koskela**, Weighted Sobolev and Poincaré inequalities and quasiconregular mappings of polynomial type, *Math. Scand.*, **77** (1995), 251–271.
209. **D. E. Edmunds and R. Hurri-Syrjänen**, Weighted Poincaré inequalities and Minkowski content, *Proc. Roy. Soc. Edinburgh Sect. A*, **125** (1995), 817–825.
210. **A. Gavrillov, S. Nicaise and O. Penkin**, Poincaré inequality on stratified sets and applications. Evolution equations: applications to physics, industry, life sciences and economics (Levico Terme, 2000), 195–213, *Progr. Nonlinear Differ. Equ. Appl.*, **55**, Birkhäuser, Basel, 2003.

211. **S. M. Buckley and P. Koskela**, Sobolev-Poincaré inequalities for  $p < 1$ , *Indiana Univ. Math. J.*, **43** (1994), 221–240.
212. **E. Hebey**, Sharp Sobolev-Poincaré inequalities on compact Riemannian manifolds, *Trans. Amer. Math. Soc.*, **354** (2002), 1193–1213.
213. **P. Koskela and A. Stanoyevitch**, Poincaré inequalities and Steiner symmetrization, *Illinois J. Math.*, **40** (1996), 365–389.
214. **P. Koskela, N. Shanmugalingam and J. Tyson**, Dirichlet forms, Poincaré inequalities, and the Sobolev spaces of Korevaar and Schoen, *Potential Anal.*, **21** (2004), 241–262.
215. **P. Koskela and N. Shanmugalingam and H. Tuominen**, Removable sets for the Poincaré inequality on metric spaces, *Indiana Univ. Math. J.*, **49** (2000), 333–352.
216. **O. Martio**, John domains, bi-Lipschitz balls and Poincaré inequality, *Rev. Roumaine Math. Pures Appl.*, **33** (1988), 107–112.
217. **C. Wang**, A weighted Poincaré inequality and removable singularities for harmonic maps, *Manuscripta Math.*, **112** (2003), 259–270.
218. **G. Acosta and R. Durán**, An optimal Poincaré inequality in  $L^1$  for convex domains, *Proc. Amer. Math. Soc.*, **132** (2004), 195–202.
219. **M. Bebendorf**, A note on the Poincaré inequality for convex domains, *Z. Anal. Anwendungen*, **22** (2003), 751–756.
220. **I. Chavel and E. A. Feldman**, An optimal Poincaré inequality for convex domains of non-negative curvature, *Arch. Rational Mech. Anal.*, **65** (1977), 263–273.
221. **A. Stanoyevitch and D. Stegenga**, Equivalence of analytic and Sobolev Poincaré inequalities for planar domains, *Pacific J. Math.*, **178** (1997), 363–375.
222. **A. Elcrat and A. MacLean**, Weighted Wirtinger and Poincaré inequalities on unbounded domains, *Indiana Univ. Math. J.*, **29** (1980), 321–332.
223. **W. D. Evans, D. J. Harris and L. Pick**, Ridged domains, embedding theorems and Poincaré inequalities, *Math. Nachr.*, **221** (2001), 41–74.
224. **S. Chanillo and R. L. Wheeden**, Poincaré inequalities for a class of non- $A_p$  weights, *Indiana Univ. Math. J.*, **41** (1992), 605–623.
225. **R. Hurri-Syrjänen**, An improved Poincaré inequality, *Proc. Amer. Math. Soc.*, **120** (1994), 213–222.
226. **R. Hurri-Syrjänen**, A Weighted Poincaré inequality with a doubling weight, *Proc. Amer. Math. Soc.*, **126** (1998), 545–552.
227. **R. Hurri-Syrjänen**, The Poincaré inequality and reverse doubling weights, *Canad. Math. Bull.*, **47** (2004), 206–214.
228. **J. Fleckinger-Pellé and P. Takáč**, An improved Poincaré inequality and the  $p$ -Laplacian at resonance for  $p > 2$ , *Adv. Differ. Equ.*, **7** (2002), 951–971.
229. **B. Franchi**, Weighted Sobolev-Poincaré inequalities and pointwise estimates for a class of degenerate elliptic equations, *Trans. Amer. Math. Soc.*, **327** (1991), 125–158.
230. **B. Franchi, P. Carlos and R. L. Wheeden**, A sum operator with applications to self-improving properties of Poincaré inequalities in metric spaces, *J. Fourier Anal. Appl.*, **9** (2003), 511–540.
231. **B. Franchi, P. Carlos and R. L. Wheeden**, Self-improving properties of John-Nirenberg and Poincaré inequalities on spaces of homogeneous type, *J. Funct. Anal.*, **153** (1998), 108–146.
232. **B. Franchi, C. E. Gutiérrez and R. L. Wheeden**, Weighted Sobolev-Poincaré inequalities for Grushin type operators, *Comm. Partial Differ. Equ.*, **19** (1994), 523–604.
233. **B. Franchi, G. Lu and R. L. Wheeden**, Weighted Poincaré inequalities for Hörmander vector fields and local regularity for a class of degenerate elliptic equations. Potential theory and degenerate partial differential operators (Parma), *Potential Anal.*, **4** (1995), 361–375.

234. **B. Franchi, C. Pérez and R. L. Wheeden**, Sharp geometric Poincaré inequalities for vector fields and non-doubling measures, *Proc. London Math. Soc.*, **80** (2000), 665–689.
235. **B. Helffer and F. Nier**, Criteria to the Poincaré inequality associated with Dirichlet forms in  $R^d$ ,  $d \geq 2$ , *Int. Math. Res. Not.*, **22** (2003), 1199–1223.
236. **C. Amick**, Some remarks on Rellich's theorem and the Poincaré inequality, *J. London Math. Soc.*, **18** (1978), 81–93.
237. **M. Bourdon and H. Pajot**, Poincaré inequalities and quasiconformal structure on the boundary of some hyperbolic buildings, *Proc. Amer. Math. Soc.*, **127** (1999), 2315–2324.
238. **S. Chua and R. Wheeden**, Sharp conditions for weighted 1-dimensional Poincaré inequalities, *Indiana Univ. Math. J.*, **49** (2000), 143–175.
239. **D. H. Hamilton**, On the Poincaré inequality, *Complex Variables Theory Appl.*, **5** (1986), 265–270.
240. **B. Hanson and J. Heinonen**, An  $n$ -dimensional space that admits a Poincaré inequality but has no manifold points, *Proc. Amer. Math. Soc.*, **128** (2000), 3379–3390.
241. **S. Keith**, Modulus and the Poincaré inequality on metric measure spaces, *Math. Z.*, **245** (2003), 255–292.
242. **S. Keith**, Measurable differentiable structures and the Poincaré inequality, *Indiana Univ. Math. J.*, **53** (2004), 1127–1150.
243. **T. J. Laakso**, Ahlfors  $Q$ -regular spaces with arbitrary  $Q > 1$  admitting weak Poincaré inequality, *Geom. Funct. Anal.*, **10** (2000), 111–123.
244. **E. H. Lieb, R. Seiringer and J. Yngvason**, Poincaré inequalities in punctured domains, *Ann. Math.*, **158** (2003), 1067–1080.
245. **G. Lu and C. Pérez**,  $L^1 \rightarrow L^q$  Poincaré inequalities for  $0 < q < 1$  imply representation formulas, *Acta Math. Sin. (Engl. Ser.)*, **18** (2002), 1–20.
246. **G. Lu and R. L. Wheeden**, Poincaré inequalities, isoperimetric estimates, and representation formulas on product spaces, *Indiana Univ. Math. J.*, **47** (1998), 123–151.
247. **P. MacManus**, Poincaré inequalities and Sobolev spaces, *Proceedings of the 6th International Conference on Harmonic Analysis and Partial Differential Equations* (El Escorial, 2000), *Publ. Mat.* 2002, Vol. Extra, 181–197.
248. **P. MacManus and C. Pérez**, Generalized Poincaré inequalities: sharp self-improving properties, *Int. Math. Res. Not.*, **2** (1998), 101–116.
249. **P. Souplet**, Geometry of unbounded domains, Poincaré inequalities and stability in semilinear parabolic equations, *Comm. Partial Differ. Equ.*, **24** (1999), 951–973.
250. **A. Stanoyevitch**, Products of Poincaré domains, *Proc. Amer. Math. Soc.*, **117** (1993), 79–87.
251. **P. Sternberg and K. Zumbrun**, A Poincaré inequality with applications to volume-constrained area-minimizing surfaces, *J. Reine Angew. Math.*, **503** (1998), 63–85.
252. **F. Wang**, Coupling, convergence rates of Markov processes and weak Poincaré inequalities, *Sci. China Ser. A*, **45** (2002), 975–983.
253. **W. Wang, Z. Zheng and J. Sun**, Weighted Poincaré inequalities on one-dimensional unbounded domains, *Appl. Math. Lett.*, **16** (2003), 1143–1149.
254. **M. Zhu**, On the extremal functions of Sobolev-Poincaré inequality, *Pacific J. Math.*, **214** (2004), 185–199.
255. **S. Chua**, Weighted inequalities on John domains, *J. Math. Anal. Appl.*, **258** (2001), 763–776.
256. **S. Chua**, Weighted Sobolev interpolation inequalities on certain domains, *J. London Math. Soc.*, **51** (1995), 532–544.
257. **S. Chua**, Some remarks on extension theorems for weighted Sobolev spaces, *Illinois J. Math.*, **38** (1994), 95–126.

258. **S. Chua**, On weighted Sobolev interpolation inequalities, *Proc. Amer. Math. Soc.*, **121** (1994), 441–449.
259. **S. Chua**, Weighted Sobolev inequalities on domains satisfying the chain condition, *Proc. Amer. Math. Soc.*, **117** (1993), 449–457.
260. **S. Chua**, Extension theorems on weighted Sobolev spaces, *Indiana Univ. Math. J.*, **41** (1992), 1027–1076.
261. **S. Ding and Y. Xing**, Estimates for Lipschitz and *BMO* norms of the composite operator, preprint.
262. **E. Lutwak, D. Yang and G. Zhang**, Sharp affine  $L_p$  Sobolev inequalities, *J. Differ. Geom.*, **62** (2002), 17–38.
263. **J. Maly, D. Swanson and W. Ziemer**, The co-area formula for Sobolev mappings, *Trans. Amer. Math. Soc.*, **355** (2003), 477–492.
264. **J. Meng**, Principal frequency and existence of solutions for quasilinear elliptic obstacle problems, *J. Math. Anal. Appl.*, **286** (2003), 271–280.
265. **J. Meng and H. Gao**, Boundary regularity of weak solutions to some degenerate elliptic obstacle problems (Chinese), *Chinese Ann. Math. Ser. A*, **24** (2003), 407–414; translation in *Chinese J. Contemp. Math.*, **24** (2003), 205–214.
266. **J. Meng and H. Gao**, Existence of positive solutions for a class of nonlinear elliptic obstacle problems (Chinese), *J. Shanghai Jiaotong Univ. (Chin. Ed.)*, **37** (2003), 308–312.
267. **S. Ding**, Weighted Caccioppoli-type estimates and weak reverse Hölder inequalities for  $A$ -harmonic tensors, *Proc. Amer. Math. Soc.*, **127** (1999), 2657–2664.
268. **S. Ding and D. Sylvester**, Weak reverse Hölder inequalities and imbedding inequalities for solutions to the  $A$ -harmonic equation, *Nonlinear Anal.*, **51** (2002), 783–800.
269. **M. Giaquinta and J. Souček**, Caccioppoli’s inequality and Legendre-Hadamard condition, *Math. Ann.*, **270** (1985), 105–107.
270. **R. F. Gariepy**, A Caccioppoli inequality and partial regularity in the calculus of variations, *Proc. Roy. Soc. Edinburgh Sect. A*, **112** (1989), 249–255.
271. **J. K. Brooks and D. Candeloro**, On the Caccioppoli integral, *Atti Sem. Mat. Fis. Univ. Modena*, **51** (2003), 415–431.
272. **G. M. Troianiello**, Estimates of the Caccioppoli-Schauder type in weighted function spaces, *Trans. Amer. Math. Soc.*, **334** (1992), 551–573.
273. **E. Vesentini**, Renato Caccioppoli and complex analysis (Italian), International Symposium in honor of Renato Caccioppoli (Naples, 1989), *Ricerche Mat.*, **40** (1991), suppl., 119–125.
274. **D. Gilbarg and N. Trudinger**, Elliptic partial differential equations of second order, Springer-Verlag, New York, 1983.
275. **B. Bojarski**, Remarks on Sobolev imbedding inequalities, Complex analysis, Joensuu 1987, 52–68, *Lec. Notes Math.*, **1351**, Springer, Berlin, 1988.
276. **S. Ding**,  $A_r(\Omega)$ -Weighted imbedding  $A$ -harmonic tensors, *Potential Anal.*, **18** (2003), 25–34.
277. **S. Ding**, Weighted imbedding theorems in the space of differential forms, *J. Math. Anal. Appl.*, **262** (2001), 435–445.
278. **S. Ding**, Weighted imbedding theorems in the space of differential forms, *J. Math. Anal. Appl.*, **262** (2001), 435–445.
279. **X. Wu**, Some boundary properties and imbedding inequalities of analytic functions I (Chinese), *J. Huazhong Inst. Tech.*, **7** (1979), 3, 41–49.
280. **X. Wu**, Some boundary properties and imbedding inequalities of analytic functions II (Chinese), *J. Huazhong Inst. Tech.*, **7** (1979), 49–61.
281. **G. Chiti**, A reverse Hölder inequality for the eigenfunctions of linear second order elliptic operators, *Z. Angew. Math. Phys.*, **33** (1982), 143–148.
282. **K. Hoshino and N. Kikuchi**, Reverse Hölder inequality for functions with discrete-time variable, *Dynam. Contin. Discrete Impuls. Syst.*, **6** (1999), 503–517.

283. **A. A. Arkhipova**, Reverse Hölder inequalities with boundary integrals and  $L_p$ -estimates for solutions of nonlinear elliptic and parabolic boundary-value problems, *Nonlinear evolution equations*, 15–42, *Amer. Math. Soc. Transl. Ser.*, **164** (1995), Amer. Math. Soc., Providence, RI.
284. **A. A. Arkhipova**, Reverse Hölder inequalities in parabolic problems with anisotropic data spaces (translation of theoretical and numerical problems of mathematical physics (Russian)), 3–19, “Nauka”, Sibirsk. Otdel., Novosibirsk, 1994), *Siberian Adv. Math.*, **6** (1996), 1–18.
285. **B. Bojarski**, Remarks on the stability of reverse Hölder inequalities and quasiconformal mappings, *Ann. Acad. Sci. Fenn. Ser. A I Math.*, **10** (1985), 89–94.
286. **D. Cruz-Uribe**, The class  $A_\infty^+(g)$  and the one-sided reverse Hölder inequality, *Canad. Math. Bull.*, **40** (1997), 169–173.
287. **D. Cruz-Uribe and C. J. Neugebauer**, The structure of the reverse Hölder classes, *Trans. Amer. Math. Soc.*, **347** (1995), 2941–2960.
288. **D. Cruz-Uribe, C. J. Neugebauer and V. Olesen**, The one-sided minimal operator and the one-sided reverse Hölder inequality, *Studia Math.*, **116** (1995), 255–270.
289. **L. D’Apuzzo and C. Sbordone**, Reverse Hölder inequalities: a sharp result, *Rend. Mat. Appl.*, **10** (1990), 357–366.
290. **S. Ding**, The weak reverse Hölder inequality for conjugate  $A$ -harmonic tensors, preprint.
291. **J. Duoandikoetxea**, Reverse Hölder inequalities for spherical harmonics, *Proc. Amer. Math. Soc.*, **101** (1987), 487–491.
292. **B. Liu and S. Ding**, The monotonic property of the  $L^s(\mu)$ -averaging domains and weighted weak reverse Hölder inequality, *J. Math. Anal. Appl.*, **237** (1999), 730–739.
293. **J. Martín and M. Milman**, Reverse Hölder inequalities and approximation spaces, *J. Approx. Theory*, **109** (2001), 82–109.
294. **E. W. Stredulinsky**, Higher integrability from reverse Hölder inequalities, *Indiana Univ. Math. J.*, **29** (1980), 407–413.
295. **V. I. Vasyunin**, The exact constant in the inverse Hölder inequality for Muckenhoupt weights (Russian), *Algebra i Analiz*, **15** (2003), 73–117; translation in *St. Petersburg Math. J.*, **15** (2004), 49–79.
296. **X. Yang**, Refinement of Hölder inequality and application to Ostrowski inequality, *Appl. Math. Comput.*, **138** (2003), 455–461.
297. **B. Yan and Z. Zhou**, A theorem on improving regularity of minimizing sequences by reverse Hölder inequalities, *Michigan Math. J.*, **44** (1997), 543–553.
298. **B. Bojarski**, Sharp maximal operator of fractional order and Sobolev imbedding inequalities, *Bull. Polish Acad. Sci. Math.*, **33** (1985), 7–16.
299. **Y. Xing and S. Ding**, Norm of the composition of the maximal and projection operators, preprint.
300. **S. Ding**, Norm estimates for the maximal operators and Green’s operator, Proceedings of the 6th International Conference on Differential Equations in Baltimore, Maryland, May, 2008.
301. **L. D’Onofrio and L. Greco**, A counter-example in  $G$ -convergence of non-divergence elliptic operators, *Proc. Roy. Soc. Edinburgh Sect. A*, **133** (2003), 1299–1310.
302. **M. Goldberg**, Matrix  $A_p$  weights via maximal functions, *Pacific J. Math.*, **211** (2003), 201–220.
303. **J. M. Martell, C. Pérez and R. Trujillo-González**, Lack of natural weighted estimates for some singular integral operators, *Trans. Amer. Math. Soc.*, **357** (2005), 385–396.
304. **Y. Terasawa**, Outer measures and weak type  $(1, 1)$  estimates of Hardy-Littlewood maximal operators, *J. Inequal. Appl.*, **2006** (2006), 1–13.

305. **C. Wang**, The Calderón-Zygmund inequality on a compact Riemannian manifold, *Pacific J. Math.*, **217** (2004), 181–200.
306. **Y. Xing and Y. Wang**, BMO and Lipschitz norm estimates for composite operators, *Potential Analysis*, DOI 10.1007/s11118-009-9137-5.
307. **Y. Xing and S. Ding**, Global estimates for the maximal operator and homotopy operator, preprint.
308. **Y. Xing and S. Ding**, Norms of the composition of the homotopy and Green's operators, preprint.
309. **Y. Xing and S. Ding**, Inequalities for Green's operator with Lipschitz and BMO norms, *Computers and Mathematics with Applications*, **58** (2009), 273–280.
310. **H. Brezis, N. Fusco and C. Sbordone**, Integrability for the Jacobian of orientation preserving mappings, *J. Funct. Anal.*, **115** (1993), 425–431.
311. **S. Ding**, Global estimates for the Jacobians of orientation preserving mappings, *Comput. Math. Appl.*, **50** (2005), 707–718.
312. **J. Hogan, C. Li, A. McInton and K. Zhang**, Global higher integrability of Jacobians on bounded domains, *Ann. Inst. H. Poincaré Anal.*, **17** (2000), 193–217.
313. **J. Strömberg and A. Torchinsky**, Weights, sharp maximal functions and Hardy spaces, *Bull. Amer. Math. Soc. (N.S.)*, **3** (1980), 1053–1056.
314. **T. Kilpeläinen and P. Koskela**, Global integrability of gradients of solutions to partial differential equations, *Nonlinear Anal.*, **23** (1994), 899–909.
315. **G. Bao and S. Ding**, Invariance properties of  $L^\varphi(\mu)$ -averaging domains under some mappings, *J. Math. Anal. Appl.*, **259** (2001), 241–252.
316. **S. Byun**, Elliptic equations with BMO coefficients in Lipschitz domains, *Trans. Amer. Math. Soc.*, **357** (2005), 1025–1046.
317. **B. E. J. Dahlberg**, On the Poisson integral for Lipschitz and  $C^1$ -domains, *Studia Math.*, **66** (1979), 13–24.
318. **B. E. J. Dahlberg**,  $L^q$ -Estimates for Green potentials in Lipschitz domains, *Math. Scand.*, **44** (1979), 149–170.
319. **B. E. J. Dahlberg and C. Kenig**, Hardy spaces and the Neumann problem in  $L^p$  for Laplace's equation in Lipschitz domains, *Ann. Math.*, **125** (1987), 437–465.
320. **B. E. J. Dahlberg and C. Kenig**,  $L^q$ -estimates for the three-dimensional system of elastostatics on Lipschitz domains, in Analysis and partial differential equations, ed. C. Sadosky, 621–634 *Lect. Notes in Pure Appl. Math.*, **122**, Dekker, New York, 1990.
321. **S. Ding**,  $L^\varphi(\mu)$ -averaging domains and the quasihyperbolic metric, *Comput. Math. Appl.*, **47** (2004), 1611–1618.
322. **S. Ding**, Lipschitz and BMO norm inequalities for operator, presented at the 5th World Congress of Nonlinear Analysts in Orlando, Florida, in July of 2008 (WCNA-2008).
323. **J. Heinonen and P. Koskela**, A note on Lipschitz functions, upper gradients, and the Poincaré inequality, *New Zealand J. Math.*, **28** (1999), 37–42.
324. **J. Väisälä**, Domains and maps, *Lect. Notes Math.*, Springer-Verlag, **1508** (1992), 119–131.
325. **G. Bao, C. Wu and Y. Xing**, Two-weight Poincaré inequalities for the projection operator and A-harmonic tensors on Riemannian manifolds, *Illinois J. Math.*, **51**, (2007), 831–842.
326. **W. Beckner**, A generalized Poincaré inequality for Gaussian measures, *Proc. Amer. Math. Soc.*, **105** (1989), 397–400.
327. **M. Belloni and B. Kawohl**, A symmetry problem related to Wirtinger's and Poincaré's inequality, *J. Differ. Equ.*, **156** (1999), 211–218.
328. **R. D. Benguria and C. Depassier**, A reversed Poincaré inequality for monotone functions, *J. Inequal. Appl.*, **5** (2000), 91–96.

329. **T. Bhattacharya and F. Leonetti**, A new Poincaré inequality and its application to the regularity of minimizers of integral functionals with nonstandard growth, *Nonlinear Anal.*, **17** (1991), 833–839.
330. **J. Björn**, Poincaré inequalities for powers and products of admissible weights, *Ann. Acad. Sci. Fenn. Math.*, **26** (2001), 175–188.
331. **J. Bruna**,  $L^p$ -estimates for Riesz transforms on forms in the Poincaré space, *Indiana Univ. Math. J.*, **54** (2005), 153–186.
332. **S. M. Buckley and P. Koskela**, New Poincaré inequalities from old, *Ann. Acad. Sci. Fenn. Math.*, **23** (1998), 251–260.
333. **F. Cavallini and F. Crisciani**, A generalized 2-D Poincaré inequality, *J. Inequal. Appl.*, **5** (2000), 343–349.

# Index

- $A_r(\Omega)$ , 21  
 $A_\infty(\Omega)$ , 22  
 $A_\infty^{loc}(\Omega)$ , 22  
 $A_r^\lambda(E)$ , 25–26  
 $A_r(\lambda, E)$ , 23  
 $A_{r,\lambda}(E)$ , 27  
 $A(x, du) = d^*v$ , 11  
 $A(x, g + du) = h + d^*v$ , 12  
 $BMO(\Omega, \wedge^l)$ , 340–341  
 $BMO(\Omega, \mu)$ , 340  
 $Df(x)$ , 9–10  
 $|Df(x)|$ , 9  
 $\operatorname{div}(\nabla u |\nabla u|^{p-2}) = 0$ , 8  
 $\operatorname{div} A(x, \nabla u) = 0$ , 8  
 $du|du|^{p-2} = d^*v$ , 12, 16  
 $D'(\Omega, \wedge^l)$ , 2  
 $d(d^*v|d^*v|^{q-2}) = 0$ , 12  
 $d^*$ , 3  
 $d^*A(x, d\omega) = 0$ , 10  
 $d^*A(x, d\omega) = B(x, d\omega)$ , 12  
 $d^*(du|du|^{p-2}) = 0$ , 12  
 $F^*(\omega)$ , 6  
 $G$ , 87  
 $GL(n)$ , 9  
 $H$ , 87  
 $H^{1,p}(\Omega; \mu)$ , 119  
 $H_0^{1,p}(\Omega; \mu)$ , 119  
 $H_{loc}^{1,p}(\Omega; \mu)$ , 120  
 $J(x, f)$ , 9  
 $k(x, y) = k(x, y; \Omega)$ , 38  
 $L(X, Y)$ , 5  
 $L(X, \mathbf{R})$ , 5  
 $L(Y, \mathbf{R})$ , 5  
 $L^p(\log L)^\alpha(\Omega)$ , 48  
 $L^\varphi(\Omega)$ , 48  
 $L^p(\Omega, \wedge^l)$ , 2  
 $locLip_k(\Omega, \wedge^l)$ , 340  
 $\mathbb{M}$ , 225  
 $\mathbb{M}_s$ , 225  
 $\mathbb{M}_s^\sharp$ , 225  
 $\mathbb{M}_{s,\alpha}$ , 316  
 $W^{1,p}(\Omega, \wedge^l)$ , 3  
 $W_{loc}^{1,p}(\Omega, \wedge^l)$ , 3  
 $RH_\beta(\Omega)$ , 22  
 $u_{B,\mu}$ , 38  
 $WD(\Omega)$ , 21  
 $WRH_\beta(\Omega)$ , 21  
 $T$ , 30  
 $T_{\sharp}$ , 5  
 $X'$ , 5  
 $\wedge$ , 2  
 $\wedge(V)$ , 6  
 $\wedge^l$ , 2  
 $\wedge^l\Omega$ , 86  
 $\wedge^l(\mathbf{R}^n)$ , 2  
 $[f]_{L^p(\log L)^\alpha(E)}$ , 48  
 $\|f\|_{p,E,w}$ , 2  
 $\|f\|_{L^p(\log L)^\alpha(E)}$ , 48



- $\|f\|_\varphi$ , 48
- $\|f\|_{p,E,w}^\sharp$ , 30
- $\|\cdot\|_{W^{1,p}(\Omega,\wedge^l)}$ , 3
- $\|\cdot\|_{W^{1,p}(\Omega,\wedge^l),w}$ , 3
- $\|\cdot\|_{locLip_k,\Omega}$ , 340
- $\|\cdot\|_{locLip_k,p,\Omega,w}$ , 352
- $\|\cdot\|_{locLip_k,\Omega,w^\alpha}$ , 357
- $\|\cdot\|_{*,\Omega}$ , 341
- $\|\cdot\|_{*,p,\Omega,w}$ , 353
- $\|\cdot\|_{*,\Omega,w^\alpha}$ , 357
- $\bigoplus_{l=0}^n \wedge^l(\mathbf{R}^n)$ , 2
- $A$ -harmonic equation
  - for functions, 8
  - for differential forms, 10
- $A$ -harmonic tensors, 10–11
- Algebra
  - exterior, 6
  - Grassmann, 6
- Beltrami system, 9
- BMO spaces, 339
- BMO norms, 339
- Caccioppoli inequalities
  - without weights, 115
  - with  $A_r(\Omega)$ -weights, 120–122
  - with  $A_r(\lambda, \Omega)$ -weights, 123–125
  - with  $A_r^\lambda(\Omega)$ -weights, 125–126
  - with two-weights, 127, 129–133
  - with Orlicz norms, 133
- Carnot group, 56
- Closed form, 11
- Coclosed form, 11
- Conformal distortion tensors, 10
- Conformal structure, 10
- Conjugate  $A$ -harmonic equation, 11
- Conjugate  $A$ -harmonic tensors, 11
- Conjugate  $p$ -harmonic equation, 12
- Conjugate  $p$ -harmonic tensors, 12
- Covering Lemma, 32
- Differential  $k$ -forms, 3
- Distortion equation, 9
- Domains
  - John domains, 29
  - $L^s$ -averaging domains, 37
  - $L^s(\mu)$ -averaging domains, 38–41
  - $L^\varphi$ -domains, 93
- Exact forms, 7
- Exterior derivative, 3
- Exterior differential, 3
- Finite distortion, 9
- Green's operator, 86
- Hardy-Littlewood inequalities
  - in the unit disk, 29
  - in John domains, 32
  - in  $L^s(\mu)$ -averaging domains, 37
  - with two-weight, 43
  - with  $\|\cdot\|_{L^s(\log L)^\alpha}$ , 52
- Harmonic  $l$ -fields, 87
- Hodge star operator, 3
- Hodge codifferential operator, 3
- Homogeneous  $A$ -harmonic equation, 11
- Homotopy operator, 30
- Hölder's inequalities
  - with  $L^p$ -norms, 7
  - with  $\|\cdot\|_{L^p(\log L)^\alpha}$ -norm, 327
- John-Nirenberg Lemma, 329
- $K$ -quasiconformal mappings, 9–10
- $K$ -quasiregular mappings, 9
- Laplace Beltrami operator, 87
- Lipschitz spaces, 340–341
- Lipschitz norms, 340–341
- Luxemburg functionals, 47
- Luxemburg norms, 48
- Maximal operators
  - fractional, 316
  - Hardy-Littlewood, 225
  - sharp, 225
- Nonhomogeneous  $A$ -harmonic equations
  - for functions, 12
  - for differential forms, 12
- Orientation preserving, 9
- Orientation reversing, 9
- Orlicz functions, 47
- Orlicz norms, 47
- Orlicz space, 47
- Orthogonal complement, 87
- Outer distortion functions, 9

- $P$ -harmonic equation,
  - for functions, 14
  - for differential forms, 14
- $P$ -harmonic functions, 14
- $P$ -harmonic tensor, 14
- Poincaré inequalities
  - for differential forms, 72–73
  - for Green’s operator, 86–88
  - for harmonic forms, 78–83
  - for the homotopy operator, 275–281
  - for Jacobians, 107–108
  - for the projection operator, 111
  - for Sobolev functions, 75
  - in  $L^s$ -averaging domains, 83
  - in  $L^s(\mu, 0)$ -averaging domains, 83
  - in  $L^\varphi$ -domains, 93
  - with  $A_r(E)$ -weights, 77
  - with  $A_r^\lambda(E)$ -weights, 84–86
  - with Orlicz norms, 99
  - with two-weight, 100–107
- Poincaré lemma, 6
- Poisson’s equation, 87
- Projection operator, 87
- Pullback, 5
- $Q$ -harmonic equation, 14
- $Q$ -harmonic tensor, 14
- Quasihyperbolic distance, 38
- Riemannian metric, 10
- Reverse Hölder inequalities, 21
- Sobolev space of  $l$ -forms, 3
- Solutions
  - of the homogeneous  $A$ -harmonic equation, 11
  - of the nonhomogeneous  $A$ -harmonic equation, 12
- Two-weights, 27–29
- Weak reverse Hölder inequalities
  - for  $A$ -harmonic tensors, 78
  - for  $A_r$ -weights, 24
  - for  $du$ , 200
  - for supersolutions, 188
  - in John domains, 195
  - in  $L^s(\mu)$ -averaging domains, 195
  - with  $A_r(\Omega)$ -weights, 189
  - $A_r^\alpha(\Omega)$ -weights, 201–204
  - with  $A_r^\lambda(\Omega)$ -weights, 205–208
  - with  $A_r(\lambda, \Omega)$ -weights, 209
  - with two-weights, 214–219
  - with Orlicz norms, 219–220
- Weighted BMO norms, 359
- Weighted  $L^p$  norms, 2
- Weighted Lipschitz norms, 358
- Weights
  - $A_r(\Omega)$ -weights, 21
  - $A_r^\lambda(E)$ -weights, 25–26
  - $A_r(\lambda, E)$ -weights, 23–25
  - $A_{r,\lambda}(E)$ -weights, 27
  - doubling weights, 21
  - Muckenhoupt, 21
- Young functions, 48