

Index

A

Abdominoperineal resection (APR), 117–118, 121
Adaptable laparoscopic instruments, 20–21, 20*f*,
27, 36
Adenomas
 benign rectal, 87–95, 88*t*–89*t*, 91*t*–94*t*
 full-thickness excision, 47
 indications, 1–4
 large, 41–42
 partial-thickness excision, 41–42
 rectal, 47
Advanced surgical techniques, 59–73
Anal condyloma, 27
Anal incontinence, 79–80
Anal stenosis, 27
Anal verge to peritoneal reflection,
 measurements, 3*t*
Anastomotic rectal strictures, 135, 137–138
Anesthesia, 22, 36
 full-thickness excision, 50
 partial-thickness excision, 42
Anovaginal fistula, 41, 45
Anovaginal septum, 31–32
Antibiotics, 9–10, 42
APR, *see* Abdominoperineal resection (APR)
Articulated stabilizing arm, 13, 14*f*, 22, 36
Atlas, 50

B

Biopsy, 48*f*
Bleeding, 7, 52, 77–78
Bone scintigraphy, 48
Bowel preparation, 9–10
Bowen's disease, 27

C

Carcinoma, 47
Cardiopulmonary complications, 81
Catheterization, 10
Chemoradiation therapy, 109–114, 126, 130*t*–132*t*
Chemoradiotherapy, 53, 56
Chemotherapy, 49
Chest X-ray, 48

Clinical trials

 chemoradiation therapy, 126, 130*t*–132*t*
 conclusions, recommendations, 129
 LAR, 125
 local excision, 126–127, 127*f*
 National Cancer Database, 127
 standardized neoadjuvant therapy regimen, 129
 TAE, 125
 TEM, 127–129
 TME, 125
Clip applicator, 15, 18–19, 18*f*
CO₂, 14, 15*f*, 22, 36
Coding, 138–139
Colonoscopy, 48, 61
Complications, 7–8
 anal incontinence, 79–80
 bleeding, 77–78
 cardiopulmonary, 81
 conversion to laparotomy, 78–79
 dehiscence, 78
 extended full-thickness resection, 66
 fever, 81
 morbidity, 75–76
 mortality, 75–76
 partial-thickness excision, 45
 peritoneal entry, 77
 positioning, 81
 rare, 81
 rectal stenosis, 81
 rectovaginal fistula, 80–81
 urinary, 79
 See also Perioperative complications
Computed tomography (CT) scan, 48, 49, 61
Consent, 7–8
Contraindications, 3
CT scan, *see* Computed tomography (CT) scan

D

Debulking, 8–9
Deep venous thrombosis prophylaxis, 10
Dehiscence, 78
Denonvillier's fascia, 31

Doxycycline, 113

DVD, 22

E

EBVS, *see* Electrothermal bipolar vessel sealing (EBVS)

Electric knife (electrocautery)

equipment, 15–17, 18*f*, 24–25, 31, 36

partial-thickness excision, 43, 43*f*

pelvic anatomic considerations, 31

set-up, operative, 36

traditional techniques, 85

Electrothermal bipolar vessel sealing (EBVS), 50, 52

Endorectal advancement flaps, 135

Endorectal ultrasound, 48

Endoscopic biopsies, 48

Endoscopic piecemeal excision, 86

Endoscopy, 47

Epinephrine

advanced procedures, 64, 67–68, 69–71

complications, 78

equipment, 18, 22

partial-thickness excision, 43

set-up, operative, 36

Equipment

adaptable laparoscopic instruments, 20–21

articulated stabilizing arm, 13, 14*f*, 15*f*, 22, 36

Atlas, 50

clip applier, 15, 18–19, 18*f*

CO₂, 14, 15*f*, 22, 36

description, 13

EBVS, 50

electric knife (electrocautery), 15–17, 18*f*, 24–25, 31, 36

faceplates, 14, 15*f*, 16*f*, 22, 36, 61

forceps, 15, 17, 18*f*

full-thickness excision, 50

harmonic scalpel, 20, 20*f*, 31, 36, 50

insufflator, 14, 16*f*, 19, 19*f*, 22–23, 23*f*, 36, 50

irrigation reservoir, 19*f*

laparoscope, 61, 63, 69

laparoscopic camera, 15, 19*f*

LigaSure, 20–21, 20*f*, 50

long instruments, 15–19, 18*f*

multidimensional instrument, 50

needle holder, 15, 18, 18*f*

obturator, 14, 14*f*

optics, 15, 17*f*

printer, 19*f*

proctoscope, 13–15, 14*f*, 15*f*, 36, 61

rectoscope, 50

retractable needle, 15, 18, 18*f*

Richard Wolf Company, 50, 61

scissors, 15, 17, 18*f*

suction probe, 15, 17–18, 18*f*

tattooing, 18

TEM cart, 19*f*, 22

TEM pump, 19*f*

Tyco Healthcare, 50

VHS, slide printer, 19*f*

video monitor, 15, 17*f*, 19, 19*f*, 24

See also Set-up, operative

Extended full-thickness resection

complications, 66

indications, 62

patient position, 63*f*, 64*f*

perirectal tissue, 65*f*

procedure, 63–66, 63*f*, 64*f*

room preparation, 62–63

Extraluminal techniques

Kraske, 86–87

York–Mason, 87

Extraperitoneal rectum, 32–33, 32*f*

Extrarectal anatomy, 30–32, 31*f*

Extrasphincteric fistula-in-ano, 136–137

F

Faceplates, 14, 15*f*, 16*f*, 22, 36, 61

Fansler retractor, 85

Fecal diversion, 113

Fever, 81

Fibrotic rectal strictures, 135

Fistula

anovaginal, 41, 45

perioperative complications, 52–53

rectovaginal, 42

Flexible endoscopes, 72–73, 73*f*

Flexible sigmoidoscopy, 113

Forceps, 15, 17, 18*f*

Formal celiotomy, 7

Full-thickness excision

adenoma, rectal, 47

anesthesia, 50

Atlas, 50

carcinomas, rectal, 47

chemoradiotherapy, 53, 56

chemotherapy, 49

EBVS, 50

harmonic scalpel, 50

indications, 47

informed consent, 49–50

insufflator, 50

lesions, T2, 49

lesions, T3, 49

LigaSure, 50

lymphatic sampling, 55–56

mucosectomy, 51, 51*f*

multidimensional instrument, 50

neoadjuvant therapy, 49

neoplasia, 53

partial rectal wall excision, 51, 51*f*

patient preparation, 49

perioperative complications

bleeding, 52

fistula, 52–53

harmonic scalpel, 52

- incontinence, 53
 - intraperitoneal entry, 52
 - LigaSure, 52
 - suture line disruption, 53
 - post-neoadjuvant-therapy staging
 - endoscopy, 49
 - radiochemotherapy, 49
 - transanal ultrasound, 48
 - preoperative staging
 - biopsy, 48*f*
 - bone scintigraphy, 48
 - chest X-ray, 48
 - colonoscopy, total, 48
 - CT scan, 48, 49
 - endorectal ultrasound, 48
 - endoscopic biopsies, 48
 - macrobiopsy, 48
 - metastasis, 48
 - MRI, 48–49
 - rectal cancer, 48*f*
 - rectal wall penetration, 48
 - rectoscopy, rigid, 48
 - regional lymph nodes, 48
 - transanal endosonography, 48
 - radiotherapy, 49, 54–55
 - rectal cancer, 54–56
 - rectoscope, 50
 - resection margins, 53, 54*f*
 - Stockholm randomized trials, 55
 - timing, 54–55
 - Tyco Healthcare, 50
 - Full-thickness local excision
 - abdominopelvic CT scan, 113
 - chemoradiation therapy, 109–114
 - conclusion, 114
 - doxycycline, 113
 - fecal diversion, 113
 - flexible sigmoidoscopy, 113
 - follow-up, 113
 - high-dose radiation therapy, 109–112
 - history, 110–111
 - loop ileostomy, 113
 - morbidity, 113
 - neoadjuvant therapy, 109–113
 - outcomes, 111
 - patient selection, 111–112, 111*f*
 - permanent stoma, 110
 - postoperative issues, 113
 - radical proctectomy, 110
 - radical resection, 110
 - secondary goals, 109
 - technical issues, 112–113
 - three-tesla MRI scan, 113
 - three-tesla PET scan, 113
 - transverse loop colostomy, 113
 - Full-thickness resection, 7, 33
 - Future directions
 - anastomotic rectal strictures, 135, 137–138
 - cancer patients, 138
 - coding, 138–139
 - endorectal advancement flaps, 135
 - extrasphincteric fistula-in-ano, 136–137
 - fibrotic rectal strictures, 135
 - high anorectal fistulas, 135
 - patient selection, 137
 - posterior transrectal rectopexy, rectal prolapse, 135
 - proctidentia, 136
 - rectal prolapse, 136
 - rectovaginal fistula, 135, 136
 - reimbursement rates, 138–139, 139*t*
- G**
- Gauges and regulating buttons, 24*f*
- H**
- Harmonic scalpel, 20, 20*f*, 31, 36, 50, 52
 - Heparin, 10
 - High anorectal fistulas, 135
 - High-dose radiation therapy, 109–112
- I**
- Incontinence, 7, 53
 - Indications
 - adenoma, 1
 - anal verge to peritoneal reflection, 3*t*
 - contraindications, 3
 - by disease process, 2*t*
 - extended full-thickness resection, 62
 - full-thickness excision, 47
 - intraperitoneal entry, 3
 - lesions, bulky, 3
 - NOTES, 4
 - partial-thickness excision, 41–42
 - rectal polyps, 1–3
 - resection, 1–2
 - sleeve resection, 66
 - strictures, 3
 - TEM limitations, 3–4
 - transrectal fistula repair, 68–69
 - Informed consent, 49–50
 - Insufflator, 14, 16*f*, 19, 19*f*, 23, 23*f*, 62
 - Intraluminal suturing, 37
 - Intraperitoneal entry, 3, 52
 - Irrigation reservoir, 19*f*
- K**
- Kraske technique, 86–87
- L**
- Laparoscopic camera, 15, 19*f*
 - Laparotomy, conversion to, 75, 76
 - Large-volume rectal resections, 28
 - LAR, *see* Low anterior resection (LAR)

Leaks, 14, 22, 24–25

Lesions

- bulky, 3
- evaluation, 8
- partial-thickness excision, 41
- preparation, 8–9
- T1, 49, 55, 103, 119–123, 127, 128
- T2, 8, 49, 98, 118–123
- T3, 8, 49, 54, 119, 122
- ultrasound, 8
- upper, 7–8

Lidocaine, 43, 43*f*, 78

LigaSure, 20–21, 20*f*, 31, 50, 52

Local excision, 126–127, 127*t*

Lone Star retractor, 85

Long instruments, 15–19, 18*f*

Loop ileostomy, 113

Low anterior resection (LAR), 117, 125

Luminal stenosis, 29–30

Lymphatic sampling, 55–56

Lymph nodes, regional, 48

M

Macrobiopsy, 48

Magnetic resonance imaging (MRI), 48–49

Martin arm, *see* Articulated stabilizing arm

Mesorectum, 30–31, 31*f*

Metastasis, 48

Morbidity, 75–76, 113

Mortality, 75–76

MRI, *see* Magnetic resonance imaging (MRI)

Mucosectomy, 51, 51*f*

Multidimensional instrument, 50

N

National Cancer Database, 127

Natural orifice transluminal endoscopic surgery (NOTES), 4, 72–73

Needle holder, 15, 18, 18*f*

Neoadjuvant therapy

- chemotherapy, 49
- full-thickness local excision, 109–114
- lesions, T2, 49
- lesions, T3, 49
- radiotherapy, 49, 54–55
- Stockholm randomized trials, 55
- timing, 54–55

Neoplasia, 53

NOTES, *see* Natural orifice transluminal endoscopic surgery (NOTES)

O

Obturator, 14, 14*f*

Oncologic outcomes

- APR, 117–118, 121
- conclusions, 123

historical background, 118

introduction, 117–118

LAR, 117

preoperative assessment, 119

radiotherapy, 121*t*, 122*t*

transanal endoscopic microsurgery, 120, 122, 122*t*

transanal local excision, 119–121, 121*t*

Operating table, 21, 21*f*, 36

Optics, 15, 17*f*

P

Partial rectal wall excision, 51, 51*f*

Partial-thickness excision

- adenomas, large, 41–42
- anesthetic, 42
- anovaginal fistula, 41, 45
- antibiotics, 42
- complications, 45
- electric knife (electrocautery), 43, 43*f*
- epinephrine, 43
- indications, 41–42
- lidocaine, 43, 43*f*
- malignant lesions, 41
- operative technique, 42–44
- polyps, 41, 43*f*, 44*f*
- positioning patient, 42
- postoperative care, 44–45
- preoperative preparation, 42
- rectovaginal fistula, 42
- split-leg table attachments, 42
- submucosal excision, 41, 42*f*
- sutures, 42
- venous thromboembolism prophylaxis, 42

Patient positioning, *see* Positioning patient

Patient preparation, 49, 62

Patient selection, 38, 59–60, 111–112, 111*f*

Pelvic anatomic considerations

- anal condyloma, 27
- anal stenosis, 27
- anovaginal septum, 31
- Bowen's disease, 27
- defecatory function, 28
- Denonvillier's fascia, 31
- electric knife (electrocautery), 31
- extraperitoneal rectum, 32–33, 32*f*
- extrarectal anatomy, 30–32, 31*f*
- full-thickness resection, 33
- harmonic scalpel, 31
- large-volume rectal resections, 28
- LigaSure, 31
- luminal stenosis, 29–30
- mesorectum, 30–31, 31*f*
- peritoneal barrier, 33
- peritoneal envelope, 33
- peritoneal reflections, 32–33, 32*f*
- rectal access, 27–28
- rectal ampulla, 28, 30*f*

- rectosigmoid junction, 28–29, 29*f*
 - rectovaginal fistula, 30
 - rectum, 28–30, 29*f*, 30*f*
 - sentinal node technology, 31
 - sphincteric defects, 27–28
 - squamous cell cancer, 27
 - valves of Houston, 28, 29*f*
 - Perioperative complications
 - bleeding, 52
 - fistula, 52–53
 - full-thickness excision, 52–53
 - harmonic scalpel, 52
 - incontinence, 53
 - intraperitoneal entry, 52
 - LigaSure, 52
 - suture line disruption, 53
 - See also* Complications
 - Perirectal tissue, 65*f*
 - Peritoneal
 - barrier, 33
 - entry, 77
 - envelope, 33
 - reflections, 32–33, 32*f*
 - Permanent stoma, 110
 - Pneumorectum, 23
 - Polyps, 41, 43*f*, 44*f*
 - Positioning patient, 8, 21–22, 36–39
 - complications, 81
 - extended full-thickness resection, 63*f*, 64*f*
 - partial-thickness excision, 42
 - Posterior transrectal rectopexy, rectal prolapse, 135
 - Post-neoadjuvant-therapy staging
 - endoscopy, 49
 - full-thickness excision, 49
 - radiochemotherapy, 49
 - Postoperative care, 44–45, 113
 - Pratt bivalve retractor, 85
 - Preoperative preparation
 - antibiotics, 10
 - bowel preparation, 9–10
 - cleaning, 9
 - enema, 9
 - consent, 7–8
 - bleeding, 7
 - complications, 7–8
 - formal celiotomy, 7
 - full-thickness resection, 7
 - incontinence, 7
 - resection, 7
 - risk factors, 7–8, 10
 - upper rectal lesion, 7–8
 - debulking, 8–9
 - deep venous thrombosis prophylaxis,
 - heparin, 10
 - lesions
 - evaluation, 8
 - preparation, 8–9
 - T2, 8
 - T3, 8
 - ultrasound, 8
 - partial-thickness excision, 42
 - tattooing, 8–9
 - urinary retention, 10
 - catheterization, 10
 - venous thromboembolism, 10
 - Preoperative staging
 - biopsy, 48*f*
 - bone scintigraphy, 48
 - chest X-ray, 48
 - colonoscopy, total, 48
 - CT, 48–49
 - endorectal ultrasound, 48
 - endoscopic biopsies, 48
 - macrobiopsy, 48
 - metastasis, 48
 - MRI, 48, 49
 - rectal wall penetration, 48
 - rectoscopy, rigid, 48
 - regional lymph nodes, 48
 - transanal endosonography, 48
 - Preoperative workup, 61
 - Printer, 19*f*
 - Procidencia, 136
 - Proctoscope, 13, 14*f*, 36, 61
- R**
- Radical proctectomy, 110
 - Radical resection, 110
 - Radiochemotherapy, 49
 - Radiotherapy, 49, 54–55, 121*t*, 122*t*
 - Rectal
 - access, 27–28
 - adenoma, 47
 - ampulla, 28, 30*f*
 - benign adenoma, 87–95, 88*t*–89*t*, 91*t*–94*t*
 - cancer, 1–4, 48*f*, 54–56, 95–105, 96*t*–97*t*
 - fistulae, 60
 - lesion, upper, 7–8
 - polyps, 1–3
 - prolapse, 136
 - stenosis, 81
 - ultrasound, 61
 - wall penetration, 48
 - Rectoscope, 50
 - Rectoscopy, 48
 - Rectosigmoid junction, 28–29, 29*f*
 - Rectovaginal fistula, 32, 42, 80–81, 136–137
 - Rectum, 28–30, 29*f*, 30*f*
 - Reimbursement rates, 138–139, 139*t*
 - Resection margins, 53, 54*f*
 - Retractable needle, 15–16, 18, 18*f*
 - Richard Wolf Company, 50, 61
 - Risk factors, 7–8, 10

S

- Sawyer retractor, 85
- Scheduling TEM procedures, 39
- Scissors, 15, 17, 18*f*
- Sentinel node technology, 31
- Set-up, operative
 - CO₂, 36
 - DVD, 22
 - gauges, regulating buttons, 23*f*
 - leaks, 14, 22, 23–24
 - operating table, 21–23, 21*f*, 36
 - pneumorectum, 23–24
 - split-leg table attachments, 36, 42
 - stirrups, 21–22
 - sutures, 22
 - troubleshooting, 23–25
 - videotape, 22
 - See also* Equipment
- ShapeLock device, 72–73, 73*f*
- Sleeve resection
 - advanced techniques, 60
 - anastomotic rectal strictures, 137–138
 - caudal retraction, 67, 67*f*
 - complications, 68
 - indications, 66
 - procedure, 67–68
 - room preparation, 66
 - stay sutures, 67, 67*f*
- Sphincteric defects, 27–28
- Split-leg table attachments, 36, 42
- Squamous cell cancer, 27
- Stirrups, 21
- Stockholm randomized trials, 55
- Submucosal excision, 41, 44*f*
- Suction probe, 15, 17–18, 18*f*
- Surgeon selection, 61
- Suture line disruption, 53
- Sutures, 4, 7, 28
 - intraluminal suturing, 37
 - long instruments, 18–19
 - partial-thickness excision, 44
 - set-up, operative, 22

T

- TAE, *see* Transanal excision (TAE)
- Tattooing, 8–10, 18, 53, 67–68
- TEM, *see* Transanal endoscopic microsurgery (TEM)
- TEM vs TAE, 87–90, 103–104, 103*t*
- Three-tesla MRI scan, 113
- Three-tesla PET scan, 113
- TME, *see* Total mesorectal excision (TME)
- Total mesorectal excision (TME), 125
- Traditional techniques
 - comparison studies, 103–104, 103*t*
 - electric knife (electrocautery), 85
 - endoscopic piecemeal excision, 86
 - extraluminal techniques, 86–87

- Fansler retractor, 85
- Kraske, 86–87
- Lone Star retractor, 85
- Pratt bivalve retractor, 85
- Sawyer retractor, 85
- TAE results, 87–90, 95–98, 88*t*–89*t*
- TEM results, 90–95, 91*t*–94*t*
- TEM vs TAE, 87–90, 103–105, 103*t*
- York–Mason, 87
- Training, 17*f*, 22, 35
 - courses, 37
 - early experience, 38
 - learning curve, 39
 - nurses, 37
 - sets, 36
- Transanal endoscopic microsurgery (TEM)
 - cart, 19*f*, 22
 - clinical trials, 127–129
 - contraindications, 3
 - description, 35
 - equipment, 13–21, 36–37
 - indications, 1–4
 - limitations, 3–4
 - oncologic outcomes, 122–123, 122*t*
 - patient selection, 38
 - pump, 19*f*
 - rectal adenoma, benign, 90–95, 91*t*–94*t*
 - scheduling procedures, 37
- Transanal endosonography, 48
- Transanal excision (TAE)
 - clinical trials, 128–129
 - oncologic outcomes, 119–121, 121*t*
 - results, rectal cancer, 95–98, 96*t*–97*t*
 - traditional techniques, 85–86, 87–90, 88*t*–89*t*
- Transanal intraabdominal endoscopic surgery, 60–61
- Transanal ultrasound, 49
- Transrectal fistula repair
 - complications, 71–72
 - indications, 68–69
 - patient preparation, 69
 - procedure, 69–71, 69*t*, 70*f*, 71*f*, 72*f*
 - room preparation, 69
- Transverse loop colostomy, 113
- Troubleshooting, 23–25
- Tyco Healthcare, 50

U

- Ultrasound
 - endorectal, 48
 - lesions, 8
 - rectal, 61
 - transanal, 49
- Upper rectal lesion, 7–8
- Urinary complications, 79
- Urinary retention, 10

V

Valves of Houston, 28, 29*f*

Venous thromboembolism, 10

Venous thromboembolism prophylaxis, 42

VHS and slide printer, 19*f*

Video monitor, 15, 17*f*, 19, 19*f*, 24

Videotape, 22

Y

York–Mason technique, 87