

## A

- Aberrant collagen fibers, 108
- Acellular human dermal matrix
  - augmenting chronic Achilles tendon injuries, 234
  - Graftjacket® Matrix, 237, 240
  - onlay placement of, 241, 243
  - to repair chronically ruptured Achilles tendon, 235
    - as onlay graft/wrap, 237
    - suture of the seam, 238–239
  - standard and thick, 238
  - wrap technique, 238
- Achilles insertion
  - anatomy of, 213, 214
    - for placement of incisions, 214
- Achilles paratendinopathy
  - definition of, 144
  - inflammatory phase, 149
  - painful thickening, 152
  - tenderness and thickening area, 180
  - tendinopathy vs., 151
  - ultrasonographic diagnosis of, 180–181
- Achilles tendinopathy, 143
  - case study, 169–170, 179–180
  - classification of, 168
  - clinical features of
    - nodular swelling, 180
    - subtalar hyperpronation, 169
    - tendon pain, 168
  - diagnosis for, 108–110
  - imaging modalities
    - ultrasound and MRI scans, 170–171, 180–181
  - noninsertional (*see* Noninsertional achilles tendinopathy)
  - pathophysiology, 168
  - prognosis of, 175
  - return to full sports activity in, 174–175
  - treatment of (*see also* Achilles tendinopathy, surgical management)
    - conservative management, 181–182
    - corticosteroid injections, 173
    - exercise rehabilitation, 171–173
    - surgical management (*see* Achilles tendinopathy, surgical management)
    - topical glyceryl trinitrate treatment, 173
- Achilles tendinopathy, surgical management
  - open surgical approach
    - longitudinal curved incision, 182
    - transverse excision, 183
  - outcomes, 202
  - percutaneous techniques
    - percutaneous multiple longitudinal tenotomies, 186
    - ultrasound-guided percutaneous tenotomy, 183–185
  - postoperative care and, 186–187
  - preoperative planning, 182
- Achilles tendinosis, 144
- Achilles tendon
  - anatomy of, 144–145
  - biomechanics, 167
  - defect reconstruction
    - by anterior lateral thigh flap, 137
    - free tissue transfer, 130
    - by lateral arm flap, 134–136
    - patient evaluation prior to, 130
    - by radial forearm flap, 130–133
    - scapular flap, 135
  - inflammation of tissues surrounding, 144
  - injuries, soft tissue loss associated with, 129
  - innervation of, 11–12
  - insertion, lateral view, 9
  - microstructure, 1
  - overuse injury of, 207
  - plantarflexion stresses, 172
  - posterior view, 6
  - repair, 191, 233
  - resurfacing of, 130
  - spiral configuration, 167
  - tears in, 19
  - vascularity of, 10–11
- Achilles tendon, acute repairs of
  - percutaneous technique, 53
    - case study, 53–55
    - complications, 61–62
    - conservative management, 55–56
    - imaging, 55

- Achilles tendon, acute repairs of (*Continued*)
    - open repair, 56
    - operation technique, 57–61
    - percutaneous repair, 56–57
    - postoperative management, 62
    - preoperative planning, 57
    - techniques, 57
  - Achilles tendon disorders, physical exam findings
    - in, 150
    - painful-arc sign, 151
    - tenderness, 151
    - tendon rupture, 152
  - Achilles tendon, formal open repair of, 81
    - case study, 81–83
    - other surgical options, 87–88
    - potential complications, 88–89
    - primary repair, using Tajima suture technique, 83–86
    - rehabilitation, 86–87
  - Achilles tendon pathology, diagnosis of, 17
    - absolute tendon size, 18
    - color/power doppler, 18
    - surrounding structures, 18–19
  - Achilles tendon, rehabilitation after acute ruptures
    - of, 91
    - Achillon® surgical repair, 98–100
      - case study 1, 93
      - case study 2, 100–101
      - case study 3, 101
      - functional rehabilitation protocol, 93, 96–98
      - insertional Achilles rupture, 101
      - open surgical repair, 92–93
      - postoperative functional rehabilitation protocol, 94–95
  - Achilles tendon ruptures, 233
    - acellular human dermal matrix and, 234
    - neglected, 233
      - treatment of, 234–235
    - reconstructive algorithm for, 129
  - Achilles ultrasound examination
    - fusiform enlargement of diseased tendon, 18
    - insertional Achilles tendinosis, 17
    - longitudinal imaging, 16, 17
    - minimally invasive percutaneous ultrasound-guided interventions, 20
    - recommended patient positioning for, 16
    - risks and benefits of ultrasound, 20
    - troubleshooting, 20
  - Achillon® system, 99
  - Active dorsiflexion, 86
  - Active plantarflexion, of ankle, 35
  - Acute paratendinopathy, 152
  - Acute ruptures, mini-open repair of, 65
    - Achillon® instrument, 66
    - cadaver study, 65–66
    - case study, 71–72
    - indications and contraindications, 73
    - operative technique, 66–70
    - rehabilitation protocol, 70–71
  - Acute ruptures, nonoperative management of, 39
    - complications, 46–48
      - poor regeneration, 46
      - rerupture, 46–48
    - diagnosis, 40–41
    - evidence-based medicine, 48–49
      - lace technique, 49
      - operative treatment and timing, 49
    - rehabilitation, following boot protection, 44–46
    - therapy boot, rehabilitation with, 43–44
    - treatment, 42–43
  - Aging process, and type I collagen, 146
  - Ahmed, I. M., 11
  - Alfredson, H., 202
  - American Orthopaedic Foot and Ankle Society
    - scale, 57
  - American Orthopedic Association of Foot and Ankle Surgeons (AOFAS), 200
    - ankle hindfoot score, 234
    - hindfoot-ankle score, 202
    - SF-36 scores, 203
  - Anatomic reconstruction, treatment of chronic
    - elongated Achilles tendon
      - case study, 112–113
      - diagnosis, 108–110
      - etiology of chronic rupture, 107–108
      - indications and contraindications for, 110–111
      - postoperative management, 112
      - preliminary results, 113–114
      - surgical techniques, 111–112
  - Ankle dorsiflexion, 33, 34, 118, 186, 223
  - Ankle-foot orthosis, 37
  - Ankle sprain, 111, 240, 241
  - Ankle stiffness, 81, 88
  - Anouchi, Y. S., 37
  - AOFAS hindfoot scores, 87
  - Aprotinin injections, 173–174
  - Aqua therapy, 96–98, 101
  - Aracil, J., 74, 76
  - Arner, O., 35
  - Artist’s depiction of FHL harvest, 121
  - Aseptic inflammations, 40
  - Assal, M., 65–77, 100
  - Astrom, M., 11, 144
  - Autoimmune conditions, 108
- B**
- Bannister, G. C., 57
  - Baxter, D., 207
  - Baxter, D. E., 143, 208, 230
  - Benazzo, F., 201

- Biceps femoris, 34  
 Bipennate muscle belly, 16  
 Bone tunnel formation, 123  
 Bosworth, D. M., 107  
 Bradley, J. P., 74, 75  
 Buchgraber, A., 16, 74, 76, 99  
 Bunnell suture technique, 75
- C**
- Calcaneal tuberosity, 5–7, 73, 110, 167, 208, 224  
 Calcifications, 17, 152, 222, 225  
 Calder, J., 100  
 Calf atrophy, 81, 86, 108, 117, 124  
 Calf muscle strength measurement, 48  
 Carr, A. J., 11  
 Cheung, S., 202  
 Chronic Achilles tendon rupture  
   case study, 240–243  
   procedure for treatment of, 235  
     fixation of end-to-end anastomosis, 237  
     prone positioning, 236  
     repair of V-Y gastrocnemius lengthening,  
       236–238  
     suture of seam, 238–239  
 Chronic Achilles tendon ruptures treatment  
   with tendon transfers, 117  
     case study, 124–126  
     tendon transfers (*see* Tendon transfers technique)  
     treatment, 118  
 Chronic paratendinopathy, 152  
   with fibrous peritendinous adhesions, 188  
 Chronic rupture, etiology of, 107–108  
 Clain, M. R., 143, 230  
 Collagen fiber, 1, 6, 10, 144, 149, 167, 168, 195  
 Composite flaps for microsurgical reconstruction  
   lateral arm flap, 134, 136  
   radial forearm flap (*see* Radial forearm flap)  
   scapular flap, 135, 137  
 Corticosteroid injections  
   in insertional Achilles tendinopathy, 173  
   and tendon degeneration, 148  
   in treatment of chronic tendon disorders, 156–157  
 Corticosteroids, 81, 108, 181, 225  
 Coughlin, M. J., 118  
 Coull, R., 200  
 Cretnik, A., 56  
 Cryotherapy, 44, 96, 101  
 Cummins, E. J. A., 5  
 Cybex dynamometer testing, 92  
 Cybex II testing, 99  
 Cybex strength testing, 92
- D**
- Deep vein thrombosis (DVT), 36, 37, 57, 61, 91, 182  
 Delayed healing, 74, 100
- Den Hartog, B., 235  
 Den Hartog, B. D., 124  
 Distal Achilles, lateral approach to, 214  
   calcaneus, 216  
   dissection of anterior periosteal sleeve and Achilles  
     insertion, 216  
   periosteum repairing, 217  
   placement of incision for, 215  
 Distal Achilles, medial approach to  
   anatomic structures at risk for, 218  
   FHL harvest, 219–220  
   full-thickness peritenon flap, 219  
   incision location for, 218  
   indications for, 217  
   with lateral extension, 218–219  
 Distal Achilles tendon  
   indications for  
     lateral approach to, 214  
     medial approach to, 217–218  
   insertion of suture anchor, for reattachment of, 228  
   skin and subcutaneous tissue dissected off, 217  
 Doppler ultrasound-guided polidocinol injections, 174  
 Dorsiflexion stretch to Achilles tendon, 96  
 DuraPrep, 82  
 Dynamic ultrasound, 20
- E**
- Eccentric strengthening, 155  
   achilles tendon, 172  
 Ecchymosis, 35, 93  
 Electromyography, 43  
 Elias, I., 235  
 Endocrine factors, and Achilles tendinopathy, 146  
 Endotenon, 1, 10, 12, 145  
 End-to-end anastomosis  
   of Achilles, 235, 237, 241, 243  
   V-Y lengthening with, 240  
 Enwemeka, C., 91  
 Epitenon, 2, 9, 12, 145, 149  
 Esmarch, 82  
 Exertional compartment syndrome, 5  
 Extracorporeal shock wave (ECSW)  
   role in noninsertional Achilles tendinopathy,  
     158–159  
 Extracorporeal shockwave therapy (ESWT)  
   in treating Achilles tendinopathy, 173
- F**
- Fascia cruris, 2  
 Fast spine echo (FSE), 23, 25, 28, 30  
 FDL–FHL connections, 120  
 Femoral condyle, 2  
 FHL grasping suture, 122  
 FHL, harvesting, 120  
 FHL harvest/transfer, 120

- FHL tendon, identification, 120  
 Fiber rotation, 5  
 Fibrocartilaginous enthesis, 6  
 FitzGibbons, R. E., 74  
 Flat-heeled tennis shoes, 33  
 Flexor digitorum longus (FDL), 83, 119–121, 125, 235  
 Flexor hallucis longus (FHL), 8, 17, 83, 119, 120, 124, 199, 217, 237  
 Flexor hallucis longus (FHL) tendon, 121, 196  
   harvest, 197  
   loss of toe push-off strength, due to transfer of, 200  
   proximal portion of Achilles, 219  
   V-Y lengthening combined with, 235  
 Fluoroquinolone antibiotics, 108, 117  
 Fluoroquinolone-induced tendinopathy, 148  
 Flutter kicking, 97  
 Free tissue transfer, 88, 130  
 Froimson, A. I., 35  
 Frye, C., 208  
 Furia, J., 58
- G**
- Gait training, 97, 112  
 Gapping, of tendon stumps, 42  
 Gastrocnemius muscle, 2, 3, 5, 33, 34, 37, 42, 97, 118, 167  
 Gastrocnemius-soleus myotendinous complex, 108  
 Gastrocnemius tendon, 11, 12, 24, 34  
 Gastroc-soleus complex, 2, 62, 97, 120, 209  
 Gastroc-soleus junction, 5, 11  
 Gelberman, R., 91  
 Gerster, J. G., 211  
 Gill, S. S., 181  
 Glyceryl nitrate, 158  
   effect on Achilles tendon pain, 173  
 Gould, N., 202  
 Gradient echo (GRE), 24  
 Griffith, T. G., 56, 57, 65, 75, 76
- H**
- Haglund's deformity, 39, 210  
 Heel lifts, 93, 96, 156, 172, 210, 223  
 Hematoma fluid collection, 37  
 Hibiclens, 82  
 Hockenbury, R. T., 74  
 Holmes, G. B., 146, 147  
 Holz score, 57  
 Human Achilles tendon  
   attachment to calcaneus, 8  
   vascularization, 11  
 Hyperlipidemia types II and III, 29  
 Hypertrophic tendon regeneration, 47
- I**
- Inflammatory tendinosis, 18, 40  
 Inglis, A. E., 107  
 Insertional Achilles disease, 213  
 Insertional Achilles rupture, 101  
 Insertional Achilles tendinopathy  
   case study, 223–224  
   clinical feature of, 169  
   differential diagnosis, 223  
   pathophysiology of  
   inflammatory enthesopathy, 210–211  
   ossification, 210  
   patients with  
   hyperpronators, 209  
   older sedentary patients, 221  
   younger athletic individuals, 208, 221  
   physical examination, 209  
   tenderness and pain, 222  
   soft tissue imaging modalities, 222–223  
   treatment of, 209, 211  
   nonoperative, 224–225  
   operative (*see* Operative management, insertional calcific Achilles tendinopathy)
- Interphalangeal (IP) joints, 119  
 Iontophoresis, 155, 211, 224  
 Isometric inversion and eversion, exercise, 96
- J**
- Jaakkola, J. I., 87  
 Jensen, P., 92  
 Jogging, 33, 44, 45, 71, 98, 100, 187, 188  
 Johns, J. C., 75  
 Johnson, K. W., 230  
 Johnston, E., 201
- K**
- Kager's triangle, 8  
 Kakiuchi, M. A., 65, 77  
 Kaufman, K. R., 147  
 Kessler-type suture, 57, 88  
 Kleiger, B., 230  
 Klein, W., 74  
 Knot of Henry, 119, 125  
 Korson, R., 202  
 Kujala, U. M., 148  
 Kvist, M., 146, 147, 155  
 Kwak, H. S., 34, 37
- L**
- Lacinate ligament, 5  
 Lagergren, C., 11, 213  
 Langberg, H., 11  
 Lateral arm flap, 134, 136  
 Leach, R. E., 201  
 Leg, compartments of, 2  
 Limb-length discrepancy, 147

Lindholm, A., 11, 33, 35, 56, 213

Lin, J., 146, 147

Lo, I. K., 56

## M

Maffulli, N., 57, 75, 76, 88, 143, 201, 203

Magnetic resonance imaging (MRI), 23, 110, 181

of affected leg, 36

axial and sagittal T1-weighted and FSE

T2-weighted images, 30

coronal FSE T2-weighted images, 26

coronal T1-weighted images, 25

increased signal conditions, 24

for normal tendon, 23–24

sagittal T1-weighted and FSE T2-weighted images, 25, 26

sagittal T1-weighted image, demonstrating low T1 signal, 28

sagittal T1-weighted images, of ankle, 28

short echo time (TE) sequences, 24

Ma, G. W. C., 56, 57, 65, 74–76

Mandelbaum, B. R., 74, 88, 92

Mann, R. A., 119

Martin, R. L., 199, 203

Matles test, 54, 55

Matrix metalloproteinases (MMPs), 148

expression of, 149

Maximal tendon thickness, 41

McClelland, D., 57

McGarvey, W. C., 230

Medial gastrocnemius muscle, ruptures of, 36

anatomy, 34

case study, 35–36

clinical presentation, 34–35

differential diagnosis, 37

imaging, 36

treatment, 37–38

Medial head of gastrocnemius, complete rupture of, 34

Metabolic factors, and Achilles tendinopathy, 146–147

Metatarsophalangeal (MTP) joint, 82, 125

Millar, A. P., 33

Moberg, A., 76

Mortensen, H. M., 76

Mortensen, N., 92

Multiple percutaneous longitudinal tenotomies. *See*

Percutaneous multiple longitudinal tenotomies

Muscle injury, 34

Muscular weakness and imbalance, 147

Musculotendinous junction, 34

Myxoid degeneration, 24

## N

Neurotransmitter actions, 12

Noninsertional Achilles tendinopathy

classification of, 144

diagnosis of

history, 150

physical examination, 150–152

etiology of, 145

extrinsic factors, 147–148

intrinsic factors, 146–147

imaging modalities

conventional plain radiography, 152

magnetic resonance imaging, 153–154

ultrasound, 152–153

pathophysiology of, 149

surgical management of, 191

comparative analysis, 201

meta-analysis, 200–201

open Achilles debridement (*see* Open Achilles debridement)

percutaneous longitudinal tenotomy, 192–193

preoperative evaluation for, 191–192

recovery of calf muscle strength following, 201

treatment of

correction of malalignment/leg length

discrepancy, 155

ECSW for, 158–159

heel lifts, 156

PEMFs for, 158

peritendinous and intratendinous injection, 156–157

physical therapy, 154–155

sclerosing agents, 157–158

using nonsteroidal antiinflammatory drugs, 156

vasodilation techniques for, 158

Nonsteroidal antiinflammatory drugs (NSAIDs), 43, 156, 172, 181, 187, 198

Norris, S. H., 11

## O

Ohberg, L., 201

Open Achilles debridement

complications due to

infections, 199

partial rupture, 199–200

persistent pain, 200

wound, 199

with reconstruction of residual Achilles tendon

FHL harvest, 196–197

postoperative course and, 198–199

with repair of residual Achilles tendon

anesthesia, 193

longitudinal incision, 194–195

long-term outcomes in nine competitive runners, 202

nonabsorbable suture, 195–196

positioning, 193

postoperative course and, 198

Open Achilles debridement (*Continued*)  
 tourniquet use, 193–194  
 without augmentation, 196

Open surgical approach, 182–183

Operative management, insertional calcific Achilles tendinopathy  
 bony decompression, 227  
 central heel-splitting incision, 225–226  
 insertion of suture anchor, 228  
 lateral surgical approach, 229  
 posterior midline central tendon splitting incision, 230  
 removal of prominent posterolateral bone, 226

Orthosis, 37, 44, 48, 76, 100, 101, 224, 235

Overuse injuries, 143, 145, 147, 155, 207

**P**

Paavola, M., 202, 229

Pantendinopathy, 144, 151, 182, 187, 203

Paratenon, 2, 9, 12, 15, 66, 82, 144, 145, 149, 157, 182, 194, 196, 200, 228

Paratenonitis, 24

Parkinson's disease, 111

Partial Achilles tendon rupture, 36

Partial tear, 19, 24, 196, 224

Passive ankle dorsiflexion, 35, 169, 186

Passler, H. H., 99

Pennate muscle, 3

Percutaneous longitudinal tenotomy  
 outcome in athletes, 203  
 into thickened, fusiform portion of Achilles tendon, 192–193

Percutaneous multiple longitudinal tenotomies  
 complications due to, 188–189  
 postoperative course, 198  
 procedure, 186  
 symptomatic benefits, in athletes, 188

Peritendinous adhesions, surgical management of, 202

Peritendinous structures, histologic examination of, 149

Peritendonitis, 24

Peroneus brevis transfer and weave, 119

Plantar fascia, 6

Plantarflexion power of triceps muscle, 109

Plantaris muscle, 2, 4, 118

Plaster of Paris cast, 58, 61

Platt, H., 118

Plyometric exercise, 98

Posterior heel pain, 208

Posterior midline central tendon, splitting incision, 230

Powell, R. M., 33

Prolonged immobilization, 76, 86, 88, 91

Proprioceptive neuromuscular facilitation (PNF), 44

Pulsed electromagnetic fields (PEMFs)  
 and Achilles tendon's tensile strength, 158

Pump bumps, 27, 29

**R**

Radial forearm flap, 130  
 anastomosed to posterior tibial artery, 132, 133  
 donor site with split-thickness skin graft, 131  
 inset with complete coverage of wound, 133, 134  
 preoperative markings of, 131–132

Range-of-motion exercises, 96

Rausing, A., 144

Real-time Thompson test. *See* Thompson test

Recoil plantarflexion, 86

Rectus femoris, 33, 34

Reiter's syndrome, 29

Resistive band exercise, for plantarflexion strength, 97

Resistive strengthening exercises, 38

Retro-Achilles bursa, 167

Retrocalcaneal bursa, 7–9, 18, 27, 207, 208, 210, 213, 229, 230

Retrocalcaneal bursitis, 19, 26, 28, 171, 202, 208, 214, 225, 229

Roentgenographic examination of injuries, 36

Rompe, J. D., 181

Rowley, D. I., 74

Royal London Hospital test, 152

**S**

Sarcoidosis, 111

Saxby, T., 100

Saxena, A., 202

Scapular flap, 135, 137

Schepesis, A. A., 202

Schmidt-Rohlfing, B., 11

Sclerosing agents  
 injection in neovascularization area, 157

Scotland, T. R., 74

Sculco, T. P., 107

Sesamoid bone (fabella), 2

Silfverskiöld test, 109

Silver, R., 120

Silvestri, E., 11

Simmonds/Thompson calf squeeze test, 53

Soft tissue, 10, 65, 73, 83, 101, 115, 129, 132, 137, 152, 200, 233

Soleus, 3–5

Sölveborn, S. A., 76

Spinella, A. J., 119

Spondyloarthropathies, 111

Steele, G., 74

Subtalar hyperpronation, 167, 169, 170, 172

Surgical reconstruction, indications and contraindications for, 110–111

Sutherland, A, 75, 76

Systemic disease and Achilles tendinopathy,  
association between, 146

## T

Tajima stitches, 82

Tallon, C., 200–201

Taylor, G. I., 130

Tendinosis, 144

collagen degradation, 149

Tendonitis, 18, 19, 111, 223

Tendon structure, organization of, 2

Tendon transfers technique, 118

flexor digitorum longus transfer, 119

flexor hallucis longus transfer, 120–124

peroneus brevis transfer, 119

Tennis leg, 33

Tenoblasts, 1

Tenocytes, 1, 108, 149, 168, 182

Tenodesis, of distal stump, 121

Tenolig<sup>®</sup>, 75

Tenosynovitis, surgical management of, 202

Tensile strength, 11, 87, 91, 145, 155, 158

Testa, V., 203

Theobald, P., 11

Thompson test, 19, 35, 40, 42, 72, 82, 152, 192,  
240, 241

Thrombophlebitis, 37, 81

Tibone, J. E., 74, 75

Toe curls utilizing a towel and weight, 96

Total Gym<sup>®</sup> heel raises, 97

Tourniquet, 57, 82, 84, 183, 193, 194,  
225, 236

Transdermal nitroderm patches, 19

Troop, R. L., 92

Turco, V. J., 119

T1-weighted (T1W) technique, 23

T2W image, 23

Type I collagen, 1, 145, 146

## U

Ultrasound-guided percutaneous tenotomy  
complications, 188

passive ankle flexion, 183–184

scalpel blade, 183–184

sequence of, 186

stab wound, 185

symptomatic benefits, in athletes, 187

Ultrasound scan, 55, 180–181, 183, 186

## V

Vasodilation techniques, 158

V-Y gastrocnemius lengthening

Achilles tendon rupture reconstruction using, 235

with manual traction, 236–237

repair of, 238

V-Y lengthening, 112–114, 228, 235, 236, 240

V-Y myotendinous lengthening, 83

V-Y plasty, 114

## W

Wapner, K. L., 83, 196

Wapner, L. K., 120, 121, 124

Watson, A. D., 229–230

Watson, T. W., 87

Webb, J. M., 57

Westlin, N., 11

Wilcox, D. K., 200, 202

Winter, E., 74, 75

## X

Xanthomas, 29, 30

## Y

Yodlowski, M. L., 229

Y-shaped reconstruction, 113

## Z

Zantop, T., 11