

References

- [1] R. Aharoni, C. St. J. A. Nash-Williams, and S. Shelah, *A general criterion for the existence of transversals*, Proc. London Math. Soc. (3) **47** (1983), no. 1, 43–68.
- [2] ———, *Marriage in infinite societies*, Progress in Graph Theory (Waterloo, ON, 1982) (J. Bondy and U. Murty, eds.), Academic Press, Toronto, ON, 1984, pp. 71–79.
- [3] M. Aigner, *Graph Theory: A Development from the 4-Color Problem*, BCS Associates, Moscow, ID, 1987.
- [4] ———, *Combinatorial Theory*, Springer-Verlag, Berlin, 1997.
- [5] ———, *A Course in Enumeration*, Grad. Texts in Math., vol. 238, Springer-Verlag, New York, 2007.
- [6] M. Aigner and G. M. Ziegler, *Proofs from The Book*, 3rd ed., Springer-Verlag, Berlin, 2004.
- [7] I. Anderson, *Perfect matchings of a graph*, J. Combin. Theory Ser. B **10** (1971), no. 3, 183–186.
- [8] G. E. Andrews, *Euler's pentagonal number theorem*, Math. Mag. **56** (1983), no. 5, 279–284.
- [9] ———, *The Theory of Partitions*, Cambridge Univ. Press, Cambridge, 1998.
- [10] G. E. Andrews and K. Eriksson, *Integer Partitions*, Cambridge Univ. Press, Cambridge, 2004.
- [11] T. M. Apostol, *Mathematical Analysis*, 2nd ed., Addison-Wesley, Reading, MA, 1974.
- [12] K. Appel and W. Haken, *Every planar map is four colorable*, Illinois J. Math. **21** (1977), no. 3, 429–567.
- [13] D. Babić, D. J. Klein, J. von Knop, and N. Trinajstić, *Combinatorial enumeration in chemistry*, Chemical Modelling: Applications and Theory (A. Hinchliffe, ed.), Vol. 3, Royal Society of Chemistry, London, 2004, pp. 126–170.
- [14] M. Baiou and M. Balinski, *Many-to-many matching: Stable polyandrous polygamy (or polygamous polyandry)*, Discrete Appl. Math. **101** (2000), no. 1, 1–12.
- [15] D. C. Banks, S. A. Linton, and P. Stockmeyer, *Counting cases in substitute algorithms*, IEEE Trans. Vis. Comput. Graphics **10** (2004), no. 4, 371–384.

- [16] D. C. Banks and P. Stockmeyer, *DeBruijn counting for visualization algorithms*, Mathematical Foundations of Scientific Visualization, Computer Graphics, and Massive Data Exploration (T. Möller, B. Hamann, and R. Russell, eds.), Math. Vis., Springer-Verlag, New York, 2009. To appear.
- [17] A.-L. Barabási, *Linked*, Perseus Publishing, Cambridge, MA, 2002.
- [18] J. E. Baumgartner, *Ineffability properties of cardinals I*, Infinite and Finite Sets (Colloq., Keszthely, 1973; dedicated to P. Erdős on his 60th birthday), Vol. I (A. Hajnal, R. Rado, and V. Sós, eds.), Colloq. Math. Soc. János Bolyai, vol. 10, North-Holland, Amsterdam, 1975, pp. 109–130.
- [19] ———, *Ineffability properties of cardinals II*, Fifth Internat. Congr. Logic, Methodology and Philos. of Sci., Part I (Univ. Western Ontario, London, ON, 1975), Logic, Foundations of Mathematics and Computability Theory (R. Butts and J. Hintikka, eds.), Univ. Western Ontario Ser. Philos. Sci., vol. 9, Reidel, Dordrecht, 1977, pp. 87–106.
- [20] P. Bedrossian, *Forbidden subgraph and minimum degree conditions for Hamiltonicity*, Ph.D. Thesis, Memphis State Univ., 1991.
- [21] L. W. Beineke and R. J. Wilson (eds.), *Graph Connections*, Oxford Lecture Ser. Math. Appl., vol. 5, Oxford Univ. Press, New York, 1997.
- [22] A. T. Benjamin and J. J. Quinn, *Proofs that Really Count: The Art of Combinatorial Proof*, Dolciani Math. Exp., vol. 27, Math. Assoc. America, Washington, DC, 2003.
- [23] C. Berge, *Two theorems in graph theory*, Proc. Natl. Acad. Sci. USA **43** (1957), 842–844.
- [24] ———, *Principles of Combinatorics*, Math. Sci. Engrg., vol. 72, Academic Press, New York, 1971.
- [25] H. Bielak and M. M. Sysło, *Peripheral vertices in graphs*, Studia Sci. Math. Hungar. **18** (1983), no. 2-4, 269–275.
- [26] N. L. Biggs, E. K. Lloyd, and R. J. Wilson, *Graph Theory: 1736–1936*, Oxford Univ. Press, 1976.
- [27] G. D. Birkhoff and D. C. Lewis, *Chromatic polynomials*, Trans. Amer. Math. Soc. **60** (1946), no. 3, 355–451.
- [28] A. Bloch and G. Pólya, *On the roots of certain algebraic equations*, Proc. London Math. Soc. (2) **33** (1932), no. 1, 102–114.
- [29] B. Bollobás, *Modern Graph Theory*, Grad. Texts in Math., vol. 184, Springer-Verlag, New York, 1998.
- [30] W. E. Bonnice, *On convex polygons determined by a finite planar set*, Amer. Math. Monthly **81** (1974), no. 7, 749–752.
- [31] G. S. Boolos and R. C. Jeffrey, *Computability and Logic*, 3rd ed., Cambridge Univ. Press, Cambridge, 1989.
- [32] E. Borel, *Leçons sur la Théorie des Fonctions*, Gauthier-Villars et fils, Paris, 1898.
- [33] P. Borwein, *Sylvester’s problem and Motzkin’s theorem for countable and compact sets*, Proc. Amer. Math. Soc. **90** (1984), no. 4, 580–584.
- [34] P. Borwein and W. O. J. Moser, *A survey of Sylvester’s problem and its generalizations*, Aequationes Math. **40** (1990), 111–135.
- [35] P. Borwein and M. J. Mossinghoff, *Polynomials with height 1 and prescribed vanishing at 1*, Experiment. Math. **9** (2000), no. 3, 425–433.
- [36] ———, *Newman polynomials with prescribed vanishing and integer sets with distinct subset sums*, Math. Comp. **72** (2003), no. 242, 787–800.

- [37] P. Brass, W. Moser, and J. Pach, *Research Problems in Discrete Geometry*, Springer-Verlag, New York, 2005.
- [38] I. Broere, M. Dorfling, J. E. Dunbar, and M. Frick, *A path(ological) partition problem*, *Discuss. Math. Graph Theory* **18** (1998), no. 1, 113–125.
- [39] H. Broersma and H. J. Veldman, *Restrictions on induced subgraphs ensuring Hamiltonicity or pancyclicity of $K_{1,3}$ -free graphs*, *Contemporary Methods in Graph Theory* (R. Bodendiek, ed.), BI Wissenschaftsverlag, Mannheim, 1990, pp. 181–194.
- [40] J. G. Broida and S. G. Williamson, *A Comprehensive Introduction to Linear Algebra*, Addison-Wesley, Redwood City, CA, 1989.
- [41] R. L. Brooks, *On colouring the nodes of a network*, *Proc. Cambridge Philos. Soc.* **37** (1941), 194–197.
- [42] F. Buckley and F. Harary, *Distance in Graphs*, Addison-Wesley, Redwood City, CA, 1990.
- [43] F. Buckley and M. Lewinter, *A Friendly Introduction to Graph Theory*, Pearson Education, Upper Saddle River, NJ, 2003.
- [44] F. Buckley, Z. Miller, and P. J. Slater, *On graphs containing a given graph as center*, *J. Graph Theory* **5** (1981), no. 4, 427–434.
- [45] W. Burnside, *Theory of Groups of Finite Order*, Cambridge Univ. Press, London, 1897. 2nd ed., Cambridge Univ. Press, London, 1911, reprinted by Dover, New York, 1955.
- [46] S. A. Burr, *Generalized Ramsey theory for graphs—A survey*, *Capital Conference on Graph Theory and Combinatorics* (George Washington Univ., Washington, DC, 1973), *Graphs and Combinatorics* (R. A. Bari and F. Harary, eds.), *Lecture Notes in Math.*, vol. 406, Springer-Verlag, Berlin, 1974, pp. 52–75.
- [47] G. Cantor, *Beiträge zur Begründung der transfiniten Mengenlehre*, *Math. Ann.* **46** (1895), no. 4, 481–512; English transl., G. Cantor, *Contributions to the Founding of the Theory of Transfinite Numbers* (1955), 85–136.
- [48] ———, *Beiträge zur Begründung der transfiniten Mengenlehre II*, *Math. Ann.* **49** (1897), no. 2, 207–246; English transl., ———, *Contributions to the Founding of the Theory of Transfinite Numbers* (1955), 137–201.
- [49] ———, *Contributions to the Founding of the Theory of Transfinite Numbers*, Dover, New York, 1955. Translated by P. E. B. Jourdain.
- [50] A. Cayley, *A theorem on trees*, *Quart. J. Math.* **23** (1889), 276–378.
- [51] D. Chakerian and D. Logothetti, *Cube slices, pictorial triangles, and probability*, *Math. Mag.* **64** (1991), no. 4, 219–241.
- [52] G. Chartrand and L. Lesniak, *Graphs & Digraphs*, 4th ed., Chapman & Hall, Boca Raton, FL, 2005.
- [53] V. Chvátal, *Tree-complete graph Ramsey numbers*, *J. Graph Theory* **1** (1977), no. 1, 93.
- [54] V. Chvátal and P. Erdős, *A note on Hamiltonian circuits*, *Discrete Math.* **2** (1972), no. 2, 111–113.
- [55] V. Chvátal and F. Harary, *Generalized Ramsey theory for graphs III: Small off-diagonal numbers*, *Pacific J. Math.* **41** (1972), no. 2, 335–345.
- [56] J. Clark and D. A. Holton, *A First Look at Graph Theory*, World Scientific, Teaneck, NJ, 1991.
- [57] P. G. Clote and J. L. Hirst, *Reverse mathematics of some topics from algorithmic graph theory*, *Fund. Math.* **157** (1998), no. 1, 1–13.
- [58] P. J. Cohen, *The independence of the continuum hypothesis*, *Proc. Natl. Acad. Sci. USA* **50** (1963), 1143–1148.

- [59] ———, *The independence of the continuum hypothesis II*, Proc. Natl. Acad. Sci. USA **51** (1964), 105–110.
- [60] L. Comtet, *Advanced Combinatorics: The Art of Finite and Infinite Expansions*, D. Reidel, Dordrecht, 1974.
- [61] J. H. Conway and R. K. Guy, *The Book of Numbers*, Springer-Verlag, New York, 1996.
- [62] H. S. M. Coxeter, *A problem of collinear points*, Amer. Math. Monthly **55** (1948), no. 1, 26–28.
- [63] G. P. Csicsery (director), *N is a Number: A Portrait of Paul Erdős*, Zala Films, Oakland, CA, 1993. Documentary film.
- [64] J. Csima and E. T. Sawyer, *There exist $6n/13$ ordinary points*, Discrete Comput. Geom. **9** (1993), no. 2, 187–202.
- [65] ———, *The $6n/13$ theorem revisited*, Graph Theory, Combinatorics, and Algorithms: Proceedings of the Seventh Quadrennial International Conference on the Theory and Applications of Graphs (Western Michigan Univ., Kalamazoo, MI, 1992) (Y. Alavi and A. Schwenk, eds.), Wiley-Intersci. Publ., vol. 1, John Wiley & Sons, New York, 1995, pp. 235–249.
- [66] R. M. Damerell and E. C. Milner, *Necessary and sufficient conditions for transversals of countable set systems*, J. Combin. Theory Ser. A **17** (1974), no. 3, 350–374.
- [67] J. F. Davidson, *The Anacreontea & Principal Remains of Anacreon of Teos, in English verse*, E. P. Dutton, New York, 1915.
- [68] N. G. de Bruijn, *Pólya's theory of counting*, Applied Combinatorial Mathematics (E. F. Beckenbach, ed.), John Wiley & Sons, New York, 1964, pp. 144–184.
- [69] ———, *Color patterns that are invariant under a given permutation of the colors*, J. Combin. Theory **2** (1967), 418–421.
- [70] ———, *A survey of generalizations of Pólya's enumeration theorem*, Nieuw Arch. Wisk. (3) **19** (1971), 89–112.
- [71] S. de Wannemacker, T. Laffey, and R. Osburn, *On a conjecture of Wilf*, J. Combin. Theory Ser. A **114** (2007), no. 7, 1332–1349.
- [72] W. Degen, *Pigeonhole and choice principles*, MLQ Math. Log. Q. **46** (2000), no. 3, 313–334.
- [73] K. J. Devlin, *Constructibility*, Perspect. Math. Logic, Springer-Verlag, Berlin, 1984.
- [74] R. Diestel, *Graph Decompositions*, Oxford Sci. Publ., Oxford Univ. Press, New York, 1990.
- [75] ———, *Graph Theory*, 3rd ed., Grad. Texts in Math., vol. 173, Springer-Verlag, Berlin, 2005.
- [76] E. W. Dijkstra, *A computing scientist's approach to a once-deep theorem of Sylvester's* (1988), 14 pp. Manuscript number EWD1016, available at the *E. W. Dijkstra Archive*, <http://www.cs.utexas.edu/users/EWD>.
- [77] G. A. Dirac, *Some theorems on abstract graphs*, Proc. London Math. Soc. (3) **2** (1952), no. 1, 69–81.
- [78] G. A. Dirac and S. Schuster, *A theorem of Kuratowski*, Indag. Math. **16** (1954), 343–348. Corrigendum, Indag. Math. **23** (1961), 360.
- [79] G. Dobiński, *Summirung der Reihe $\sum \frac{n^m}{n!}$ für $m = 1, 2, 3, 4, 5, \dots$* [sic], Grunert Archiv (Arch. Math. Phys.) **61** (1877), 333–336.
- [80] F. Drake, *Set Theory: An Introduction to Large Cardinals*, Stud. Logic Found. Math., vol. 76, Elsevier, Amsterdam, 1974.
- [81] D. Duffus, M. S. Jacobson, and R. J. Gould, *Forbidden subgraphs and the Hamiltonian theme*, The Theory and Applications of Graphs: Fourth International Conference (Western Michigan Univ., Kalamazoo, MI, 1980) (G. Chartrand, Y. Alavi, D. L. Goldsmith, L. Lesniak-Foster, and D. R. Lick, eds.), John Wiley & Sons, New York, 1981, pp. 297–316.

- [82] A. Dumitrescu, *A remark on the Erdős-Szekeres theorem*, Amer. Math. Monthly **112** (2005), no. 10, 921–924.
- [83] J. E. Dunbar and M. Frick, *Path kernels and partitions*, J. Combin. Math. Combin. Comput. **31** (1999), 137–149.
- [84] ———, *The path partition conjecture is true for claw-free graphs*, Discrete Math. **307** (2007), no. 11–12, 1285–1290.
- [85] A. W. F. Edwards, *Pascal's Arithmetical Triangle: The Story of a Mathematical Idea*, Johns Hopkins Univ. Press, Baltimore, 2002.
- [86] J. Eeckhout, *On the uniqueness of stable marriage matchings*, Econom. Lett. **69** (2000), no. 1, 1–8.
- [87] E. Egerváry, *Matrixok Kombinatorikus Tulajdonságairól*, Mat. Fiz. Lapok **38** (1931), 16–28.
- [88] H. B. Enderton, *Elements of Set Theory*, Academic Press, New York, 1977.
- [89] P. Erdős, *Problem 4065*, Amer. Math. Monthly **50** (1943), no. 1, 65.
- [90] P. Erdős, *Some remarks on the theory of graphs*, Bull. Amer. Math. Soc. **53** (1947), 292–294.
- [91] P. Erdős, *Combinatorial problems in geometry and number theory*, Relations Between Combinatorics and Other Parts of Mathematics (Ohio State Univ., Columbus, OH, 1978) (D. K. Ray-Chaudhuri, ed.), Proc. Sympos. Pure Math., vol. 34, Amer. Math. Soc., Providence, R.I., 1979, pp. 149–162.
- [92] ———, *Some of my favorite problems and results*, The Mathematics of Paul Erdős I (R. L. Graham and J. Nešetřil, eds.), Algorithms Combin., vol. 13, Springer-Verlag, Berlin, 1997, pp. 47–67.
- [93] P. Erdős and G. Purdy, *Extremal problems in combinatorial geometry*, Handbook of Combinatorics (R. L. Graham, M. Grötschel, and L. Lovász, eds.), Vol. 1, Elsevier Science, Amsterdam, and MIT Press, Cambridge, 1995, pp. 809–874.
- [94] P. Erdős and G. Szekeres, *A combinatorial problem in geometry*, Compositio Math. **2** (1935), 463–470; reprinted in I. Gessel and G.-C. Rota (eds.), *Classic Problems in Combinatorics*, Birkhäuser, Boston, 1987.
- [95] ———, *On some extremum problems in elementary geometry*, Ann. Univ. Sci. Budapest. Eötvös Sect. Math. **3–4** (1961), 53–62.
- [96] P. Erdős and A. Tarski, *On families of mutually exclusive sets*, Ann. of Math. (2) **44** (1943), no. 2, 315–329.
- [97] ———, *On some problems involving inaccessible cardinals*, Essays on the Foundations of Mathematics (Y. Bar-Hillel, E. Poznansik, M. Rabin, and A. Robinson, eds.), Magnes Press, Hebrew Univ., Jerusalem, 1961, pp. 50–82.
- [98] L. Euler, *Solutio problematis ad geometriam situs pertinentis*, Comment. Academiae Sci. I. Petropolitanae **8** (1736), 128–140.
- [99] ———, *Demonstratio nonnullarum insignium proprietatum quibus solida hedris planis inclusa sunt praedita*, Novi Comm. Acad. Sci. Imp. Petropol **4** (1758), 140–160.
- [100] H. Eves, *In Mathematical Circles*, Prindle, Weber & Schmidt, Boston, 1969.
- [101] I. Fáry, *On straight line representation of planar graphs*, Acta Univ. Szeged. Sect. Sci. Math. **11** (1948), 229–233.
- [102] R. J. Faudree and R. J. Gould, *Characterizing forbidden pairs for Hamiltonian properties*, Discrete Math. **173** (1997), no. 1–3, 45–60.
- [103] T. Feder, *Stable Networks and Product Graphs*, Mem. Amer. Math. Soc., vol. 116, American Math. Soc., Providence, RI, 1995.

- [104] S. Feferman, *Does mathematics need new axioms?*, Amer. Math. Monthly **106** (1999), no. 2, 99–111.
- [105] S. Feferman, H. M. Friedman, P. Maddy, and J. R. Steel, *Does mathematics need new axioms?*, Bull. Symbolic Logic **6** (2000), no. 4, 401–446.
- [106] L. R. Foulds, *Graph Theory Applications*, Universitext, Springer-Verlag, New York, 1992.
- [107] A. Fraenkel, *Über die Zermelosche Begründung der Mengenlehre*, Jahresber. Deutsch. Math.-Verein. **30** (1921), 97–98. 2nd section.
- [108] ———, *Axiomatische Begründung der transfiniten Kardinalzahlen I*, Math. Z. **13** (1922), no. 1, 153–188.
- [109] ———, *Der Begriff “definit” und die Unabhängigkeit des Auswahlaxioms*, Sitzungsberichte der Preussischen Akademie der Wissenschaften, Physikalisch-mathematische Klasse (1922), 253–257; English transl., J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967), 284–289.
- [110] ———, *Zu den Grundlagen der Cantor-Zermeloschen Mengenlehre*, Math. Ann. **86** (1922), no. 3–4, 230–237.
- [111] F. Franklin, *Sur le développement du produit infini $(1 - x)(1 - x^2)(1 - x^3) \dots$* , C. R. Acad. Sci. Paris **82** (1881), 448–450.
- [112] G. Frege, *Über die Begriffsschrift des Herrn Peano und meine eigene*, Berichte über die Verhandlungen der Königlich Sächsischen Gesellschaft der Wissenschaften zu Leipzig, Mathematisch-physikalische Klasse **48** (1896), 361–378; English transl. in J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967). A translation of the “*Summum bonum*” quotation appears on p. 2.
- [113] H. M. Friedman, *Finite functions and the necessary use of large cardinals*, Ann. of Math. (2) **148** (1998), no. 3, 803–893.
- [114] ———, *Subtle cardinals and linear orderings*, Ann. Pure Appl. Logic **107** (2001), no. 1–3, 1–34.
- [115] F. G. Frobenius, *Über die Congruenz nach einem aus zwei endlichen Gruppen gebildeten Doppelmodul*, J. Reine Angew. Math. **101** (1887), 273–299; reprinted in F. G. Frobenius, *Gesammelte Abhandlungen*, Vol. 2, Springer-Verlag, Berlin, 1968.
- [116] S. Fujita, *Symmetry and Combinatorial Enumeration in Chemistry*, Springer-Verlag, Berlin, 1991.
- [117] D. Gale and L. S. Shapley, *College admissions and the stability of marriage*, Amer. Math. Monthly **69** (1962), no. 1, 9–15.
- [118] T. Gallai, *Problem 4*, Colloquium on Graph Theory (Tihany, Hungary, 1966) (P. Erdős and G. Katona, eds.), Academic Press, New York, 1968, pp. 362.
- [119] F. Galvin and K. Prikry, *Borel sets and Ramsey’s theorem*, J. Symbolic Logic **38** (1973), 193–198.
- [120] W. Gasarch, *A survey of recursive combinatorics*, Handbook of Recursive Mathematics, Vol. 2 (Y. Ershov, S. Goncharov, A. Nerode, and J. Remmel, eds.), Stud. Logic Found. Math., vol. 139, North-Holland, Amsterdam, 1998, pp. 1041–1176.
- [121] T. Gerken, *Empty convex hexagons in planar point sets*, Discrete Comput. Geom. **39** (2008), no. 1–3, 239–272.
- [122] I. M. Gessel, *The Smith College diploma problem*, Amer. Math. Monthly **108** (2001), no. 1, 55–57.
- [123] I. Gessel and G.-C. Rota (eds.), *Classic Papers in Combinatorics*, Birkhäuser, Boston, 1987.

- [124] K. Gödel, *Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I*, *Monatsh. Math. Phys.* **38** (1931), no. 1, 173–198; English transl., K. Gödel, *Collected Works Vol. I* (1986), 144–195.
- [125] ———, *The consistency of the Axiom of Choice and the Generalized Continuum Hypothesis*, *Proc. Natl. Acad. Sci. USA* **24** (1938), 556–557. Reprinted in K. Gödel, *Collected Works Vol. I*, (S. Feferman, ed.), Oxford Univ. Press, New York, 1986, 26–27.
- [126] ———, *Collected Works Vol. I* (S. Feferman, ed.), Oxford Univ. Press, New York, 1986.
- [127] S. Goodman and S. Hedetniemi, *Sufficient conditions for a graph to be Hamiltonian*, *J. Combin. Theory Ser. B* **16** (1974), no. 2, 175–180.
- [128] R. J. Gould, *Graph Theory*, Benjamin Cummings, Menlo Park, CA, 1988.
- [129] ———, *Advances on the Hamiltonian problem—A survey*, *Graphs Combin.* **19** (2003), no. 1, 7–52.
- [130] R. J. Gould and M. S. Jacobson, *Forbidden subgraphs and Hamiltonian properties of graphs*, *Discrete Math.* **42** (1982), no. 2-3, 189–196.
- [131] R. L. Graham, M. Grötschel, and L. Lovász (eds.), *Handbook of Combinatorics*, Vol. 1, Elsevier Science, Amsterdam, and MIT Press, Cambridge, 1995.
- [132] ———(ed.), *Handbook of Combinatorics*, Vol. 2, Elsevier Science, Amsterdam, and MIT Press, Cambridge, 1995.
- [133] R. L. Graham, D. E. Knuth, and O. Patashnik, *Concrete Mathematics*, 2nd ed., Addison-Wesley, Reading, MA, 1994.
- [134] R. L. Graham and J. Nešetřil (eds.), *The Mathematics of Paul Erdős I*, *Algorithms Combin.*, vol. 13, Springer-Verlag, Berlin, 1997.
- [135] ———(ed.), *The Mathematics of Paul Erdős II*, *Algorithms Combin.*, vol. 14, Springer-Verlag, Berlin, 1997.
- [136] R. L. Graham, B. L. Rothschild, and J. H. Spencer, *Ramsey Theory*, 2nd ed., Wiley-Intersci. Ser. Discrete Math. Optim., John Wiley & Sons, New York, 1990.
- [137] J. Grantham, *There are infinitely many Perrin pseudoprimes* (2006), 11 pp. Preprint available at <http://www.pseudoprime.com/pseudo>.
- [138] A. Granville, *Zaphod Beeblebrox's brain and the fifty-ninth row of Pascal's triangle*, *Amer. Math. Monthly* **99** (1992), no. 4, 318–331.
- [139] J. Gross and J. Yellen, *Graph Theory and its Applications*, 2nd ed., Chapman & Hall, Boca Raton, FL, 2006.
- [140] J. Grossman, *The Erdős Number Project*, March 1, 2007. <http://www.oakland.edu/enp>.
- [141] B. Grünbaum, *Vertices missed by longest paths or circuits*, *J. Combin. Theory Ser. A* **17** (1974), no. 1, 31–38.
- [142] J. Guare, *Six Degrees of Separation: A Play*, Random House, New York, 1990.
- [143] D. Gusfield and R. W. Irving, *The Stable Marriage Problem: Structure and Algorithms*, MIT Press, Cambridge, MA, 1989.
- [144] H. Hadwiger and H. Debrunner, *Combinatorial Geometry in the Plane*, Holt, Rinehart & Winston, New York, 1964. Translated from the 1960 German edition by V. Klee.
- [145] M. Hall Jr., *Distinct representatives of subsets*, *Bull. Amer. Math. Soc.* **54** (1948), 922–926.
- [146] ———, *Combinatorial Theory*, 2nd ed., John Wiley & Sons, New York, 1983.
- [147] P. Hall, *On representation of subsets*, *J. London Math. Soc.* **10** (1935), 26–30.
- [148] F. Harary, *Graph Theory*, Addison-Wesley, Reading, MA, 1969.

- [149] F. Harary and E. M. Palmer, *The power group enumeration theorem*, J. Combin. Theory **1** (1966), 157–173.
- [150] ———, *Graphical Enumeration*, Academic Press, New York, 1973.
- [151] H. Harborth, *Konvexe Fünfecke in ebenen Punktmengen*, Elem. Math. **33** (1978), no. 5, 116–118.
- [152] G. H. Hardy and S. Ramanujan, *Asymptotic formulae in combinatory analysis*, Proc. London Math. Soc. (2) **17** (1918), no. 1, 75–115.
- [153] D. Harel, *Hamiltonian paths in infinite graphs*, Israel J. Math. **76** (1991), no. 3, 317–336.
- [154] J. M. Harris and M. J. Mossinghoff, *Traceability in small claw-free graphs*, Util. Math. **70** (2006), 263–271.
- [155] F. Hartogs, *Über das Problem der Wohlordnung*, Math. Ann. **76** (1915), no. 4, 438–443.
- [156] P. J. Heawood, *Map-colour theorem*, Quart. J. Math. **24** (1890), 332–339.
- [157] C. Henrion, *Properties of subtle cardinals*, J. Symbolic Logic **52** (1987), no. 4, 1005–1019.
- [158] J. Herman, R. Kučera, and J. Šimša, *Counting and Configurations: Problems in Combinatorics, Arithmetic, and Geometry*, CMS Books Math./Ouvrages Math. SMC, vol. 12, Springer-Verlag, New York, 2003. Translated from the 1997 Czech edition by K. Dilcher.
- [159] C. Hierholzer, *Ueber die Möglichkeit, einen Linienzug ohne Wiederholung und ohne Unterbrechnung zu umfahren*, Math. Ann. **6** (1873), 30–32.
- [160] D. Hilbert, *Über das Unendliche*, Math. Ann. **95** (1926), no. 1, 161–190; English transl., J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967), 367–392.
- [161] P. G. Hinman, *Recursion-theoretic Hierarchies*, Perspect. Math. Logic, Springer-Verlag, Berlin, 1978.
- [162] J. L. Hirst, *Marriage theorems and reverse mathematics*, Logic and Computation (Pittsburgh, PA, 1987) (W. Sieg, ed.), Contemp. Math., vol. 106, Amer. Math. Soc., Providence, RI, 1990, pp. 181–196.
- [163] P. Hoffman, *The Man Who Loved Only Numbers*, Hyperion, New York, 1998.
- [164] J. D. Horton, *Sets with no empty convex 7-gons*, Canad. Math. Bull. **26** (1983), no. 4, 482–484.
- [165] *The Internet Movie Database*, IMDb.com, Inc., 2008. <http://www.imdb.com>.
- [166] R. W. Irving, *An efficient algorithm for the “stable roommates” problem*, J. Algorithms **6** (1985), no. 4, 577–595.
- [167] T. J. Jech, *The Axiom of Choice*, Stud. Logic Found. Math., vol. 75, North-Holland, Amsterdam, 1973.
- [168] ———, *Set Theory*, 3rd ed., Springer Monogr. Math., Springer-Verlag, Berlin, 2003.
- [169] S. Johnson, *A new proof of the Erdős-Szekeres convex k -gon result*, J. Combin. Theory Ser. A **42** (1986), no. 2, 318–319.
- [170] C. Jordan, *Sur les assemblages des lignes*, J. Reine Angew. Math. **70** (1869), 185–190.
- [171] J. D. Kalbfleisch, J. G. Kalbfleisch, and R. G. Stanton, *A combinatorial problem on convex n -gons*, Proceedings of the Louisiana Conference on Combinatorics, Graph Theory and Computing (Louisiana State Univ., Baton Rouge, LA, 1970) (R. C. Mullin, K. B. Reid, and D. P. Roselle, eds.), Louisiana State Univ., Baton Rouge, LA, 1970, pp. 180–188.
- [172] J. G. Kalbfleisch and R. G. Stanton, *On the maximum number of coplanar points containing no convex n -gons*, Util. Math. **47** (1995), 235–245.
- [173] A. Kanamori, *The mathematical development of set theory from Cantor to Cohen*, Bull. Symbolic Logic **2** (1996), no. 1, 1–71.

- [174] A. B. Kempe, *On the geographical problem of the four colors*, Amer. J. Math. **2** (1879), no. 3, 193–200.
- [175] G. Kirchhoff, *Über der Auflösung der Gleichungen, auf welche man bei der Untersuchung der linearen Verteilung galvanischer Ströme geführt wird*, Ann. Phys. Chem. **72** (1847), 497–508.
- [176] S. C. Kleene, *Introduction to Metamathematics*, Van Nostrand, Princeton, NJ, 1952. Reprinted by North-Holland, Amsterdam, 1980.
- [177] D. E. Knuth, *Two notes on notation*, Amer. Math. Monthly **99** (1992), no. 5, 403–422. Addendum, *Stirling numbers*, **102** (1995), no. 6, 562.
- [178] ———, *Stable Marriage and its Relation to other Combinatorial Problems*, CRM Proc. Lec. Notes, vol. 10, Amer. Math. Soc., Providence, RI, 1997.
- [179] D. König, *Über eine Schlussweise aus dem Endlichen ins Unendliche*, Acta Litt. Acad. Sci. Hung. (Szeged) **3** (1927), 121–130.
- [180] D. König, *Graphen und Matrizen*, Math. Fiz. Lapok **38** (1931), 116–119.
- [181] J. König, *Sur la theorie des ensembles*, C. R. Acad. Paris **143** (1906), 110–112.
- [182] V. A. Koshelev, *On the Erdős-Szekeres problem in combinatorial geometry*, Electron. Notes Discrete Math. **29** (2007), 175–177.
- [183] J. B. Kruskal Jr., *On the shortest spanning subtree of a graph and the traveling salesman problem*, Proc. Amer. Math. Soc. **7** (1956), no. 1, 48–50.
- [184] K. Kuratowski, *Sur la notion del l'ordre dans la théorie des ensembles*, Fund. Math. **2** (1921), 161–171.
- [185] ———, *Sur le problème des courbes gauches en topologie*, Fund. Math. **15** (1930), 271–283.
- [186] N. J. Lennes, *On the foundations of the theory of sets*, Bull. Amer. Math. Soc. **28** (1922), no. 6, 300. Abstract from the 222nd reg. meeting of the Amer. Math. Soc. (Univ. Chicago, 1922).
- [187] A. Levy, *Basic Set Theory*, Springer-Verlag, Berlin, 1979. Reprinted by Dover, Mineola, NY, 2002.
- [188] M. Lewin, *A new proof of a theorem of Erdős and Szekeres*, Math. Gaz. **60** (1976), no. 412, 136–138.
- [189] L. Lovász, *On decomposition of graphs*, Studia Sci. Math. Hungar. **1** (1966), 237–238.
- [190] ———, *Three short proofs in graph theory*, J. Combin. Theory Ser. B **19** (1975), no. 3, 269–271.
- [191] ———, *Combinatorial Problems and Exercises*, 2nd ed., North-Holland, Amsterdam, 1993.
- [192] É. Lucas, *Théorie des fonctions numériques simplement périodiques*. Sections 1-5, Amer. J. Math. **1** (1878), no. 2, 184–196.
- [193] ———, *Théorie des fonctions numériques simplement périodiques*. Sections 6-23, Amer. J. Math. **1** (1878), no. 3, 197–240.
- [194] ———, *Théorie des fonctions numériques simplement périodiques*. Sections 24-30, Amer. J. Math. **1** (1878), no. 4, 289–321.
- [195] ———, *Récréations Mathématiques IV*, Gauthiers-Villars et fils, Paris, 1894.
- [196] D. F. Manlove, R. W. Irving, K. Iwama, S. Miyazaki, and Y. Morita, *Hard variants of stable marriage*, Theoret. Comput. Sci. **276** (2002), no. 1-2, 261–279.
- [197] J.-L. Marichal and M. J. Mossinghoff, *Slices, slabs, and sections of the unit hypercube*, Online J. Anal. Comb. **3** (2008), Art. 1, 11 pp.
- [198] M. M. Matthews, *Every 3-connected $K_{1,3}$ -free graph with fewer than 20 vertices is Hamiltonian*, Technical Report 82-004, Dept. Comp. Sci., Univ. South Carolina, 1982.

- [199] M. M. Matthews and D. P. Sumner, *Hamiltonian results in $K_{1,3}$ -free graphs*, J. Graph Theory **8** (1984), no. 1, 139–146.
- [200] J. Matoušek, *Lectures on Discrete Geometry*, Grad. Texts in Math., vol. 212, Springer-Verlag, New York, 2002.
- [201] E. Mendelson, *Introduction to Mathematical Logic*, 4th ed., Chapman & Hall, London, 1997.
- [202] K. Menger, *Zur allgemeinen Kurventheorie*, Fund. Math. **10** (1927), 95–115.
- [203] E. P. Miles Jr., *Generalized Fibonacci numbers and associated matrices*, Amer. Math. Monthly **67** (1960), no. 8, 745–752.
- [204] S. Milgram, *The small-world problem*, Psychology Today **1** (1967), no. 1, 61–67.
- [205] K. R. Milliken, *Ramsey's theorem with sums or unions*, J. Combin. Theory Ser. A **18** (1975), no. 3, 276–290.
- [206] E. C. Milner, *Review of "Weakly compact cardinals: A combinatorial proof" by S. Shelah*, MR **0550384 (81i:04009)**, Mathematical Reviews, Amer. Math. Soc., Providence, RI (1981).
- [207] D. Mirimanoff, *Les antinomies de Russell et de Burali-Forti et le problème fondamental de la théorie des ensembles*, Enseign. Math. **19** (1917), 37–52.
- [208] W. Morris and V. Soltan, *The Erdős-Szekeres problem on points in convex position—A survey*, Bull. Amer. Math. Soc. (N.S.) **37** (2000), no. 4, 437–458.
- [209] Y. Moschovakis, *Notes on Set Theory*, 2nd ed., Undergrad. Texts Math., Springer-Verlag, New York, 2006.
- [210] C. Mulcahy, *An ESPeriment with cards*, Math Horizons (Feb. 2007), 10–12.
- [211] C. St. J. A. Nash-Williams, *Which infinite set-systems have transversals?—A possible approach*, Conference on Combinatorial Mathematics (Oxford Univ., 1972), Combinatorics (D. J. A. Welsh and D. R. Woodall, eds.), Inst. Math. Appl., Southend, 1972, pp. 237–253.
- [212] ———, *Another criterion for marriage in denumerable societies*, Cambridge Combinatorial Conference (Trinity College, 1977), Advances in Graph Theory (B. Bollobás, ed.), Ann. Discrete Math., vol. 3, 1978, pp. 165–179.
- [213] P. M. Neumann, *A lemma that is not Burnside's*, Math. Sci. **4** (1979), no. 2, 133–141.
- [214] J. R. Newman (ed.), *The World of Mathematics*, Vol. I–IV, Simon & Schuster, New York, 1956. Reprinted by Dover, Mineola, NY, 2003.
- [215] C. M. Nicolás, *The empty hexagon theorem*, Discrete Comput. Geom. **38** (2007), no. 2, 389–397.
- [216] A. Nijenhuis and H. S. Wilf, *Combinatorial Algorithms*, Academic Press, New York, 1975.
- [217] O. Ore, *Note on Hamilton circuits*, Amer. Math. Monthly **67** (1960), no. 1, 55.
- [218] ———, *Theory of Graphs*, Amer. Math. Soc. Colloq. Publ., vol. 38, Amer. Math. Soc., Providence, RI, 1962.
- [219] M. Overmars, *Finding sets of points without empty convex 6-gons*, Discrete Comput. Geom. **29** (2003), no. 1, 153–158.
- [220] G. Peano, *Super theoremata de Cantor–Bernstein*, Rend. Circ. Mat. Palermo **21** (1906), 136–143.
- [221] J. Petersen, *Die Theorie der regulären Graphen*, Acta Math. **15** (1891), 193–220.
- [222] M. Petkovšek, H. S. Wilf, and D. Zeilberger, *$A = B$* , A K Peters, Wellesley, MA, 1996.
- [223] K.-P. Podewski and K. Steffens, *Injective choice functions for countable families*, J. Combin. Theory Ser. B **21** (1976), no. 1, 40–46.
- [224] G. Pólya, *Kombinatorische Anzahlbestimmungen für Gruppen, Graphen, und chemische Verbindungen*, Acta Math. **68** (1937), 145–254; English transl. in G. Pólya and R. C. Read, *Combinatorial Enumeration of Groups, Graphs, and Chemical Compounds* (1987).

- [225] ———, *On picture-writing*, Amer. Math. Monthly **63** (1956), 689–697; reprinted in I. Gessel and G.-C. Rota (eds.), *Classic Problems in Combinatorics*, Birkhäuser, Boston, 1987.
- [226] G. Pólya and R. C. Read, *Combinatorial Enumeration of Groups, Graphs, and Chemical Compounds*, Springer-Verlag, New York, 1987.
- [227] G. Pólya, R. E. Tarjan, and D. R. Woods, *Notes on Introductory Combinatorics*, Progr. Comput. Sci., vol. 4, Birkhäuser, Boston, 1983.
- [228] R. C. Prim, *Shortest connection networks and some generalizations*, Bell Syst. Tech. J. **36** (1957), 1389–1401.
- [229] H. Prüfer, *Beweis eines Satzes über Permutationen*, Arch. Math. Phys. **27** (1918), 742–744.
- [230] H. Rademacher, *On the partition function $p(n)$* , Proc. London Math. Soc. (2) **43** (1937), 241–254.
- [231] S. P. Radziszowski, *Small Ramsey numbers*, Electron. J. Combin. (August 1, 2006), 60 pp. Dynamic Survey 1, revision 11.
- [232] F. P. Ramsey, *On a problem of formal logic*, Proc. London Math. Soc. (2) **30** (1930), no. 1, 264–286; reprinted in I. Gessel and G.-C. Rota (eds.), *Classic Problems in Combinatorics*, Birkhäuser, Boston, 1987.
- [233] J. H. Redfield, *The theory of group-reduced distributions*, Amer. J. Math. **49** (1927), no. 3, 433–455.
- [234] P. Reynolds and B. Tjaden, *The Oracle of Bacon at Virginia*, 2008. <http://oracleofbacon.org>.
- [235] J. Riordan, *An Introduction to Combinatorial Analysis*, John Wiley & Sons, New York, 1958. Reprinted by Dover, Mineola, NY, 2002.
- [236] ———, *Combinatorial Identities*, John Wiley & Sons, New York, 1968. Reprinted by Krieger, Huntington, NY, 1979.
- [237] ———, *A budget of rhyme scheme counts*, Second International Conference on Combinatorial Mathematics (New York, 1978) (A. Gewirtz and L. V. Quintas, eds.), Ann. New York Acad. Sci., vol. 319, New York Acad. Sci., New York, 1979, pp. 455–465.
- [238] F. S. Roberts and B. Tesman, *Applied Combinatorics*, 2nd ed., Pearson Education, Upper Saddle River, NJ, 2005.
- [239] N. Robertson, D. Sanders, P. Seymour, and R. Thomas, *The four-colour theorem*, J. Combin. Theory Ser. B **70** (1997), no. 1, 2–44.
- [240] H. Rogers Jr., *Theory of Recursive Functions and Effective Computability*, 2nd ed., MIT Press, Cambridge, MA, 1987.
- [241] J. Roitman, *Introduction to Modern Set Theory*, Pure Appl. Math., John Wiley & Sons, New York, 1990.
- [242] J. Rosser, *Extensions of some theorems of Gödel and Church*, J. Symbolic Logic **1** (1936), no. 3, 87–91.
- [243] G.-C. Rota (ed.), *Studies in Combinatorics*, MAA Stud. Math., vol. 17, Math. Assoc. America, Washington, DC, 1978.
- [244] B. Russell, *On some difficulties in the theory of transfinite numbers and order types*, Proc. London Math. Soc. (2) **4** (1906), 29–53; reprinted in B. Russell, *Essays in Analysis* (D. Lackey, ed.), George Braziller, New York, 1973.
- [245] Z. Ryjáček, *On a closure concept in claw-free graphs*, J. Combin. Theory Ser. B **70** (1997), no. 2, 217–224.
- [246] H. J. Ryser, *Combinatorial Mathematics*, Carus Math. Monogr., vol. 14, Math. Assoc. America, 1963.

- [247] B. Schechter, *My Brain is Open*, Simon & Schuster, New York, 1998.
- [248] J. H. Schmerl, *Recursive colorings of graphs*, *Canad. J. Math.* **32** (1980), no. 4, 821–830.
- [249] ———, *Minimal spanning trees*, *Proc. Amer. Math. Soc.* **132** (2004), no. 2, 333–340.
- [250] W. Schmitz, *Über längste Wege und Kreise in Graphen*, *Rend. Sem. Mat. Univ. Padova* **53** (1975), 97–103.
- [251] I. Schur, *Über die Kongruenz $x^m + y^m \equiv z^m \pmod{p}$* , *Jahresber. Deutsch. Math.-Verein.* **25** (1916), 114–117.
- [252] S. Shelah, *Notes on partition calculus*, *Infinite and Finite Sets (Colloq., Keszthely, 1973; dedicated to P. Erdős on his 60th birthday)*, Vol. III (J. Hajnal, R. Rado, and V. Sós, eds.), *Colloq. Math. Soc. János Bolyai*, vol. 10, North-Holland, Amsterdam, 1975, pp. 1257–1276.
- [253] W. Sierpiński, *Cardinal and Ordinal Numbers*, 2nd ed., *Monografie Matematyczne*, vol. 34, Państwowe Wydawnictwo Naukowe, Warsaw, 1965.
- [254] S. G. Simpson, *Subsystems of Second Order Arithmetic*, *Perspect. Math. Logic*, Springer-Verlag, Berlin, 1999.
- [255] T. Skolem, *Einige Bemerkungen zur axiomatischen Begründung der Mengenlehre*, *Mathematikerkongressen i Helsingfors den 4–7 Juli 1922, Den femte skandinaviska matematikerkongressen, Redogörelse, Akademiska-Bokhandeln, Helsinki (1922)*, 217–232; English transl., J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967), 290–301.
- [256] ———, *Two remarks on set theory*, *Math. Scand.* **5** (1957), 40–46; reprinted in ———, *Selected works in logic* (J. Fenstad, ed.), *Universitetsforlaget*, Oslo, 1970.
- [257] N. J. A. Sloane, *The On-Line Encyclopedia of Integer Sequences*, AT&T Knowledge Ventures, 2007. <http://www.research.att.com/~njas/sequences>.
- [258] N. J. A. Sloane and S. Plouffe, *The Encyclopedia of Integer Sequences*, Academic Press, San Diego, CA, 1995.
- [259] R. I. Soare, *Recursively Enumerable Sets and Degrees*, *Perspect. Math. Logic*, Springer-Verlag, Berlin, 1987.
- [260] R. P. Stanley, *Generating functions*, *Studies in Combinatorics* (G.-C. Rota, ed.), *MAA Stud. Math.*, vol. 17, Math. Assoc. America, Washington, DC, 1978, pp. 100–141.
- [261] ———, *Enumerative Combinatorics, Vol. 1*, *Cambridge Stud. Adv. Math.*, vol. 49, Cambridge Univ. Press, Cambridge, 1997.
- [262] ———, *Enumerative Combinatorics, Vol. 2*, *Cambridge Stud. Adv. Math.*, vol. 62, Cambridge Univ. Press, Cambridge, 1999.
- [263] D. Stanton and D. White, *Constructive Combinatorics*, *Undergrad. Texts Math.*, Springer-Verlag, New York, 1986.
- [264] R. Steinberg, *Solution to problem 4065: Three point collinearity*, *Amer. Math. Monthly* **51** (1944), no. 3, 169–171.
- [265] J. J. Sylvester, *Questions for solution, problem 11851*, *Educational Times* **46** (1893), 156.
- [266] G. Szekeres and L. Peters, *Computer solution to the 17-point Erdős-Szekeres problem*, *ANZIAM J.* **48** (2006), no. 2, 151–164.
- [267] R. Thomas, *An update on the four-color theorem*, *Notices Amer. Math. Soc.* **45** (1998), no. 7, 848–859.
- [268] G. Tóth and P. Valtr, *The Erdős-Szekeres theorem: Upper bounds and related results*, *Combinatorial and Computational Geometry* (J. E. Goodman, J. Pach, and E. Welzl, eds.), *Math. Sci. Res. Inst. Publ.*, vol. 52, Cambridge Univ. Press, Cambridge, 2005, pp. 557–568.

- [269] W. T. Tutte, *The factorization of linear graphs*, J. London Math. Soc. **22** (1947), no. 2, 107–111.
- [270] V. R. R. Uppuluri and J. A. Carpenter, *Numbers generated by the function $\exp(1 - e^x)$* , Fibonacci Quart. **7** (1969), no. 4, 437–448.
- [271] P. Valtr, *On empty hexagons*, Surveys on Discrete and Computational Geometry: Twenty Years Later (J. E. Goodman, J. Pach, and R. Pollack, eds.), Contemp. Math., vol. 453, Amer. Math. Soc., Providence, RI, 2008, pp. 433–442.
- [272] J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931*, Harvard Univ. Press, Cambridge, MA, 1967.
- [273] J. H. van Lint and R. M. Wilson, *A Course in Combinatorics*, 2nd ed., Cambridge Univ. Press, Cambridge, 2001.
- [274] O. Veblen, *An application of modular equations in analysis situs*, Ann. of Math. **2** (1912/13), no. 14, 86–94.
- [275] J. Venn, *Symbolic Logic*, Macmillan, London, 1881.
- [276] J. von Neumann, *Eine Axiomatisierung der Mengenlehre*, J. Reine Angew. Math. **154** (1925), 34–56; English transl., J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967), 393–413.
- [277] K. Wagner, *Bemerkungen zum Vierfarbenproblem*, Jahresber. Deutsch. Math.-Verein. **46** (1936), 21–22.
- [278] H. Walther, *Über die Nichtexistenz eines Knotenpunktes, durch den alle längsten Wege eines Graphen gehen*, J. Combin. Theory **6** (1969), 1–6.
- [279] H. Walther and H. J. Voss, *Über Kreise in Graphen*, VEB Deutscher Verlag der Wissenschaften, Berlin, 1974.
- [280] G. S. Warrington, *Juggling probabilities*, Amer. Math. Monthly **112** (2005), no. 2, 105–118.
- [281] D. B. West, *Introduction to Graph Theory*, 2nd ed., Prentice Hall, Upper Saddle River, NJ, 2000.
- [282] Western Maryland College Problems Group, *Problem 11007*, Amer. Math. Monthly **110** (2003), no. 4, 340. Solution, R. Tauraso, <http://www.mat.uniroma2.it/~tauraso/AMM/amm2003.html>.
- [283] N. Wiener, *A simplification of logic of relations*, Proc. Cambridge Phil. Soc. **17** (1912–1914), 387–390.
- [284] H. S. Wilf, *Generatingfunctionology*, 3rd ed., A K Peters, Wellesley, MA, 2006.
- [285] R. Wilson, *Four Colors Suffice*, Princeton Univ. Press, Princeton, NJ, 2002.
- [286] J. Wojciechowski, *A criterion for the existence of transversals of set systems*, J. London Math. Soc. (2) **56** (1997), no. 3, 491–503.
- [287] J. Worpitzky, *Studien über die Bernoullischen und Eulerischen Zahlen*, J. Reine Angew. Math. **94** (1883), 203–232.
- [288] E. M. Wright, *Burnside's lemma: A historical note*, J. Combin. Theory Ser. B **30** (1981), no. 1, 89–90.
- [289] Y. Yang, *On a multiplicative partition function*, Electron. J. Combin. **8** (2001), no. 1, R19, 14 pp.
- [290] T. Zamfirescu, *On longest paths and circuits in graphs*, Math. Scand. **38** (1976), no. 2, 211–239.
- [291] E. Zermelo, *Beweis, daß jede Menge wohlgeordnet werden kann*, Math. Ann. **59** (1904), no. 4, 514–516; English transl., J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967), 139–144.
- [292] ———, *Neuer Beweis für die Möglichkeit einer Wohlordnung*, Math. Ann. **65** (1908), no. 1, 107–128; English transl., J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967), 183–198.

- [293] ———, *Untersuchungen über die Grundlagen der Mengenlehre I*, *Math. Ann.* **65** (1908), no. 2, 261–281; English transl., J. van Heijenoort, *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931* (1967), 199–215.

Index

- Acquaintance Graph, 26
- adjacency
 - matrix, 22
 - of vertices, 5
- Aharoni, Ron, 338
- Aigner, Martin, 127, 277, 278
- alephs, 308
 - $\aleph_0, \aleph_1, \dots$, 312
- Alexander the Great, 52
- Alice in Wonderland*, 1
- Alma, Alabama, 144, 148
- Amarillo, Texas, 137
- Anacreontea*, 336
- analytical sets, 351
- Anastasia*, 111
- Anderson, Poul, 202
- Andrews, George E., 225, 278
- Anquetil, Jacques, 200
- Anthony and Cleopatra*, 83
- anthracene, 207
- anvil salesman, 51
- Appel, Kenneth, 95
- approximating irrationals, 153
- Aragorn, 301
- Arizona Republic, The*, 150
- Armstrong, Lance, 200
- arrow notation, 287, 322
- Arthur, King of the Britons, 191, 227
- Atlantic Coast Conference, 4
- average degree, 38, 80, 93
- axiom of choice
 - AC, 298
 - AC2, 298
 - ACF, 302
 - CAC, 302, 303
 - CACF, 302, 329
 - equivalences, 298–303, 317
 - PIT, 329
 - weak versions, 302–303
 - Zorn’s Lemma, 317
- axioms of ZFC
 - choice, 298
 - empty set, 292
 - extensionality, 292
 - infinity, 296
 - pairing, 293
 - power set, 294
 - regularity, 296
 - replacement, 296
 - separation, 294

- union, 293
- Bacon, Kevin
 - game, 27
 - number, 27
 - person, 26, 27
- Baïou, Mourad, 279
- Balinski, Michel L., 279
- Ballad*, 102
- ballots, 136
- Banks, David C., 278
- Barabási, Albert-László, 127
- baseball pitchers, 154
- Bedivere, Sir, 190, 191, 228
- Beineke, Lowell W., 126
- Bell numbers, 233, 237–239
 - complementary, 240, 279
- Benjamin, Arthur T., 278
- benzene, 206
- Berge, Claude, 277
- Berge's Theorem, 104
- Bernstein, Felix, 307
 - Theorem, *see* Cantor–Bernstein
- Bert and Ernie, 4
- Bielak, Halina, 20
- big one, the, 304, 305
- Biggs, Norman L., 126
- bijection, 192
- binary sequence, 184
- binomial coefficients, 133
 - absorption/extraction, 142, 170
 - addition, 138, 170
 - cancellation, 142, 170
 - expansion, 138
 - generalized, 168
 - hexagon identity, 143
 - negating upper index, 169
 - parallel summation, 143, 170
 - summing on upper index, 141
 - symmetry, 138
- binomial theorem, 139
 - for factorial powers, 143
 - generalized, 168
- bipartite graph, 13
 - complete, 13
- Birkhoff, George, 97
- Birkhoff Diamond, 87
- Birkhoff–Lewis Reduction Theorem, 98
- Blakley, George Robert, ix
- Bloch, André, 156
- Bobet, Louision, 200
- Bobo, Mississippi, 150
- Bollobás, Béla, 126
- Bond, James, 101
- boots and socks, 298
- Borwein, Peter B., 267, 278, 279
- bound degree, 76
- Boundin'*, 209
- box principle, 151
- bracelets, 209, 213, 215
- Brass, Peter, 267, 274, 279
- bridge
 - card game, 133
 - in a graph, 8, 10
 - in Königsberg, 1, 52–54
- Bridges, Robert, 30
- Brooks's Theorem, 90
- Browning, Elizabeth Barrett, 248
- Buckley, Fred, 126
- buffet line, 162
- Bug Tussle, Texas, 150
- Burnside, Ambrose E., 196
- Burnside, William, 199
 - lemma of, 199
- burnt orange, 217
- Burr, Stefan, 125
- Butler, Samuel, 2
- C++ variable names, 134
- cafeteria, 177
- Calverly, C. S., 102
- Campbell, Thomas, 17
- Candide*, 292
- Cantor, Georg, 290, 353
- Cantor's Theorem, 305
- Cantor–Bernstein Theorem, 306
 - applications, 307–308, 312, 314, 316, 343
 - proof, 306, 316

- carboxyl group, 207
- cardinal, 311–312
 - color, 217
 - espousable, 341
 - large, 322
 - measurable, 323
 - Ramsey, 323, 326
 - regular, 313, 314
 - Richelieu, 322
 - singular, 313
 - strong limit, 322
 - strongly inaccessible, 322
 - subtle, 323, 345
 - weakly compact, 322, 324–326
 - weakly inaccessible, 320–322
- carnival, 171
- Carpenter, John A., 279
- Carroll, Lewis, 1, 109
- Cartesian product, 295, 300
- Catalan numbers, 185–188
- Cauchy–Binet Formula, 50
- Cayley, Arthur, 43, 44
- Cayley’s Tree Formula, 44
- ceiling function ($\lceil x \rceil$), 153
- center
 - of a graph, 18, 19
 - of a tree, 36
- Chakerian, Gulbank D., 279
- changing money, 171–175
 - in 1875, 175
- characteristic path length, 29
- Chartrand, Gary, 126
- Chava and Hodel, 250
- chemistry, 32, 206–208
- child vertex, 188
- chromatic number, 86
 - bounds, 88–93
- chromatic polynomial, 98, 159, 163
 - properties, 101
 - relation to Four Color Problem, 101
- Chvátal, Václav, 63, 124, 125
- circuit, 6
 - Eulerian, 55
- claw, 66, 69, 72
- clique number, 92
- clustering coefficient
 - of a graph, 29
 - of a vertex, 29
- cofactor, 48
- Coffey, Paul, 242
- college admissions, 249, 263
- color classes, 86
- k -colorability of a graph, 86
- coloring
 - of edges, 116
 - of vertices, 86
- k -coloring of a graph, 86
 - proper, 86
- combinatorial geometry, 264
- commemorative coins, 176, 177
- complement, 11
- complementary Bell numbers,
 - see* Bell numbers
- complete
 - bipartite graph, 13
 - graph, 10
 - multipartite graph, 16
- complete graph, 8
- composition, 226
- computability, 349
- Comtet, Louis, 241, 277
- concert hall, 242
- Conehead, Connie, 304
- connected component, 8
- connected graph, 7
- Connecticut Yankee in King Arthur’s Court*, A, 227
- connectives, 291
- connectivity of a graph, 8
- constructible universe (L), 320
- convolution of two sequences, 186
- Conway, John H., 279
- Cooleemee, North Carolina, 150
- countable sets, 305
- countable union, 314
- cover, 109
- Cowell, Charlie (anvil salesman), 51
- Coxeter, Harold Scott MacDonald, 265

- k -critical graphs, 88
- Csima, József, 267
- cube, 81
- cut
 - in a network, 110
 - capacity, 111
 - set, 8
 - vertex, 8, 10
- cycle
 - Hamiltonian, 60
 - index (of a group), 201
 - notation (for permutations), 192
 - the graph C_n , 12
 - within a graph, 6
- Damerell, R. M., 331
- de Bruijn, Nicolaas Govert, 278
 - enumeration formula, 212
- de Wannemacker, Stefan, 240
- Debrunner, Hans E., 279
- deck of cards, 133
- Dedekind finite, 303
- degree
 - average, 38, 80, 93
 - matrix, 48
 - of a vertex, 6
 - sequence, 6
- DeMorgan, Augustus, 2, 94
- Denver, John, 116
- deranged twins, 163
- derangements, 160–161, 163, 231
- detour
 - order, 67, 93
 - path, 67, 93
- Devlin, Keith J., 352
- diameter of a graph, 18
- dice, six-sided, 200, 202, 206
- Diestel, Reinhard, 126, 327, 353
- difference operator, 137
- digraph, *see* directed graph
- Dijkstra, Edsger Wybe, 265
- Dirac, Gabriel Andrew, 62, 84
- directed graph (digraph), 3
- Dirichlet, Johann Peter Gustav Lejeune, 151, 153
- Dirichlet's approximation theorem, 153
- disjointification, 303
- Dissertatio de Arte Combinatoria*, vii, 129
- distance
 - between vertices, 18
 - matrix, 25
- Dobiński's formula, 239
- dodecahedron, 60, 81
- Drake, Frank R., 352
- Duffus, Dwight, 66
- Dumas, Alexandre, 124
- Dumitrescu, Adrian, 275
- Dunbar, Jean, 72
- eccentricity, 18
- Edberg, Stefan, 231
- edge, 2
 - deletion, 7
 - edge set, 5
- edge cover, 109, *see* cover
- Edmonton Oilers, 242
- Edwards, Anthony William Fairbank, 277
- Eeckhout, Jan, 255
- Ehrenfeucht, Andrzej, 276
- Einstein, Albert, 97, 130
- Ekai, Mumon, 304
- empty
 - graph, 11
 - product, 132
 - set (\emptyset), 290, 299
 - axiom, *see* axioms of ZFC
- end vertices
 - of a walk, 6
 - of an edge, 5
- Enderton, Herbert B., 352
- Epcot Center, 80
- equivalence
 - class, 197
 - relation, 197, 315
- Erdős, Paul, 28, 30, 63, 116, 122, 123, 127, 152, 264, 270, 279, 280, 325

- number, 28
- Eriksson, Kimmo, 278
- Euler, Leonhard
 - and Königsberg bridge problem, 1, 52–54
 - characterization of Eulerian graphs, 55
 - Formula (for planar graphs), 78, 81
 - losing sight, 78
 - Pentagonal Number Theorem, 222
 - φ function, 158, 162
- Eulerian
 - circuit, 55
 - graph, 55
 - numbers, 242–247
 - trail, 55
- Fáry, István, 77
- factorial, 132
- falling factorial power, 132
- Faudree, Ralph, 69
- Feder, Tomás, 279
- Federer, Roger, 231
- Feferman, Solomon, 344, 346
- Ferrers diagram, *see* Young diagram
- Fezzik, 191
- Fibonacci numbers, 177–179
 - generalized, 185
- Fiddler on the Roof*, 250
- Filthy Frank, 4
- finger, 304
- finite set, 282
- First Theorem of Graph Theory, 6
- Five Color Theorem, 95
- flags, 161
- Flatliners*, 26
- Fleury's algorithm, 59
- floor function ($\lfloor x \rfloor$), 153
- flow, 110
- football
 - American, 248
 - International Football Association, 135
 - Laws of the Game, 135
- forbidden subgraphs, 65
- forest, 31
 - number of edges, 35
- Foulds, Leslie R., 126
- Four Color Problem, 2, 93
- Four Color Theorem, 94
- fractional part function ($\{x\}$), 153
- Fraenkel, Abraham A., 290, 294, 296
- Franklin, Benjamin, 277
- Franklin, Fabian, 222
- Frege, Gottlob, 290
- Frick, Marietjie, 72
- Friedman, Harvey M., 344, 347, 350
- Frink, Orrin, 84
- Frobenius, Ferdinand G., 199
- From Russia with Love*, 101
- Frost, Robert, 5, 282
- Fuhr, Grant, 242
- Fujita, Shinsaku, 278
- full house, 134
- function assignment, 345
- fusion, 283
- Gödel, Kurt F., 318
- Gödel's Incompleteness Theorem
 - First, 318–320
 - Second, 319–320
- Galahad, Sir, 191
- Gale, David, 250, 279
- Gale–Shapley algorithm, 250
- Gallai, Tibor, 68, 265
- Gateless Gate, The*, 304
- Gawain, Sir, 191
- Gekko, Gordon, 88
- general position, 270
- generating function, 164
 - exponential, 238
- geometry of position, 54
- George of the Jungle, 324
- Gerken, Tobias, 277
- Gessel, Ira M., 279, 280
- Gibson, William, 308
- Gilbert, Sir William S., 137
- Giving Tree, The*, 34

- Goodman, Seymour, 65
 Gould, Ronald J., viii, 62, 66, 69, 126
 Graham, Ronald L., 127, 171, 277, 278, 280
 Grand Slam matches, 231
 Grant, Cary, 166
 Grant, Ulysses S., 196
 Grantham, Jon, 181
 Granville, Andrew, 277
 graph
 bipartite, 13
 center, 18
 clique number, 92
 clustering coefficient, 29
 complement, 11
 complete, 8, 10
 bipartite, 13
 multipartite, 16
 connected, 7
 connectivity, 8
 critical, 88
 definition, 2
 diameter, 18
 directed, 3
 empty, 11
 Eulerian, 55
 Hamiltonian, 60
 infinite, 4
 isomorphic pairs, 15
 k th power, 21
 line, 16, 64, 66, 67, 70, 93
 matching, 104
 order, 5
 periphery, 18
 planar, 74
 radius, 18
 Ramsey theory, 124
 regular, 11
 self-centered, 21
 size, 5
 traceable, 61
 weighted, 39
Great Gatsby, The, allusion to, 260
 greedy algorithm, 88
 Gretzky, Wayne, 242
 Gross, Jonathon L., 126
 Grossman, Jerry, 28
 group
 abelian, 191
 alternating, 194
 cyclic, 193
 definition, 191
 dihedral, 193
 generated by an element, 193
 symmetric, 192
 Grünwald, Tibor, 265
 Guare, John, 26
 Guinness, Alec, 30
 gurus, 157
 Gusfield, Dan, 279
 Guthrie, Francis, 94
 Guy, Richard K., 279

 Hadwiger, Hugo, 279
 Haken, Wolfgang, 95
 Hall, Daryl and Oates, John, 328
 Hall, Monty, 104, 105
 Hall, Philip, 105, 328
 Hall Jr., Marshall, 277, 328
 Hall's Theorem, 105, 328
 corollary for regular graphs, 112
 halting problem, 349
 hamburgers, 170
 Hamilton, Al, 242
 Hamilton, Sir William Rowan, 61, 94
 Hamiltonian
 cycle, 60
 graph, 60
 path, 60, 351
 handshakes, 190
 Hanoi, Tower of, 181
 Harary, Frank, 124, 126, 278
 Harborth, Heiko, 277
 Hardy, Godfrey H., 224
 harey problem, 177
 harmonic mean, 155
 Harris, Priscilla, viii
 Harris, Sophie, viii

- Harris, Will
 allusion to, vi
Harry Potter and the Prisoner of Azkaban, 27
- Heawood, Percy, 94, 95
- Hedetniemi, Stephen, 19, 65
- Heine–Borel Theorem, 285
- heliotrope, 209, 217
- Herman, Jiří, 279
- Hierholzer, Carl, 55
- Hierholzer’s algorithm, 57
- Higgledy-Piggledy*, 2
- Hilbert, David, 281, 290
- Hinault, Bernard, 200
- Hirst, the other Prof., ix
- Hitchcock, Alfred, 166
- Hoffman, Paul, 127
- Hollywood Graph, 27
- hopscotch, 181
- Horton, Joseph D., 277
- Houston, Whitney, 343
- humuhumunukunukuapua’a, 150
- hungry
 fraternity brother, 235
 math major, 177
- Hunting of the Snark, The*, 109
- hydroxyl group, 206
- hypergraph, 4
- ichthyologists, 150
- icosahedron, 81
- Icosian Game, The, 60
- incidence
 matrix, 48
 of vertex and edge, 5
- independence number, 63, 93
- independent set of vertices, 63
- independent zeros, 111
- induced subgraph, 12
- Indurain, Miguel, 200
- infinite set, 282
- injective function, 192
- Internet Movie Database, 27
- intersecting detour paths, 67
- intersection, 294
- invariant set, 198
- Irish Blessing, An*, 10
- irrational numbers, 153
- Irving, Robert W., 279
- isomer, 206
- isomorphism, 15
- Jacobson, Michael S., 66
- Jech, Thomas J., 352
- Jefferson, Thomas, 176
- jelly beans, 170
- JFK*, 27
- Johnson, Scott, 275
- Just Men of Cordova, The*, 352
- Kalbfleisch, James G., 274
- Kanamori, Akihiro, 353
- Kelly, Leroy M., 265
- Kempe, Alfred, 94, 95
- killer rabbits, 177
- Kirchhoff, Gustav, 47, 48
- Klee Jr., Victor L., 264, 279
- Kleene, Stephen C., 318, 353
- Klein, Esther, 264, 270
- knights of the round table, 227–228
- Knuth, Donald E., ix, 171, 255, 277–279
- König, Dénes, 284, 328
- König, Julius, 284, 307
- König–Egerváry Theorem, 109
- König’s Lemma, 283, 302, 326, 351
- Königsberg Bridge Problem, 1, 52–54
- Kruskal’s algorithm, 40–42
- Kučera, Radan, 279
- Kuratowski, Kazimierz, 83, 84
- Kuratowski’s Theorem, 84
- Kurri, Jari, 242
- L*, constructible universe, 320
- Laffey, Thomas, 240
- Lancelot, Sir, 228
- lapis lazuli, 201, 203, 214
- Last of the Mohicans, The*, allusion to, 260

- lauwiliwilinukunuku'oi'oi, 150
 lavender, 217
 lazy professor, 160, 163
 leaf, 31
 number in tree, 35
 tea, 34
Leaves of Grass, 181
 Lehrer, Tom, 312
 Leibniz, Gottfried Wilhelm, vii, 129
 LeMond, Greg, 200
 length, 6
 Leonardo of Pisa, 177
 Lesniak, Linda, 126
 Levy, Azriel, 352
 Lewinter, Marty, 126
 Lewis and Clark expedition, 176
Liar, Liar, 67
 limerick, 236
 Lincoln, Abraham, 176, 177
 line graph, 16, 64, 66, 67, 70, 93
 linear ordering, 309
 k -critical, 347
 Linton, Stephen A., 278
 Lloyd, E. Keith, 126
 Logothetti, David E., 279
London Snow, 30
 Longfellow, Henry W., 38, 285
Looney Tunes, 265
 lottery
 Florida Fantasy 5, 144
 Florida Lotto, 144
 Lotto Texas, 133, 137, 141
 repetition allowed, 171
 Rhode Island Wild Money, 137
 Texas Two Step, 136
 Virginia Win For Life, 144
 Lovász, László, 72, 90, 277
Love's Labour's Lost, 74
 Lucas, Édouard, 181
 numbers, 180

 Makai, Endre, 274
 Man in black, 297
 Marichal, Jean-Luc, 279
 Mark, gospel of, 171

 maroon, 217
 marriage
 infinite sets, 327–344
 Secrets of a Successful, 218
 stable, *see* stable marriage
 matching, 102
 graph, 104
 M -alternating path, 104
 M -augmenting path, 104
 many-to-many, 264
 many-to-one, 263
 maximal, 102
 maximum, 102
 perfect, 102, 111, 343
 saturated edges, 102
 stable, 248
 optimal, 252
 pessimal, 253
 strongly stable, 259
 super-stable, 259
 weakly stable, 259
 Mathematical Collaboration Graph,
 28
 Matoušek, Jiří, 275, 279
 Matrix Tree Theorem, 48
Matrix, The, 21
 Matthews, Manton, 70
 Matthews and Sumner's Conjecture,
 69
 Max Flow Min Cut Theorem, 111
 maximal planar graph, 80
 maximum degree, 6
 McEnroe, John, 231
 McPeake, Sharon, viii
 Meade, George G., 196
 Meeks, Randy, v
 Mendelson, Elliott, 353
 Menger's Theorem, 110
 Merckx, Eddy, 200
Merry Wives of Windsor, The, 217
 Messier, Mark, 242
 methyl group, 206
 metric, 17
 Mihók, Peter, 72
 Miles Jr., Ernest P., 278

- Milgram, Stanley, 26
 Milner, Eric C., 331, 340
 Milton, John, 320
 minimum degree, 6
 minimum weight spanning trees, 39–42
Moby Dick, allusion to, 260
 model of ZFC, 321
 Moe, Larry, and Curly, 87
Mona Lisa Overdrive, 308
 monotonic subsequences, 152
 Montagues, Capulets, and Hatfields, 73
 Monticello, 176
Monty Python and the Holy Grail, 168, 190
 Morris Jr., Walter D., 275, 279
 Moschovakis, Yiannis, 352
 Moser, William O. J., 267, 274, 279
 Mossinghoff, Alexandra
 allusion to, vi
 Mossinghoff, Amanda
 allusion to, ix
 Mossinghoff, Kristine, ix
 Mossinghoff, Michael J., 278, 279
 Mulcahy, Colm, 278
 multigraph, 3
 multinomial coefficients, 144–149
 analogue of Vandermonde’s convolution, 150
 addition, 146
 expansion, 145
 symmetry, 145
 multinomial theorem, 147, 167
 for factorial powers, 149
 multiset, 147
Music Man, The, 51

N is a Number, 30
 naphthalene, 206
 naphthol, 206
 Nash-Williams, Crispin St. John Al-
 vah, 335, 338
 Nastase, Ilie, 231
 National Basketball Association, 135
 National Resident Matching Program, 249
 necklaces, 191, 198–203
 neighborhood
 closed, of a vertex, 6
 of a set, 6
 open, of a vertex, 5
 Nešetřil, Jaroslav, 280
 neurotic running back, 248
 Nicolás, Carlos M., 277
Night of the Lepus, 177
 Nijenhuis, Albert, 277
 North American Numbering Plan, 131
North by Northwest, 166

 occupancy problems, 217–218
 Oconomowoc, Wisconsin, 150
 octahedron, 81, 217
 ogre and ogress, 255, 258
 Oldman, Gary, 27
 OPPOSITES ATTRACT, 209, 213, 215
 orbit, 198
 order of a graph, 5
 ordinal, 309–312, 317
 ordinary line, 265
 Ore, Oystein, 63, 353
 Osburn, Robert, 240
Othello, 237
 Overmars, Mark, 277

 Pach, Janos, 267, 274, 279
 Padovan sequence, 180
 Palmer, Edgar M., 278
 Pangloss, 292
 paradise
 Cantor’s, 290
 Lost, 320
 tasting, 292
 parent vertex, 188
 partite set, 13
 τ -partitionable graphs, 71
 partitions, 175, 218–225
 conjugate, 221
 distinct parts, 221, 225
 Pascal, Blaise, 80, 139

- pyramid of, 146
- triangle of, 139
- Patashnik, Oren, 171, 277, 278
- path
 - closed, 6
 - Hamiltonian, 60, 351
 - the graph P_n , 12
 - within a graph, 6
- Path Partition Conjecture, 71
- pattern inventory, 203
- Peano Arithmetic (PA), 318
- Pearl, The*, allusion to, 260
- Pensées*, 80
- pentagonal number, 226
- Percival, Sir, 191, 228
- perfect matching, 102, 111
 - in regular graphs, 114
- periphery of a graph, 18, 20
- permutation, 132
 - as function, 191
 - even and odd, 194
- Perrin sequence, 180
- Peters, Lindsay, 274
- Petersen, Julius, 114, 115
- Petersen graph, 64, 87, 115
- Petersen's Theorem, 115
- Petkovšek, Marko, 277
- phenomenology exam, 135
- Phoenix, Arizona, 150, 151
- phone numbers, 131
- pigeonhole principle
 - finite, 118, 150–152, 154, 281, 312
 - infinite, 282, 313
 - ultimate, 313
 - variations, 318
- ping-pong balls, 148, 235
- pipe organ, 242, 244
- Pirates of Penzance, The*, 137
- planar graph, 74
 - maximal, 80
 - straight line representation, 77
- planar representation, 74
- Pleasures of Hope, The*, 17
- Pliny the Younger, 31
- Plouffe, Simon, 188, 279
- Podewski, Klaus-Peter, 335
- poker
 - card game, 133, 136, 162
 - chips, 148, 169, 218, 219
 - multiple decks, 167, 169
 - two decks, 166–167
- Pólya, George, 156, 171, 190, 277, 278, 280
 - enumeration formula, 203
- polyhedra, 80
- Poor Richard's Almanack*, 277
- power set (\mathcal{P}), 290, 299
 - axiom, *see* axioms of ZFC
- Prüfer sequence, 51
- Prim's algorithm, 43
- prime numbers, 159, 163
- Princess Bride, The*, 191, 297
- Princess Fiona, 255
- Princess Leia, 93
- principle of inclusion and exclusion, 158
 - generalization, 163
- product rule, 131
- proverbial alien, 118
- Prüfer, Heinz, 44
- pseudograph, 3
- Purdy, George B., 279
- quantifiers, 291
- Quinn, Jennifer J., 278
- Rademacher, Hans, 224
- radius of a graph, 18
- Radziszowski, Stanisław P., 127
- Ramanujan, Srinivasa, 224
- Ramsey, Frank P., 116, 271, 280, 287
- Ramsey numbers
 - classical, 116
 - known bounds, 123, 273
 - known values, 122
 - graph, 124
- Ramsey's Theorem
 - failure at \aleph_1 , 324
 - finite, 272, 286, 288

- hypergraphs, 272, 275
- infinite, 287
- pairs, 286, 351
- triples, 289, 351
- variations, 352
- ransom note, 176
- Read, Ronald C., 278
- Redfield, J. Howard, 278
- region, 75
- registrar, 162
- regressive value, 345
- regular
 - graph, 11
 - polyhedra, 81
- relatively prime, 158
- relief agency, 208, 216
- restaurant
 - gourmet, 162
 - steakhouse, 162
- restriction, 332
- Return of the King, The*, 301
- reverse mathematics, 350
- Reynolds, Patrick, 27
- rhodonite, 201, 203, 214
- rhyming schemes, 236, 240, 279
- ridgeline, 190
- Riordan, John, 277, 279
- rising factorial power, 132
- Roberts, Fred S., 126
- Robertson, Neil, 95
- Robin Hood*, 126
- Roitman, Judith, viii, 352
- Romeo and Juliet*, 73
- rose quartz, 201, 203, 214
- Rota, Gian-Carlo, 129, 279, 280
- Rothschild, Bruce L., 127
- round tables, 191, 197, 199, 227, 229
- Russell, Bertrand, 295, 298
- Ryjáček, Zdeněk, 70
- Ryser, Herbert J., 277

- Sadie Hawkins dance, 254
- Sanders, Daniel, 95
- Sawyer, Eric T., 267
- Schechter, Bruce, 127

- Schlömilch, Oskar X., 241
- Schmitz, Werner, 69
- Schröder, *see* Cantor–Bernstein
- Schubfachprinzip, 151
- Schur, Issai, 276
- Schuster, Seymour, 84
- Scream 2*, v
- SDR, 107, 301, 327
 - version of Hall’s Theorem, 107
- self-centered graph, 21
- separated set, 268
- separating set, 110
- Seuss, Dr., 85
- Seymour, Paul, 95
- Shakespeare, William, 73, 74, 83, 164, 217, 237
 - characters, 257
- Shapley, Lloyd S., 250, 279
- Shelah, Saharon, 338, 341
- Shin, Jae-II, viii
- Shrek 2*, 255
- Sierpiński, Waclaw, 352
- Σ_1^1 -complete sets, 351
- Silverstein, Shel, 34
- Simpson, Homer, 218
- Simpson, Stephen G., 350
- Šimša, Jaromír, 279
- six degrees of separation, 26
- size of a graph, 5
- Skolem, Thoralf, 290, 294, 296
- Sloane, Neil James Alexander, 188, 279
- small world networks, 28
- Smith, Paul, 84
- soccer team, 135
- socks, 161
- Soltan, Valeriu P., 275, 279
- Song of Hiawatha, The*, 285
- sonnet, 236
- Sonnets from the Portuguese*, 248
- Soso, Mississippi, 150
- Sound of Trees, The*, 282
- space cruiser, 200
- spanning tree, 39
 - counting, 43

- of minimum weight, 39–42
- Spencer, Joel H., 127
- stabilizer, 198
- stable enrollment, 264
- stable marriage
 - algorithm, 250
 - main theorem, 252
 - problem, 248–262
 - with indifference, 259–261
 - with sets of different sizes, 261–262
 - with unacceptable partners, 256–259
- stable roommates, 249, 279
- staircase, 189
- Stanley, Richard P., 188, 203, 277, 278
- Stanton, Dennis, 277
- Stanton, Ralph Gordon, 274
- star, 34
- Star Wars*, 93
- stationary set, 339
- Steffens, Karsten, 335
- Stirling
 - cycle numbers, 227–230
 - set numbers, 231–235
- Stockmeyer, Paul, 278
- strikeouts, 154
- stump, 31
- subdivision
 - of a graph, 84, 85
 - of an edge, 84
 - of Verona, 73
- subgraph, 12
 - forbidden, 65
 - induced, 12
- subgroup, 193
- Sullivan, Sir Arthur S., 137
- sum rule, 131
- Sumner, David, 70
- surjective function, 192
- Sweet 16, 32
- Sylvester
 - James Joseph, 265
 - Looney Tunes cat, 265
 - problem of, 265–267
 - system of distinct representatives, *see* SDR
- Syśło, Maciej, 20
- Szekeres, George, 122, 152, 264, 274, 279, 280
- Tarjan, Robert E., 277
- Tarski, Alfred, 325
- Tarsy, Michael, 275
- tennis, 231
- termination argument, 265
- Tesman, Barry, 126
- tetrahedron, 81
- tetramethylnaphthalene, 206
- tetraphenylmethane, 208
- Texas
 - cities, 137, 150, 249, 254
 - lottery, *see* lottery
- thistle, 217
- Thomas, Robin, 95
- Thompson, Emma, 27
- Thornhill, Roger, 166
- Three Musketeers, The*, 322
- Thys, Philippe, 200
- Tolkein, J. R. R., 301
- Tour de France, 200
- trace of a square matrix, 25
- traceable graph, 61
- trail, 6
 - closed, 6
 - Eulerian, 55
- Traité du Triangle Arithmétique*, 139
- transfinite
 - induction, 332
 - recursion, 332
- transitive set, 309, 316
- transposition, 194
- tree, 30, 283
 - Aronszajn, 326
 - as a model, 31–32
 - as a subgraph, 36
 - binary decision, 32
 - characterization, 35, 38, 42
 - definition, 31

- in chemistry, 32
- in probability, 31
- in programming, 32
- labeled, 43
- labels, 283, 284
- named, 352
- number of edges, 34
- palm, 34
- property, 326
- rooted, 188
- small, 31
- spanning, 39, 352
- strictly binary, 188
- triangulation, 189
- tribonacci numbers, 184
- trimethylantracene, 207
- trinomial coefficients, 150
- triphenylamine, 207
- Tristram, Sir, 191, 228
- Tutte's Theorem, 112
- Twain, Mark, 227
- twig, 31
- Typee*, allusion to, 260
- typesetter's comfort, 290
- Tyson, Mike, 150, 151

- Unalaska, Alaska, 150
- union, 290, 299
 - axiom, *see* axioms of ZFC
- United Nations, 135
- universal set, 295
- Uppuluri, V. R. Rao, 279
- Urban Legend*, 18

- van Heijenoort, Jean, 353
- van Lint, Jacobus H., 277
- Vandermonde's convolution, 142, 150
- Veblen, Oswald, 55
- Venn, John, 156
- Venn diagram, 157
- vertex, 2
 - cut set, 8
 - deletion, 7
 - vertex set, 5
- vexillologist, 161

- Village Blacksmith, The*, 38
- Vizzini, 297
- volleyball tournament, 184
- Voyage Round the World, A, 60

- Wagner, Klaus, 77
- walk, 6
- Walla Walla, Washington, 150
- Wallace, Edgar, 352
- Wall Street*, 88
- Walther, Hansjoachim, 68
- Warrington, Gregory S., 279
- Washington, George, 177
- weakly ordered rankings, 259
- weight function, 39
- weighted graph, 39
- well-ordering, 309–311
- West, Douglas B., 126
- White, Dennis, 277
- Whitman, Walt, 181
- Wilf, Herbert S., 240, 277, 278
- Wilson, Richard M., 277
- Wilson, Robin J., 126
- Winter's Tale, The*, 164
- wisteria, 217
- Wojciechowski, Jerzy, 335
- Woods, Donald R., 277
- Worpitzky's identity, 247

- Yang, Yifan, 240
- Yellen, Jay, 126
- Young diagram, 220

- Zamfirescu, Tudor, 68
- Zeilberger, Doron, 277
- Zermelo, Ernst, 290, 311
- ZF and ZFC, 292
- ZFC, 290
 - axioms, *see* axioms of ZFC
 - limitations, 318, 320, 344
- Ziegler, Günter M., 278
- zodiac sign, 170
- Zorn's Lemma, 311, 317