

Index

A

Acute osteomyelitis, 55, 59
Adamantinoma, 141–142
Adipose tissue tumors
 angioliipoma, 176
 atypical lipomatous tumor, 179–180
 de-differentiated liposarcoma, 182–183
 hibernoma, 177, 178
 lipoma, 174–175
 lipomatosis, 175–176
 liposarcomas, 178–183
 myxoid liposarcoma, 180–181
 pleomorphic lipoma, 177, 178
 pleomorphic liposarcoma, 182
 round cell liposarcoma, 180–181
 spindle cell lipoma, 177
 well-differentiated liposarcomas, 179–180
Adult fibrosarcoma, 193–194, 195
Alcohol, osteonecrosis and, 26
Algodystrophy, 21–22
Alignment, arthropathies and, 32
Alkaline phosphatase, 9, 11
Alveolar soft part sarcoma, 212, 213
Alveolar type rhabdomyosarcoma, 200
Amenorrhea, secondary osteoporosis and, 66
Androgens, bone/cartilage regulation and, 13
Aneurysmal bone cysts, 72–75
Angioliipoma, 176
Angiolympoid hyperplasia with eosinophilia.
 See Histocytic hemangioma
Angiomatoid fibrous histiocytoma, 208–209
Angiomatosis, 149, 163–165
Angiosarcoma,
 of bone, 152, 153
 of soft-tissue, 173–174
Ankylosing spondylitis, 48–49
Architecture, bone, 2
Arteriovenous hemangioma, 165, 166
Arthritis. *See specific disorder*

Arthropathies

 alignment/bones and, 32
 ankylosing spondylitis, 48–49
 cartilage and, 32–33
 common features of, 31
 CPPD, 38–39
 destructive, 40–51
 distribution and, 33–34
 extraordinary findings/soft tissue and, 34
 gout, 44–47, 48
 hemophilia, 39–40
 JRA, 43
 neuropathic arthropathy, 36–37
 nondestructive/nonproductive, 51
 osteoarthritis, 34–36
 productive, 34–40, 51
 psoriatic arthritis, 47
 PVNS, 49–51
 RA, 40–42
 reactive arthritis, 48
 septic arthritis, 43–44, 45
 specific, 34–51
Atypical lipomatous tumor, 179–180
AV malformation. *See* Arteriovenous hemangioma

B

Benign notochordal cell rest, 146
Biology, bone
 bone/cartilage regulation and, 11–15
 matrix and, 8–15
 microscopic, 3–8
 Microscopic features, 4
 skeletal, 1–3
 Wolff's law and, 15
Bizarre parosteal osteochondromatous proliferation (BPOP), 22–23
Blood supply, bone, 5

- Bone cysts
 aneurysmal bone cysts, 72–75
 overview of, 69–78
 subchondral bone cysts, 75–78
 unicameral bone cysts, 70–72
- Bone forming lesions. *See* Lesions, bone forming
- Bone Gla proteins, 10
- Bone island, 99–100
- Bone marrow, 3
- BPOP. *See* Bizarre parosteal osteochondromatous proliferation
- Brodie's abscess. *See* Subacute osteomyelitis
- Brown tumors of hyperparathyroidism.
See Giant cell reparative granulomas
- C**
- Calcifying aponeurotic fibroma, 187
- Calcitonin, bone/cartilage regulation and, 12
- Calcium binding proteins, 10
- Calcium pyrophosphate dihydrate crystal deposition disease (CPPD), 38–39
- Callotaxis lengthening, 19–20
- Campanacci disease, 124–126
- Capillary hemangioma, 159–160
- Cartilage
 arthropathies and, 32–33
 biology and, 11–15
- Cartilage forming tumors
 chondroblastoma, 78–80
 chondroma, 84, 86–89
 chondromyxoid fibroma, 80–82
 chondrosarcoma, 90–99
 clear cell chondrosarcoma, 94–96
 conventional chondrosarcoma, 90–92
 dedifferentiated chondrosarcoma, 96–98
 fetal cartilage lesions, 78–82
 mature hyaline cartilage lesions, 82–99
 mesenchymal chondrosarcoma, 92–94
 osteochondroma, 82–84, 85
 overview of, 78
 secondary chondrosarcoma, 98–99
- Cavernous hemangioma, 160–161
- Cells, bone
 osteoblasts, 6, 7
 osteoclast, 7–8
 osteoprogenitor/osteocyte, 6
- Charcot's joints, 36–37
- Cherubism, 137–138
- Chondroblastoma, 78–80
- Chondroblastoma-like osteosarcoma, 117
- Chondroma
 enchondromas, 84, 86–89
 periosteal, 89
- Chondromalacia patella, 52, 54
- Chondromyxoid fibroma, 80–82
- Chondrosarcoma
 clear cell chondrosarcoma, 94–96
 conventional chondrosarcoma, 90–92
 dedifferentiated chondrosarcoma, 96–98
 extraskeletal myxoid, 210–212
 mesenchymal chondrosarcoma, 92–94
 secondary chondrosarcoma, 98–99
- Chordoma, 143–146
- Chronic osteomyelitis, 56–57, 58
- Chronic tophaceous arthritis, 46
- Clear cell chondrosarcoma, 94–96
- Clear cell sarcoma of soft-tissue, 208
- Collagen
 as mineralization factor, 10
 types of, 9
- Composite, 2
- Compressed air, osteonecrosis and, 26
- Conventional osteosarcoma, 106–108
- Cortical fibrous dysplasia, 124–126
- Coupling, 1
- CPPD. *See* Calcium pyrophosphate dihydrate crystal deposition disease
- Cutaneous myxoma, 184, 185
- Cysts, bone
 aneurysmal, 72–75
 intraosseous ganglion, 77–78
 osteoarthritic, 76–77
 overview of, 69–70
 subchondral, 75–78
 types of, 69
 unicameral, 70–72
- D**
- Dabska tumor. *See* Hobnail hemangioendothelioma
- Dedifferentiated chondrosarcoma, 96–98
- De-differentiated liposarcoma, 182–183
- Deep fibromatosis, 188–189
- Degradation, bone, 1
- Dermatofibrosarcoma protuberans (DFSP), 191, 192
- Desmoplastic fibroblastoma, 186–187
- Desmoplastic fibroma, 126–127
- Desmoplastic small round cell tumor (DSRCT), 212–213
- Destructive arthritides
 ankylosing spondylitis, 48–49
 gout, 44–47, 48
 JRA, 43
 productive and, 51
 psoriatic arthritis, 47
 PVNS, 49–51

RA, 40–42
 reactive arthritis, 48
 septic arthritis, 43–44, 45
 Development, bone
 bone/cartilage regulation and, 11–15
 matrix and, 8–15
 microscopic, 3–8
 skeletal, 1–3
 Wolff's law and, 15
 DFSP. *See* Dermatofibrosarcoma protuberans
 Diaphysis, 2–3
 Distraction osteogenesis, 19–20
 Distribution, arthropathies and, 33–34
 DSRCT. *See* Desmoplastic small round cell tumor

E

Elastofibroma, 183–184
 Embryonal type rhabdomyosarcoma, 198–200
 Enchondromas, 84, 86–89
 Endocrine abnormalities
 hyperparathyroidism, 61–62, 63–64
 metabolic bone disorders and, 61–64, 65
 vitamin D deficiency, 62, 65
 Endosteum, 3
 Enzymes, alkaline phosphatase, 9
 Epiphyseal plate, 2, 3
 Epiphysis, 2, 3
 Epithelioid hemangioendothelioma
 of bone, 150–152
 of soft-tissue, 169–170
 Epithelioid hemangioma, 148
 Epithelioid sarcoma, 214
 Erdheim Chester disease, 156
 Estrogens, bone/cartilage regulation and, 13
 Ewing, James, 130
 Ewing sarcoma, 116, 131–133
 Extraordinary findings, arthropathies and, 34
 Extraskeletal myxoid chondrosarcoma,
 210–212

F

Fallen leaf sign, 70, 71
 Fat embolism, 25
 Fetal cartilage lesions
 chondroblastoma, 78–80
 chondromyxoid fibroma, 80–82
 Fibroma of tendon sheath, 186, 187
 Fibromatoses
 deep, 188–189
 mesenteric, 188
 superficial, 187–189
 Fibrosarcoma, of bone, 127–128

Fibrous dysplasia, 120–124
 Fibrous/fibrohistiocytic tumors
 desmoplastic fibroma, 126–127
 fibrosarcoma of bone, 127–128
 fibrous dysplasia, 120–124
 malignant fibrous histiocytoma, 129–130
 nonossifying fibroma, 118–120
 osteofibrous dysplasia, 124–126
 Fibrous tumors
 adult fibrosarcoma, 193–194, 195
 calcifying aponeurotic fibroma, 187
 deep fibromatosis, 188–189
 desmoplastic fibroblastoma, 186–187
 DFSP, 191, 192
 elastofibroma, 183–184
 fibroma of tendon sheath, 186, 187
 fibromatoses, 187–189
 hyalinizing spindle cell tumor with giant
 rosettes, 193, 194
 keloid, 186
 low grade fibromyxoid sarcoma, 193, 194
 low grade myxofibrosarcoma, 191–193
 malignant SFT, 190–191
 mesenteric fibromatosis, 188
 MFH, 194–195
 myxoid malignant fibrous histiocytoma,
 191–193
 myxomas, 184, 185
 nuchal fibroma, 184–185
 pleomorphic undifferentiated sarcoma,
 194–195
 SFTs, 189–191
 superficial fibromatosis, 187–189
 Flat bones, 2
 Focal Intravascular coagulation, 25
 Focal osteoporosis, 61
 Formation, bone, 1
 Fracture union
 complications, 19
 stages, 18–19
 Fungal infection, 60

G

GAGs. *See* Glycosaminoglycans
 Giant cell lesions
 giant cell reparative granuloma, 137–140
 giant cell tumor, 134–137
 Giant cell reparative granulomas, 62, 64,
 137–140
 Giant cell rich osteosarcoma, 117
 Glomus tumor, 206
 Glycosaminoglycans (GAGs), 10
 Gout, 44–47, 48
 Granger's overhanging edges, 32, 33

Granular cell myoblastoma. *See* Granular cell tumor
 Granular cell schwannoma. *See* Granular cell tumor
 Granular cell tumor, 203–205
 Granulocytic sarcoma, 154
 Growth factors, bone/cartilage regulation and, 14–15
 Growth hormone, bone/cartilage regulation and, 13

H

Healing, bone
 fracture union and, 18–19
 overview of, 17
 Hemangioma, 147–148
 capillary, 159–160
 cavernous, 160–161
 epithelioid, 148
 histiocytic, 161–162
 intramuscular, 163
 massive osteolysis, 149–150
 spindle cell, 166, 167–168
 venous, 163, 164
 Hemangiopericytoma, 207
 Hematogenous osteomyelitis, 55
 Hematopoietic tumors
 context surrounding, 152
 Erdheim Chester disease, 156
 granulocytic sarcoma, 154
 Hodgkin lymphoma, 155
 LCH, 155–156
 non Hodgkin lymphoma, 155
 other, 156
 plasma cell neoplasms, 154
 Hemophilia, 39–40
 Hemophilic pseudotumor, 150
 Heterotopic ossification, 20
 Hibernoma, 177, 178
 Histiocytic hemangioma, 161–162
 Hobnail hemangioendothelioma, 170–171
 Hodgkin lymphoma, 155
 Hyalinizing spindle cell tumor with giant rosettes, 193, 194
 Hydrated (muco)polysaccharide gels, 9, 10
 Hypercoagulability of blood, 25–26
 Hyperlipidemia, 25
 Hyperparathyroidism, 61–62, 63–64

I

Ilizarov lengthening, 19–20
 Infections, bone. *See* Osteomyelitis

Interosseous osteosarcoma, 116
 Intramuscular angioliipoma. *See* Intramuscular hemangioma
 Intramuscular hemangioma, 163
 Intramuscular myxoma, 184, 185
 Intraosseous ganglion, 77–78
 Intraosseous pressure, increased, 25
 Intravascular bronchioloalveolar tumor.
 See Epithelioid hemangioendothelioma
 Intravascular coagulation, 25
 Intravascular vegetant hemangioendothelioma of Masson. *See* Papillary endothelial hyperplasia
 Involucrum, 55
 Irregular shaped bones, 2

J

Joint related conditions
 chondromalacia patella, 52, 54
 osteochondritis dissecans, 52
 synovial chondromatosis, 52, 53–54
 JRA. *See* Juvenile rheumatoid arthritis
 Juvenile rheumatoid arthritis (JRA), 43
 Juxta-articular myxoma, 184, 185

K

Kaposiform hemangioendothelioma, 168, 169
 Kaposi sarcoma (KS), 172–173
 Keloid, 186
 Knee joint, 3
 KS. *See* Kaposi sarcoma

L

Lamellar bone, 4
 Langerhans cell histiocytosis (LCH), 155–156
 LCH. *See* Langerhans cell histiocytosis
 Leiomyoma (soft-tissue), 196
 Leiomyosarcoma, 197–198
 Lesions, bone forming
 bone island, 99–100
 conventional osteosarcoma, 106–108
 osteoblastoma, 104–105
 osteoid osteoma, 101–104
 osteosarcomas, 106–117
 pariosteal osteosarcoma, 110–114
 parosteal osteosarcoma, 108–110
 telangiectatic osteosarcoma, 114–116
 Lipids, 10
 Lipoma, 174–175
 Lipomatosis, 175–176
 Liposarcomas

- de-differentiated liposarcoma, 182–183
- myxoid/round cell liposarcoma, 180–181
- overview of, 178–179
- pleomorphic liposarcoma, 182
- well-differentiated liposarcomas/atypical lipomatous tumor, 179–180
- Long bones
 - morphology and, 2
 - parts of, 2–3
- Low grade fibromyxoid sarcoma, 193, 194
- Low grade myxofibrosarcoma, 191–193
- Lymphangioma, 168, 169
- Lytic skeletal lesion, 62, 64

- M**
- Malignant fibrohistiocytoma (MFH), 194–195
- Malignant fibrous histiocytoma, 129–130.
 - See also* Myxoid malignant fibrous histiocytoma
- Malignant melanoma of soft part, 208
- Malignant peripheral nerve sheath tumor (MPNST), 205
- Malignant schwannoma, 205
- Malignant SFT, 190–191
- Marrow, bone, 3
- Marrow fibrosis, 62, 63
- Massive osteolysis, 149–150
- Matrix, bone, 8
 - bone/cartilage regulation, 11–15
 - collagen/enzymes and, 9
 - hydrated (muco)polysaccharide gels, 9, 10
 - mineralization factors, 10–11
 - Wolff's law and, 15
- Mature hyaline cartilage lesions
 - chondroma, 84, 86–89
 - chondrosarcoma, 90–99
 - clear cell chondrosarcoma, 94–96
 - conventional chondrosarcoma, 90–92
 - dedifferentiated chondrosarcoma, 96–98
 - mesenchymal chondrosarcoma, 92–94
 - osteochondroma, 82–84, 85
 - secondary chondrosarcoma, 98–99
- Mazabraud syndrome, 121
- McCune-Albright syndrome, 121
- Mechanosensory systems, 15
- Medullary infarcts, 28–29
- Mesenchymal chondrosarcoma, 92–94
- Mesenteric fibromatosis, 188
- Metabolic bone disorders
 - endocrine abnormalities and, 61–64, 65
 - focal osteoporosis, 61
 - hyperparathyroidism and, 61–62, 63–64
 - overview/categories of, 61
 - primary osteoporosis, 64–66
 - secondary osteoporosis, 66–68
 - vitamin D deficiency and, 62, 65
- Metaphysis, 2, 3
- MFH. *See* Malignant fibrohistiocytoma
- Microscopic features, of bone, 4
- Mineralization, 1
- Mineralization factors, 10–11
- Misdiagnosed non-neoplastic conditions
 - nodular fasciitis, 214–216
 - proliferative fasciitis/myositis, 216
- Modeling, 1
- Modified perivascular cell differentiation tumors
 - glomus tumor, 206
 - hemangiopericytoma, 207
 - myopericytoma, 207
- Monostotic fibrous dysplasia, 120–121
- Morphogenetic proteins, bone, 14
- Morphology, gross, 2
- MPNST. *See* Malignant peripheral nerve sheath tumor
- Myogenic tumors
 - leiomyoma (soft-tissue), 196
 - leiomyosarcoma, 197–198
 - rhabdomyoma (non-cardiac), 196–197
 - rhabdomyosarcoma, 198–201
- Myopericytoma, 207
- Myositis ossificans, 20–21
- Myxoid liposarcoma, 180–181
- Myxoid malignant fibrous histiocytoma, 191–193
- Myxomas, soft-tissue, 184, 185

- N**
- Nerve supply, bone, 5
- Neural tumors
 - granular cell tumor, 203–205
 - MPNST, 205
 - neurofibroma, 202–203, 204
 - schwannoma, 201–202
 - traumatic neuroma, 201
- Neurilemoma, 201–202
- Neurofibroma, 202–203, 204
- Neurofibrosarcoma, 205
- Neuropathic arthropathy, 36–37
- Nodular fasciitis, 214–216
- Nondestructive arthropathies, 51
- Non Hodgkin lymphoma, 155
- Nonossifying fibroma, 118–120
- Nonproductive arthropathies, 51
- Nonunion, 19
- Nora Lesion, 22–23

Notochordal tumors
 benign notochordal cell rest, 146
 chordoma, 143–146
 Nuchal fibroma, 184–185

O

ONFH. *See* Osteonecrosis of the femoral head
 Ossification, 20–21
 Ossifying fibromyxoid tumor, 209–210
 Osteoarthritic cysts, 76–77
 Osteoarthritis, 34–36, 76
 Osteoblastoma, 104–105
 Osteoblastoma-like osteosarcoma, 117
 Osteoblasts, 6, 7
 Osteochondritis dissecans, 23–24, 52
 Osteochondroma, 82–84, 85
 Osteoclasts, 7–8
 Osteocytes, 6
 Osteofibrous dysplasia, 124–126
 Osteogenesis. *See* Formation
 Osteoid osteoma, 101–104
 Osteoid seams, wide, 62, 65
 Osteomalacia, 62, 65
 Osteomyelitis
 chronic, 56–57, 58
 diagnosis of, 57, 59
 inflammation and, 57, 58, 59
 initial phase of, 55–56
 sources of, 55, 59–60
 subacute, 55, 56, 57
 unusual organisms causing, 59–60
 Osteonecrosis
 clinical settings associated with, 26
 histologic features of, 26–28
 hypercoagulability of blood and, 25–26
 intraosseous pressure, increased, and, 25
 intravascular coagulation and, 25
 mechanisms causing, 23–24
 medullary, 28–29
 ONFH as, 29–30
 repair and, 27–28
 subchondral areas and, 24
 underlying disease and, 24–25
 Osteonecrosis of the femoral head (ONFH),
 29–30
 Osteopenia, forms of, 21–22
 Osteoporosis
 endocrine abnormalities and, 61–64, 65
 focal, 61
 post-menopausal, 65–66, 67
 primary, 64–66
 secondary, 66–68
 senile, 65

Osteoprogenitor cells, 6
 Osteosarcomas
 conventional, 106–108
 overview of, 106
 parosteal osteosarcoma, 110–114
 parosteal osteosarcoma, 108–110
 telangiectatic osteosarcoma, 114–116
 variants of, 116–117

P

Paget disease, 66–68
 osteosarcomas and, 117
 Papillary endothelial hyperplasia, 165, 167
 Papillary intralymphatic angioendothelioma.
See Hobnail hemangioendothelioma
 Parasitic osteomyelitis, 60
 Parathyroid hormone (PTH), 11
 Pariosteal osteosarcoma, 110–114
 Parosteal osteosarcoma, 108–110
 Pericytic cell differentiation tumors
 glomus tumor, 206
 hemangiopericytoma, 207
 myopericytoma, 207
 Periosteal chondroma, 89
 Periosteum, 3
 Physis, 2, 3
 Pigmented villonodular synovitis (PVNS),
 49–51
 Plasma cell myeloma. *See* Plasma cell
 neoplasms
 Plasma cell neoplasms, 154
 Plasmacytoma. *See* Plasma cell neoplasms
 Pleomorphic lipoma, 177, 178
 Pleomorphic liposarcoma, 182
 Pleomorphic type rhabdomyosarcoma, 201
 Pleomorphic undifferentiated sarcoma,
 194–195
 Polystotic fibrous dysplasia, 121, 122
 Post-menopausal osteoporosis, 65–66, 67
 Primary hyperparathyroidism, 61
 Primary osteoporosis, 64–66
 Productive arthritides
 CPPD, 38–39
 destructive and, 51
 hemophilia, 39–40
 neuropathic arthropathy, 36–37
 osteoarthritis, 34–36
 Proliferative fasciitis/myositis, 216
 Proteolipids, 10
 bone/cartilage regulation and, 13–14
 Pseudosarcomas
 nodular fasciitis, 214–216
 proliferative fasciitis/myositis, 216

- Pseudotumor, hemophilic, 150
 Psoriatic arthritis, 47
 PTH. *See* Parathyroid hormone
 PVNS. *See* Pigmented villonodular synovitis
 Pyogenic granuloma, 159–160
 Pyrophosphate, 10
- R**
 RA. *See* Rheumatoid Arthritis
 Radiation therapy, osteosarcomas and, 117
 Reactive arthritis, 48
 Reflex sympathetic dystrophy, 21–22
 Regulation, bone/cartilage
 bone morphogenetic proteins and, 14
 calcitonin and, 12
 estrogens/androgens and, 13
 growth factors and, 14–15
 growth hormone and, 13
 proteolipids and, 13–14
 PTH and, 11
 vitamin A and, 13
 Remodeling, 1
 Renal disease, 61–62
 Resorption, 1
 osteoclasts and, 8
 Retiform hemangioendothelioma, 171–172
 Rhabdomyoma (non-cardiac), 196–197
 Rhabdomyosarcoma
 alveolar type, 200
 embryonal type, 198–200
 pleomorphic type, 201
 Rheumatoid Arthritis (RA), 40–42
 Round cell liposarcoma, 180–181
- S**
 Schwannoma, 201–202, 205
 Secondary chondrosarcoma, 98–99
 Secondary hyperparathyroidism, 61–62, 63–64
 Secondary osteomyelitis, 55
 Secondary osteoporosis, 66–68
 Senile osteoporosis, 65
 Septic arthritis, 43–44, 45
 Sequestra, 55
 SFTs. *See* Solitary fibrous tumors
 Short bones, 2
 Sickle cell disorder, osteonecrosis and, 26
 Sinus histiocytosis, 156
 Skeleton
 architecture and, 2
 formation/degradation of, 1
- Small cell osteosarcoma, 116
 Soft-tissue. *See also* Tumor/tumor-like lesions, of soft-tissue arthropathies and, 34
 myxoma, 184, 185
 Solitary fibrous tumors (SFTs), 189–191
 Spindle cell hemangioendothelioma. *See* Spindle cell hemangioma
 Spindle cell hemangioma, 166, 167–168
 Spindle cell lipoma, 177
 Steroids
 osteonecrosis and, 26
 secondary osteoporosis and, 66
 Structure, bone
 bone/cartilage regulation and, 11–15
 matrix and, 8–15
 microscopic, 3–8
 skeletal, 1–3
 Wolff's law and, 15
 Subacute osteomyelitis, 55, 56, 57
 Subchondral areas, osteonecrosis and, 24
 Subchondral bone cysts
 intraosseous ganglion, 77–78
 osteoarthritic, 76–77
 overview of, 75–76
 Sudeck dystrophy, 21–22
 Superficial fibromatosis, 187–189
 Synovial chondromatosis, 52, 53–54
 Synovial chondrometaplasia. *See* Synovial chondromatosis
 Synovial sarcoma, 210, 211
 Syphilitic osteomyelitis, 59–60
 Systemic mastocytosis, 156
- T**
 Telangiectatic osteosarcoma, 114–116
 Tendon sheath, fibroma of, 186, 187
 Tophi, 46, 48
 Traumatic neuroma, 201
 Tubercular osteomyelitis, 59
 Tumors of uncertain histogenesis/
 differentiation
 alveolar soft part sarcoma, 212, 213
 angiomatoid fibrous histiocytoma, 208–209
 clear cell sarcoma of soft-tissue, 208
 DSRCT, 212–213
 epithelioid sarcoma, 214
 extraskeletal myxoid chondrosarcoma, 210–212
 ossifying fibromyxoid tumor, 209–210
 synovial sarcoma, 210, 211

- Tumors/tumor-like lesions, of bone
- adamantinoma, 141–142
 - aneurysmal bone cysts, 72–75
 - angiomas, 149
 - angiosarcoma of bone, 152, 153
 - benign notochordal cell rest, 146
 - bone cysts, 69–78
 - bone forming lesions, 99–117
 - bone island, 99–100
 - cartilage forming, 78–99
 - chondroblastoma, 78–80
 - chondroma, 84, 86–89
 - chondromyxoid fibroma, 80–82
 - chondrosarcoma, 90–99
 - chordoma, 143–146
 - clear cell chondrosarcoma, 94–96
 - conventional chondrosarcoma, 90–92
 - conventional osteosarcoma, 106–108
 - dedifferentiated chondrosarcoma, 96–98
 - desmoplastic fibroma, 126–127
 - epithelioid hemangioendothelioma, 150–152
 - epithelioid hemangioma, 148
 - Erdheim Chester disease, 156
 - Ewing sarcoma, 130–133
 - fetal cartilage lesions, 78–82
 - fibrosarcoma, 127–128
 - fibrous dysplasia, 120–124
 - fibrous/fibrohistiocytic tumors, 118–130
 - giant cell lesions, 134–140
 - giant cell reparative granuloma, 137–140
 - giant cell tumor, 134–137
 - granulocytic sarcoma, 154
 - hemangioma, 147–150
 - hematopoietic tumors, 152, 154–156
 - hemophilic pseudotumor, 150
 - Hodgkin lymphoma, 155
 - intraosseous ganglion, 77–78
 - LCH, 155–156
 - malignant fibrous histiocytoma, 129–130
 - massive osteolysis, 149–150
 - mature hyaline cartilage lesions, 82–99
 - mesenchymal chondrosarcoma, 92–94
 - non Hodgkin lymphoma, 155
 - nonossifying fibroma, 118–120
 - notochordal tumors, 143–146
 - osteoarthritic cysts, 76–77
 - osteoblastoma, 104–105
 - osteochondroma, 82–84, 85
 - osteofibrous dysplasia, 124–126
 - osteoid osteoma, 101–104
 - osteosarcomas, 106–117
 - parosteal osteosarcoma, 110–114
 - parosteal osteosarcoma, 108–110
 - plasma cell neoplasms, 154
 - secondary chondrosarcoma, 98–99
 - subchondral bone cysts, 75–78
 - telangiectatic osteosarcoma, 114–116
 - unicameral bone cysts, 70–72
 - vascular neoplasms, 146–152
- Tumor/tumor-like lesions, of soft-tissue
- adipose tissue tumors, 174–183
 - adult fibrosarcoma, 193–194, 195
 - alveolar soft part sarcoma, 212, 213
 - angioliipoma, 176
 - angiomatoid fibrous histiocytoma, 208–209
 - angiomas, 163–165
 - angiosarcoma, 173–174
 - arteriovenous hemangioma, 165, 166
 - atypical lipomatous tumor, 179–180
 - calcifying aponeurotic fibroma, 187
 - capillary hemangioma, 159–160
 - cavernous hemangioma, 160–161
 - clear cell sarcoma of soft-tissue, 208
 - de-differentiated liposarcoma, 182–183
 - deep fibromatosis, 188–189
 - desmoplastic fibroblastoma, 186–187
 - DFSP, 191, 192
 - DSRCT, 212–213
 - elastofibroma, 183–184
 - epithelioid hemangioendothelioma, 169–170
 - epithelioid sarcoma, 214
 - extraskeletal myxoid chondrosarcoma, 210–212
 - fibroma of tendon sheath, 186, 187
 - fibromatoses, 187–189
 - fibrous tumors, 183–195
 - glomus tumor, 206
 - granular cell tumor, 203–205
 - hemangiopericytoma, 207
 - hibermoma, 177, 178
 - histiocytic hemangioma, 161–162
 - hobnail hemangioendothelioma, 170–171
 - hyalinizing spindle cell tumor with giant rosettes, 193, 194
 - intramuscular hemangioma, 163
 - kaposiform hemangioendothelioma, 168, 169
 - keloid, 186
 - KS, 172–173
 - leiomyoma, 196
 - leiomyosarcoma, 197–198
 - lipoma, 174–175
 - lipomatosis, 175–176

- liposarcomas, 178–183
 - low grade fibromyxoid sarcoma, 193, 194
 - low grade myxofibrosarcoma, 191–193
 - lymphangioma, 168, 169
 - malignant SFT, 190–191
 - mesenteric fibromatosis, 188
 - MFH, 194–195
 - misdiagnosed non-neoplastic conditions, 214–216
 - MPNST, 205
 - myogenic tumors, 196–201
 - myopericytoma, 207
 - myxoid liposarcoma, 180–181
 - myxoid malignant fibrous histiocyoma, 191–193
 - myxomas, 184, 185
 - neural tumors, 201–205
 - neurofibroma, 202–203, 204
 - nuchal fibroma, 184–185
 - ossifying fibromyxoid tumor, 209–210
 - overview of, 159
 - papillary endothelial hyperplasia, 165, 167
 - pericytic/modified perivascular cell differentiation, 206–208
 - pleomorphic lipoma, 177, 178
 - pleomorphic liposarcoma, 182
 - pleomorphic undifferentiated sarcoma, 194–195
 - proliferative fasciitis/myositis, 216
 - retiform hemangioendothelioma, 171–172
 - rhabdomyoma (non-cardiac), 196–197
 - rhabdomyosarcoma, 198–201
 - round cell liposarcoma, 180–181
 - schwannoma, 201–202, 205
 - SFTs, 189–191
 - spindle cell hemangioma, 166, 167–168
 - spindle cell lipoma, 177
 - superficial fibromatosis, 187–189
 - synovial sarcoma, 210, 211
 - uncertain histogenesis/differentiation, 208–214
 - vascular tumors, 159–174
 - venous hemangioma, 163, 164
 - well-differentiated liposarcomas, 179–180
 - Tunneling resorption, 62, 63
- U**
- Unicameral bone cysts, 70–72
- V**
- Vascular neoplasms
 - angiomatosis, 149
 - angiosarcoma of bone, 152, 153
 - epithelioid hemangioendothelioma, 150–152
 - epithelioid hemangioma, 148
 - hemangioma, 147–150
 - massive osteolysis, 149–150
 - overview of, 146
 - Vascular stasis, 25
 - Vascular tumors
 - angiomatosis, 163–165
 - angiosarcoma, 173–174
 - arteriovenous hemangioma, 165, 166
 - capillary hemangioma, 159–160
 - cavernous hemangioma, 160–161
 - epithelioid hemangioendothelioma, 169–170
 - histocytic hemangioma, 161–162
 - hobnail hemangioendothelioma, 170–171
 - intramuscular hemangioma, 163
 - kaposiform hemangioendothelioma, 168, 169
 - KS, 172–173
 - lymphangioma, 168, 169
 - papillary endothelial hyperplasia, 165, 167
 - retiform hemangioendothelioma, 171–172
 - spindle cell hemangioma, 166, 167–168
 - venous hemangioma, 163, 164
 - Venous hemangioma, 163, 164
 - Viral osteomyelitis, 60
 - Vitamin A, bone/cartilage regulation and, 13
 - Vitamin D
 - bone/cartilage regulation and, 12–13
 - deficiency, 62, 65
- W**
- Well-differentiated liposarcomas, 179–180
 - Wide osteoid seams, 62, 65
 - Wolff's law, 15
 - Woven bone, 4, 62, 63