
Index

- P*-polygon, 22
- T*-transform, 87
- U*-polygon, 22
- X*-rays, 89
- β_0 -expansion, 346
- β_0 -representation, 346
- π -sequence, 96
- hv*-convex, 33
- 2-SAT, 44
- 3D reconstruction, 198
- 3DXRD (3-dimensional X-ray diffraction), 272
- 4-connected set, 33, 156
- 4-path, 33, 156
- 6-connected set, 33
- 8-connected set, 33, 156
- 8-path, 33, 156

- a priori knowledge, 207
- absorption, 56, 58, 68
- algorithm
 - connected component, 274
 - intensity correction, 313
 - labeling, 274
 - Metropolis, 281, 290
 - reconstruction, 353
 - restoration, 281, 287
 - simulated annealing, 291, 306
 - thresholded median filtering, 313
- all-or-none loss function, 253
- ambiguous pixel, 288
- annealing schedule, 256

- ART (algebraic reconstruction technique), 184, 258, 272, 280, 314, 369
 - with blobs, 265
- associated graph, 177, 186
- atom switching, 57, 58, 63, 70
- average orientation, 276, 288

- b-matching, 189
- bad configuration, 89
 - weakly, 89
 - weight of weakly, 89
- base point, 39
- Bayes
 - estimator, 249, 253
 - risk, 248, 249, 253
 - rule, 252
 - theorem, 370
- binary, 249, 258
 - constraint, 229
 - matrix, 177
- black-and-white image, 177
- block iterative algorithm, 208
- blueprint, 182

- CAD (computer-aided design), 328
- canonical matrix, 115, 116
- capacity
 - constraint, 185
 - function, 178
- Chinese remainder theorem, 25
- clique, 249
 - potential, 289
- combinatorial optimization, 253

- compatible vectors, 353
- component, 157
 - disjoint, 157
 - switching, 56
- composite
 - rotation, 278
 - switching, 352
- computerized tomography, 207
- concave optimization, 229
- condition
 - local optimality, 231
 - necessary, 232
 - sufficient, 231, 232
- cone
 - normal, 231
- confidence region, 208
- configuration, 249, 281, 308
 - decomposable, 157
 - switching, 56
- connected component algorithm, 274
- connectedness, 156
- constraint, 208
 - binary, 229, 236
- continuation, 230
- continuous reconstruction, 184, 191
- convex
 - body, 19
 - constraint, 209
 - lattice set, 21, 33
 - optimization, 234
 - polytope, 21
 - programming, 208
 - algorithm, 209
- convexity, 156
- cooling factor, 307
- crack detection, 317
- cross ratio, 21, 33
 - ordered, 33
- crystal symmetry, 274, 278
- crystalline lattice, 271, 274
 - cubic, 279
- crystallographic equivalence, 278
- CT (computerized tomography), 367
- cumulated vectors, 154
- cycle, 257
- DC
 - decomposition, 232
 - programming, 229, 232
- deblurring, 240, 241
- decomposability, 157
 - strong, 172
- detectability, 264
- determination
 - by X-rays, 36
- diffraction
 - 3-dimensional X-ray, 272
 - pattern, 272
 - spot, 272
- digital line, 372
- DIRECT (discrete reconstruction techniques), 305, 310
- directedness, 156
- direction, 55, 62, 69, 70
- discrete
 - parallel X-ray, 19, 22
 - point X-ray, 19, 22
- discrete set, 154
 - $h\nu$ -convex, 156
 - center of, 165
 - decomposable, 157
 - directed, 157
 - horizontally convex, 156
 - Q-convex, 156
 - source of, 157
 - type of, 158
 - vertically convex, 156
- disorientation angle, 279
- distance
 - orientation, 279
 - rotation, 278
- distribution
 - Gibbs, 281
- dominance order, 87
- DT (discrete tomography), 1, 2, 19, 31, 272
- edge-to-point mapping, 178
- EDT (emission discrete tomography), 333
- electron microscopy, 247
- EM (expectation-maximization), 235
- emission tomography, 55, 68
- energy, 250
- equality position, 161
- equilibrium state, 306
- excess edges, 186
- existence, 3

- FBP (filtered back-projection), 369
- FCC (face-centered cubic) grid, 262
- feasibility, 207
- filling operation, 42
- finite n -length β_0 -representation, 346
- flow, 178
 - integral, 181
 - maximal size, 179
- flow conservation constraint, 179
- FOM (figure of merit), 265
- FOM (figure-of-merit), 295
- FPI (flat panel image), 316

- Gale–Ryser theorem, 115
- generating polynomial, 59, 62, 76, 78
- geometric tomography, 3, 19
- Gibbs
 - distribution, 250, 281
 - parameter, 250
 - priors, 248
- gluing, 157
- gluing sequence, 164
- grain, 271
 - map, 272, 274
 - reference, 292
 - orientation, 271
- graph of a matrix, 96
- gray-value image, 249, 251

- Hammer’s X-ray problems, 19
- Hamming loss function, 253
- hyperpartition, 96, 105

- ICM (iterated conditional mode), 253, 258
- image function, 306
- instability, 29
- integer programming, 228
- integral flow, 181
- intensity correction, 313
- interchange, 116, 118

- label image, 249
- labeling, 249
 - algorithm, 274
- lattice, 274
 - P -polygon, 22
 - U -polygon, 20
 - crystalline, 271, 274
 - cubic, 279
 - direction, 32, 177, 194
 - line, 22, 177
 - orientation, 271, 274
 - polygon, 22
 - set, 4, 21, 31, 177
 - simple cubic, 276
- least-squares, 227
 - regularized, 228
- likelihood, 249, 367
 - mean-by-the-mode, 254
 - smoothness prior, 375
- limited view angle tomography, 316
- line
 - edge, 178
 - node, 178
- line-convex set, 33
- local
 - configuration, 282
 - features, 250
 - method, 253
 - potential, 250
 - smoothness, 193
- logarithmic transform, 305
- Lorentz theorem, 337
- loss function, 249, 253
- LP (linear programming), 368

- majorization
 - definition of, 85
- map
 - grain, 272, 274
 - reference, 292
 - orientation, 274
 - reference, 292
- MAP (maximum a posteriori probability) estimator, 248, 253
- marginal, 89
 - posterior, 253
- material
 - moderately deformed, 287
 - texture, 279
 - undeformed, 274
- matrix
 - $(0, 1)$ -, 88
 - $(0, 1)$ -additive, 89
 - π -unique, 96, 105
 - n -dimensional, 88
 - additive, 100, 105

- binary, 88
 - minimal, 96
 - real-minimal, 105
 - uniqueness, 89
- max flow, 179
 - algorithms, 189
 - problem, 188
- MCM (Markov Chain Monte Carlo), 253
- measurement, 249
- measurement vector, 251
- Metropolis
 - algorithm, 256, 281, 290
 - cycle, 282
- min cost flow, 187
 - algorithms, 189
 - implementation, 189
 - problem, 182, 188
- minimal corner, 63
- moderate deformation, 274, 287
- MPM (marginal posterior mode)
 - estimator, 248, 253
- NDT (non-destructive testing), 304
- neighborhood, 193
 - radius, 193
- network flow, 179
 - model, 186
 - problem, 188
 - time complexity, 188
- noise level, 259
- noisy projections, 184
- nonadjacency constraint, 127
- normal cone, 231
- normality assumption, 254
- NP-hard, 190
- numerical continuation, 230
- optimality
 - global, 231, 238
 - local, 231
- optimization
 - concave, 229
 - convex, 230, 234
 - DC, 233
 - global, 229
 - interior point, 376
 - linear programming, 376
 - nonconvex, 232
 - quadratic, 231
 - simplex algorithm, 376
- orientation
 - average, 276, 288
 - distance, 279
 - grain, 271
 - lattice, 271, 274
 - map, 274
 - reference, 292
 - spread, 288
- oversmoothing, 248, 261
- P-MAP (pseudo-MAP) estimator, 255
- P-MPM (pseudo-MPM) estimator, 255
- Pappus theorem, 28
- parallel
 - algorithm, 209
 - X-ray, 19
- partial volume effect, 247
- partition, 87
 - conjugate, 87
- path
 - northeast, 156
- permutohedron, 85, 106
- pixel, 249
 - ambiguous, 288
 - void, 299
- PL (pseudo-likelihood)
 - approximation, 254, 255
 - method, 250
- plane
 - partition, 96
 - set, 202
- point
 - detector, 358
 - edge, 178
 - X-ray, 19
- Poisson noise, 208
- polycrystal, 271
- polyomino, 33, 156
- posterior probability, 249, 252
- potential, 281
- primary line edges, 186
- prior knowledge, 176, 181
- probability, 251
- problem
 - consistency, 336, 339
 - existence, 336, 339

- reconstruction, 336, 339, 347, 358, 360
 - weighted, 181
 - uniqueness, 336, 339
- programming
 - DC, 229, 232, 233, 239
 - integer, 228
- projection, 3, 154, 177, 305
 - absorbed, 358
 - down, 358
 - horizontal, 358
 - left, 358
 - opposite, 358
 - right, 358
 - up, 358
 - vertical, 358
 - first
 - generalized, 339
 - horizontal, 335, 346
 - matrix, 252
 - onto a convex set, 209
 - second, 337
 - generalized, 342
 - sum, 177
 - third, 337
 - generalized, 342
 - vertical, 335, 346
- projective transformation, 21
- protein, 247
- pseudo-posterior, 255
- pure quaternion, 277
- pyramid, 89

- Q-convex lattice set, 34
- quadrant, 34
- quadratic objective, 209
- quaternion, 276
 - conjugate, 276
 - identity element, 276
 - norm, 276
 - pure, 277
 - unit, 277

- Radon transform, 89, 211, 305
- rational polygon, 22
- reconstruction, 3, 121
 - algorithm, 121
 - lattice, 177
 - problem, 38, 155, 305
 - more than two projections, 190
 - prescribed, 50
 - two projections, 177
- results, 195
- reference
 - cylinder, 310
 - grain map, 292
 - orientation map, 292
- region, 274
- relaxation labeling, 253
- residual energy, 217
- resolution, 248
- restoration algorithm, 281, 287
- RNA (ribonucleic acid), 247
- ROC (receiver operating characteristic)
 - curve, 258
- rotation, 277
 - composition, 278
 - distance, 278
- Ryser algorithm, 117, 175
 - generalized, 117

- SA (simulated annealing), 256, 291, 306, 362
- scanning transmission microscopy, 29
- set theoretic approach, 207
- similarity fraction, 193
- simple cubic lattice, 276
- sinogram, 211
- smoothness, 193, 308
- SPECT (single photon emission computed tomography), 334
- start solution, 190
- statistical
 - constraint, 213
 - model, 248
- stop criterion, 195
- strongly
 - linked pattern, 349
 - side-connected discrete squares, 348
- subdifferential, 209
- subgradient, 209
 - projection, 209
- sum
 - broken line, 75, 76
 - column, 55, 61
 - directed, 68, 70
 - line, 55, 61, 62
 - parabola, 78

- row, 55, 59
- switching
 - 1D, 347
 - elementary, 347
 - 2D, 348
 - component, 4, 5
 - pattern
 - boundary of, 352
 - composite, 350
 - core of, 352
 - elementary, 349
- symmetry
 - crystal, 274, 278
- texture material, 279
- thresholded median filtering, 313
- timetabling constraint, 127
- tomographically equivalent sets, 335, 339
- tomography, 236
 - binary, 227, 235, 236, 239
 - discrete, 19, 235, 236
 - emission, 333
 - geometric, 19
 - limited view angle, 316
 - transmission, 227, 305, 333
- total variation, 208
- transform
 - logarithmic, 305
 - Radon, 305
- transmission tomography, 305
- transportation polytope, 89
- transposition, 85
- undeformed material, 274, 280
- underdetermined, 181
- uniqueness, 3, 50, 119, 120
- unit quaternion, 277
- vessel system, 236, 238
- void pixel, 299
- Voronoi neighborhood, 249, 251, 252
- voxel, 200
- VRML (virtual reality modeling language), 310
- weight map, 181, 192
- weighted reconstruction problem, 181
- Young pattern, 114
- Z-contrast technique, 29

Applied and Numerical Harmonic Analysis

- J.M. Cooper: *Introduction to Partial Differential Equations with MATLAB* (ISBN 0-8176-3967-5)
- C.E. D'Attellis and E.M. Fernández-Berdaguer: *Wavelet Theory and Harmonic Analysis in Applied Sciences* (ISBN 0-8176-3953-5)
- H.G. Feichtinger and T. Strohmer: *Gabor Analysis and Algorithms* (ISBN 0-8176-3959-4)
- T.M. Peters, J.H.T. Bates, G.B. Pike, P. Munger, and J.C. Williams: *The Fourier Transform in Biomedical Engineering* (ISBN 0-8176-3941-1)
- A.I. Saichev and W.A. Woyczyński: *Distributions in the Physical and Engineering Sciences* (ISBN 0-8176-3924-1)
- R. Tolimieri and M. An: *Time-Frequency Representations* (ISBN 0-8176-3918-7)
- G.T. Herman: *Geometry of Digital Spaces* (ISBN 0-8176-3897-0)
- A. Procházka, J. Uhlíř, P.J.W. Rayner, and N.G. Kingsbury: *Signal Analysis and Prediction* (ISBN 0-8176-4042-8)
- J. Ramanathan: *Methods of Applied Fourier Analysis* (ISBN 0-8176-3963-2)
- A. Teolis: *Computational Signal Processing with Wavelets* (ISBN 0-8176-3909-8)
- W.O. Bray and Č.V. Stanojević: *Analysis of Divergence* (ISBN 0-8176-4058-4)
- G.T. Herman and A. Kuba: *Discrete Tomography* (ISBN 0-8176-4101-7)
- J.J. Benedetto and P.J.S.G. Ferreira: *Modern Sampling Theory* (ISBN 0-8176-4023-1)
- A. Abbate, C.M. DeCusatis, and P.K. Das: *Wavelets and Subbands* (ISBN 0-8176-4136-X)
- L. Debnath: *Wavelet Transforms and Time-Frequency Signal Analysis* (ISBN 0-8176-4104-1)
- K. Gröchenig: *Foundations of Time-Frequency Analysis* (ISBN 0-8176-4022-3)
- D.F. Walnut: *An Introduction to Wavelet Analysis* (ISBN 0-8176-3962-4)
- O. Bratteli and P. Jorgensen: *Wavelets through a Looking Glass* (ISBN 0-8176-4280-3)
- H.G. Feichtinger and T. Strohmer: *Advances in Gabor Analysis* (ISBN 0-8176-4239-0)
- O. Christensen: *An Introduction to Frames and Riesz Bases* (ISBN 0-8176-4295-1)
- L. Debnath: *Wavelets and Signal Processing* (ISBN 0-8176-4235-8)
- J. Davis: *Methods of Applied Mathematics with a MATLAB Overview* (ISBN 0-8176-4331-1)
- G. Bi and Y. Zeng: *Transforms and Fast Algorithms for Signal Analysis and Representations* (ISBN 0-8176-4279-X)
- J.J. Benedetto and A. Zayed: *Sampling, Wavelets, and Tomography* (ISBN 0-8176-4304-4)
- E. Prestini: *The Evolution of Applied Harmonic Analysis* (ISBN 0-8176-4125-4)
- O. Christensen and K.L. Christensen: *Approximation Theory* (ISBN 0-8176-3600-5)
- L. Brandolini, L. Colzani, A. Iosevich, and G. Travaglini: *Fourier Analysis and Convexity* (ISBN 0-8176-3263-8)
- W. Freeden and V. Michel: *Multiscale Potential Theory* (ISBN 0-8176-4105-X)
- O. Calin and D.-C. Chang: *Geometric Mechanics on Riemannian Manifolds* (ISBN 0-8176-4354-0)
- J.A. Hogan and J.D. Lakey: *Time-Frequency and Time-Scale Methods* (ISBN 0-8176-4276-5)
- C. Heil: *Harmonic Analysis and Applications* (ISBN 0-8176-3778-8)

K. Borre, D.M. Akos, N. Bertelsen, P. Rinder, and S.H. Jensen: *A Software-Defined GPS and Galileo Receiver* (ISBN 0-8176-4390-7)

G.T. Herman and A. Kuba: *Advances in Discrete Tomography and Its Applications*
(ISBN 0-8176-3614-5)