

Subject Index

- α -Tocopherol, biosynthetic pathway 206, 215–219
 β -carotene 120, 126, 130, 140–142, 146, 147
in Lhc complex 120, 125, 126, 130, 134
 Δ pH 641, 644, 651, 652
 π stacking 227, 228
 π – π interaction 406
 π -stacked tryptophan 200
“T₀” electron spin polarization 340
 Δ pH (proton gradient) generation 640, 648
1,4-dihydroxy-2-naphthoic acid 206, 208, 211
¹⁵N hyperfine interactions 353
2-carboxy-1,4-naphthoquinone 214, 315, 377, 404, 419
2-mercaptoethanol 532
5'-adenylylsulfate (APS) 489
5-deazariboflavin 444
- A- and B-branch, energetic asymmetry 587
A₀ (primary electron acceptor) 25–28, 48, 52, 60–62, 65, 158, 159, 166–171, 195, 340, 341, 373–375, 379, 382–386, 390–394, 400, 405, 573, 574, 584–587, 613–615, 619, 621, 627–633
absorbance difference spectrum 25–26
binding pocket 230–234
early picosecond measurements 26–27
millimolar extinction coefficient 28
mutants 196
photoaccumulation of 26
reaction kinetics 26–28
A_{0A} 230–233, 239
 ¹³¹ keto C=O Mode 312, 313
 ¹³³ ester C=O Mode 310, 312
A_{0B} 230–233, 239
A₋₁ (accessory chlorophyll) 363, 373, 375
A₁ (intermediate quinone acceptor) 24, 35–38, 48, 52, 60–63, 158–163, 166–171, 285, 321–330, 338–341, 346, 363, 369, 372–376, 382, 386, 573–578
 reduction 369
A₁⁻ (reduced quinone acceptor) 302, 308, 312, 369–379, 386
 biphasic kinetics 224–226, 232, 238–401, 587–590
 fast phase temperature independent 229, 238, 239
 monophasic kinetics 224, 225
 mutants 200
 orientation 342, 353–356
 oxidation 224–241, 369, 375, 391
 photoaccumulation 389, 398–403
 redox potential 383, 541
 slow phase thermally activated 228, 239, 241
A₁⁻ → F_{A/B} 557, 558
 Δ H 577, 578
 entropy driven reactin 578
 volume changes 578
A₁⁻/A₁, FTIR difference spectra 301–303, 307
 amide I modes 314
 amide II modes 313
A_{1A} (quinone acceptor on PsaA-side) 361, 372–383
 photoaccumulation 588
 redox potential 587, 592
A_{1B}, redox potential 587, 592
- A₂ intermediate acceptor (see also FeS-X and F_X) 21, 34–38
A₂ chlorophyll 293, 298
A₃ chlorophyll 293, 297, 298
ABC transporter system 534, 538
A-branch electron transfer 399–407, 587
Absorption cross section 177
Absorption spectroscopy, time-resolved 224, 228, 230
Accessory chlorophyll proteins 101, 107–110, 113
Accessory chlorophylls 195, 233, 234, 263
Acid-labile sulfur 9
Aconitase 530
Activation energy 237–239, 334, 337, 404, 574
ADMR 278, 285, 286
Adrenodoxin reductase 459
Aerobic oxidative cyclase 524, 525
Amphipathic α -helical structure 501, 502
Anaerobic fermentation 685
Ancient reaction center 670
Anisotropic diamagnetic susceptibility 347–350
Anisotropic fluorescence upconversion 162
Annihilation phenomenon 159, 166, 167
Antenna, core in plant PS I 140
Antenna, peripheral in plant PS I 140
Anthraquinone 208, 214, 381, 385, 386
 substitution in *menB* mutants 214
Antiferromagnetic coupling 458
Antimycin A 640, 641, 646–648
Antisense technology 516, 521, 522
Apoferredoxin 10, 534
Arrhenius type temperature dependence 404
Artificial lipid membrane 324
Ascorbate peroxidase 661, 662
Asolectin 324
Asymmetric H-bonding 377–379, 382
Asymmetric spin density distribution 377
Atmospheric oxygen concentration 684, 685
ATP 7, 640, 644, 649–652
ATP/NADPH ratio 651
ATPase 534, 538
Auracyanin 676
- B₂ chlorophyll 293, 298
B₃ chlorophyll 293
Backreaction 238, 422, 423, 431
 direct via tunneling 619
 indirect via earlier intermediates 619, 627, 628
 kinetics 406
 pathway 400
Bacteriochlorophyll (Bchl) *a* 178, 186
B-branch electron transfer 400–402, 405, 407, 587
Benson-Calvin cycle 642–652
Berkner-Marshall point 685
Bidirectional electron transfer 200, 201, 232, 237, 239, 356, 415–418, 422–434
Biogenesis 531, 532
bis-molybdopterin guanine dinucleotide 481
Boltzmann equilibrium 164

- Boltzmann factor 600
 Boltzmann penalty, uphill electron transfer 588–590
 Bonding energy 572
 Bound ferredoxin 12
 Brownian oscillator 605
 Bundle sheath cells 642, 644, 651, 658, 660
- C_2 symmetric branch of cofactors 361, 372–374
 C_2 symmetry 83, 90–94
 $C_2S_2M_2$ PSII-LHCII supercomplex 42
 C_3 plants 643–647
 C_4 plants 642, 644, 651
 C_{708} 182–188, 596
 C_{719} 178, 179, 182–184, 188, 596
 C_{740} 180–187
 Carbon metabolism, regulation 440
 Carotenoid 33, 48–52, 56–59, 64, 65, 234, 236, 322, 392, 651
 3 Carotenoid (triplet state) 64
 Cation radical 344
 deletion mutants 36
 Lhca proteins 125–131
 CD spectroscopy 133
 of Lhca complexes 127
 Center A (see also F_A) 13
 Center B (see also F_B) 13
 Center X (see also F_X) 13
 CES model 520
 Chaotropic agents 80, 95
 Chaperone 533, 534
 Charge recombination 36, 583–589, 646, 647, 661–663
 Charge separation 15, 157, 158, 164–168, 178, 185–188, 340–343
 356, 575
 time, effective 165
 time, intrinsic 165
 Charge-compensated pair 504
 Chilling sensitive plants 659
 Chilling tolerant plants 659
 Chlorophyll
 biosynthetic pathway 524, 525
 connecting 64, 199, 200
 coordination by histidines 52, 61
 dimer 292, 296, 297
 excitonic coupling 199
 fluorescence 664
 Q_Y transition dipole moment 602
 Chlorophyll *a* 26, 32, 33, 157, 158, 193–200
 10a-ester C=O 273–286
 7c-ester C=O 273, 277
 9-keto C=O 272–286
 anion radical 25, 420, 421
 binding protein 101, 102, 107–112
 cation radical 33, 342–347
 enolic form 246, 262–264
 excitonic interactions 131–133
 Q_Y absorption band 158
 redox potential 247, 264
 triplet state 64, 346, 347
 3 Chlorophyll *a* (triplet state of Chl *a*)
 |D| and |E| values 260, 261
 zero field splitting parameters 607
 Chlorophyll *a*/chlorophyll *b*
 binding protein 41, 42, 73, 184, 678
- light harvesting complex 101, 107–111
 Chlorophyll *a'* (13² epimer of Chl *a*) 60, 157, 246, 262, 272–278,
 342–347, 420, 421, 431
 g-tensor 343–345
 Chlorophyll *c* 101
 Chlorophyll *d* 285, 294
 Chlorophyll(z)⁺ 344
 Chloroplast energization 645
 Chl *a*⁺/Chl *a* FTIR difference spectra 273
 Chromatophores 322–337
 Circular dichroism 32, 165, 180–182, 488, 560, 600, 603
 Closed RC 160–163
 Cofactor architecture 672, 679
 Cofactors, structural arrangements 392, 394
 Coherence decays 341
 Conformational motion of protein 599
 Connecting domain, PS I trimer 55
 Consecutive CRPs 367
 Convergent evolution 140, 688, 692
 Copper
 bioavailability 685, 686
 Cu(I) 686
 Cu(II) 686
 deprivation (in *Chlamydomonas*) 524, 525
 geochemical changes 686
 ligands, plastocyanin 506
 proteins 10
 Correlated radical ion spin pair (CRP) 361, 366–369
 Coulomb coupling 599
 CP1 complex 25, 34–36
 CP43 100–113
 CP43' 102
 C-P430 in green sulfur bacteria 20
 CP47 100–103
 Crosslinking 42, 142–150
 CxxCxxCxxxCP motif 675
 Cyclic electron transport 42, 103, 440, 640–642, 662, 663
 between P700 and A_1 400, 401, 407
 cyanobacteria 650
 ferredoxin-mediated 641
 green unicellular algae 649
 higher plants 647
 PsaE involvement 553
 Cyclic photophosphorylation 640
 Cyclic voltammetry 486
 Cysteine 531–537
 Cysteine desulfurase 534, 537
 Cytochrome b₅ reductase 459
 Cytochrome b₆/f 520–524, 640–643, 647–652, 659
 Cytochrome c' 647
 Cytochrome c₂ 692, 694
 Cytochrome c₅₅₀ 509
 Cytochrome C551 20
 Cytochrome₅₅₃ 501
 Cytochrome c₆ 48, 52, 53, 58, 319–323, 328, 329, 333, 336,
 500–505, 508, 509, 521, 524, 679, 686
 crosslinking with PsaF 502
 intracomplex electron transfer 508
 isoelectric point 687
 midpoint potential 688
 transient complex with PS I 508
 Cytochrome c_m 693, 694

- Cytochrome c_p 693, 694
Cytochrome f 520
Cytochrome P450 reductase 459
- D144 particles 17
Dark relaxation, PS I 622, 626–633
DBMIB 640, 641, 659
DCMU 323, 659–663
DCPIP 328, 329
Decay associated spectrum (DAS) 161–163, 180, 181, 186–189
Delayed fluorescence emission 622
Delocalization of excited states 600, 607
Demethylphylloquinone 208, 212–214
Density functional theory 256, 262, 273
Dephosphorylation 149
Dielectric constant 319, 320, 329–335, 573, 576, 599
 effective 319, 320, 330–335, 573, 576
Dielectrically-weighted distance 329–333
Dielectrically-weighted photoelectric signal 319, 335
Diffusion limited 164, 165, 170
Digitonin, membrane solutilization 42, 45
Di-iron enzyme 517, 519, 524
Dimethyldithiocarbamate 661
Dinucleotide phosphate (DPN) 2, 3, 6
Dipolar coupling (D) 367–372, 599
Direct electrometrical method 319, 324, 325
Distance estimates 584
Donor side 144
Driving force (ΔG , E_m) 584, 585
Drude-Nernst equation 577
Dual-trap model 418, 429–433
Dutton's ruler 195, 573
Dynamic disorder 598
Dynamics, electron transport 616
Dynamics, excitation energy transfer 596, 597, 601–605
- ec2 chlorophylls 415–418, 428–433
ec3 chlorophylls 415–423, 427–433
eC-A1 60, 391, 392
eC-A2 61, 195, 196, 200
eC-A3 61, 195, 196, 200
eC-B1 60, 391, 392
eC-B2 60, 61, 195, 196, 200
eC-B3 61, 195, 196, 200
Eigenstates, singlet radical pair 352, 353
Einstein-Podolsky-Rosen gedanken experiment 366
ELDOR (electron electron double resonance) 365, 371
Electric dipole 691
Electrochromic bandshift 161, 163, 234–278, 310, 322, 392, 423–425, 430, 431, 608
Electrogenic reactions 226, 237, 239, 319–326, 330, 337, 338
Electron carrier G 647
Electron microscopy 42, 43, 103, 104, 111
 cyanobacterial cells 350, 351
Electron spin density distribution 245, 249, 250, 255, 262–264
Electron spin polarization (ESP) 33, 361–368, 384–386, 395–398, 400–405
Electron spray ionization mass spectrometry 488
Electron transfer 302, 320–323, 331–334, 341–344, 355, 356
 A-branch dominance 375
 activation energy 422, 425
 apparent rate constant 165
asymmetry 587, 588
bidirectional 362–366, 374
biphasic kinetics 417, 421, 424–428, 432
diffusion-limited 443
directionality 363, 374, 388, 406
dynamics 616
effective rate constant 165
intrinsic rate constant 165
kinetics 388, 389, 394, 395, 399
mechanisms 469
pathway 294–297
temperature dependent 418, 420–433, 507
temperature independent 229, 238, 239
unidirectional 374
Electron tunneling 583–592
Electronic g -factor 248–250, 261
Electronic tunneling matrix element 403, 404
Electronic wave functions 599
Electrostatic calculations 382, 383
Electrostatic interaction 312, 361, 362, 376, 381, 466–470, 447–482, 500–510, 573
Electrostriction 575, 576
Endonuclease III 530
Endo-nucleolytic RNA processing 517, 525
ENDOR (electron nuclear double resonance) 194, 195, 224–229, 233, 237, 248–266, 272, 278, 279, 286, 287, 343, 362, 365, 371, 379, 380, 385, 396–403, 419–422, 607
 CW 398, 399, 403
 high frequency 339, 343
 pulsed 396, 400, 403
Endosymbiotic event 671
Energy equilibration 597
Energy gap 573, 579
Energy transfer 185–189
 Lhca complexes 130, 131
 PS II vs PS I 121
 role of PSI-G and PSI-K 146
 strongly coupled pigments 604, 605
 weakly coupled pigments 601
Energy trapping
 diffusion limited 164, 165
 trap limited 164
Energy utilization 185
Entangled quantum state 366
Enthalpy (ΔH) 480, 507, 571–580
 methods of measuring 575
Entropy (ΔS) 239, 480, 494, 507, 572–580
 driven events 572, 578–580
EPR (electron paramagnetic resonance) 10, 20–23, 31–37, 80, 81, 89, 94, 95, 224–230, 233–239, 245, 394–406, 554–558, 564
 D-band (130 GHz) 342–351
 high-field (310 GHz) 342, 347, 348
 high-field/frequency 340, 342
 K-band (24 GHz) 384
 pulsed 363, 369–376, 383, 385
 Q-band (34 GHz) 342, 352–354, 372, 399–403
 spin polarized 395, 400–402
 time resolved 339–342, 346, 350, 352, 356, 394
 transient (TR-EPR) 200, 201, 224–229, 233, 234, 239, 364–369, 383–386, 422–431
 W-band (94 GHz) 342, 347, 348, 370, 372, 384, 400–402
 X-band (9 GHz) 342, 347, 353, 355, 372, 379, 396, 400

- Equilibrium state 619
 ESE (electron spin echo) 341, 343, 346, 365, 395, 401
 ESEEM (electron spin echo envelope modulation) 194, 248–257, 265, 343, 365
 out-of-phase echo 372
 Evolution 670–679
 drift 583, 592
 optimization 689
 pathway 684, 690
 tree 673–679
 Exchange coupling (J) 368
 Excitation energy transfer 147, 178, 185
 dynamics 596, 597, 596, 597, 601–605
 equilibria 147, 163, 164
 Excited state absorption (ESA) 159, 169
 Exciton band 182
 Excitonic
 coupling 169, 195, 199, 200, 599, 600
 coupled chlorophylls 182, 183
 Hamiltonian 600
 interaction 32, 199
 relaxation 604, 605
 Exciton-vibrational coupling 604, 605
 Exergonic 229, 239
 Extended-dipole-approximation 599
 Extrinsic subunits 58, 63
- F702 184
 F725 185
 F730 181–185
 F735 185
 F760 85, 186
 F_A (tertiary electron acceptor) 32–38, 63, 225, 226, 237–240, 319–337, 363, 374, 375, 384–386, 391, 395, 401, 406, 407, 415, 416, 420–427, 433, 516, 517, 523, 524, 550–558, 564, 661
 assembly 531
 equal and mixed valence pairs 83, 84
 magnetic properties 80–84
 mutants 200, 202
 redox potential 89
 F_A/F_B (tertiary electron acceptors) 320–328, 337, 384, 572–580, 613–615, 627–634, 675–678
 backreaction 33
 redox potentials 443, 574, 592
 FAD cofactor 467
 FAD isoalloxazine ring 479
 Far red excitation 647, 648, 650
 F_B (tertiary electron acceptor) 32–38, 63, 225–240, 319, 321–337, 363–375, 384–386, 391, 395, 401, 406, 407, 415, 416, 420–427, 433, 516, 517, 523, 524, 550–558, 564, 661
 assembly 531
 equal and mixed valence pairs 83, 84
 magnetic properties 80–84
 mutants 200, 202
 redox potential 89
 Fe/S type reaction center 416
 Femosecond optical studies 296, 297
 Femosecond oscillations 295–298
 Fenton reaction 660, 661
 Ferredoxin 9, 16, 32, 36, 74–84, 102, 143–150, 155, 158, 320, 338, 456–463, 517, 521–524, 531, 534, 550, 555, 556, 572, 573, 579, 614, 615, 640, 641, 647, 648, 675–678
 Clostridial type 4
 complex formation 478–482, 485–490, 494
 dicluster bacterial 82–85, 88–91
 docking site 53, 140–143, 439, 446–450
 plant type 457–459, 478
 redox potential 443, 452, 459–463
 redox-linked conformational change 443
 spinach 1–4, 7
 structure 456
 Ferredoxin/FNR complex 479, 480, 484, 490
 crystal structure 456–459
 Ferredoxin/PS I complex
 co-crystals 55
 dissociation constant (K_d) 441, 442, 446–450
 Ferredoxin:NADP⁺ oxidoreductase (FNR) 1, 6, 7, 74–77, 456, 461, 470, 478–490, 494, 554, 556, 572, 579, 641
 structure 459
 Ferredoxin:plastoquinone oxidoreductase (FQR) 641
 Ferredoxin:thioredoxin reductase (FTR) 488, 490–494, 524, 543, 678
 Ferredoxin/thioredoxin system 490
 Ferrous siroheme/NO complex 484
 FeS-A/B (see also F_A/F_B) 17–20
 isolated native protein 17
 redox potentials 19
 FeS-X (see also F_X) 20–25
 absorption spectrum 21–22
 EPR kinetic correlation with P700 22–23
 EPR signal 20–21
 photoaccumulation 21
 position in electron-transfer sequence 23
 recombination with $P700^+$ 21
 redox potential 23–24
 Field-induced alignment of reaction centers 347, 348
 Flash absorption spectroscopy 392, 394, 439
 Flavin mononucleotide (FMN) 459, 467–472, 554
 semiquinone 486
 Flavodoxin 36, 102, 320, 336, 338, 456, 550
 docking site on PS I 53
 $FMNH^-$, fully reduced form 443, 444
 $FMNH^*$, semi-reduced form 443, 444
 redox potential 443, 452, 460
 reduction of, in *men* mutants 210–214
 structure 460
 Flavodoxin/PS I complex
 dissociation constant (K_d) 444, 445, 451
 electron transfer 444, 445, 451, 452
 Flavodoxin:FNR complex 471
 Flavoproteins 456–460
 Fluorescence 159
 induction kinetics 646
 polarization 347
 time-resolved 596, 597, 601–605
 FMN cofactor 439, 443
 isoalloxazine ring 460, 468–470, 472
 redox potential 460, 468
 Förster energy transfer 158, 162, 165, 185, 601, 602
 Forward electron transfer, pathway 400
 Forward rate constant 573, 619, 633
 Fourier transform (FT) spectroscopy 364
 Free energy (ΔG) 403, 480, 571–577, 679, 580, 612, 623, 628–633

- Free energy, decomposition into ΔH and ΔS 575
FTIR 233–248, 263, 266
 light induced difference spectroscopy 272
 time-resolved 423
Fumarase 532
 F_x (intermediate Fe/S cluster) 32–38, 48–52, 62, 63, 158, 161, 168, 170, 207, 208, 213, 225–230, 237–241, 320, 324–338, 371–407, 415–433, 516, 517, 523, 524, 572–574, 613–615, 627–634, 661, 675, 676
 assembly of 540, 541
 binding site on PsaA/PsaB 89–92, 94–96
 interpolypeptide [4Fe-4S] cluster 80–82, 89
 mutants 200, 202
 redox potential 89, 574, 592
- Galactolipid 62
Gaussian distribution function 600
Gaussian dressed exciton stick spectra 600
Gene duplication event 670–680
Gene regulation 543
Genetic algorithm 608
Geochemical environment 684
Gibbs relation (ΔG) 573
Glass transition temperature 391, 590
Global analysis 161, 166
Glutamate synthase 478–489
Glycinebetaine 663
Grana 42, 44, 642, 643, 649, 650
- H^+/ATP ratio 651, 652
H-bond 228–240
Heat capacity, ΔC_p 572–577
Heat stress 643, 644
Helix-loop-helix motif 543
Heme protein 686–692
Heme-binding Cys-Ala-X-Cys-His motif 686
Heterodimer divergence 670, 673, 674
Heterodimerization 670, 674, 675
Heterodisulfide reductase 676
Heterogeneity, electron transfer kinetics 628–632
HgCl₂-treatment 326, 327
High chlorophyll fluorescence 517
Hole-burning spectroscopy 180, 182, 607
Homogeneous broadening 606
Hopfield expression 584, 590
Horizontal gene transfer 679
HQNO 641, 648
Huang Rhys factor 607
Hydrogen peroxide 660, 661
Hydrophobic interactions 464, 467, 470, 471, 691
Hydroxyl radical 660–662
Hyperfine coupling (hfc) 377–380
 isotropic (Fermi contact) 252, 253, 258, 264
Hyperthermophiles 685
HYSCORE 255, 257
- Immunophilin 682, 694
Inhomogeneous broadening 600, 603
Inhomogeneous linewidth 372
Inorganic sulfide 9
Interferogram 303, 305
Intermolecular charge transfer states 598
- Intraprotein electron transfer 583, 617, 627
Iron
 bioavailability 685, 686
 deficiency 101, 102, 105, 112, 524, 525
 geochemical changes 686
 mobilization 534, 538
 stress 536, 539, 543
 sufficiency, ferredoxin expression 675
 sulfides 686
- Iron-sulfur cluster 13, 34, 35, 158, 201, 202, 237, 240, 326, 327, 388–395, 401, 406, 407, 420–427, 433, 439, 440, 481, 483, 491–494, 573, 580, 660–665
 [2Fe-2S] 439, 440, 457–459, 463–470, 479–480, 531–533, 541, 543
 [3Fe-4S] 485, 486, 488
 [4Fe-4S] 36, 80–85, 89–91, 95, 207, 213, 214, 440, 482–484, 489, 491–492, 523–525, 530–532, 541–543
 assembly 529, 541, 534
 in Pea PS I 72
 machinery, chloroplast-type 535
 machinery, mitochondrial type 533
 removal of 583, 590, 592
 reconstitution of 531
- Iron-sulfur protein 10
 evolution of 675, 679
 membrane-bound 16
- ISC system 532, 534
- IsiA-PS I supercomplex 103–112
- Isoprenoid quinones 205, 206
- Isotope induced band shift 312
- Kinases 149
 activation by PQ pool 42
 electron transfer 572, 642
- Kleinfeld effect 372
- Knock-out mutants 141–143, 148, 149
- Lapacol (substituted naphthoquinone) 378
- Larmor frequencies 367
- Laser flash photolysis 463
- LD spectroscopy, Lhca complexes 127
- Lhc proteins, nearest-neighbor analysis 140
- Lhc subunits, Electron microscopy 120
- LHCI (light-harvesting chlorophyll I) 41, 42, 44, 45, 59, 101, 105, 107, 120–134, 140–143–151, 184, 521–524
 chlorophyll *a* content 120, 128, 129
 chlorophyll *b* content 120, 128, 129
 in pea PS I 72–75
 interaction with PSI-K and PSI-G 146
- LHCI-680 124, 125, 134
 77 K fluorescence 124
- LHCI-730 124, 125, 134, 184
- LHCII (light-harvesting chlorophyll II) 41–45, 73–77, 101, 120, 121, 127–131, 140–144, 149, 150
 dephosphorylation 42
 monomerization 43
 phosphorylation 121, 144, 149, 522, 523
 -PS I complex 144
- Light harvesting antenna 157
- Light harvesting complexes (LHC) 678
- Linear dichroism 165, 182–184, 347, 600, 603, 607
- Linear electron transport 641, 652

- Linker chlorophylls 141, 604
in pea PS I 75
- Linker protein 104–107
- Lipid 49, 52, 58, 59, 62, 65
oxidation of 218
- Lithium dodecyl sulfate 38
- Long wavelength chlorophylls (LWC) 64, 178–186
- Low frequency modes 576
- Low temperature absorption spectra 596
- Lutein 141
in Lhc complexes 120, 125–130, 134
- Magnetic interaction tensor parameters 362, 369, 370
- Magnetoorientation 347–351
- Marcus theory 228–232, 240, 334, 337, 403, 404, 508, 572, 577, 584, 591
inverted region 232, 240, 584, 591
normal region 584, 591
- Markov approximation 604, 605, 616
- Markovian lineshapes 606
- Menaquinone (MQ) 205–213
- Menaquinone-4 310
- Mesophyll cells 658
- Metalloprotein 531, 532
- Methemoglobin reducing factor (MRF) 1, 3, 4
- Methyl viologen 17–18, 320, 482, 660–662
- Microcalorimetry 480
- Midpoint potential (E_m) 321, 322, 333, 478, 480–491, 573, 584–592
- Mixed energy trapping 165
- MO calculations 261
- Modified Redfield theory 605
- Monogalactosyldiacylglycerol (MDGD) 65
- Monte Carlo scheme 601
- Mössbauer spectroscopy 10
- Multifrequency quantum beat oscillations 339, 347, 355
- Multiple quantum coherence 341
- NADH dehydrogenase 532, 641
- NADP+ reduction 143, 148
- NADP+/NADPH 1, 5–7, 15–16, 456, 459, 464, 467, 471, 579, 642, 643, 647, 648, 652
- Naphthoquinone (1,4-NQ) 373, 587
- NDH pathway 652
- n*-dodecyl- β -D-maltopyranoside 45
- NIF system 532
- Nitrate reductase 459, 478–489
- Nitrite reductase 478, 481–482, 485, 488
- Nitrogen assimilation/metabolism 440, 481–485
- Nitrogen-fixing cyanobacteria 481
- NMR (nuclear magnetic resonance) 396, 457–460, 465, 479, 480, 485, 490
solution structure of PsaC 558
solution structure of PsaD 560
solution structure of PsaE 562
- Non-Boltzmann spin population distribution 340
- Non-exponential electron transfer kinetics 589
- Non-heme iron (NHI) protein 1, 3, 4, 8
- Non-Markovian density matrix theory 606
- Non-oxygenic photosynthesis 685
- Non-photochemical quenching 144, 664
- n*-propyl gallate 660, 662
- Nuclear quadrupole couplings 256
- Numerical modeling of electron transfer 632
- ODMR 260, 266
- Optical transition energies 158, 598
- Order parameter, magnetic field dependence 348–351
- Organismal phylogeny 677, 679,
- Orientation of transition dipoles 599
- Oriented membranes/multilayers 319, 323, 327, 329, 367, 394
- Orphan ATPase 538
- Out-of-phase (OOP) echo 395, 399–402, 422, 428
- Oxidative stress 536, 538, 543
- Ozone fumigation 660
- P/O ratio 640, 641,
- P430 (see also F_A/F_B) 16–19, 32–37
correlation with FeS-A/B (F_A/F_B) 19
discovery by optical spectroscopy 16–17
freeze-quenching EPR 19
redox potentiometry 19
- P450 reductase 471
- P680 (primary donor, PS II) 292
redox potential 247
- P700 (primary donor, PS I) 11, 17, 31–38, 60, 103, 104, 110, 120–122, 130, 158, 193, 194, 271–287, 319–337, 363, 367, 371–375, 383–386, 572, 573, 583–592, 607, 608, 679
10a-ester C=O vibrations 272
 ^{13}C -keto 421
9-keto C=O 272
asymmetric spin density 60, 418–421, 431
axial ligands 274, 276–278, 281, 285, 292, 420, 421
carbonyl modes 274
cation radical 343, 344
charge distribution by FTIR 277, 286, 287
Chl *a*/Chl *a'* special pair 48, 51–53, 58–65, 194
- difference spectrum 608
- enol 246, 262–264
- extinction coefficient 689
- EPR linewidth 33
- FTIR difference spectra 272
- H-bonds 420, 421, 431
- mutants of axial ligands 194
- redox potential 194, 195, 245, 247, 258, 262–265, 421, 572, 574
- redox state effect on fluorescence 185, 186
- spin density distribution 277
- triplet state 35–37, 185, 186, 345, 346, 420, 428, 431
- $^3\text{P}700$ (triplet state of primary donor)
 $|\text{D}|$ and $|\text{E}|$ values 260, 261
absorption difference spectrum 607
electronic *g*-tensor 260
electronic structure 345, 346
generation of 259
localization by FTIR 276
zero field splitting parameters 607
- P700* (excited state of primary donor) 293, 294–298
 $\rightarrow A_1, \Delta H$ 578
 $\rightarrow A_1, \text{volume changes}$ 578
 $\rightarrow F_A/F_B, \Delta H$ 577
 $\rightarrow F_A/F_B, \text{volume changes}$ 577
electron spin density 293, 297

- redox potential 264, 266
 stimulated emission 294–297
 thermal repopulation 622, 628
 P700⁺ (oxidized primary donor, PS I) 342–347, 353–356, 421, 423, 430, 431, 643–650
 asymmetric spin distribution 233
 charge asymmetry by FTIR 272
 charge asymmetry 263
 dark reduction 621, 622, 626–632
 D-band EPR spectrum 344
 electron spin density distribution 194, 245, 250, 262–265
 electronic g-tensor 245, 248–250
 electronic structure 342–347, 355
 ENDOR in single crystals 254–256
 EPR in single crystals 250, 251
 g-tensor anisotropy 367, 368, 371, 381
 g-tensor calculations 261, 262
 g-tensor orientation 354
 high field EPR 249, 250
 hyperfine couplings 245, 250–255, 264
 interaction with protein surroundings 257
 MO calculations 261–264
 net polarization 396, 397
 nuclear quadrupole couplings 245, 255–257
 orientation 257
 reduction, Arrhenius plot 507
 spin density distribution 343
 P700⁺ A₁⁻ 341, 348
 cofactor orientation 352–356
 core preparation 564
 hyperfine splittings 400
 radical pair, cofactor arrangement 341, 347–355
 singlet-triplet mixing 395–397
 P700⁺ A₀⁻ 341
 kinetics of formation and decay 293
 P700-Fx core preparation 80–82, 89–96, 421
 P740 285
 P840 (primary donor, green sulfur bacteria) 20
³P840 (triplet state of primary donor) 308
 P840⁺FeS⁻ 308
 P_A 276, 417, 420–423, 431
 10a-ester C=O 276
 9-keto C=O 276, 277
 P_A/P_B, nuclear motion 295–297
 P_A⁺ and P_B⁺, charge density distribution 277
 Packing density (ρ) 685
 Pcb-PS II supercomplex 108–112
 PELDOR (pulsed ELDOR) 421
 PGR5 polypeptide 648, 652
 Phenazine methosulfate (PMS) 34, 160, 328, 329, 640
 Pheophytin 226
 Pheo-Q type reaction center 416
 Phosphatase 149
 Phosphatidylcholine 324
 Phosphatidylglycerol 65, 564
 Phospholipid 62
 Phosphorylation 42, 43, 143, 149
 Photoaccumulation 398–403
 Photobleaching 159
 Photochemical quenching 662
 Photodamage 144, 151
 Photoelectric measurement 319, 323, 394, 427, 440, 441
 Photoinhibition 151, 657–665
 energy transfer in plant PS I 145
 instability of proteins 144
 Photophosphorylation 640
 Photoprotection 144, 149, 150
 Photosynthetic pyridine nucleotide reductase (PPNR) 1, 3–7
 Photovoltage 294, 391, 394
 $\Delta\psi$ rise time 324
 PhQ_A 417–433
 PhQ_B 417–433
 Phycobiliproteins 101, 102, 110, 111, 112
 Phycobilisomes 58, 101, 102
 Phyloquinone 26, 33–38, 48, 49, 60–62, 158, 195, 196, 201, 224–227, 234, 236, 240, 302, 415–434, 363–367, 373–377, 382–386, 572–574, 578–580, 589–592, 613, 629
 π -stacked tryptophan 392
 C=C modes 314, 315
 C=O modes 314, 315
 binding site point mutants 399, 404, 407
 biosynthetic pathway 207
 distribution of 212
 electron transfer through 390, 392, 398, 405
 in pea PS I 72
 midpoint potential 227, 388
 photoaccumulation 399
 radical 236, 239
 radical, photoaccumulation of 420, 421
 structure 393
 Pigment binding, PSI-H, PSI-L and PSI-O 150
 Pigment-pigment interactions 599, 603, 607
 Pigment-protein interactions 598
 Plastidic localization 536
 Plastocyanin 10, 73–77, 140, 147, 195, 319, 320, 328, 330, 336, 337, 642, 678, 679, 686
 cross-linked product with PsaF 501, 502
 Cu-PS I distance 507, 508
 docking site in pea PS I 73
 docking site on plant PS I 142, 145,
 east face (site II) 687, 688
 electron donation to plant PS I 144
 electron transfer to P700⁺ 508
 electrostatically-driven docking 48, 52, 53, 58
 isoelectric point 686, 687
 midpoint potential 688
 north pole (site I) 687, 688
 northern face 500, 502–506
 PsaF crosslinking 501, 502
 pH dependent redox potential 506, 507
 role of PSI-G 147
 standard enthalpy of reduction (ΔH) 507
 standard entropy of reduction (ΔS) 507
 temperature-dependent redox potential 507
 tetragonal copper ligands 506
 trigonal-planar copper ligands 506
 type II kinetic model 689, 690
 Plastocyanin/cytochrome c₆,
 Type I reaction mechanism 689, 690
 Type II reaction mechanism 689, 690
 Type III reaction mechanism 689, 690

- Plastocyanin-PS I
 crosslinking 506, 507
 equilibrium constant 510
 intermolecular electron transfer 507
 transient complex 508
- Plastoquinone-9 206, 210–218, 373, 376–384, 517, 525, 589–592, 615, 634, 641, 659, 662–665
 biosynthetic pathway 215
 diffusion of 642
 substitution in *menB* mutants 589–592
- Point-dipole approximation 599
- Polysomes 521
- Post-translational maturation 531, 539
- Primary charge separation 291, 294, 613, 615, 619, 623, 634
- Primary electron acceptor 293
- Primary electron donor 292, 245
- Protein vibrations 605
- Protein/flavin interactions 459
- Protein-cofactor interactions 361–363, 373–376, 381–385
- Protein-quinone interactions 376, 382
- Proteoliposomes 324–328, 333
- Photosystem I
 accumulation of P430[−] 18
 accumulation of P700⁺ 18
 assembly of 80, 82, 89, 95, 96, 515–525, 550–565
 charge recombination 18
 core complex 24
 cyanobacterial 2.5 Å crystal structure 60, 80, 82–85, 89, 91
 cyclic electron transport 18
 ferredoxin complex 555
 ferredoxin co-crystal 556
 five possible reaction pathways 17–19
 Hg-treated 337
 monomer in plants 63, 72–75
 noncyclic electron flow 18
 plant 4.4 Å crystal structure 76
 quantum yield 604, 659, 664
 spectral heterogeneity 179
 subchloroplast particle 20, 33, 34, 37
 trimer in cyanobacteria 48–52, 56, 74, 75
- PSI-D, (see also PsaD) 143
- PS I-200 particle 147, 164, 189
- PS I-LHCl 43, 44
 stoichiometry 130, 131
 supercomplex 120, 122, 131, 170, 399–402, 405, 407
- PSI-LHCII 41, 43
- PsaA branch electron transfer 399–407
- PsaA/PsaB heterodimer 531
- PsaB branch electron transfer 399–407
- PsaC 207, 241, 215
 C-terminus 560, 564
 Fe/S cluster reconstitution 80
 N-terminus 558
 structure by NMR 83–89
- PsaD
 C-clamp 561
 NHS-biotin labeling 55
 N-terminus 551, 553, 559, 560
 pre 552, 559, 560
- Pseudoazurin 509
- Pseudo-cyclic 640
- Pseudouridine synthase 518
- Pulsed photoacoustics 575
- Pump-probe spectroscopy 159, 160, 394, 399, 416, 423–428, 430
- Putidaredoxin reductase 459
- Pyridine nucleotide transhydrogenase 1, 6
- pyroChl *a* 272, 273
- Q-cycle 641, 647
- Q_KA 62, 63, 391, 392, 400–407
- Q_KB 62, 63, 391, 392, 400–407
- Quantized nuclear vibrations 584
- Quantum beat oscillations 342, 351–356, 361, 366, 383, 385
- Quantum chemical calculations 287, 599, 600
- Quantum teleportation 366
- Quencher 163
- Quinone 557, 583–592
 deuteration 372
 binding pocket 227, 228, 236–238, 241
 exchange 419, 428
 pool 42
 reconstitution 208, 213, 214
 reoxidation 224–239, 241
 H-bonding 361, 376–379, 381, 382
 ππ-stacking 361, 381
- Radical pair 33, 36, 37
- Reaction center
 ancestral 675, 679
 closed 160–163, 185
 kinetic description 615, 617
 open 160, 185
- Reaction mechanism 689
- Reactive oxygen species (ROS) 218, 658–664
- Red (long wavelength) chlorophylls 64, 122–134, 162, 165, 170, 178–189, 596, 604
- Red enzyme 4
- Redfield theory 604
- Redox
 equilibration 583, 589
 homeostasis 149
 mediators 573
 poisoning 641–645, 663
 potential 456, 459–471, 572–574
 response 539, 543
 titration 584, 585
- Regulon 535, 543
- Relaxation, dynamic solvation model 335
- Relaxation, primary radical pair 335
- Reorganization energy 228, 229, 232, 237, 240, 403, 583–592, 601, 628
- Repressor 534, 543
- Resonance energy transfer narrowing 601
- Resonance Raman spectroscopy 483, 484
- Reverse rate constants 573
- RHF-INDO/SP calculations 261–264
- Rieske iron-sulfur protein 13, 648
- RNA interference 521
- rRNA-based molecular taxonomy 679
- Rubisco 661, 662
- Rubredoxin 530, 539, 540
- S = 5/2 ferric ions 458
- S-adenosylmethionine decarboxylase 663

- Scaffold protein 531–534, 541, 542
Scavenging enzymes 662
Schiff base 537
Semiquinone radical 389, 402, 406
Senescence 660
Sequential radical pairs 395, 396, 400
SH3-like domain, PsaE 562
Signal I 11
Signal II 11
Singlet oxygen 64
Singlet radical ion pair state 369
Singlet-singlet annihilation 159
Singlet-triplet mixing 428, 429
Siroheme iron 482, 483, 490
Siroheme/NO complex 484
Site energies 598
Spectral density 601
Spin correlated radical pair 341, 342, 395
Spin density 233
Spin dynamics 366, 369, 386, 396, 397, 402
Spin echo 395
Spin Hamiltonian 366, 367
nonadiabatic change 352
radical pair 352
Spin orbit coupling 248, 260
Spin polarization 225, 395–405
mechanism 367
relaxer 370
Spin-correlated radical pair
dipole-dipole interactions 342
exchange interactions 341
Spin-spin coupling 395, 396, 402
Spreading of equilibrium model 619, 634
Standard hydrogen electrode (SHE) 573
Stark spectroscopy 182
State 1 41–45, 121, 149–151, 649–651
State 2 41–45, 121, 149–151, 649–651
State transitions 42–45, 121, 518, 522, 645, 651
role of PSI-H, PSI-I, PSI-L, PSI-O 149
Stepanov-Kennard relation 164
Stigmatellin 640, 641
Stimulated emission 159, 294–298
Stokes shift 182, 600
Stopped-flow spectrophotometry 467–469
Stretched exponential 589, 628–631
Stroma lamellae 642
Stromal ridge 51–55, 63, 80–84, 94, 95, 440, 446, 447, 563, 564
Strongly coupled pigments 602
Structural heterogeneity 417, 418, 426, 427, 432
STT7 kinase 42
Succinate quinol oxidoreductase 650
suf regulon 535, 543
SUF system 534, 535, 539, 540, 541
Sulfite reductase 478, 482, 483, 488, 489
Sulfite reductase, redox potential 489
Sulfur metabolism 440
Sulfur mobilization 537
Superoxide anion radical 660
Superoxide dismutase 661, 662
Suppression, antisense 145–148
Suppression, Co- 145, 148–150
Supramolecular organization of thylakoid membranes 642
Surface electrostatic potential 675
Surface plasmon resonance 556
Susceptibility tensor, symmetry axis 347–351
Symmetry breaking 91–94, 672
TAK kinases 42
Temperature stress 657, 658
Thermal expansion/contraction 575
Thermodynamics 572, 573, 577
Thioredoxin 144, 490–494, 651, 652
Thioredoxin reductase 478, 493
Third observer spin 367
Thylakoid membranes, arrangement 350, 351
Time-dependent two-state approximation 620
TMPD 328, 329
TPN reducing factor (TRF) 1
TPN reductase 1, 6, 7
TPNH diaphorase 1, 6
Trans-acting factors 518–520, 523
Raa1 517–520
Raa2 517–519
Raa3 517–520
Transcription factor 543
Transcriptional control 517
Transfer limited excited state dynamics 604
Transfer-to-trap-limited model 164, 165
Transhydrogenase 1, 2, 6, 7
Transition density cube method 600
Transition density quantum chemical methods 599
Transition dipole moment 182, 183
pigments 599, 602
Transition energies 598
Transition monopole method 600
Transmembrane electric potential ($\Delta\psi$) 226, 239, 321–328, 333, 334, 644, 424
Transposon tagging 144, 147
Trans-splicing reactions 517–520, 525
Trap limited excited state dynamics 604
Trapping time 597, 604
Trimerization domain 51, 56, 58, 105
Trinucleotide phosphate (TPN) 1–7
TRIPLE, general 252, 264
TRIPLE, special 252
Triplet exciton 248, 261
Triton X-100 34–38
TROSY-based NMR 95, 96
Tunneling analysis 583–592
Two domain proteins 678
Type I blue copper proteins 686
Type I reaction center, evolution of 670, 676–680
Ultrafast optical spectroscopy 158–160, 416, 428, 430, 433
Unidirectional electron transfer 200, 239–402, 415–418, 422–434
Unresolved proton hyperfine coupling 372
Upconversion 159
Uphill electron tunneling reaction 587–590
Uphill energy transfer 178
Vibrational modes 403, 404
Violaxanthin de-epoxidase 144
Violaxanthin 141, 144
in Lhc complex 125, 129, 130, 134

Vitamin E 206
Vitamin K 640
Vitamin K₁, 2-methyl-3-phytyl-1,4-naphthoquinone 206
Vitamin K₂, 2-methyl-3-polypropenyl-1,4-naphthoquinone 206
Wavepacket, nuclear 294–298
Weakly coupled pigments 601
Weibull distribution 628

Xanthophyll cycle 663
Xanthophyll, in Lhc protein 120, 127–130, 133, 134
X-ray small angle scattering 488
Yeast mitochondria 532
Zero-field splitting (of triplet state) 367
Zero-field splitting parameters 343, 346

Organism Index

- Acaryochloris marina* 101, 109, 110, 112, 285, 294
Algae 659
Anabaena sp. PCC 7119 328, 445, 451, 452, 479, 480, 482, 500, 508, 687
Anabaena sp. PCC 7120 109, 110, 440, 442, 443, 445, 449–452, 484
Anabaena variabilis 59, 209, 210, 456–459, 462, 464–466, 468–470, 557
Anabaena variabilis ATCC 29413 141
Anacystis nidulans 21
Arabidopsis thaliana 41, 42, 122, 123, 126, 127, 140–145, 148, 150, 189, 209–212, 218, 516, 518, 519, 521, 535, 536, 538, 646, 647, 651, 652, 660, 663, 692–694
Arthrosphaira maxima 684, 691
Arthrosphaira platensis 179–182, 185, 186
Azotobacter vinelandii 532, 539
- Bacillus cereus* 210
Bacillus subtilis 209–211
Barley 142, 148, 521, 658, 661, 663, 664
Blastochloris viridis 331, 332
- Chlamydomonas reinhardtii* 36, 41, 42, 44, 45, 62, 133, 134, 142, 145, 161–164, 168–170, 184, 200–202, 218, 227–231, 233–237, 247, 249, 250, 257–259, 261, 264, 274–279, 281, 282, 284, 286, 302, 306, 307, 316, 363, 385, 398–400, 403, 405, 425, 426, 427, 441–448, 485, 500–505, 508, 509, 516, 518–525, 551–553, 555, 560, 563, 585, 647, 650, 660, 677, 693
Chlorella 3, 4, 178
Chlorella fusca 460
Chlorella sorokiniana 168, 225, 234, 424
Chlorella vulgaris 576, 577
Chlorobium 374
Chlorobium tepidum 209–211, 275, 308, 676
Chloroflexus aurantiacus 679
Chondrus crispus 460
Chromatium vinosum 542
Clostridium acetobutylicum 210
Clostridium acidi urici 83, 85
Clostridium pasteurianum 9, 83, 85, 202
Coffee 658, 659, 661
Common bean 658
Cotton 658, 662
Crocospaera watsonii 209, 210, 673, 674
Cucumber 658, 659, 660, 661, 662, 664
Cyanidioschyzon merolae 211, 535
Cyanidium caldarium 211, 212, 535
Cyanobacteria 659, 660, 662
Cyanophora paradoxa 535
Dunaliella salina 661
- Erwinia chrysanthemi* 538
Escherichia coli 81, 82, 205, 208–212, 215–217, 464, 469, 536, 537, 539, 541, 542, 543, 555
Euglena gracilis Klebs (strain Z) 212
- Ferns 687, 689, 692
Fischerella muscicola 109, 110
- Galdieria sulphuraria* 535
Galium mollugo 208
Giardia intestinalis 547
Gleobacter violaceus 205, 209–212, 670, 671, 678
Green algae 643, 651, 652
Green sulfur bacteria 20, 113
Guillardia theta 535, 536
- Halobacterium* sp. NRC-1 209–211
Heliobacteria 113, 374, 383, 669, 670, 677, 679, 680
Heliobacterium chlororum 186
Heliobacterium modesticaldum 95, 374, 384
- Maize 456, 465, 466, 469, 470, 479–481, 489–490, 644, 658, 660, 661
- Marchantia polymorpha* 151
Mastigocladus laminosus 551–553, 560, 561
Monoraphidium braunii 440, 442, 687, 690, 692, 693
Morinda lucida 208
- Nicotiana sylvestris* 143
Nostoc punctiforme 209–211
Nostoc sp. PCC 7119 687, 688, 690, 693
Nostoc sp. PCC 7120 209–211
Nostoc sp. PCC 8009 562
- Odontella sinensis* 535, 676
- Parsley 4
Peptococcus aerogenes 83
Phormidium laminosum 643, 689, 690
Pinus thunbergii 151
Pisum sativum var. *Alaska* (pea) 71, 72
Plectonema boryanum 664
Porphyra purpurea 535
Porphyra umbilicalis 460
Porphyridium cruentum 178
Potato 658, 659, 662
Prochlorococcus 678
Prochlorococcus marinus 101, 107–110, 112, 113
Prochlorococcus marinus MED4 209–211
Prochlorococcus marinus MIT9313 209–211
Prochlorococcus marinus SS120 209–211
Prochloron didemni 101, 107–110, 112
Prochlorothrix hollandica 101, 107–110, 112, 687, 690, 691, 693
Pseudanabaena sp. PCC 6903 328
Pumpkin 658
- R. sphaeroides* R26 36
Red algae 101
Rhodobacter sphaeroides 275, 279, 294–297, 330, 335, 336, 337, 340, 343, 344, 373, 385, 386, 415, 574
Rhodococcus sp. NCIMB 9784 209

- Rhodopseudomonas viridis* 186, 331, 336, 338
Rhodospirillum rubrum 333, 336, 337, 640
- Saccharomyces cerevisiae* 546
Scenedesmus obliquus 343
 Scots pine 662
 Spinach 3, 4, 6, 7, 11, 17, 20, 23, 26, 148, 166, 167, 212, 224, 234, 405, 440–442, 444–447, 451, 456, 457, 459–462, 464, 465, 470, 555, 560, 658, 659, 661
Spirulina platensis 162, 163, 165, 180, 450, 461, 463, 556
Steinernema carpocapsas 546
Sulfolobus acidocaldarius 545
 Sunflower 646
 Sweet pepper 658, 661
Synechococcus elongatus 13, 48, 57–59, 145, 146, 150, 155, 162, 163, 165, 180, 206, 209–211, 277, 283, 320, 328, 333, 336, 338, 546, 551–553, 555–557, 595, 615
Synechococcus lividus 340, 343, 347, 348, 352, 354, 355
Synechococcus sp. 21, 24
Synechococcus sp. PCC 6301 21, 24, 239, 555
Synechococcus sp. PCC 6803 643, 650
Synechococcus sp. PCC 7002 83, 87, 209, 210, 212–214, 239, 307–315, 363, 386, 401, 402, 509, 534, 535, 539, 540, 543, 558, 562, 564, 576
Synechococcus sp. PCC 7942 102, 103, 180, 186, 481, 482, 509
Synechococcus sp. WH8102 110, 113, 209–211
Synechocystis sp. 24, 158, 160–162, 165–169
Synechocystis sp. PCC 6803 56, 59, 62, 100, 102–107, 110, 112, 141, 144, 160, 186, 180, 185, 186, 188, 200–202, 225, 227–229, 231–237, 277–285, 294, 302, 305–311, 313–315, 326, 328, 336, 363, 398–400, 441–443, 445–451, 486, 487, 488, 489, 491, 492, 500, 501, 503, 534, 535, 539, 542, 551–553, 555–558, 560, 562–564, 574, 577, 629, 630, 663, 664, 673, 675, 678, 687–690, 693
Thauera aromatica 84
Thermosynechococcus elongatus 100, 103, 104, 106, 109, 179, 180, 182–189, 194, 202, 209–211, 224, 227, 229, 231, 236, 246, 247, 249, 250, 253, 254, 262, 263, 363, 415, 439–441, 444, 446–448, 450, 595, 596, 602–604, 607, 608
Thermosynechococcus vulcanus 59, 333, 337
Thermotoga maritime 538
 Tobacco 658, 662, 663
Trichodesmium erythraeum 209–211
Trichomonas vaginalis 547
 Winter rye 658
Xenorhabdus nematophila 533

Mutant Index

- apoI* mutant 521
Arg674PsaB to Ala (*Synechocystis* sp. PCC 6803) 379, 380, 392, 400, 426, 427
Asn591PsaB to Asp (*Chlamydomonas reinhardtii*) 430
Asn611PsaA to Asp (*Chlamydomonas reinhardtii*) 430
Asp575PsaB to Lys or Ala (*Synechocystis* sp. PCC 6803) 432
- btpA deletion mutant (*Synechocystis* sp. PCC 6803) 564
- CDK25 strain (*Synechocystis* sp. PCC 6803) 557
Chl27 mutant (Arabidopsis) 524
chlL mutant (*Plectonema boryanum*) 664
Chlorina f2 126, 130
Crd1 mutant (*Chlamydomonas reinhardtii*) 517, 519, 524, 525
CRR2 mutant (Arabidopsis) 647
Cys556PsaA to Ser, Asp, His (*Synechocystis* sp. PCC 6803) 201
Cys565PsaA to Ser, Asp, His (*Synechocystis* sp. PCC 6803) 201
- E93-95 mutant (*Synechocystis* sp. PCC 6803) 555
- F14-tab2* mutant (*Chlamydomonas reinhardtii*) 519, 520
F15-tab1 mutant (*Chlamydomonas reinhardtii*) 519, 520
F24 mutant (*Chlamydomonas reinhardtii*) 520
fdx (slr0148) mutant (*Synechocystis* sp. PCC 6803) 534
Ferrredoxin mutants 449, 450
Flavodoxin mutants 444, 449, 451–452
- Gly693PsaA to Trp (*Chlamydomonas reinhardtii*) 228, 229, 426, 432
- HCF101 mutant (Arabidopsis) 517, 519, 524, 534, 540
hcf145 mutant (Arabidopsis) 521
His651PsaB to Cys, Gln, Leu (*Synechocystis* sp. PCC 6803) 279
His656PsaB to Asn, Ser (*Chlamydomonas reinhardtii*) 194
His656PsaB to Gln (*Chlamydomonas reinhardtii*) 258, 274, 279
His656PsaB to Asp (*Chlamydomonas reinhardtii*) 164
His676PsaA to Gln (*Chlamydomonas reinhardtii*) 258
His676PsaA to Ser (*Chlamydomonas reinhardtii*) 279
I12V/T15K/Q16R mutant (*Chlamydomonas reinhardtii*) 555
- iscA* mutant (*Synechococcus* sp. PCC 7002) 534
iscR mutant (*Synechococcus* sp. PCC 7002) 534
iscS mutant (*Escherichia coli*) 536
iscS1 mutant (*Synechocystis* sp. PCC 6803) 534
iscS2 mutant (*Synechocystis* sp. PCC 6803) 534
*iscSU*A mutant (*Escherichia coli*) 536
- laf6* mutant (Arabidopsis) 536
Lhca, antisense suppression (Arabidopsis) 147
- menA* mutant (*Synechocystis* sp. PCC 6803) 205, 213, 214, 574, 577, 578
menB mutant (*Synechococcus* sp. PCC 6803) 205, 210, 381, 385, 213, 214, 574, 577, 578
menF mutant (*Synechococcus* sp. PCC 7002) 213
menG mutant (*Synechococcus* sp. PCC 7002) 205, 213, 214, 377, 385
- Met664PsaB to His, Ser, Leu (*Chlamydomonas reinhardtii*) 197, 198
Met668PsaA to Leu, Arg, His (*Synechocystis* sp. PCC 6803) 168
Met668PsaB to His, Leu (*Chlamydomonas reinhardtii*) 428, 429
Met668PsaB to Leu, Asn (*Synechocystis* sp. PCC 6803) 231, 233, 428–429
Met668PsaB to Leu, His (*Chlamydomonas reinhardtii*) 231, 232
Met684PsaA to His, Ser, Leu (*Chlamydomonas reinhardtii*) 197, 198
Met688PsaA to His, Leu (*Chlamydomonas reinhardtii*) 428–430
Met688PsaA to Leu, Arg, His (*Synechocystis* sp. PCC 6803) 168
Met688PsaA to Leu, Asn (*Synechocystis* sp. PCC 6803) 231, 233, 428–430
Met688PsaA to Leu, His (*Chlamydomonas reinhardtii*) 230–233
- ndhB* mutant (tobacco) 663
ndhB/PsaE (*Synechocystis* sp. PCC 6803) 663
ndhCKJ mutant (tobacco) 663
ndhF mutant (*Synechococcus* sp. PCC 7002) 650
ndhF mutant (*Synechocystis* sp. PCC 6803) 650
- Pc (plastocyanin) mutants (Arabidopsis) 145
PGR5 mutant (Arabidopsis) 663
pgsA mutant (*Synechocystis* sp. PCC 6803) 564
Phe560PsaB to Ala or Leu (*Chlamydomonas reinhardtii*) 262
Phylloquinone pathway deletion mutants 385
psaA mutant (*Chlamydomonas reinhardtii*) 520
psaB mutant (*Chlamydomonas reinhardtii*) 520, 660
psaC (cyanobacteria) 141
psaC (green algae) 142
psaC mutant (*Chlamydomonas reinhardtii*) 660
psaC mutant (*Synechocystis* sp. PCC 6803) 557, 558
psaC mutants 404, 446–448, 451
psaC mutants, cysteine ligands to Fe/S clusters 83
psaC pseudorevertants 534
psaC, inactivation (*Chlamydomonas reinhardtii*) 521
psaD deletion strain (cyanobacteria) 144
psaD deletion mutant 446, 447
psaD deletion strain (*Synechocystis* sp. PCC 6803) 80, 81
psaD – less mutant 677
psaD mutant (*Synechocystis* sp. PCC 6803) 553, 555, 560
PsaD mutants 446–448
psaD, inactivation (Arabidopsis) 521
psaD1-1 mutant (Arabidopsis) 143
psaD1-1 PsaD2-1, double mutant (Arabidopsis) 143
PsaD2-1 mutant (Arabidopsis) 143
psaE deletion mutant 446–448, 451
psaE deletion strain (*Synechocystis* sp. PCC 6803) 80, 81
psaE mutant (*Synechocystis* sp. PCC 6803) 555, 556, 562
psaE mutant, transposon tagged (Arabidopsis) 144
PsaE mutants 446–448
psaE/psaF deletion mutant 399–401
psaE Δ mutant (*Synechococcus* sp. PCC 7002) 427
psaE1, inactivation (Arabidopsis) 522
psae1-1 mutant (Arabidopsis) 562
psaF mutant (Arabidopsis) 660
psaF mutant (*Chlamydomonas reinhardtii*) 660

- psaF*, inactivation (*Chlamydomonas reinhardtii*) 522
psaFΔ mutant (*Synechococcus* sp. PCC 7002) 427, 433
psaG, inactivation (Arabidopsis) 522
psaH, inactivation (Arabidopsis) 522
psaI, inactivation (Arabidopsis) 521
psaK, inactivation (Arabidopsis) 522
psaL, inactivation (Arabidopsis) 522
psaN, inactivation (Arabidopsis) 522
 PSI-D, antisense suppression of (Arabidopsis) 143, 144
 PSI-E mutant, antisense suppression of (Arabidopsis) 144
 PSI-F mutant (Arabidopsis) 145
 PSI-F mutant (green algae) 145
 PSI-G mutant (Arabidopsis) 146
 PSI-H, cosuppression of (Arabidopsis) 142, 144, 148, 149
 PSI-J deletion, (*cyanobacteria*, green algae, plants) 145
 PSI-K mutant (Arabidopsis) 146
 PSI-L mutant, antisense suppression of (Arabidopsis) 148, 149, 150
 PSI-N cosuppression of (Arabidopsis) 144, 145
 PSI-O 148, 149
- rubA menB* mutant (*Synechococcus* sp. PCC 7002) 214
rubA mutant (*Synechococcus* sp. PCC 7002) 214, 401, 402, 420, 422, 431, 534, 539, 564, 629, 631, 633
- Ser603PsaA to Gly (*Synechocystis* sp. PCC 6803) 283
 Ser672PsaB to Ala (*Chlamydomonas reinhardtii*) 426, 428
 Ser672PsaB to Cys (*Synechocystis* sp. PCC 6803) 228, 229, 380, 392, 400, 426, 428
 Ser692PsaA to Ala (*Chlamydomonas reinhardtii*) 426–428
 Ser692PsaA to Cys (*Synechocystis* sp. PCC 6803) 228, 229, 379, 380, 392, 400, 426–428
sufA mutant (*Synechococcus* sp. PCC 7002) 534, 539
sufB mutant (Arabidopsis) 538
sufC mutant (Arabidopsis) 538
sufC mutant (*Escherichia coli*) 538
sufD mutant (*Escherichia coli*) 538
sufR null mutant (*Synechococcus* sp. PCC 7002) 534, 543
sufS mutant (*Escherichia coli*) 536
- Thr718PsaB to Thr (*Synechocystis* sp. PCC 6803) 277
 Thr739PsaA to Ala (*Chlamydomonas reinhardtii*) 195
- Thr739PsaA to Phe (*Synechocystis* sp. PCC 6803) 282–284
 Thr739PsaA to Tyr, His, Val (*Chlamydomonas reinhardtii*) 281, 282
 Thr739PsaA to Tyr, His, Val, Ala (*Chlamydomonas*) 281–283
 Thr739PsaA to Val 608
 Thr739PsaA to Val, His, Tyr (*Chlamydomonas reinhardtii*) 247, 258, 259
 Thr743PsaA to Ala (*Chlamydomonas reinhardtii*) 231, 233, 431
 Trp673PsaA to Phe, His, Leu (*Chlamydomonas reinhardtii*) 201
 Trp673PsaB to Gly (*Chlamydomonas reinhardtii*) 426
 Trp673PsaB to Leu, His (*Chlamydomonas reinhardtii*) 399, 400, 406
 Trp677PsaA to Phe (*Synechocystis* sp. PCC 6803) 227–229, 239, 240
 Trp677PsaB to His, Leu (*Chlamydomonas reinhardtii*) 425, 426
 Trp677PsaB to Phe (*Chlamydomonas reinhardtii*) 237, 240
 Trp677PsaB to Phe (*Synechocystis* sp. PCC 6803) 380, 392, 400, 425, 426
 Trp693PsaA to His, Leu (*Chlamydomonas reinhardtii*) 399–401, 406
 Trp693PsaA to Phe, His, Leu (*Chlamydomonas reinhardtii*) 201
 Trp693PsaA to His, Leu (*Chlamydomonas reinhardtii*) 425, 426, 428
 Trp697PsaA to Phe (*Chlamydomonas reinhardtii*) 227–229, 239, 240
 Trp697PsaA to Phe (*Synechocystis* sp. PCC 6803) 201, 227–229, 379, 380, 392, 400, 425, 426, 428
 Trp697PsaA/Trp677PsaB to Phe/Phe (*Chlamydomonas reinhardtii*) 227, 229
 Tyr599PsaA to Leu (*Synechocystis* sp. PCC 6803) 283
 Tyr676PsaB to Phe (*Chlamydomonas reinhardtii*) 424, 428, 429*(another entry, no pages)
 Tyr696PsaA to Phe (*Chlamydomonas reinhardtii*) 230, 231, 424, 428, 429
- viridis-zb63* barley mutant 521
- Ycf3 mutant 563
ycf3, inactivation 517, 519, 523
 Ycf4 mutant 563
ycf4, inactivation 517, 519, 523

Gene and Gene Product Index

- Arh1 533
At1g08490 536
At1g54500 539
AtABC1 539
AtCnfU-V 564
Atm1 533, 534
AtNAP6 (SufD) 536
AtNAP7 (SufC) 536, 538
AtNFS1 536
AtNFS2 536
AtNFU1-5 533, 541, 542

BtpA 522, 523, 564
- cab* genes 101, 107
Cab proteins 107, 107, 112
C-DES (cysteine desulfurase) 534, 537
Crd1 524

DnaJ 533
DnaK 533

Erv1p 533
- fdx* 532, 539
Ferredoxin 140, 143
Flavodoxin (IsiB) 675
FNR 143, 541
ftrC 535, 543
- Grx5 534
- HCF101 540
HiPIP 542
HisP 538
hscA 532, 534, 539
hscB 532, 534, 539
- Isa1p 533
Isa2p 533
IscA 524, 530, 533, 534, 539, 543
IscR 530, 532, 534, 543
iscR-iscS-iscU-iscA-hscB-hscA-fdx-ORF3 532
IscS 532, 533, 534, 537
IscS1 534
IscS2 534
IscU 524, 532, 534, 543
IscU1p 533
IscU2p 533
IsiA 52, 58, 59, 100, 102, 140, 675
isiAB operon 102–110, 112, 113
IsiB 102

Jac1 533
- laf6* 536
Lhca 170
- Lhca1 72–75, 140, 145, 184, 189
Lhca1/Lhca4 dimer 121, 125, 140, 147, 189
Lhca1-4 42, 120–134
Lhca2 72–75, 140, 146, 147, 184, 189
Lhca2/Lhca3 dimer 125, 140, 147
Lhca3 72–75, 140, 146, 147, 180, 189, 522, 524
Lhca4 72–75, 140, 145, 180, 184, 188, 189
Lhca5 140
Lhca5-6 122, 134
Lhca7-9 134
Lhcbl-3 42
LHCI 140–147, 151
LHCII 140, 144, 149, 150
- menA* 418, 419
MenA, DHNA polyprenyltransferase 208–214
menB 381, 385, 419
MenB, 1,4-hydroxynaphthoyl-CoA synthase 208–214, 218
MenC, *o*-succinylbenzoate synthase 208–212
MenD, 2-succinyl-6-hydroxy-2,4-cyclohexadiene-1-carboxylate synthase 208–213
MenE, *o*-succinylbenzoate-CoA synthetase 208–213
MenF, isochorismate synthase 208–213
menG 377, 385, 419, 436
MenG, 2-polyprenyl-1,4-naphthoquinone methyltransferase 208–214, 217
MenH, 1,4-hydroxynaphthoyl-CoA thioesterase 208–212
Mge1 534
- narB* 481
Ndh, co-transcribed with *psaC* 551
ndhB 663
ndhCKJ 663
Nfs1p 533
NFU 524, 533, 541, 542
NfuI 524
NifS 524, 532, 537
NifU 524, 532, 533, 541, 542
- ORF3 532
OxyR 539, 543
- Plastocyanin 140, 144, 147
pcb genes 107–113
pcbA 107–110
pcbB 108–110
petD 520
pgr5 663
psaA 433
PsaA 13, 35, 36, 82, 84–96, 100, 106, 302, 320, 321, 329, 330, 416, 434, 440, 447, 500–508, 516, 520, 531, 541, 660, 670–675, 678
pea 71, 74
Thermosynechococcus elongatus 49–53, 55–65
PsaA/PsaB 52
psaB 433
psaB1 671
psaB2 671

- PsaB 13, 35, 36, 82–85, 89–96, 100, 106, 188, 302, 320, 321, 329, 330, 416, 434, 440, 500, 503, 504, 506, 508, 516, 520, 521, 531, 541, 660, 661, 670–675, 678, 679
 pea 71, 74
Thermosynechococcus elongatus 59–53, 55, 56, 58–61, 63, 65
psaC 521
 PsaC 13, 23–25, 35, 36, 207, 214, 215, 320, 330, 336, 338, 415, 416, 420, 421, 437, 440, 447–451, 550, 551–564, 531–535, 540, 613–615, 660
 180° rotation around C₂ symmetry axis 91–93
 amino acid sequence 83
 apo 80
 comparison with dicluster ferredoxins 82–85, 88–91
 conformation of C-terminus 84–89, 91–96
 conformation of N-terminus 85, 86, 88, 96
 conformational change on binding 88, 93–95
 contact shifted NMR signals 83, 84
 crosslinking with ferredoxin 555
 C-terminus binds first hypothesis 94, 95
 evolution 95, 675–678
 inter-subunit contacts with PsaA/PsaB 91–93
 iron-sulfur core binds first hypothesis 94, 95
 local C₂ symmetry 83
 medium and long-range NOE constraints 84, 85
 NMR resonances 84
 PsaC, PsaD and PsaE, ferredoxin docking site 439, 440, 446–450
 pseudo C₂ symmetry of 83, 94,
 site-directed mutagenesis of 83
 specific sequence insertion of 85
 symmetry breaking contacts with PsaA/PsaB 91, 93
Thermosynechococcus elongatus 49, 51–56, 63, 65
 unbound recombinant protein 84
 PsaD 36, 80–82, 90–96, 207, 214, 215, 440, 446–450, 516, 522, 531, 540, 550–565, 660
 crosslinking with ferredoxin 552, 555
 crosslinking with flavodoxin 554
 evolution 675–678
 K_D value with ferredoxin 555, 556
 leader peptide in eukaryotes 551
 N-terminal extension in eukaryotes 677
 role in ferredoxin docking 54
 susceptibility to proteolysis 559, 560
Thermosynechococcus elongatus 49, 51, 53–56, 63, 65
psaD1 142
psaD2 142
psaE (Arabidopsis) 522
psaE 663
psaE1 562
psaE1-1 562
psaE1-2 562
psaE2 562
 PsaE 36, 399, 401, 427, 440, 446–451, 516, 531, 540, 550, 551–565
 evolution 675–678
 interaction with ferredoxin 553
 leader peptide in eukaryotes 553
 NMR structure 55, 96
 N-terminal extension in eukaryotes 678
 role in cyclic electron transport 56
 susceptibility to proteolysis 561
Thermosynechococcus elongatus 49, 51, 53–56, 58, 63, 65
 PsaF 184, 399, 405, 427, 433, 437, 447, 500–503, 505, 506, 508–510, 516, 522, 660
 cross-linked product 501, 502, 505–507
 chimeric protein 502, 503
 electrostatic interaction 503
 interaction with Lhca 121
 N-terminal domain 501, 502, 505
 pea 73, 74, 76
 presequences in plants 58
 role in plastocyanin docking in plants 53, 73
Thermosynechococcus elongatus 49, 51, 53, 55, 58, 59
 PsaF/PsaJ interaction 561
 PsaG 105, 516, 522, 678
 evolution by gene duplication 59
 interaction with Lhca 121
 pea 73, 74, 76
 PsaH 516, 522, 678
 pea 73, 74
 PsaI 516, 522
Thermosynechococcus elongatus 49, 51, 56, 57
 PsaJ 184, 447
 deletion mutant 505
 interaction with Lhca 121
 pea 74
Thermosynechococcus elongatus 49, 51, 58, 59
 PsaK 106, 107, 516, 522, 524
 interaction with Lhca 121
 pea 74, 76
 positive inside rule 59
Thermosynechococcus elongatus 49, 51, 58, 59
 PsaL 105, 179, 184, 516, 522
 Ca²⁺ binding 56
 pea 73, 74
 role in trimerization domain 56
Thermosynechococcus elongatus 49, 51, 55–57, 65
 PsaM, *Thermosynechococcus elongatus* 49, 51, 56–58
 PsaN 516, 678
 Role in binding of plastocyanin 505, 506
 PsaO 678
 PsaX 188, 678
Thermosynechococcus elongatus 49, 51, 58, 59, 65
 PsbB/PsbC, similarity in arrangement to PsaA/PsaB 52
 PsbS 144
 PscB, Chlorobium 95, 676
 PSI-A (see also PsaA) 42, 44, 140
 PSI-B (see also PsaB) 140
 PSI-C (see also PsaC) 140–146, 150
 PSI-D (see also PsaD) 140–146, 148, 150
 N-terminal extension in plants 142
 PSI-E (see also PsaE) 140–146, 150
 N-terminal extension in plants 143
 PSI-F (see also PsaF) 140–146, 148
 N-terminal extension in plants 144
 role in binding LHCl 145, 146
 PSI-G (see also PsaG) 42, 44, 140, 146, 147
 location in plant PSI 146
 role in binding LHCl 147
 role in binding plastocyanin 147, 148
 PSI-H (see also PsaH) 42–45, 140–142, 144, 148–151
 role in binding LHCl 149
 PSI-I (see also PsaI) 140, 141, 148, 150
 PSI-J (see also PsaJ) 140, 141, 145, 146
 role in binding LHCl 146
 PSI-K (see also PsaK) 42–44

- PSI-K and PSI-G, role in energy transfer 146, 147
PSI-K 140, 146, 147
 location in plant PS I 146
 role in binding LHCI 146
PSI-L (see also PsaL) 43, 44, 140–142, 144, 148–150
 role in binding LHCII 149
PSI-M (see also PsaM) 140, 151
PSI-N (see also PsaN) 140, 144, 145, 148, 151
 role in oxidizing plastocyanin 145
PSI-O (see also PsaO) 140, 141, 148, 149, 150, 151
 role in binding LHCII 149, 150
- RubA 63, 530, 531, 534, 539, 540, 541, 542, 544
RubA 564
- ScNFU1 in Arabidopsis 542
sll0088 in *Synechocystis* sp. PCC 6803 534
sll0704 in *Synechocystis* sp. PCC 6803 534
slr0387 in *Synechocystis* sp. PCC 6803 534
slr1417 in *Synechocystis* sp. PCC 6803 534, 539
slr1565 in *Synechocystis* sp. PCC 6803 534
SoxR 530, 543
Ssq1 533
Subunit III (PsaF) 501
- SufA 530, 534, 535, 536, 539
SufB 530, 534, 535, 536, 538, 543
SufBCD, role in mobilizing iron 538
SufC 530, 534, 535, 536, 538, 543
SufD 530, 534, 535, 538, 543
SufE 530, 534, 537, 538
 X-ray crystal structure 537
SufR 530, 535, 542, 543, 544
SufS 530, 535, 536, 537, 538, 543
 X-ray crystal structure 536, 537
SufS/SufE, role in mobilizing sulfur 537
- tab1* in *Chlamydomonas reinhardtii* 520, 521
tab2 in *Chlamydomonas reinhardtii* 520, 521
Thioredoxin 144
tscA in *Chlamydomonas reinhardtii* 518, 519
- Yah1p 533
ycf16 535, 538
ycf24 535, 538
Ycf3 522, 523
Ycf4 522, 523
ycf83 535
Yfh1/frataxin 534

Series editor: Govindjee, University of Illinois, Urbana, Illinois, U.S.A.

1. D.A. Bryant (ed.): *The Molecular Biology of Cyanobacteria*. 1994
ISBN Hb: 0-7923-3222-9; Pb: 0-7923-3273-3
2. R.E. Blankenship, M.T. Madigan and C.E. Bauer (eds.): *Anoxygenic Photosynthetic Bacteria*. 1995
ISBN Hb: 0-7923-3681-X; Pb: 0-7923-3682-8
3. J. Amesz and A.J. Hoff (eds.): *Biophysical Techniques in Photosynthesis*. 1996
ISBN 0-7923-3642-9
4. D.R. Ort and C.F. Yocum (eds.): *Oxygenic Photosynthesis: The Light Reactions*. 1996
ISBN Hb: 0-7923-3683-6; Pb: 0-7923-3684-4
5. N.R. Baker (ed.): *Photosynthesis and the Environment*. 1996
ISBN 0-7923-4316-6
6. P.-A. Siegenthaler and N. Murata (eds.): *Lipids in Photosynthesis: Structure, Function and Genetics*. 1998
ISBN 0-7923-5173-8
7. J.-D. Rochaix, M. Goldschmidt-Clermont and S. Merchant (eds.): *The Molecular Biology of Chloroplasts and Mitochondria in Chlamydomonas*. 1998
ISBN 0-7923-5174-6
8. H.A. Frank, A.J. Young, G. Britton and R.J. Cogdell (eds.): *The Photochemistry of Carotenoids*. 1999
ISBN 0-7923-5942-9
9. R.C. Leegood, T.D. Sharkey and S. von Caemmerer (eds.): *Photosynthesis: Physiology and Metabolism*. 2000
ISBN 0-7923-6143-1
10. B. Ke: *Photosynthesis: Photobiology and Photobiophysics*. 2001
ISBN 0-7923-6334-5
11. E.-M. Aro and B. Andersson (eds.): *Regulation of Photosynthesis*. 2001
ISBN 0-7923-6332-9
12. C.H. Foyer and G. Noctor (eds.): *Photosynthetic Nitrogen Assimilation and Associated Carbon and Respiratory Metabolism*. 2002
ISBN 0-7923-6336-1
13. B.R. Green and W.W. Parson (eds.): *Light-Harvesting Antennas in Photosynthesis*. 2003
ISBN 0-7923-6335-3
14. A.W.D. Larkum, S.E. Douglas and J.A. Raven (eds.): *Photosynthesis in Algae*. 2003
ISBN 0-7923-6333-7
15. D. Zannoni (ed.): *Respiration in Archaea and Bacteria*. Diversity of Prokaryotic Electron Transport Carriers. 2004
ISBN 1-4020-2001-5
16. D. Zannoni (ed.): *Respiration in Archaea and Bacteria*. Diversity of Prokaryotic Respiratory Systems. 2004
ISBN 1-4020-2002-3
17. D. Day, A.H. Millar and J. Whelan (eds.): *Plant Mitochondria*. From Genome to Function. 2004
ISBN 1-4020-2399-5
18. H. Lambers and M. Ribas-Carbo (eds.): *Plant Respiration*. From Cell to Ecosystem. 2005
ISBN 1-4020-3588-8
19. G. Papageorgiou and Govindjee (eds.): *Chlorophyll a Fluorescence*. A Signature of Photosynthesis. 2004
ISBN 1-4020-3217-X
20. Govindjee, J.T. Beatty, H. Gest and J.F. Allen (eds.): *Discoveries in Photosynthesis*. 2005
ISBN 1-4020-3323-0
21. B. Demmig-Adams, W.W. Adams III and A. Mattoo (eds.): *Photoprotection, Photoinhibition, Gene Regulation, and Environment*. 2005
ISBN 1-4020-3564-0

22. T.J. Wydrzynski and K. Satoh (eds.): *Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase*. 2005 ISBN 1-4020-4249-3
23. R.R. Wise and J.K. Hoober (eds.): *The Structure and Function of Plastids*. 2006 ISBN 1-4020-4060-1
24. J.H. Golbeck (ed.): *Photosystem I. The Light-Driven Plastocyanin:Ferredoxin Oxido-reductase*. 2006 ISBN 1-4020-4255-8
25. B. Grimm, R.J. Porra, W. Rüdiger and H. Scheer (eds.): *Chlorophylls and Bacteriochlorophylls. Biochemistry, Biophysics, Functions and Applications*. 2006 ISBN 1-4020-4515-8

For further information about the series and how to order please visit our Website
<http://www.springer.com>