

## Index

- %Ndfa, 129, 135–139, 319
- Abiotic restrictions, 23, 30
- Abiotic stresses, 18, 131, 182, 194, 201, 202, 220, 238, 241, 244, 246, 247, 276, 285, 315, 316, 319, 325, 350, 351, 415, 417, 419, 421, 423, 424, 435
- Abnormal seedlings, 368
- Abrasive mineral dusts, 403
- Acervuli, 306
- Acid detergent fiber(ADF), 61, 63, 64
- Acidity, 71, 72, 133, 134, 151  
tolerant bacteria, 134
- Acid soil tolerance, 134
- Acyrtosiphon*, 331–334
- Adaptation, 18, 20, 23, 24, 130, 146, 226, 241, 243, 255–258, 260, 262, 263, 266, 267, 270, 280, 285, 316, 317, 320, 325, 352  
of plant type, 266  
to environments, 255, 257, 260  
to stress, 24
- Adoption, 108, 121, 177, 179, 183, 184, 241, 265, 357, 399, 415, 424  
of research, 183  
of technologies, 183, 184
- Aecia, 301, 302
- Aestivate, 335, 340
- Afghanistan, 4, 5, 30, 194, 242, 323
- Agrobacterium*, 283
- Agro-climatic conditions, 122, 417, 423, 439
- Agro-climatic zones, 109, 110, 264
- Agronomic traits, 18, 19, 246, 280
- Agronomy, 121, 138, 178, 181, 244, 250, 251
- Agrotis, 331, 338
- Airflow resistance, 394, 395
- Albumins, 37, 74, 81
- Aldicarb, 335
- Alfalfa mosaic, 225, 291, 307, 362
- Algeria, 14, 97, 103, 104, 189, 228, 242, 301
- Alkaline soils, 134, 244, 322
- Alkaloids, 49
- Allele, 11, 17, 19, 190, 217, 250, 278
- Allelochemical compounds, 406
- Alophorella, 338
- Alpha capamethrin, 343
- Alternate host, 299–301
- Altitude, 13, 16, 19, 23, 30, 228, 257, 315, 317, 320
- Amide exporting, 129
- Amino acid composition, 49–51, 62, 80
- Amino acid digestibility, 80
- AMV, 225, 291, 307
- Amylose content, 52
- Anaerobic conditions, 319
- Anamorph stage, 292
- Anatolia province, 96, 244, 319, 320, 432
- Anilofos, 120
- Annual broadleaves, 160
- Annual grasses, 160, 161
- Annual *Lens* species, 7
- Annual Ryegrass (*Lolium rigidum*), 163, 165
- Anoxia, 151
- Anthocyanin pigmentation, 278
- Anthracnose, 164, 225, 244, 245, 248, 276, 280, 292, 305, 306, 358
- Anticoagulants, 373
- Antifeedant, 406
- Anti-nutritional, 3, 35
- Antioxidant, 47, 58, 59, 74, 285
- Aphids, 307, 331–334, 338, 342, 363, 420, 428, 436
- Aphis, 331–333
- Apion*, 331, 340
- Application methods, 135

- Application of oils, 405  
 Applied nitrate, 147  
 Appressoria, 294, 305  
 Aqueous extraction, 72  
 Archeological, 33, 189  
 Aschochyta, 20, 423  
 Asexual stage, 292  
 Ash, 1, 3, 35, 37, 48, 49, 60, 61, 64–66, 69, 386, 390, 403, 405  
 Association of Official seed Certifying Agencies, 377  
 ATFCC, 15, 16, 19, 20, 249  
 Atrazine, 120  
 Australia, 14, 42, 95–103, 108, 128, 129, 133, 134, 138, 154, 165, 173, 174, 179–184, 226, 241–251, 270, 284, 292, 295, 298, 300, 301, 304, 305, 307, 315–324, 331–333, 343, 385, 401, 416–421, 431, 439  
 Australian exports, 103  
 Australian growers, 439  
 Australian lentil production, 98  
 Autoclave, 61, 62, 67, 78–80, 82, 85  
 Autumn sowing, 26–30, 146  
 Average yield, 26, 98, 108, 130, 134, 145, 175, 226, 424, 432, 435  
 Avoidance, 317, 318, 427  
*Azospirillum*, 119, 133, 135  
  
 B.C., 173, 231  
*Bacillus*, 297, 362  
 Backcrossing, 218, 220  
 Bacteroids, 128, 129  
 Bag storage, 402  
 Bait shyness, 373  
 Bangladesh, 1, 11, 95–97, 99–104, 107–109, 112, 121, 179, 184, 196, 242, 243, 245, 298, 303–305, 316, 318, 323, 339, 394, 417, 418, 434  
 Barley, 5, 23, 34, 43, 107, 110, 112, 119, 121, 132, 161, 173, 178, 180, 237, 271, 322, 323, 360, 366, 434, 436  
 Barriers to the use of transgenic, 284  
 Basic seed, 355, 358, 363, 377–379, 437  
 BBMV, 335, 340  
 BBSV, 225, 291, 308, 335  
 Bean leaf roll virus, (BLRV), 225, 291, 307, 334, 362  
 Bean sprouts, 38  
 Bean yellow mosaic virus (BYMV), 307  
 Beet western yellows virus (BWYV), 225, 291, 307  
 Below ground fixed nitrogen, 130, 131  
 Beneficial insect, 331, 338  
 Benomyl, 294, 297, 301, 301  
 Bhutan, 42  
 Bifenthrin, 334, 404  
 Big land holders, 432  
 Bioavailability, 53, 58, 82, 84, 85  
 Biocontrol, 297, 362  
 Biodiversity, 11, 265  
 Bio-fertilizers, 107, 122  
 Biological control, 297, 331, 333, 344, 360, 362, 373, 407  
 Biological nitrogen fixation, 107, 119, 127, 128, 160  
 Biological practices, 167, 169  
 Biological yield, 198, 261, 270, 271, 336  
 Biomass yields, 130  
 Biotechnological approaches, 225, 248  
 Biotechnology, 238, 251  
 Biotic constraints, 183, 244, 246, 276, 292, 310, 332, 435  
 Biotic stresses, 19, 178, 183, 315, 325, 332  
 Biotin, 37, 56  
 Black gram, 38  
 Bold seeded genotypes, 264  
 Boron, 29, 138, 150, 182, 194, 244, 247, 251, 276, 322–325  
     deficiency, 150, 194, 244, 323  
     tolerant lines, 138  
     toxicity, 194, 322  
 Botanical description, 6  
 Botrytis, 121, 151, 225, 244, 245, 247, 248, 262, 276, 279, 285, 291, 297–301, 319, 433, 435  
 Branches/plant, 111, 261, 336  
 Branching patterns, 259, 267, 270  
 Breakage susceptibility, 397, 398  
 Breakdown of the residues, 133  
 Breeder seed, 352, 353, 355–357, 370  
 Breed for increased N fixation, 138  
 Breeding, 6, 13, 14, 17–20, 23, 24, 60, 138, 145, 146, 155, 178, 182, 195, 199–202, 209–220, 226, 227, 237–241, 243–251, 255–258, 260, 262–267, 269, 270, 275–277, 279, 280, 284, 285, 294, 301, 306, 322, 324, 325, 353–355, 357, 370, 401, 423, 428  
     efficiency, 195  
     methodology, 199, 202, 246  
     methods, 209, 210, 237, 241  
     objective, 256  
     programmes, 14, 17, 20, 23, 24, 60, 138, 199–202, 212, 218, 241, 243, 245–250, 263, 266, 270, 276, 277, 284, 295, 301, 306, 423, 428  
 Broad bean mottle bromovirus (BBMV), 335, 340

- Broad bean stain, 225, 291, 308, 335  
 Broadcasting of lentil seed, 107  
 Broadleaf weeds, 166  
 Broadly adapted, 256, 260, 317  
 Broadsense heritability, 198, 199  
 Broomrape, 162, 178, 438  
 Bruchids, 276, 332, 342, 363, 365, 366, 370, 378,  
 400–403, 405, 407, 435  
 Bruchus, 331, 332, 342, 343, 362, 400–402, 420  
 Bud weevils, 331, 332, 340  
 Bulgaria, 24, 150, 215  
 Bulk density, 47, 119, 391, 392, 394, 396  
 Bulk population method, 246  
 Bulk porosity, 395  
 Bulk properties, 391, 392, 394  
 Burning, 163, 294, 301  
 Butachlor, 120
- Calcium, 2, 3, 35, 36, 56, 76, 82–85, 360  
 digestibility, 83  
*Callosobruchus*, 331, 332, 342–344, 373, 374,  
 400, 401, 403, 405–408, 420  
 Callus culture, 236  
 Callus tissue, 235, 236  
 Calories, 3, 35–37  
 Canadian lentil exports, 431  
 Canadian lentil growers, 429  
 Canadian prices, 431  
 Canadian production, 96, 97, 430  
 Canadian splitting capacity, 431  
 Candidate genes, 18, 275, 276, 280, 284  
 Canning, 65, 66  
 Canonical analysis, 196  
 Captafol, 295, 367  
 Carbaryl, 334, 339  
 Carbothiin, 294  
 Carbenazim, 294, 301  
 Carbofuran, 335, 336, 367  
 Carbohydrate, 3, 34–37, 47, 48, 52, 53, 61–63,  
 65–68, 76, 81, 137, 386  
 Carbohydrate composition, 53  
 Carboxin, 301, 362, 366, 367  
 Case studies, 174, 179, 416, 421  
 Case study of commercial cultivation, 174, 179  
 Centres of diversity, 11, 12, 189, 229  
*Cercospora*, 308  
 Certified seed, 175, 178, 184, 355, 358, 361, 363,  
 370, 377–379  
 Certifying agencies, 377  
 CGIAR, 20, 201, 242  
 Chalky spot syndrome, 337
- Chemical composition, 48, 60, 67, 69, 71, 79, 80,  
 405, 406  
 Chemical control, 341, 344, 361, 403, 428  
 Chemical fertilizer, 132  
 Chemical mutagens, 212–215, 219  
 Chemical practices, 159, 160, 162  
 Chemical weed control, 165–167  
 Chickpea, 3, 24, 28, 29, 37, 38, 40, 42, 44, 47,  
 50, 57, 72, 74, 75, 77, 81, 83, 84, 95, 97,  
 110, 112, 119, 121, 129, 130, 138, 151, 154,  
 176, 177, 180, 184, 194, 219, 262, 277, 285,  
 300, 302, 317–319, 324, 341, 343, 351, 356,  
 361, 362, 364, 367, 374, 418, 421, 424, 433,  
 434  
 Chimeras, 215  
 China, 5, 24, 34, 95, 99–103, 210, 242, 417, 418  
 Chlamydozoospores, 296, 297  
 Chlorina mutant, 190  
 Chlorothalonil, 295, 301, 305, 306  
 Chloropyrifos, 336, 404  
 Chromometer, 398  
 Chromosome, 5, 6, 189, 190, 211, 214, 227, 231,  
 232, 234, 237, 275, 278  
 aberrations, 211  
 and genome alterations, 211  
 number, 6, 189, 211, 227  
 CIAT, 138  
*Cladosporium*, 308  
 Cleanliness  
 of equipment, 365  
 of processing, 352  
 Clean seed, 297, 360  
 Clethodim, 165, 167  
 Climate, 20, 26, 28, 146, 152, 154, 160, 243,  
 257, 298, 299, 300, 315, 316, 338, 350, 359,  
 372, 418, 427, 438, 439  
 Climatic factors, 23, 24, 30, 154, 258, 260  
 Clove oil, 406  
 Cluster analysis, 18, 197  
 Clustering pattern, 196, 197  
 Clusters per plant, 200, 269  
 Coccinellids, 333, 334  
 Co-dominant, 275, 277  
 Cold tolerance, 20, 29, 178, 231, 321  
 Collaboration, 178, 241, 250, 251  
 Collaborative research, 243  
 Collar rot, 121, 296, 308, 319  
 Collections, 11, 13–20, 24, 122, 184, 201, 220,  
 242, 295, 316, 324, 337, 438  
*Colletotrichum*, 244, 291, 305  
 Colombia, 95, 102–104, 298, 301  
 Combine harvesters, 358, 427  
 Combining ability, 199, 200

- Commercial, 3, 20, 34, 85, 115, 135, 173, 174, 179, 182, 192, 195, 209, 210, 215, 219, 247, 248, 250, 263, 277, 298, 306, 350–353, 357, 368, 401, 423, 428
- Commercial cultivation, 173, 174, 179, 182, 263, 423
- Commercialisation, 179, 250
- Commercial seed partner, 247
- Common names, 3, 161, 162, 188, 295
- Comparative genetic maps, 279
- Competing crops, 176, 177
- Competition, 12, 111, 113, 119, 159, 160, 162, 164, 166, 184, 227, 260, 262, 270, 319, 359, 360, 427
- from other crops, 184, 427
- Competitiveness, 162–164, 175, 181, 182, 185
- Composite lentil map, 279
- Conidia, 292–296, 298, 299, 303, 305
- Consensus map, 275, 278, 285
- Conservation, 14, 15, 19, 20, 370, 439
- Conserved moisture, 107, 258, 423
- Constraints, 134, 167, 178, 181–183, 225, 243–246, 276, 291, 292, 298, 316, 319–322, 325, 332, 349, 350, 419, 427, 435, 436
- to lentil production, 178, 181, 183, 292, 320
- to production, 178, 183, 243
- Consumption, 33, 36, 37, 41, 42, 46, 47, 76, 78, 101, 102, 121, 174, 181, 184, 192, 350, 386, 397, 400, 416, 417, 419, 424, 432, 433
- Contamination of the seed crop, 355
- Contract seed growers, 352, 355
- Contribution of N, 127, 128
- Controlled atmospheres, 396, 408
- Controlled environment screening, 248, 323
- Controlled market, 436
- Control of flowering, 242, 316, 320
- Cooked lentils, 35, 38, 42, 60, 63, 74, 79, 81, 82
- Cooking
- quality, 35, 65–67, 149, 201, 248, 397, 398, 405, 406
- time, 34, 38, 43, 65, 66, 68, 74, 180, 197, 199, 386, 387, 389, 397
- Cooperative marketing groups, 424
- Core collections, 11, 18
- Correlations, 24, 60, 66, 134, 197, 198, 260, 269, 321, 324, 335
- Cost, 35, 44, 114–116, 120, 121, 128, 137, 165, 168, 169, 175, 176, 183, 185, 246, 264, 266, 276, 297, 408, 433
- Cost benefit analysis, 176
- Cost-benefit ratio, 115
- Cost of growing lentils, 115
- Cotton, 107, 109, 110, 184, 284, 338, 339, 405
- Cotyledon colour, 192, 193, 201, 278
- Cowpea seed beetle, 342
- Critical deficit, 28
- Critical level, 148
- Critical limit, 149
- Critical period, 28, 152, 160
- of sensitivity, 152
- Critical phases, 162
- Critical temperature, 25
- Crop
- competition, 160, 164
- development, 146, 334
- growth, 23–28, 30, 162, 164, 167, 259, 268, 296, 322, 352, 387, 436
- growth model, 23–26, 30
- ideotype, 270
- losses, 245, 307, 417, 419, 436
- residues, 127, 128, 305, 306, 337
- rotations, 5, 109, 159, 165, 167, 262, 294, 305, 336, 355, 358, 362, 428, 429, 438, 440
- topping, 167, 168, 246
- Cropping
- intensity, 107–109
- pattern, 417, 427
- seasons, 262, 417, 420, 421, 424, 436
- systems, 107–113, 115, 118–122, 130, 160, 164, 165, 243, 250, 262, 271, 360, 417, 419, 421, 433, 434, 439
- Crossability, 188, 226, 227, 231, 232
- Crude energy, 48
- Cucumber mosaic, 225, 291, 307, 333, 362
- Cultivar by strain treatments, 134
- Cultivar stability, 256
- Cultivated lentil, 1, 4, 6, 7, 11, 12, 122, 123, 188–190, 196, 226, 228, 229, 231, 237, 238, 242, 318, 320, 321
- Cultivated species, 4, 5, 7, 8, 108, 188, 209, 226, 248, 249
- Cultivated varieties, 1
- Cultivation, 5, 23, 107, 108, 111, 163, 165, 173, 174, 176–179, 182, 257, 263, 264, 268, 295, 352, 415–419, 421, 423, 432, 433, 435, 438, 439
- pattern, 417
- Cultural, 34, 159, 160, 162, 165, 167–169, 225, 268, 294, 303, 304, 315, 316, 331, 333, 338, 349, 351, 361, 362
- Cultural practices, 159, 162, 165, 225, 294, 316, 331, 333, 349, 351, 361, 362
- Cutworm, 331, 332, 338, 339, 420
- Cyanazine, 336
- Cydia*, 331, 340, 341, 420
- Cyfluthrin, 334, 404

- Cylindrosporium*, 308  
 Cyst nematode, 178  
 Cytogenetics, 187, 189
- Daily consumption, 101  
 Daily food intake, 75–77  
 Damage during handling, 365, 394  
 Damping-off, 296, 367  
 Databases, 11, 16, 17, 19, 209, 218, 277, 278, 285  
 Days to flowering, 193, 198, 199, 260, 261  
 Debre Zeit Agricultural Research Center, 436, 437  
 Deep ploughing, 339  
 Deep tillage, 118  
 Deficient soils, 134, 135  
 Dehulled dhal, 3  
 Dehulled lentil, 67  
 Dehulling efficiency, 397, 399, 400  
 Dehusking, 64  
 Delayed sowing, 164, 168, 305, 361  
 Delaying harvest, 364, 368  
 Deltamethrin, 340–342, 363, 404  
 Demand, 5, 97, 103, 107, 127, 135, 175, 178, 180, 182, 201, 266, 398, 420, 431, 433, 434, 437, 438  
 Dense canopy, 300  
 Desiccation, 167, 179, 364, 369, 386, 403  
 Dhal, 3, 33, 34, 38–42, 96, 419, 421, 433, 434  
 Diabetes, 36  
 Dialyzability, 73, 84, 85  
 Diatomaceous earth, 403  
 Dicamba, 166  
 Diclobutrazole, 303  
*Didymella*, 292  
 Dietary essential minerals, 53, 82  
 Dietary fibre, 49, 53, 61, 62, 64, 76, 82, 83  
 Diflubenuron, 407  
 Diflufenican, 167  
 Digestibility, 37, 49, 50, 62, 68, 71, 72, 78–81, 83, 85  
 Digestive utilization, 56, 58, 77–79, 83–85  
 Dimethoate, 334, 338, 340  
 Dimethyldithiocarbamate, 303  
 Dinarmus, 344  
 Diquat, 167  
 Disease(s), 30, 64, 108, 121, 151, 178, 181, 225, 231, 243, 244, 258, 262, 271, 285, 291, 292, 295, 299, 306–308, 315, 316, 319, 333, 355, 358, 359, 361, 363, 367, 372, 372, 377–379, 419, 420, 423, 428, 429, 438, 440  
   break, 160  
   development, 121, 293, 295, 300, 302, 304, 362  
   incidence, 121, 297  
   management, 177, 182, 225, 250, 291, 292, 306, 423  
   management, 291  
   resistance, 18, 24, 138, 193, 238, 263, 275, 280, 284, 419  
   resistant varieties, 121, 243, 256  
 Distinctness, uniformity and stability, 353  
 Disulfoton, 334  
 Dithane, 303, 367  
 Diversity, 11, 12, 14, 15, 17–20, 189, 194, 196, 197, 200, 226, 229, 231, 241, 265, 267, 295, 416, 421  
 DNA  
   fingerprint, 17  
   markers, 187, 195  
 Documentation, 11, 16  
 Domestication, 1, 4, 5, 229, 231, 235  
 Dominant genes, 191–194, 211, 212, 277, 303  
 Dormancy, 163, 335  
 Dose of a chemical mutagen, 214  
 Dose selection, 212  
 Double cropping, 109, 419  
 Doubled haploids, 237, 238, 248–250  
 Downy mildew, 121, 308, 319  
 Drought, 12, 18, 23–25, 28–30, 135, 137, 138, 145–147, 152–155, 178, 182, 216, 231, 248, 257–259, 262, 276, 284, 316–320, 325, 351, 418, 419, 423, 430, 435, 438, 439  
   stress, 28, 29, 137, 138, 145, 146, 231, 316–319, 418  
   tolerance, 28, 29, 248, 258, 318  
   tolerant, 28, 29, 153, 154, 216, 248, 258  
   tolerant varieties, 18, 29, 146, 216, 248, 258  
 Dry-heating, 67, 78, 85  
 Drying and storage on quality, 397  
 Drying and storing lentils, 385  
 Drying model, 387  
 Drying temperature, 398, 400  
 Drying time, 398, 400  
 Dryland, 15, 96, 129, 130, 132, 146, 178, 184, 271, 324, 421  
 Dry matter production, 146, 153, 154, 258, 262  
 Dubai, 97  
 DuPuy type, 96  
 Duration of flowering, 271  
 Early flowering, 23, 29, 30, 146, 155, 158, 193, 257, 271, 306, 308, 317, 318  
 Early harvesting, 65, 179, 386  
 Early sowing, 138, 155, 294, 318, 319, 336  
 Early vigour, 159, 164, 166, 246, 258, 271, 317  
 Ecological niches, 228

- Economic analysis, 168  
 Economics, 121  
 Edaphic conditions, 49, 145, 146, 148  
 Efficiency gains, 184, 185  
 Efficient use of solar, 109  
 Egypt, 1, 4, 95, 97, 102–104, 112, 129, 134,  
 174, 242, 298, 303, 308, 316, 318,  
 342, 354, 416, 431  
 Electrophoretic, 4  
 Elevated soil nitrate, 137  
 Embargo, 102  
 Embryo  
 genesis, 236, 237, 281  
 rescue, 189, 227, 232–235, 238  
 Endosulfan, 234, 340–343  
 End point royalty, 184  
 End use characteristics, 385  
 Energy cost, 137  
 Environment, 15, 17, 128, 130, 132, 166, 197,  
 199, 200, 219, 233, 242–244, 248, 250, 251,  
 255–258, 260, 262, 263, 267, 284, 285, 302,  
 316, 318–321, 323, 325, 336, 368, 369, 390  
 stress, 146, 231  
 Enzyme inhibitor, 70  
 Epicotyl colour, 191  
 Epidemics, 262, 298, 300, 305  
 Epidemiology, 292, 293, 296, 299, 302, 304, 306  
 Equilibrium moisture content, 389, 390  
 Erect growth habit, 190, 270, 271  
*Erysiphe*, 308  
 Essential amino acids, 47, 50, 51, 62, 70, 81  
 Essential oils, 406  
 Ethiopia, 33, 43, 189, 194, 228, 242, 245, 257,  
 301, 305, 308, 318, 319, 323, 332, 353, 354,  
 357, 415, 418, 420, 436, 437  
 Ethiopian Seed Enterprise, 357, 437  
 Ethyl methane sulphonate(EMS), 213–217, 284  
 Etiella, 331, 332, 341  
 Evaluation data, 16, 19, 20  
 Evapotranspiration, 25–27, 153  
 Evolution, 218, 226, 320  
 Exotic diseases, 247, 292, 305  
 Exports from Nepal, 434  
 Extension, 183, 184, 248, 251, 266, 435, 436  
 Extra Chromosomal Mutations, 211  
 Faba bean, 11, 24, 28, 29, 35, 47, 48, 65, 74, 77,  
 81, 83, 129, 130, 151, 154, 180, 219, 299,  
 300, 305, 307, 308, 317, 324, 334, 351, 361,  
 364, 367  
 Fairy wasp, 338  
 Farmer Based Seed Multiplication, 437  
 Farmer participation, 255, 264–267  
 Farmers' holdings, 419  
 Farmers demonstration, 425, 439  
 Farming practices, 183, 250  
 Farming system, 159, 162, 163, 167–169, 175,  
 180, 251, 261, 350, 354, 421, 436  
 Fat content, 48, 50, 63, 386  
 Fatty acid composition, 52, 63  
 Feed, 1, 3, 43, 59, 75, 159, 175, 180, 182, 185,  
 280, 332, 335, 337–343, 373, 401  
 Fenoxycarb, 407  
 Fenvalerate, 334  
 Fermentation, 47, 60, 70–73, 76, 77, 79, 81  
 Fertile crescent, 173  
 Fertilizer, 107, 120, 122, 128, 131–133, 139, 145,  
 146, 148–150, 155, 173, 175–178, 184,  
 250, 262  
 inputs, 146  
 recommendations, 120  
 requirements, 360  
 Fibre, 3, 35–37, 47–49, 53, 61–65, 69, 71, 75, 76,  
 82, 83, 86, 386, 390, 427  
 Field  
 diagnosis, 296  
 experiments, 119, 133  
 inspection, 352, 359, 376, 377  
 nitrogen fixation, 129  
 screening, 23, 30, 322  
 standards, 376, 377  
 First generation, 354  
 Fixed nitrogen, 119, 127, 128, 130, 335  
 Fixed nitrogen benefit, 131  
 Flatulence, 3, 35, 63, 76  
 Flatulent, 57  
 Flooding, 151, 339, 360  
 Flower colour, 191, 279  
 Flowering, 6, 16, 23–28, 31, 115, 146  
 date, 26–28, 270  
 responses, 24, 243, 279, 285, 316  
 Flumetsulam, 167, 361  
 Fluzifop-butyl, 167  
 Foliage colour, 190  
 Folic acid, 36, 37, 45, 56  
 Folpet, 295  
 Forage crops, 35, 168  
 Formononetin, 336  
 Fossil fuels, 127, 128  
*Frankiniella*, 331, 339  
 Freezing, 259, 321  
 French lentil, 2  
 Frictional coefficient, 391, 393  
 Frost, 20, 182, 257, 259, 276, 284, 320–322, 325,  
 418, 427, 436  
 damage, 321, 322

- FSRIA, 426, 429, 430  
 Fumigation, 343, 344, 372, 374, 375, 408  
 Functional genes, 276, 284  
 Fungicides, 164, 175, 178, 182, 225, 294, 297, 301, 305, 306, 362, 427, 440  
 Furathiocarb, 336, 367  
 Fusarium wilt rust, 121, 420
- GABA, 50  
 Gamma irradiation, 67, 68  
 Gaps in productivity, 424, 439  
 Gelatinization, 65, 386, 389  
 Gene mutations, 211  
 Gene symbol, 190–194  
 Genetics, 17, 187, 189–191, 193, 209, 211, 213, 220, 226, 250, 257, 258, 260, 284, 297  
 of abiotic stresses, 194  
 advance, 198, 199  
 and cytogenetics, 187  
 of disease resistance, 193  
 divergence, 196, 197  
 diversity, 11, 14, 15, 17–19, 196, 197, 200, 226, 229, 231  
 engineering, 280  
 of qualitative traits, 190  
 of quantitative traits, 196  
 research, 187, 201, 276  
 transformation, 236, 276, 281, 283  
 in value adding, 201  
 variability, 199, 200, 209, 210, 212, 220, 317, 325  
 variation, 14, 28, 29, 150, 209, 210, 220, 226, 229, 237, 257
- Genomes, 29, 187, 188, 195, 196, 202, 210, 211, 232, 236, 250, 251, 275–280, 283, 284  
 alterations, 211  
 specific packages, 250
- Genotype by environment, 250  
 Genotype database, 278  
 Genotype-environment (GE) interaction, 17, 197, 255, 256, 260, 263, 267
- Geographical distribution, 189, 229  
 Geographical diversity, 197
- Germination, 3, 6, 47, 60, 62, 68–71, 73, 74, 76, 77, 79, 82, 85, 115, 163, 166, 195, 197, 199, 212, 259, 271, 294, 295, 319, 343, 350, 351, 359, 364–369, 371, 374–376  
 tests, 15, 378
- Germplasm, 6, 11, 14, 16–20, 194, 196–198, 200, 201, 220, 229, 238, 241–243, 245, 248–250, 258, 260, 263, 295, 301, 306, 319, 323, 336, 354, 423  
 development, 250  
 enhancement, 20, 248–250
- Global food productivity, 128  
 Global lentil production, 128  
 Global-level estimates, 127  
 Global output, 108  
 Global production, 97  
 Global situation, 416  
 Globe plant type, 191  
 Globulins, 36, 73, 74, 78, 81, 84  
 Glucose, 36, 52, 57, 62, 63, 68, 72, 78, 297  
 Glutathione, 74  
 Glycemic index, 36  
 Glyphosate, 166, 167, 360, 361, 428  
 Government policies, 98, 182, 183  
 Grading of lentils, 397  
 Grafting, 235
- Grain legumes in Nepal, 433  
 Grain protein, 131, 132  
 Grain quality, 162, 265, 351, 394  
 Granular insecticides, 336  
 Grass weeds, 167, 428  
 Gravity separator, 365  
 Greece, 1, 4, 5, 228, 242, 259, 316, 431  
 Green and red lentils, 96  
 Green foxtail (*Setaria viridis*), 161, 163, 165  
 Green gram, 38  
 Greenhouse, 129, 132, 133, 136, 194, 195, 297, 339  
 Green lentil production, 95, 97, 432  
 Green manure, 35, 131–133, 262  
 GRIN database, 17  
 Gross margin, 168, 180  
 Growth duration, 115, 259, 271  
 Growth habit, 6, 155, 163, 190, 195, 226, 270, 271, 386  
 Gypsum fertilizers, 175
- Haber-Bosch, 128  
 Haemoprotein, 128  
 Haloxypop, 165, 167  
 Hand harvesting, 183, 245  
 Hand weeding, 120, 423  
 Haploids, 211, 237, 238, 248–250, 285  
 Hard seed coat, 193  
 Hardseededness, 365, 378  
 Harvest  
 areas, 98, 100, 101, 130, 426, 430  
 lentils, 179, 364  
 process, 65, 162, 167  
 threshing and yields, 424  
 Harvestability, 163, 245, 247, 419

- Harvest index, 25, 138, 151, 154, 198, 255, 260, 261, 268–271
- Heat, 16, 38, 40–43, 60, 61, 67, 77, 78, 82, 182, 257, 294, 302, 325, 371, 389, 396, 397
- Helicoverpa*, 276, 331, 340
- Helicoverpa armigera* Nucleopolyhedrosis Virus (HaNPV), 341
- Heliothis*, 331, 340, 420, 433
- Helminthosporium*, 308
- Hemagglutinins, 35, 68
- Herbicides, 20, 119, 120, 162–168, 173, 175, 176, 181, 183, 211, 215, 219, 246, 247, 250, 262, 276, 284, 360, 361, 423, 425, 440  
resistance, 166, 181, 280, 404  
tolerant lentils, 219
- Heritability, 29, 30, 198, 199
- Hermetic control, 407
- Heterodera ciceri*, 178
- Heterosis, 200, 201
- High nodulation, 138
- High quality seed, 349, 350, 379
- High salinity, 133, 134
- High soil available N, 135
- High temperature, 23, 24, 28, 30, 146, 302, 317, 320–322, 351, 360, 368, 369, 387, 418
- High yielding varieties, 23, 30, 212, 243, 264
- History, 1, 4, 134, 138, 174, 184, 210, 241, 255, 296, 355, 358, 425
- Host(s), 299–302, 337–340, 358, 362  
plant resistance to bean aphid, 333  
range, 296, 297, 300, 304, 307
- Hot air drying, 387
- Human consumption, 101, 102, 121, 386, 416
- Hybrid embryo abortion, 220, 232, 234
- Hybrid fertility, 232
- Hydration coefficient, 67
- Hydroalcoholic extraction, 72
- Hydrothermal stresses, 387
- Hygiene in store, 402
- Hypogeal germination, 259
- ICARDA, 11, 14, 16, 18–20, 24, 29, 30, 113, 122, 131, 136, 138, 179, 194, 201, 202, 217, 241–243, 245–248, 263, 316, 321, 337, 359, 366, 367, 375–377, 379, 439, 440
- ILIS, 16, 19, 20
- Imidacloprid, 334, 363
- Imidazolinone-Tolerant Lentil, 219
- Implementation of markers, 276
- Importing countries, 95, 97, 103
- Improved practices, 146, 177
- Improvement, 13, 20, 72, 73, 78, 79, 81, 82, 84–86, 122, 138, 181, 182, 189, 196, 218, 219, 226, 237, 238, 242, 243, 248, 251, 256, 257, 280, 282, 325, 336, 415, 424, 438
- Increasing population, 182
- India, 1–3, 5, 14, 24, 33, 34, 37–39, 41, 42, 90–104, 95–97, 107–117, 120, 121, 131, 134, 145, 146, 148, 150, 151, 154, 174–178, 182–185, 187, 194, 196, 201, 215, 218, 220, 241–243, 245, 248, 255–259, 264, 265, 268, 296, 298, 301, 303, 308, 316, 318, 320, 323, 325, 332, 341, 342, 350, 369, 378, 385, 401, 404, 405, 416–419, 421–425, 432
- Indian Agricultural Research Institute, 119, 201, 218, 423
- Indian growers, 421
- Indian states, 174, 422
- Induced mutations, 209, 210, 212, 217, 218
- Industrial use, 73, 75
- Inert dust, 403
- Infected trash, 299
- Infection process, 127, 133, 294, 306
- Infested seed, 343, 362, 365, 366, 373, 374, 401
- Information flow, 420
- Infrared drying, 389
- Infrared heating, 67
- Inheritance studies, 187, 202
- Inoculating bacteria, 133, 134
- Inoculation, 117, 118, 133–136, 139, 164, 285, 294, 296, 303, 305, 334, 336, 360, 367, 430
- Inositol, 37, 65, 68, 71, 72, 84, 85
- Insect(s)  
control strategies, 402  
growth regulators, 406, 407  
infestations, 67, 373, 374, 400, 402, 403  
management strategies, 385  
pests, 160, 271, 331–333, 340–342, 352, 367, 371, 402–404, 407–409, 420, 436, 440  
populations, 335, 373, 374, 408
- Insecticides, 175, 225, 291, 334, 336, 337, 339–343, 362, 363, 367, 374–376, 403–406, 425, 427, 440  
resistance, 404
- Integrated disease management, 182, 225, 291
- Integrated management, 417, 424, 432, 439
- Integrated pest management, 331, 361
- Integrated weed management, 165, 167, 169
- Intensive farming systems, 421
- Intercepted radiation, 25
- Intercropping, 11–17, 107–109, 120, 121, 271, 427, 434
- International, 18, 20, 95, 175, 182, 185, 210, 226, 242, 243, 247, 263, 354, 361, 415, 417, 420, 421, 431–434, 439

- International treaty, 11, 20  
 Inter-row weed, 164  
 Interspecific, 5, 17, 188, 189, 195, 215, 223, 226, 231, 234–237, 249, 276  
   hybridization, 189, 215, 226, 231, 237  
   hybrids, 5, 189, 226, 234–236  
 Inter-specific crosses, 234, 276  
 Intra-specific, 17, 189, 195, 277  
 In vivo digestibility, 77  
 IPGRI, 16  
 Ipodion, 294  
 Iran, 4, 12, 30, 95, 99–101, 108, 112, 228, 229, 242, 257, 307, 316, 342, 417–419  
 Iraq, 4, 5, 194, 242, 246, 323, 419  
 Iron, 2, 3, 35–37, 84, 85, 136, 161, 194  
   deficiency, 36, 194  
 Irradiation, 60, 65, 67, 68, 215, 390  
 Irrigation, 25, 96, 109, 115, 135, 145–147, 149–153, 155, 159, 162, 164, 175–178, 184, 261, 268, 319, 324, 360, 423, 432, 435, 437, 440  
   management, 145, 177, 423, 432, 440  
   scheduling, 159, 162  
 Isoflavonoids, 336  
 Isolation distances, 363  
 Isozyme, 17, 187, 188, 195, 229, 276  
 Israel, 4, 7, 15, 189, 228  
 ISSR, 195, 196, 277, 278  
 Italy, 1, 104, 228, 292, 301, 318, 431  
 ITAPS markers, 278
- Jordan, 4, 12, 131, 183, 229, 242, 246, 316, 334, 419
- Kakothrips*, 331, 339  
 Karyotypes, 189, 227, 233  
 Kernel density, 48, 381, 396  
 Key traits, 11, 19, 20  
 Kg N fixed, 130–132  
 Kichari, 40  
 Kidney bean, 48, 60  
 Kinds of lentils, 1  
 Knockdown herbicide, 163, 166, 167
- Labour, 109, 164, 165, 175, 176, 183, 218, 360  
 Lambda-cyhalothrin, 334  
 Land equivalent ratio, 14, 107, 111, 113, 116, 121  
 Land holdings, 184, 417, 419, 421, 423, 429, 432, 436  
 Land preparation, 159, 162, 163, 165, 175, 176, 358, 360
- Landraces, 13, 16–20, 67, 184, 241–243, 264, 265, 316, 317, 320, 323  
 Land use efficiency, 109  
 Large scale farmers, 424, 425  
 Largest producers, 99–101, 108, 174, 417, 429  
 Late applications of N, 133  
*Lathyrus aphaca*, 160, 161  
 Leaf/leaves  
   miners, 331, 333, 342  
   pigmentation, 190  
   shape, 190  
   weevils, 178, 331, 332, 334  
 Leaf area index (LAI), 25, 27, 270  
 Leaflet size, 190  
 Lectins, 3, 56–58, 62, 68, 71, 78  
 Leghaemoglobin, 128  
 LENMOD, 23–26, 29, 30  
*Lens culinaris*, 1, 4–8, 11, 12, 14, 15, 17, 20, 34, 38–40, 43, 47, 52, 56, 60, 75, 77–80, 82, 85, 147, 159, 173, 187–190  
 Lens diversity, 11, 14, 15  
*Lens ervoides*, 4, 6, 7, 11–14, 52, 188, 189, 194–197, 209, 227–236, 321  
*Lens esculenta*, 416  
 Lens germplasm, 11  
*Lens lamottei*, 11–14, 17, 188, 189, 209, 227, 229, 232–234, 236  
*Lens montbretii*, 188, 189  
*Lens nigricans*, 4–7, 11, 12, 14, 17, 52, 188–190, 196, 197, 209, 226–230, 232–235, 321  
 Lensomics, 275  
*Lens orientalis*, 1, 4–8, 11, 12, 14, 15, 17, 20, 52, 173, 188–190, 192, 195–197, 209, 226–234, 236, 277, 318, 321  
 Lentil(s)  
   availability, 101  
   equivalent yield, 113–116  
   feeding, 81  
   fixation, 129, 137, 139, 319  
   flour, 23, 34, 41, 73, 75, 79, 81, 84, 85  
   genetic resources, 13  
   genome, 29, 195, 196, 199, 202, 277, 283, 285  
   genomics, 284  
   growers, 415, 417, 418, 421, 423–425, 429, 432, 435, 438–440  
   growing areas, 108, 148, 169, 183, 243, 244, 317, 324, 339, 359, 437  
   soup, 3, 33, 38, 39, 42, 44  
   varieties, 15, 29, 50, 74, 138, 163, 178, 179, 181, 195, 201, 219, 242, 245, 250, 259, 301, 334, 350, 352, 358, 388, 391, 392, 394, 421, 439  
   yellows disease, 225, 291, 307

- yield, 28, 96, 98, 101, 120, 134, 137, 145, 146,  
148–150, 153, 177, 250, 258, 262, 317,  
319, 420  
yields on farmers fields, 424
- Lentil-based cropping systems, 107–110,  
118, 119
- Lentil in Spain, 437
- Lentil lectin, 57
- Lentil map, 277–279
- Lentil production  
in Australia, 320, 418  
in Ethiopia, 418, 420, 435  
in India, 418  
in Pakistan, 298, 418  
in Syria, 246, 418
- Lesions on leaves, 292, 299, 306
- Levantine group, 242, 316
- Levels of infestation, 335, 374
- Levels of N fixed, 127, 128, 130
- Life-cycle, 137, 159, 292–301, 323, 338,  
340, 401
- Lightning, 128
- Lignin, 53, 61, 63, 64, 67, 68, 72, 82
- Limiting deficit, 25, 153
- Limiting factors, 49, 75, 131, 150, 165, 295
- Linkage, 20, 187, 195, 196, 201, 202, 217,  
276–279  
disequilibrium, 18  
groups, 195, 196, 202, 277–279  
map, 187, 195, 201, 202, 276–278  
studies, 187, 195, 201
- Linseed, 23, 107, 110, 112, 113, 115, 116, 121,  
271, 434
- Linseed-lentil cropping, 113
- Liriomyza*, 331, 342
- Loan deficiency payments, 98, 426
- Loan program, 426, 427
- Lodging resistant, 247, 263, 264
- Long term conservation, 15
- Low populations of rhizobium, 134
- Low temperature, 23, 24, 28–30, 115, 320, 325,  
357, 371, 372, 374, 418, 423, 432
- Low temperature tolerance, 24, 29, 39
- Lupin, 24, 48–50, 56, 60, 77, 80, 81, 84, 85, 129,  
130, 151, 180, 279, 300, 304
- Lygus, 331, 332, 334, 337, 338, 340, 420, 428
- M. truncatula*, 275, 279, 281, 284
- Macedonia, 4
- Machines for cleaning, 365–366, 368
- Machine vision systems, 398, 399
- Macromutations, 210
- Macrophomina*, 308, 319
- Macrosperma*, 3, 7, 12, 108, 179, 188, 197–199,  
209, 212, 217, 263, 269, 320
- Macrosyteny, 279
- Magnesium, 35, 36, 56, 82, 84, 403
- Maize, 17, 43, 107, 109, 110, 112, 120, 132, 215,  
237, 338, 421, 434
- Major areas of production, 95
- Major constituents, 68, 386
- Major exporters, 95
- Major importers, 97
- Major insect pests, 331, 332
- Major lentil exporters, 42, 102
- Major lentil importers, 103, 104
- Major nutrients, 148
- Malathion, 334, 336, 340, 343, 344, 374,  
375, 404
- Management, 30, 36, 107, 109, 120, 127, 145,  
159, 160, 162–165, 167–169, 177, 178, 182,  
183, 225, 246, 247, 250, 262, 269, 270, 275,  
291–293, 300, 305, 306, 331–333, 336, 341,  
344, 352, 353, 357, 359, 361, 371, 385, 402,  
403, 407, 417, 423, 424, 432, 439, 440  
of insect pests, 331  
package, 165, 247, 250  
practices, 160, 162, 168, 177, 225, 262, 291,  
306, 352, 357
- Mancozeb, 301
- Mapping population, 8, 11, 17, 195, 276, 285
- Marker-assisted breeding, 280
- Markers, 17, 18, 195, 276, 285
- Market influencing factors, 420
- Marketing, 109, 178, 179, 184, 185, 352, 353,  
355, 364, 376, 415–417, 419–421, 423, 424,  
429, 431–433, 438  
strategy, 180
- Market prices, 184, 338, 419, 438
- Mass selection, 246, 247, 356
- Material transfer agreement, 20
- Mating types, 292
- Mean yields, 317
- Mechanical cultivation, 107, 165
- Mechanical damage, 351, 358, 364, 365, 370,  
386, 387
- Mechanical harvesting, 122, 183, 246, 264,  
364, 427
- Mechanisation, 183
- Mechanised harvesting, 122, 183, 246, 264,  
364, 427
- Medicago*, 161, 237, 275, 279, 281, 284, 337
- Mediterranean region, 1, 28, 34, 146, 189, 228,  
257, 261, 335, 340
- Melia azedarach*, 336

- Metabolic utilization, 80–84  
 Metabolomic, 275  
 Metalaxyl, 294, 367  
 Methidathion, 340–342, 363  
 Methionine supplementation, 81  
 Methomyl, 334  
 Methoprene, 407  
 Methyl bromide, 375, 376, 408  
 Methyl parathion, 334, 343  
 Metiram, 295  
 Metribuzin, 166  
 Mexico, 104, 257, 417, 418, 431  
 Microarray technique, 285  
 Microclimate, 121, 299, 300  
 Micrografting, 234, 236  
 Micromutations, 210  
 Micronization, 65, 66  
 Micronutrient limitations, 135, 136  
 Micronutrients, 47, 53, 136, 145, 149, 150, 155, 323, 440  
 Micro-satellite, 201  
*Microserma*, 3, 7, 12, 108, 179, 188, 196–199, 209, 212, 263, 320  
 Millet, 43, 112, 256, 421  
 Mineral  
   availability, 84, 86  
   composition, 54, 55  
   oils, 405  
   retention, 64  
 Minerals and vitamins, 65, 68, 76, 81  
 Mitochondrial genome, 211  
 Mixed cropping, 107–109, 111–113, 118, 119, 121  
 Modelling crop growth, 24  
 Models of hot air drying, 387  
 Modified atmosphere, 408  
 Moisture, 3, 15, 16, 18–25, 28–30, 35, 37, 65, 66, 75, 107–111, 113, 115, 122, 145, 146, 152–154, 160, 162, 165, 175, 178, 187, 242, 244, 256, 258, 262, 268, 270, 271, 315–318, 323, 343, 351, 358, 359, 364, 368–372, 374, 378, 386–399, 402, 418, 423, 429, 430, 432, 439  
   conservation, 439  
   deficit, 25, 28, 145, 152–154  
   diffusivity, 387, 388  
 Molecular map, 29, 280  
 Molecular markers, 17, 18, 187, 201, 202, 248, 249, 276, 292, 305, 321  
 Molecular tagging, 202  
 Molecular techniques, 229, 275, 276, 353  
 Molybdenum, 37, 150  
 Monitoring seed quality, 368  
 Monocropping, 108  
 Monocrotophos, 340  
 Monsoon rains fallows, 109  
 Morpho-agronomic traits, 19  
 Morphological differences, 230  
 Morphological features, 228, 229, 268, 398  
 Morphological markers, 187, 188, 195, 196, 201, 202, 227, 277, 278  
 Morphological traits, 16, 229, 230, 316, 342  
 Mouldy growth, 299  
 MS medium, 225, 234–237, 282, 284  
 Multilocation testing, 263  
 Multistorey cropping, 107  
 Multivariate analysis, 197  
 Mustard, 23, 39, 41, 107, 110–114, 118, 121, 131, 132, 161, 176, 177, 213, 271, 361, 405, 421, 428, 434  
 Mustard-lentil intercropping, 111  
 Mutagen(s), 210, 212–216, 218, 219  
   selection, 212  
 Mutagenesis, 120, 202, 209, 212, 213, 215, 218, 220, 284  
 Mutant lentils, 209, 215, 216, 218–220  
 Mutant varieties, 209, 215, 218, 219  
 Mutation, 137, 209–220, 284, 355  
   breeding, 209, 210, 212, 214, 217–219  
   breeding scheme, 219  
 Myanmar, 108  
 Mycorrhiza, 135, 136  
*Mymaridae*, 338  
 Nabid plant bugs, 338  
 Narrow sense heritability, 199  
 Natural control agents, 338  
 Natural desiccants, 403  
 N carryover, 131, 139  
 Necrotic lesions, 306  
 Neem, 344, 375, 405  
   seed oil, 344  
 Nei's average gene diversity, 196  
 Nematode, 108, 121, 178, 297, 350, 351, 366, 367, 420  
 Nepal, 42, 97, 99–102, 107–109, 111, 115, 117, 137, 150, 154, 194, 224–244, 298, 301, 316, 319, 320, 323, 324, 417, 418, 433–435, 440  
 Net profit, 113, 121, 169, 175  
 Net return, 111, 113, 114, 116, 121, 130, 149, 176, 177, 183, 246, 336  
 Net revenue, 121  
 Neurotoxin, 433  
 Neutral Detergent Fibre(NDF), 53, 61, 63, 64, 66, 72

- New Zealand, 25, 145, 146, 148, 150, 151, 153–155, 242, 245, 292, 298
- N fertilizer production, 128, 139
- Niacin, 37, 56, 64, 67, 70–72, 76
- Nicotinic acid, 37
- Nitrate, 127, 133, 137, 147, 150, 217, 237, 298, 325  
inhibition, 137
- Nitrogen  
availability, 127, 132, 135  
carryover, *see* N carryover  
content, 26, 48, 67, 68, 71, 72  
deficiency, 335  
fixation, 107, 115, 119, 127–130, 132, 133, 135, 137, 138, 160, 319, 360  
fixing ability, 1  
gained from fixation, 129  
interactions, 136
- Nitrogenase, 128, 138, 149, 150
- N-nitroso N-ethyl urea, 213, 214
- Nodulation, 119, 134, 135, 137, 138, 145, 147, 149, 262, 297, 336, 358, 360, 367, 428
- Nodule dry weight, 147
- Nodule feeding, 336
- Nodule senescence, 136
- Non-additive, 195, 199, 200
- Non biological, 127, 128
- Non fixed nitrogen benefit, 131
- Non-nutritional components, 47, 56, 58, 60, 65, 68, 72, 76, 78–80, 82, 83, 86
- Non-protein amino acids, 50, 52, 68
- Non-protein nitrogen, 48, 60, 61, 64, 68, 72, 79
- Non shattering, 247
- North America's lentil industry, 429
- Noxious weeds, 352, 358
- Nucleopolyhedrosis virus, 341
- Nucleus seed, 355
- Number of leaflets, 190
- Nutrient  
deficiency, 24, 150, 351  
management, 120  
quality, 37, 60, 76, 80, 350, 397  
requirements, 47, 49, 76, 84, 118, 147, 360  
toxicities, 24, 151, 322  
value, 33, 37, 56, 62, 68, 70, 71, 81, 82
- NZ, 30
- Occupancy, 134, 135, 139
- Old world, 1, 5, 173
- Oligosaccharides, 3, 35, 47, 52, 62, 63, 67, 72, 76, 77, 80
- On-farm trials, 263, 266
- On-farm trial yields, 177, 263
- Optimum plant population, 109
- Organogenesis, 236, 281
- Organoleptic properties, 47, 68, 76
- Organophosphates, 334, 363, 374, 404
- Origin, 1, 4, 14, 18, 19, 34, 67, 187, 196–198, 229, 231, 403, 416
- Orobanche* spp., 162, 178, 319, 358, 360, 363, 377–378, 420, 438
- Osmotic adjustment, 28, 154, 318
- Over-wintering, 37, 333, 338
- Oxydemeton methyl, 336
- Oxyflourfen, 120
- Oxygen damage, 128
- Pakistan, 1, 5, 30, 41, 42, 96, 101–104, 107–109, 112, 113, 119, 129, 132, 134, 137, 148, 242, 243, 245, 257, 258, 292, 298, 301, 316, 320, 333, 341, 417, 418, 420
- Pakora, 40
- Palatability, 60, 76, 77, 180, 405, 406
- Pantothenic acid, 37, 56
- Paraquat, 167
- Parasitic, 420  
wasp, 338, 344  
weeds, 162, 168, 178, 319, 350, 351, 358, 363, 378
- Parathion, 334, 339, 343
- Pardina, 96
- Participatory breeding, 255
- Participatory plant breeding, 264–266
- Participatory varietal selection, 264–267
- Particle bombardment, 283
- Passport data, 16, 18–20
- Path coefficient, 198, 269
- Pathogenic diversity, 295
- Pathogenicity test, 292
- Pathotypes, 292, 295, 306
- P availability, 135
- PCR, 30, 277, 284, 285
- PCR-based diagnostics, 306
- PDCAAS, 49, 80
- Pea, 5, 11, 24, 28, 29, 50, 73–75, 81, 82, 85, 129, 130, 133, 151, 154, 161, 178, 215, 219, 225, 262, 277, 281, 291, 297, 300, 302, 307, 308, 318, 319, 323, 324, 332–334, 338, 340, 343, 361, 362, 364, 420, 428, 433, 434, 436  
moth, 331, 340, 420  
seed borne mosaic, 225, 291, 307, 333, 420
- Peaceful uses of atomic energy, 210
- Pearlmillet, 107, 109–111
- Pectin, 67
- Peduncle length, 191

- Pendimethalin, 120, 361  
 Per capita availability, 102  
 Percentage occupancy, 134  
 Perennial and biennial grasses, 160  
 Peribacteroid membrane, 128  
*Peristenus*, 338  
*Peronospora*, 308, 319  
 Persistent chemicals, 403  
 Peru, 104, 301, 417, 418  
 Pest control, 361, 404, 409  
 Pesticides, 164, 173, 175, 176, 331, 362, 367, 374, 404, 428  
 PGRFA, 20  
 Phenological development, 154, 318  
 Phenology, 24, 178, 179, 243, 247, 258, 262, 320, 361  
 Pheromones, 407  
*Phoma*, 308  
 Phosmet, 336  
 Phosphine, 343, 376, 408  
 Phosphorus, 2, 3, 35, 37, 56, 82, 83, 85, 120, 121, 135, 136, 148, 149, 336, 360, 428  
     fertilizer, 120  
     limitation, 136  
 Phostoxin, 343, 375, 376  
 Photoperiod, 24, 242, 258, 260, 316–318, 320, 333, 405  
 Photoperiod insensitive genotypes, 317  
 Photothermal effects, 28  
 Photothermal model, 244  
 Physical control, 403  
 Physical damage, 165, 394  
 Physical mutagens, 213, 215  
 Physical properties, 107, 119, 385, 391, 403, 406  
 Physiological maturity, 25, 115, 167, 368  
 Physiological responses, 318  
 Physiology of N fixation, 128  
 Phytate-p, 54, 69  
 Phytic acid, 47, 53, 56, 57, 59, 65–68, 78, 79, 82–86  
*Phytomyza*, 331, 342, 360  
 Pigeonpea, 38, 194, 421, 433, 434  
 Pilosae lentil types, 242  
 Pinto bean, 48  
 Plant  
     architecture, 270  
     based pesticides, 404  
     establishment, 316  
     height, 24, 111, 191, 198, 199, 216, 260, 261, 265, 267, 269, 270, 325, 336, 359, 363, 364  
     ideotypes, 268, 269  
     oils against *Callosobruchus*, 405  
     population, 109, 261, 267, 268, 270  
     pubescence, 191  
     resistance, 303, 305, 331, 333, 341  
     type, 111, 191, 255, 266–271  
 Planted area, 95, 98, 100, 101, 426, 430  
 Planting dates, 297, 359  
 Planting methods, 358–359  
 P limitation, 136  
 Pod/plant, 111, 261, 336  
     borers, 331, 332, 340, 341, 363, 433  
     colour, 192  
     dehiscence, 5, 192, 278  
     infestation, 341  
     per plant, 197–200, 269  
     pubescence, 191, 230  
 Poison bait, 339  
 Polyacrylamide gel, 49  
 Polyculture, 109  
 Polyphagous species, 333  
 Polyphenolic compounds, 57  
 Population density, 229, 259, 268, 340  
 Porosity, 428  
 Portion, 428  
 Post-emergence, 120, 159, 167, 360, 361  
 Post harvest losses, 175  
 Post sowing, 159, 164, 166, 250  
 Post-transcriptional gene silencing, 284, 285  
 Potage, 44  
 Potassium, 35, 37, 56, 65, 83, 149, 360, 428  
 Potential evapotranspiration, 25–27, 153  
 Potential lentil producing countries, 417  
 Potential yield, 152, 168, 169  
 Powdery mildew, 121, 308  
 Practices, 3, 19, 29, 40, 108, 109, 115, 146, 159, 160, 162, 163, 165, 167–169, 175–177, 182–184, 225, 250, 256, 257, 260, 262, 263, 291, 294, 300, 306, 316, 321, 325, 331, 333, 337, 349, 351, 352, 357, 357, 361, 362, 367, 368, 376, 404, 405  
     Pre-basic seed, 355, 356, 363, 377, 378  
     Predatory coccinellids, 333  
     Pre-emergence, 159, 166, 356  
     Preemptive breeding, 182  
     Preinfested plants, 333  
     Preparation, 37, 39, 41, 42, 49, 68, 72, 73, 75, 159, 162–165, 175, 176, 214, 215, 358, 360  
     Presoaking, 214  
     Pre-sowing herbicide, 164, 166  
     Pre sowing irrigations, 423  
     Pre-sowing weed control, 166  
     Preventing egg laying, 405  
     Previous crop, 120, 163, 294, 358

- Price, 15, 42, 95, 97, 98, 102, 175–178, 180, 182, 184, 185, 338, 419–421, 424, 426, 427, 429, 431–434, 436–439
- Primary branches per plant, 196, 198, 199, 267, 269
- Primary centre of diversity, 11, 12
- Primary gene pool, 11, 12, 189, 227
- Primary habitats, 227, 228
- Primary inoculum, 302, 304
- Private investment, 248
- Processed lentil, 75, 77
- Processing conditions, 47, 60, 65, 72–74, 82, 398
- Processing methods, 77
- Processing plants, 365, 402, 431
- Procymidone, 301, 305
- Production systems, 118, 164, 284, 415, 416, 421, 425, 429
- Productivity of lentil, 108, 115, 174, 257, 321, 421
- Profit, 113, 121, 169, 175, 350, 424
- Profitability, 111, 121, 132, 139, 159, 160, 169, 173–177, 179, 180, 182, 184, 185, 298, 424, 432
- Profitability of lentils, 169, 175–177, 180, 424
- Progenitor, 4–6, 8, 11, 12, 20, 173, 189, 226, 228, 231
- Progeny rows, 247, 356
- Prometryn, 166, 361
- Pronamide, 336, 361
- Propyzamide, 166
- Prostrate growth habit, 190
- Protease, 68
- Protease inhibitors, 4, 47, 56, 78
- Protective insecticides, 374–376
- Protein, 1, 3, 4, 34–37, 47–50, 52, 56–58, 60, 61, 64–69, 71–84, 102, 107, 127, 131–134, 159, 174, 182, 184, 187, 188, 197, 198, 201, 275, 285, 336, 343, 386, 387, 390, 397, 433, 438
- content, 3, 34, 49, 72, 75, 79, 83, 197, 201, 336, 386, 397
- curds, 74
- digestibility, 49, 71, 72, 79, 80
- isolates, 49, 72, 73
- quality, 50, 76, 83, 387
- solubility, 49, 67, 73, 74, 79
- Protein Efficiency Ratio, 80, 82
- Proteomic, 275
- Protoplast culture, 237, 238
- PSbMV, 291, 307, 420
- Purification of varieties, 356
- Pustules, 302
- Pycnidia, 292, 293, 302
- Pyramiding of resistance genes, 301
- Pyrethroids, 363, 374, 404
- Pythium, 308, 367, 435
- Qualitative traits, 190, 197, 249
- Quality control agency, 352, 355
- Quality seed production, 349, 351, 352, 360, 415, 423
- Quality standards, 365, 368, 376–378
- Quantitative trait loci (QTL), 18, 20, 29, 195–197, 277
- Quantitative traits, 16, 17, 196, 197, 249, 269
- Quarantine, 182, 292, 342, 440
- Radiation, 24–27, 30, 60, 65, 67, 68, 162, 210, 212–215, 270, 315, 321, 344, 371, 390
- interception, 27–29, 146
- use efficiency, 25, 28, 154
- Rainfall, 23, 26–30, 110, 146–148, 150–153, 162, 165, 166, 171, 180, 256, 258, 260–262, 271, 315–319, 322, 339, 351, 418, 427, 430, 435, 439
- Rain splash, 293, 306
- RAPD, 188, 195–197, 201, 225, 229, 277, 278, 280, 321
- Rats and mice, 372–373
- Raw lentil diet, 75, 76
- Recessive genes, 5, 190–194, 212, 219, 324
- Recipes, 33, 41–43
- Recombinant inbred lines, 193, 195, 277, 278, 321
- Recommended practice, 175, 176
- Red lentil production, 97
- Re-exports, 103, 104, 433
- Regeneration, 15, 16, 19, 234–238, 275, 280–283, 285
- Regional breeding, 241, 248, 256
- Regional case studies, 421
- Regional yield trials, 263
- Regulatory framework, 352, 354
- Regulatory measures, 349, 351, 352
- Relative profitability, 176, 177
- Relay cropping, 107–109, 112, 113, 115, 117, 122, 271
- Requirements for seed production, 351–352
- Research, 13, 18, 97, 122, 131, 136, 163, 175, 177, 178, 181, 183, 184, 187, 201, 218, 243, 248, 250, 251, 255, 265, 266, 276, 280, 281, 284, 285, 297, 302, 325, 334, 349, 350, 352, 354, 357, 404, 415, 419, 423–426, 436, 437, 439, 440
- Residual herbicides, 166

- Residual moisture, 115, 175  
 Residual toxicity, 404  
 Resistance, 12, 18, 20, 24, 30, 68, 122, 138, 165, 167, 178, 179, 182, 193, 194, 196, 202, 210, 231, 238, 242–247, 249, 250, 257, 263, 264, 269, 271, 275–277, 279, 280, 284, 285, 294, 295, 297, 301, 305–306, 312, 331, 333, 335, 336, 341, 374, 394, 395, 403, 404, 408, 419, 420, 438  
   breeding, 245, 294  
   to anthracnose, 245, 306  
   to ascochyta, 179, 245, 285  
   to *Botrytis cinerea*, 245  
   to disease, 244, 271  
   to *Fusarium*, 193, 244, 245, 297  
   to lodging, 269  
   to rust, 178, 194, 245, 303  
   to *Stemphylium* blight, 245  
 Resistant cultivars, 164, 225, 245, 295  
 Resistant to vascular wilt, 245  
 Resistant weed, 165–167  
 Resources, 8, 11, 13, 14, 16, 20, 109, 111, 133, 178, 200, 218, 231, 256, 264–266, 417, 423  
 Responses to inoculation, 133–135, 139  
 Returns, 108, 109, 113, 122, 168, 169, 175–177, 180, 183, 246, 438  
 Revenue, 121, 175  
 Reverse genetic, 275, 284  
 RFLP, 17, 195, 196, 277  
 RGA markers, 195, 196, 277  
 Rhizobial limitations, 133  
 Rhizobium inoculation, 117, 262, 359–360, 367  
*Rhizobium leguminosarum*, 127–129, 133, 134  
 Rhizobium management, 127, 177  
*Rhizoctonia*, 308, 319, 367, 428, 435  
*Rhizopertha*, 344, 400  
 Riboflavin, 37, 56, 62, 64, 67, 70, 72  
 Rice, 3, 23, 34, 38–41, 44, 96, 107, 109, 110, 112, 113, 115, 117–120, 128, 131, 149, 184, 237, 256, 262, 264, 265, 403, 421, 433–435  
 RIL population, 277, 278  
 Rock phosphate, 403  
 Rodents, 372, 373, 375  
 Roguing crew, 363  
 Root, 28, 43, 121, 128, 136, 147, 148, 151, 153, 154, 162, 178, 234–237, 245, 256, 258, 271, 281–283, 296–297, 308, 318, 319, 323, 331, 334–336, 339, 342, 359, 360, 367, 423, 428, 435, 436  
   aphid, 331, 342  
   growth, 148, 235, 282, 318  
   knot nematode, 297  
   length, 258, 297, 318  
   morphologies, 136, 323  
   nodules, 128, 334, 335, 359  
   parenchyma, 319  
   regeneration, 235  
   rot, 121, 178, 245, 256, 297, 308, 319, 367, 423, 428, 435, 436  
   symptoms, 296  
 Rooting  
   depth, 28, 153, 154  
   protocol, 281, 282  
 Rotational benefit, 181  
 Rotational effects, 119  
 Rotation trials, 131  
 Row ratio, 107, 113–116, 121  
 Row space, 164  
 Royalties, 184, 248  
 Russia, 24, 417, 418, 427  
 Rust, 20, 121, 178, 193, 194, 196, 225, 231, 242, 244, 245, 248, 256, 264, 270, 293, 301–302, 303, 319, 343, 401, 419, 420, 436, 437  
 Safe moisture content, 387  
 Salads, 2, 33, 38, 39, 42, 43,  
 Salinity, 20, 133, 134, 137, 178, 182, 195, 244, 247, 276, 322, 324, 325, 423  
 Salt stress, 24, 137  
 Salt tolerance, 134, 137, 195, 324  
 Saponins, 57, 59, 60  
 Saskatchewan, 112, 129, 385, 387, 417, 429, 431  
 Saudi Arabia, 104  
 SCAR markers, 280  
 Sclerotia, 298–299, 308  
*Sclerotinia*, 121, 297, 308, 428  
 Screening, 23, 30, 218, 246–249, 295, 305, 306, 318, 321–323, 342  
   experiments, 247, 248  
 Seasonal rainfall, 28, 146, 439  
 Secondary gene pool, 12, 189, 227  
 Secondary habitats, 228  
 Secondary spread, 306  
 Seed  
   ageing, 369  
   applied fungicides, 164  
   bank, 163  
   category, 354, 358  
   certification, 371, 379  
   cleaning, 352, 358, 365  
   coat composition, 67  
   damage, 337, 364  
   deterioration, 368, 369  
   fill, 271, 317, 318, 320  
   germination, 70, 197, 294, 359, 364, 375, 386

- impermeability, 197
- industry, 178, 350, 379
- moisture, 15, 16, 351, 364, 368–372, 374, 378, 394, 398, 399
- nitrogen, 26
- preparation, 159, 162, 163
- processing, 349, 365, 427
- production, 160, 184, 247, 349–359, 361–363, 370, 376–379, 415, 435, 437
- protein, 4, 81, 134, 188, 336
- quality, 182, 247, 263, 275, 292, 305, 350–351, 364, 368, 369, 371, 376, 377
- quality assurance, 352, 376–378, 379
- quality tests, 377–379
- rates, 111, 113, 117, 121, 359
- soaking, 117
- standards, 351, 376, 377
- storage conditions, 370, 371
- storage facilities, 371
- storage period, 369, 370
- storage pests, 372–376
- treatment, 150, 178, 297, 301, 303, 306, 334, 336, 352, 359, 362, 366, 367, 370, 372, 427
- yields, 16, 24–28, 114, 116, 118, 134, 138, 146, 149–153, 155, 197–200, 258, 260–263, 268–270, 295, 307, 317, 318, 321–325, 336, 359, 362, 418, 419, 421, 428, 435
- Seedbed preparation, 164, 358
- Seed-borne, 225, 291, 293, 294, 299, 301, 303, 304, 306, 307, 333, 350, 351, 355, 361–363, 420
- Seeding depth, 164, 358
- Seeding rates, 175
- Seedling blight, 299, 301
- Seedling emergence, 294, 299, 351, 366
- Seedling establishment, 23, 29, 30, 146, 164
- Seedling vigour, 160
- Segregating populations, 199, 243, 246
- Selection, 5, 8, 11, 24, 28, 29, 41, 50, 109, 129, 134, 137, 138, 146, 163, 164, 167, 178, 196, 197, 199, 200, 202, 210, 212, 215, 218, 219, 236, 237, 242–244, 246, 247, 249, 251, 256, 257, 260, 262, 264–268, 270, 275, 276, 280, 283, 284, 295, 316–318, 320, 325, 352, 355–356, 360, 368, 395
- Selection for early flowering, 257
- Selective herbicides, 166, 360
- Semicircular notches from the leaf edges, 335
- Senescence, 136, 268, 269, 271, 317, 318
- Septoria*, 308
- Sequential cropping, 107–109, 112
- Sequential senescence, 268
- Severely infected leaves, 299
- Shielded sprayers, 167
- Shoot regeneration protocol, 235
- Short duration lentil, 421
- Shrinkage effect, 399
- Shriveled seeds, 302
- Silica, 403
- Simazine, 166
- Single plant selection, 246, 247
- Single seed
  - descent, 210, 219, 247
  - selection, 246, 247
- Sink size, 260
- Sitona*, 319, 332, 335–337
- Sitona*-resistant lentils, 337
- Sitona* spp., 178, 331, 334, 335, 367
- Small farmers, 415, 421, 424, 432, 436
- Small holdings, 419
- Small traders, 424
- Smynthurodes*, 331, 342
- Snail contamination, 181
- Soaking, 3, 36, 37, 43, 47, 60, 62–65, 71, 79, 82, 117, 214
- Socioeconomic, 108, 182, 435, 437
- Sodicity, 137, 138, 182, 244, 322, 325
- Sodium, 56, 63, 66, 83, 213, 214, 298, 325
- Sodium azide, 213, 214
- Soil(s), 12, 109, 127, 128, 133–138, 145, 146, 148–151, 155, 174, 179, 195, 228, 243, 244, 257, 258, 315, 316, 318, 319, 322–324, 358, 359, 420, 427, 435, 436
  - fertility, 25, 119, 145, 148, 260
  - moisture availability, 23, 29, 30, 146
  - moisture deficit, 25, 28, 145, 152–154
  - N, 128, 131–133, 137, 138, 147, 148, 359, 428
  - nitrate, 137
  - nitrogen analyses, 131
  - solarization, 163
- Soilborne pathogen, 297
- Solarization, 163, 361
- Soluble sugars, 52, 53, 76
- Somatic embryogenesis, 236, 237, 281
- Somatic hybridization, 237
- Sorghum, 43, 107, 109–111, 132, 421
- Sowing dates, 25–27, 152, 259, 300, 362
- Sowing depth, 164, 262
- Spanish lentils, 437, 438
- Specific combining ability, 199, 200
- Specific heat, 397
- Spraying insecticides, 375
- Spring sown, 26, 30, 315, 316, 320
- Sprouting, 37

- S requirements, 149  
 SSR, 18, 277–279  
 Starch, 3, 34, 37, 52, 53, 61, 62, 65–69, 71, 72, 75, 79, 386, 389, 390, 397  
   content, 37, 62, 67, 72, 397  
 Starter nitrogen, 136, 147  
 Stem fasciation, 191  
 Stemphylium, 121, 225, 244, 245, 276, 293, 303–305, 308, 435  
 Stem rot, 121  
 Stipules, 6–8, 190, 230, 233  
   size, 190  
 Storage, 4, 11, 15, 16, 34, 49, 65, 68, 73, 84, 168, 175, 177, 181, 212, 214, 263, 332, 342, 343, 352, 357, 362, 368–376, 385–387, 390, 391, 394, 396–398, 400–409, 424, 425, 432, 435  
   pest insects, 342  
   proteins, 49, 73  
   time, 34, 387, 398  
 Stored grain, 331, 400, 402, 408  
 Stored lentils, 65, 400, 402, 408  
 Stored moisture, 162, 315, 317  
 Stored seeds, 15, 343, 372, 401, 405  
 Stored soil water, 145, 152  
 Strains of rhizobia, 122, 127, 133  
 Straw-to-seed ratio, 423  
 Straw yield, 197, 198, 336  
 Stubble-borne disease, 304  
 Stubble management, 163  
 Stubble retention, 250  
 Subsidies, 17, 176, 183  
 Subsistence crop, 97  
 Subsoil  
   constraints, 322  
   factors, 244, 322  
 Subsp. *tomentosus*, 11, 12, 14, 17, 188, 189, 209, 227, 229, 232, 233  
 Sub-species, 7  
 Substitution scandal, 179  
 Subterranean clover red leaf virus, 225, 291, 307  
 Succeeding cereal crop, 107  
 Sucking insects, 340  
 Sucrose, 52, 53, 62, 63, 67, 68, 72, 234–236  
 Sudan, 14, 104, 148, 151, 242, 308  
 Sugarcane, 23, 107, 112, 115, 117, 121, 421, 434  
 Sugarcane-lentil intercropping, 107, 115, 121  
 Sulfur, 145, 149, 155  
   containing amino acids, 47, 49, 50, 74, 78, 80, 81  
 Summer fallow, 262  
 Superoxide Dismutase, 74  
 Supply, 83, 95, 97, 103, 164, 166, 173, 175, 178, 180, 1782, 248, 259, 260, 268, 318, 352, 379, 405, 420, 430, 431, 439  
   levels, 420  
   per head, 95  
 Sustainability, 167, 168, 182, 262  
 Swathers, 427  
 Swathing, 386  
 Symbiosis, 127, 128, 133, 137, 138, 147, 319  
 Symbiotically fixed nitrogen, 119  
 Symbiotic association, 128, 258  
 Symbiotic bacteria, 128  
 Symptoms of the disease, 292  
 Synthetic pesticides, 404  
 Syria, 4, 5, 11, 12, 15, 24, 34, 39, 44, 95, 97, 99–103, 108, 112, 131, 150, 151, 154, 179, 183, 194, 201, 228, 229, 232, 241, 242, 244–246, 258, 292, 301, 303, 305, 308, 316–321, 323, 334, 339, 342, 354, 416–419, 431, 438, 439  
 Syrian Lentil Growers, 438  
 Syrian National Statistics, 438  
 Tachinid fly, 338  
 Tannins, 3, 35, 47, 53, 57, 58, 71, 77–80, 84, 86, 96, 387  
 Targeted induced local lesions, 210  
 Taurine, 50, 52  
 Taxonomy, 6, 7, 17, 188, 226, 296, 305  
 Tebuconazole, 305  
 Technology, 163, 177, 183, 184, 280, 337, 398, 399, 404, 415, 437, 439  
 Teleomorph stage, 292  
 Temperature, 2, 15, 23–30, 62, 65, 66, 68, 72, 75, 79, 82, 115, 146, 154, 160, 163, 175, 178, 214, 242, 244, 258–260, 268, 294, 297, 300, 302–304, 315–318, 320–322, 324, 325, 333, 335, 351, 357, 360, 362, 368–372, 374, 376, 387–391, 394, 396–401, 404, 405, 408, 409, 418, 420, 423, 430, 432  
   during spring, 320  
   during storage, 369  
 Temperature post flowering, 321  
 Tempering, 39, 65, 66, 399, 400  
 Tendril formation, 191  
 Terai and inner Terai, 433–435  
 Terminal drought, 258, 316, 317, 319, 435  
 Tertiary gene pool, 11, 17, 189, 227  
 Testa colour, 192  
 Testing protocols, 354  
 Thermal conductivity, 396, 397  
 Thermal processes, 61  
 Thermal properties, 396  
 Thermal time, 25  
 Thermal treatment, 47, 72, 73, 75–78, 80, 82, 85  
 Thiamine, 37, 70  
 Thiobendazole, 294

- Thiomethoxam, 334  
 Thiram, 294  
 Thrips, 331, 332, 339, 420, 428  
 Tillage, 118, 119, 163, 165, 183, 250, 262,  
 360, 428  
   practice, 163, 165, 262  
   system, 250, 262  
 TILLING, 210, 284  
 Time of sowing, 117  
 Time to flowering, 24, 26, 243, 317, 318  
 Tissue culture, 235, 236, 280, 281  
 Tocopherol, 74  
 Tolerance to abiotic stresses, 244, 285  
 Tolerance to boron, 194, 244, 323, 325  
 Tolerance to NaCl, 244  
 Total biomass, 24, 130, 138, 325  
 Total nitrogen fixation, 129, 130  
 Traditional, 1, 3, 16, 30, 34, 36, 47, 60, 79, 82,  
 85, 97, 109, 146, 173, 174, 178, 180,  
 182–185, 209, 210, 219, 241, 243, 245, 248,  
 251, 307, 365, 403–405, 416, 438  
   growing regions, 173  
   lentil producing countries, 174, 182–185,  
   241, 245  
   medicine, 3  
 Transcriptome, 275  
 Transfer, 42, 148, 183, 185, 226, 231, 234, 283,  
 388, 389, 396, 415  
 Transformation, 236, 275, 276, 280–284  
 Transgenic, 20, 248, 275, 276, 280, 283–285, 337  
 Transient stress, 136  
 Trees, 118, 129, 228  
*Tribolium*, 344, 400  
 Trichlofon, 339  
 Tridemorph, 301  
 Trifluralin, 165, 166  
 Trigonelline, 50, 52  
 Trypsin inhibitors, 35, 47, 56–58, 62, 67, 70,  
 71, 78  
 Turkey, 3–5, 11, 12, 14, 15, 30, 33, 34, 42,  
 95–104, 108, 112, 174, 179, 184, 189, 228,  
 229, 242, 244, 246, 257, 292, 301, 315, 316,  
 319–321, 332, 334, 339, 342, 354, 385,  
 417–419, 421, 431, 432  
 Turkey lentil growers, 432  
 Turkish imports, 104, 432  
 Turkish lentil market, 432  
 Turkish production, 432  
 Turmeric oil, 406  
 Uncooked lentils, 38  
 United Arab Emirates, 103  
 United Kingdom (UK), 26, 27, 39, 145  
 United States of America (USA), 18, 24, 95–97,  
 99–103, 108, 131, 132, 146, 148, 173, 174,  
 182, 183, 226, 242, 244, 245, 247, 259, 292,  
 298, 299, 303, 315, 316, 319–321, 324, 334,  
 341–343, 350, 353, 360, 401, 417–421, 431,  
 432, 439  
 Unorganized marketing, 424  
 Unweeded treatment, 120  
 UPOV, 353, 354  
 Uredia, 302  
 Uredospores, 301, 302  
*Uromyces*, 193, 218, 225, 244, 293, 301, 319,  
 420, 436  
 USA growers, 425  
 U.S. consumers, 429  
 U.S.'s world share, 429  
 Uses of lentil, 41  
 US Farm Security and Rural Investment Act,  
 421, 426  
 US harvesting, 428  
 Utilization in India, 39  
 Uzbekistan, 4, 189, 228  
 Value adding, 178, 181, 182, 201  
 Variability and genetic resources, 200  
 Variation, 11, 12, 14, 17, 18, 24, 28, 29, 39, 73,  
 103, 146, 148, 150, 151, 154, 177, 229, 237,  
 243, 244, 249, 257, 259, 260, 295, 315–317,  
 323, 324, 341, 379, 419  
 Varietal adaptation, 255  
 Varietal identification, 263–264,  
 353, 379  
 Varietal selection, 264–267  
 Variety, 15, 25, 33, 38, 39, 44, 96, 109, 111, 113,  
 145, 154, 163, 177, 179, 180, 182, 193–195,  
 200, 201, 212, 214–216, 218, 230, 247, 248,  
 250, 257, 262–264, 281, 300  
   maintenance, 349, 352, 355–357  
   management package, 250  
   registers, 353–354  
   release, 248, 351–354  
   selection, 212  
   testing, 352–353, 354  
 Vascular discoloration, 296  
 Vascular wilt, 20, 178, 231, 244, 245, 296  
 Verdinas varieties, 438  
 Vetch, 132, 161, 168, 179, 180, 228, 301, 308,  
 358, 360, 363, 366, 416  
*Vicia*, 433  
*Vicia hirsuta*, 160  
*Vicia sativa*, 160, 300

- Vigour, 159, 160, 164, 166, 212, 246, 258, 271, 317
- Virulent pathotypes, 292
- Viruses, 163, 225, 279, 284, 285, 291, 292, 307–308, 333–335, 340, 341, 350, 351, 362, 363, 366, 420
- Vitamin, 2, 3, 35–37, 47, 56, 58, 62, 64–68, 70, 76, 81, 83, 84  
content, 56, 83
- Volunteer plants, 303, 352, 358
- Water, 3, 23, 25, 27–29, 37–44, 49, 56, 62–65, 67, 71–75, 82, 96, 109, 115, 117–119, 128, 131, 132, 135–137, 145, 146, 150–152, 154, 155, 162, 166, 176, 178, 244, 258, 259, 261–263, 268, 270, 271, 294, 296, 315–319, 324, 325, 336, 339, 351, 358, 365, 372, 375, 389, 390, 397, 403, 406, 423, 435, 437  
stress, 28, 29, 131, 136, 145, 146, 150–152, 155, 351  
use efficiency, 152, 154, 155, 178, 244, 315, 317
- Waterlogging, 24, 134, 135, 137, 145, 151, 178, 182, 319, 320, 325, 358, 423, 427
- Weather fluctuations, 420
- Weed(s), 25, 119, 120, 159–169, 179, 183, 220, 246, 262, 270, 319, 336, 350, 352, 355, 356, 358, 360, 361, 363, 378, 379, 423, 428, 429, 432, 435  
competition, 119, 160, 162, 164, 359  
control, 179, 183, 246, 300, 319, 359–361, 427, 428, 440  
efficacy, 166  
flora, 160, 161  
management, 119, 120, 159, 160, 162, 165, 167–169, 177, 246
- Weevils, 178, 308, 331, 332, 334–337, 340, 420
- Wheat, 5, 23, 34, 36, 43, 48, 50, 73, 75, 85, 96, 97, 107, 111–113, 121, 129, 131–133, 146, 154, 165, 173, 176–178, 180, 184, 211, 237, 323, 325, 339, 340, 360, 395, 403, 429, 433, 434, 436
- Wheat-lentil intercropping, 111, 112
- Wickwiping, 167
- Wide row farming, 167
- Wild oat (*avena fatua* L.), 161, 163
- Wild populations, 5, 12
- Wild progenitor, 12, 20, 173, 189, 228, 231
- Wild Radish (*Raphanus raphanistrum* L.), 161, 163
- Wild relatives, 17–20, 122, 189, 209, 210, 220, 225, 226, 231, 232, 355
- Wild species, 4–7, 13–15, 194, 196, 197, 220, 237, 248
- Wild subspecies, 11
- Wilting of top leaves, 296
- Winter  
hardiness, 29, 30, 178, 199, 242, 319, 321, 325  
sowing, 25, 244, 321  
sown, 315, 316
- Woolly aphids, 342
- World collection, 13, 19
- World lentil production, 95, 98, 102, 385, 416
- World trade, 95, 97, 102
- Xantha mutant, 190
- X-rays, 123, 210, 342, 373
- Yield, 5, 16, 23–28, 30, 72, 96, 98, 101, 107, 108, 111, 113–121, 131–139, 145–155, 159, 160, 162, 164, 166–169, 174–178, 180, 181, 184, 187, 192, 194–200, 216, 217, 225, 226, 231, 244, 247, 250, 255, 256, 258–264, 266, 268–271, 280, 291, 292, 294, 295, 303, 305, 307, 315–325, 333, 335, 336, 338, 340–342, 350, 351, 359, 362, 386, 417, 419, 420, 422, 424–426, 428, 439, 432–439  
components, 195, 197, 198, 269  
gaps, 177, 424, 435  
reliability, 24  
response to irrigation, 150  
stability, 263  
of succeeding crop, 107, 118  
variability, 256
- Yields after lentil, 119
- Yields on research stations, 177
- Zero till, 163, 434
- Zero tillage, 119, 250, 360
- Zinc, 35, 84, 85, 373
- Zn deficiency, 149