

Index

■ Special Characters

- \$ apt-cache search libmysqlclient command, 10
- \$ mysql -u root command, 9, 15–16
- \$ mysqld_safe --user=mysql & command, 9
- \$ rails emporium rails command, 12
- \$ rails -v command, 6
- \$ sudo gem install mysql install command, 10
- \$EMPORIUM_PATH path, 358
- *nix variants, 393
- <% Ruby code %> syntax, 22
- <%# comment %> syntax, 22
- <%= Ruby expression %> syntax, 22
- </fieldset> tag, 264

■ A

- about command, 7
- about controller, 21
- About Emporium user story
 - creating layout, 23–27
 - modifying generated controller, 27
 - modifying generated view, 22–23
 - overview, 20–21
 - running generate script, 21–22
- About page, 388
- acceptance testing. *See* Selenium
- access configuration of LightTPD, 363
- accesslog.filename module, 360–361
- accessor commands, 333
- AccountController class, 225, 244
- AccountControllerTest class, 227
- action caching, 390
- action commands, 331
- Action Profiler, 383, 387–388

- action_grep command, Production Log Analyzer package, 386
- ActionController, 240, 390
- ActionMailer mailers, 239–241
- Active Merchant plugin, 271–272
- :active_record_store, :drb_store option, 395
- ActiveRecord mapping, 77, 90
 - many-to-many relationship, 75–76
 - many-to-one relationship, 75
 - one-to-many relationship, 74–75
 - one-to-one relationship, 76–77
 - overview, 73–74
- ActiveRecord model, creating
 - overview, 31
 - running unit tests, 36–37
 - using ActiveRecord migrations
 - creating schema, 32
 - editing migration file, 32–33
 - overview, 32
 - running first migration, 34–35
- ActiveRecord objects, caching, 395–397
- acts_as_authenticated plugin, 223–224, 238
- acts_as_ferret plugin, 125
- acts_as_taggable method, 203–204
- acts_as_threaded plugin, 169, 170
- add action, 143, 153, 164
- Add author user story, 39
- Add Book user story, 104
 - changing controller, 95–96
 - changing view, 97–100
 - creating integration test, 92–95
 - overview, 91–92
 - updating integration test, 100–101

- Add books user stories, 59
- Add Items to Cart user story, 152–157, 160
- Add Publisher user story
 - adding validations to model, 64
 - modifying generated fixture data, 65
 - modifying generated functional test, 65–66
 - overview, 64
- Add publishers user stories, 60
- Add translation button, 309
- Add Translation user story, 310
- add_book method, 100, 208
- add_column migration, 33
- add_with_ajax template, 156
- Admin module, 38
- admin subdirectory, 38
- admin/author command, 38
- administrator interface, 286
- Administrator user stories
 - Close Order user story, 292
 - overview, 286
 - View Order user story, 290–291
 - View Orders user story, 286–289
- after_filter, 146
- after_save method, 244
- Ajax, 210
- all_children command, 177
- ALTER TABLE SQL command, 71
- amount attribute, 162
- Apache Lucene, 125
- app file, 13
- app/controllers/admin directory, 230
- appdoc file, 13
- application deployment
 - automating deployment
 - creating Capistrano deployment recipe, 371–375
 - deploying to production, 376, 378–379
 - installing Capistrano, 371
 - overview, 371
 - running setup task, 375–376
 - starting LightTPD, 379–380
 - manual deployment
 - copying application, 367
 - creating users and groups, 367–368
 - overview, 366
 - starting FastCGI processes, 369–371
 - starting LightTPD, 368–369
 - overview, 351
 - setting up production environment
 - configuring LightTPD, 358–361, 363–365
 - connecting to production server, Secure Shell (SSH), 353
 - connecting to production server, SSH, 352
 - creating production database, 365–366
 - installing application server, 356–357
 - installing database server, 358
 - installing web server, 353–355
 - overview, 351
- application server, 394
- application variable, 372, 374
- ApplicationController class, 145, 227
- application.rhtml, 218
- app/models directory, 239
- apps directory, 378
- app/test/unit/book_test.rb file, 87
- app/views directory, 22
- app/views/cart/_cart.rhtml, 147
- app/views/forum/post.rhtml view, 182
- apt-get command, 4, 354
- around_filter, 146
- assert_difference block, 127
- assert_difference method, 46
- assert_equal method, 30, 69, 82
- assert_no_difference method, 46–47
- assert_tag assertion, 68, 101
- assert_tag methods, 136
- assert_template method, 40
- assertion commands, 332

- assertions, 30
 - assertLocation (location) assertion, Selenium, 332
 - assertLocation check, 347
 - assertText command, 343
 - assertTextPresent(text) assertion, Selenium, 332
 - assertTitle(title) assertion, Selenium, 332
 - Assign Tags user story
 - changing style sheet, 210–211
 - modifying controller, 209–210
 - modifying view, 208–209
 - overview, 207
 - updating integration test, 207–208
 - assigns helper, 51
 - attr_accessor method, 257
 - attr_protected method, 255
 - AuthenticatedSystem module, 229
 - authentication, 223, 388
 - Author class, 32
 - author management
 - creating ActiveRecord model
 - overview, 31
 - running unit tests, 36–37
 - using ActiveRecord migrations, 32–35
 - creating controller, 37–38
 - implementing user stories
 - adding author, 39–48
 - adjusting flash notifications, 55–57
 - deleting author, 54–55
 - editing author, 52–54
 - listing authors, 48–50
 - overview, 39
 - viewing author, 50–52
 - overview, 29
 - testing in Rails, 30–31
 - functional testing, 31
 - using test-driven development (TDD), 29–30
 - Author model, 32, 77
 - Author object, 45
 - author_controller_test.rb method, 49, 51, 54
 - author_controller.rb method, 53
 - author.address = new_address method, 77
 - author.address method, 77
 - author.address.nil? method, 77
 - author.books << Book.create(.) method, 76
 - author.books = new_books method, 76
 - author.books method, 76, 87
 - author.books.clear method, 76
 - author.books.delete(some_book) method, 76
 - author.books.empty? method, 76
 - author.books.find(id) method, 76
 - author.books.size method, 76
 - Authorize.Net, 271, 280–283
 - authornames method, 126
 - author.rhtml partial template, 50
 - authors fixture, 86, 177
 - authors method, 117
 - authors table, 32, 46, 70, 75
 - authors validation, 80
 - authors_books join table, 86
 - authors.yml template, 50
 - Autocompleter.Local helper, 208
 - automating application deployment
 - creating Capistrano deployment recipe
 - components, 372–373
 - generating deployment recipe, 373
 - modifying deployment recipe, 374–375
 - overview, 371
 - deploying to production, 376, 378–379
 - installing Capistrano, 371
 - overview, 371
 - running setup task, 375–376
 - starting LightTPD, 379–380
 - AWStats, 361
- B**
- backlogs, 11
 - base language, 300

- base language text, 308
- before_filter, 145–146, 304
- before_save filter, 398
- before_setup task, 376
- belongs_to ActiveRecord mapping, 75
- belongs_to method, 78
- belongs_to :publisher declaration, 75
- bench command, 389
- bench tool, Rails Analyzer, 383
- block parameter, 148
- blocks, 92
- Blurb field, 107
- blurb parameter, 317
- body column, 172
- body field, 175
- book administration interface
 - implementation
 - ActiveRecord mapping
 - many-to-many relationship, 75–76
 - many-to-one relationship, 75
 - one-to-many relationship, 74–75
 - one-to-one relationship, 76–77
 - overview, 73–74
 - Add Book user story
 - changing controller, 95–96
 - changing view, 97–100
 - creating integration test, 92–95
 - overview, 91–92
 - updating integration test, 100–101
 - cloning database, 80–81
 - creating book model, 73
 - Edit Book user story, 110–111
 - generating book code with scaffolding script, 88–89
 - integration testing, 90–91
 - List Books user story
 - adding integration test, 106
 - changing controller, 105
 - changing view, 105
 - overview, 104
 - modifying generated models
 - adding belongs_to mapping to book model, 78
 - adding habtm mapping to book and author models, 79
 - adding has_many mapping to publisher model, 77–78
 - adding validations to book model, 80
 - overview, 77
 - overview, 69
 - testing Delete Book user story, 112
 - unit testing ActiveRecord mappings
 - adding fixture for many-to-many relationship, 86
 - adding fixtures for books and publishers, 83
 - overview, 82
 - unit testing many-to-many mapping, 87–88
 - unit testing one-to-many mapping, 84–86
 - unit testing validations, 81–82
 - updating schema with books table, 69–73
 - Upload Book Cover user story
 - adding file upload functionality, 102–103
 - changing form, 104
 - cloning changes, 104
 - modifying database schema, 103
 - overview, 102
 - View Book user story
 - adding integration test, 109
 - changing controller, 108–109
 - changing view, 107–108
 - overview, 107
 - book hash, 207
 - book inventory management example
 - book administration interface implementation
 - ActiveRecord mapping, 73–77
 - cloning database, 80–81

- completing Add Book user story, 91–101
 - completing Edit Book user story, 110–111
 - completing List Books user story, 104–106
 - completing Upload Book Cover user story, 102–104
 - completing View Book user story, 107–109
 - creating book model, 73
 - generating book code with scaffolding script, 88–89
 - integration testing, 90–91
 - modifying generated models, 77–80
 - overview, 69
 - testing Delete Book user story, 112
 - unit testing ActiveRecord mappings, 82–88
 - unit testing validations, 81–82
 - updating schema with books table, 69–73
 - getting requirements, 59–60
 - overview, 59
 - publisher administration interface implementation
 - completing Add Publisher user story, 64–66
 - completing Edit Publisher user story, 68–69
 - completing View Publisher user story, 66–68
 - generating publisher code with scaffolding script, 62–64
 - overview, 61
 - updating schema with publishers table, 61–62
 - using scaffolding, 60–61
 - Book model, 70, 126, 203
 - Book object, 96
 - book object, 206
 - book.authors, 87
 - book.errors.on command, 82
 - Book.find_by_contents class method, 127
 - Book.find_related_tagged method, 200
 - Book.find_related_tags method, 200, 218, 220
 - Book.find_tagged_with method, 200, 204
 - Book.latest class method, 134
 - book.publisher = new_publisher method, 75
 - book.publisher method, 75
 - book.publisher.nil? method, 75
 - books table, 70, 75, 126, 203
 - books_authors table, 70
 - books.empty? method, 77
 - books.yml fixture file, 119
 - book.tag_names(reload) instance method, 200
 - book.tagged_related instance method, 218
 - book.tagged_related(options) instance method, 200
 - book.tagged_with?(tag_name, reload) instance method, 200
 - book.tag(tags, options) instance method, 200
 - BookTestDSL module, 94, 106
 - browse_index method, 123, 134
 - browse_site test method, 116
 - BrowsingTestDSL module, 120, 123, 128, 133, 136
 - Buck, Jamis, 90
 - build-essentials package, 354
 - button_to helper, 153
- C**
- cache method, 390
 - cache sweeper, 391
 - cached model objects, 397
 - cached_model. cached_model library, 395
 - cached_model gem, 395
 - cached_model library, 388
 - caches_action :index statement, 390
 - caching
 - action caching, 390
 - ActiveRecord objects, 395–397
 - fragment caching, 390–392

- caching (*continued*)
 - fragment stores
 - caching with memcached, 393–395
 - overview, 392–393
 - storing sessions with memcached, 395
 - overview, 388
 - page caching, 388–390
- cap --apply-to command, 373
- Capistrano tool
 - creating deployment recipe
 - components, 372–373
 - generating deployment recipe, 373
 - modifying deployment recipe, 374–375
 - overview, 371
 - default settings, 374
 - installing, 371
- card verification code (CVC), 265
- Cardholder Information Security Program (CISP), 267
- Cart class, 154, 161
- Cart controller, 142
- Cart model, 143
- Cart object, 391
- Cart#remove method, 164
- cart/_cart.rhtml partial, 148, 167
- :cart_id item, 147
- cart_item element, 156
- cart/_item.rhtml partial, 165
- /cart/add action, 261
- cart/clear_with_ajax.rjs template, 167
- CartItem class, 144
- CartItem model, 143
- CartItem objects, 391
- _cart.rhtml partial template, 167
- catalog/_books.rhtml partial, 150, 157
- CatalogController index page, 386
- Change Locale user story, 304–305
- character encoding, 322
- character-set-server parameter, 325
- charset parameter, 316
- Check Out user story
 - adding validations to model, 257–259
 - creating controller and integration test, 259–261
 - creating models
 - creating Order model, 252–254
 - creating Order_Item model, 254–255
 - overview, 252
 - specifying associations, 255–257
 - creating View, 262–268
 - overview, 252
 - saving order information
 - adding place_order action, 269–271
 - overview, 268
 - updating integration test, 268–269
- checkout and order processing
 - Administrator user stories
 - Close Order user story, 292
 - overview, 286
 - View Order user story, 290–291
 - View Orders user story, 286–289
 - calculating shipping costs and taxes
 - overview, 294
 - taxes, 296
 - using Shipping gem, 294–295
- Check Out user story
 - adding validations to model, 257–259
 - creating controller and integration test, 259–261
 - creating models, 252–257
 - creating View, 262–268
 - overview, 252
 - saving order information, 268–271
- getting requirements for, 252
- integrating with payment gateways
 - Active Merchant plugin, 271–272
 - Authorize.Net, 280–283
 - overview, 271

- Payment gem, 284–286
 - PayPal, 272–279
 - overview, 251
 - checkout command, 363, 367
 - Checkout controller, 260, 268, 391
 - :children option, 49
 - CISP (Cardholder Information Security Program), 267
 - Clear Cart user story, 166–167
 - :clear parameter, 213
 - clear_cart_link helper, 167
 - clear_tables parameter, 343
 - click(locator), Selenium, 331
 - close method, 292
 - Close Order user story, 292
 - closed? method, 291
 - code block, 46
 - cold_deploy task, 377
 - :collection option, 50
 - collection_select view helper, 97
 - column migration, 33
 - commands, Selenium
 - accessor commands, 333
 - action commands, 331
 - assertion commands, 332
 - element locators, 334
 - overview, 330–331
 - components file, 13
 - conditions parameter, 249, 287
 - config file, 13
 - config/environment/production.rb:
 - option, 395
 - config/environments, 395
 - config/environments directory, 14
 - configuration file, Rails, 329
 - configure command, 355, 394
 - configure script, 5
 - :confirm option, 50
 - console script, 205
 - Content-Type header, 361
 - Content-Type meta tag, 323
 - controller, 20
 - :controller => 'tag' parameter, 218
 - :count option, 49
 - country field, 263
 - country_select method, 263
 - Cover image field, 104
 - cover_image column, 103
 - crawler tool, Rails Analyzer, 383
 - create action, 43–44, 54, 96, 101, 178, 208
 - Create button, 104
 - create_publishers migration file, 61
 - create_pw_reset_code method, 242
 - create_table method, 325
 - create_table migration, 33
 - CreateCartItems migration file, 144
 - CreateCarts migration file, 145
 - created_at column, 172–173
 - creating, reading, updating, and deleting (CRUD), 29, 60
 - credit card payment gateways. *See* payment gateways
 - cross-site request forgery, 250
 - cross-site scripting, 248
 - CRUD (creating, reading, updating, and deleting), 29, 60
 - currencies, localizing, 302, 320–322
 - current link, 378
 - current state, 34
 - customer_ip field, 256
 - CVC (card verification code), 265
- D**
- d option, 395
 - database, Emporium
 - configuring Ruby on Rails to use database, 17
 - creating development and test databases, 15–16
 - overview, 14–15
 - setting up database user, 16–17

- database.yml configuration file, 17
 - dates, localizing, 302, 319–320
 - db file, 13
 - db folder, 17
 - db role, 372
 - default index template, 116
 - Delete author user story, 39
 - Delete books user stories, 59, 112
 - Delete Publisher user stories, 66
 - Delete publishers user stories, 60
 - Delete Translation user story, 312–313
 - delete_book method, 112
 - deploy task, 372, 377
 - deployment. *See* application deployment
 - deployment recipes, 371
 - depth column, 172
 - destroy action, 54, 112
 - destroy method, 54
 - Developer Zone tab, MySQL, 8
 - development environment, 14
 - development.log file, 382
 - difference argument, 54
 - difference parameter, 46
 - dispatchers, 356
 - display_as_threads method, 187–188, 319
 - display_tags method, 214, 218
 - div element, 210
 - div tag, 189
 - doc file, 13
 - dom=javascriptExpression element locator, Selenium, 334
 - domain-specific language (DSL), 33, 90
 - Don't Repeat Yourself (DRY) principle, 23
 - down method, 62
 - Downloads page, Selenium IDE, 338
 - DRb store option, 391
 - drop_table migration, 33
 - DRY (Don't Repeat Yourself) principle, 23
 - DSL (domain-specific language), 33, 90
 - dt element, 130
 - dynamic fixture, 342
 - Dynamic scaffolding, 60
- E**
- E-Commerce tag, 220
 - edit action, 53
 - Edit books user stories, 59, 110–111
 - Edit Languages button, 305
 - Edit link, 110
 - Edit Options button, Selenium IDE Downloads page, 338
 - Edit publishers user stories, 60, 68–69
 - Edit tags, 198
 - Edit Tags user story
 - modifying controller, 213
 - modifying views, 213–215
 - overview, 211
 - updating integration test, 212
 - Edit Translation user story, 311–312
 - edit_book method, 111, 212
 - element locators, 334
 - elsif clause, 310
 - Email, PayPal, 273
 - email field, 253, 262
 - Embedded Ruby (ERB), 22
 - Emporium application, 340, 372
 - administration interface, 90
 - creating database
 - configuring Ruby on Rails to use database, 17
 - creating development and test databases, 15–16
 - overview, 14–15
 - setting up database user, 16–17
 - creating skeleton application, 12–14
 - overview, 12
 - starting for first time, 18–19
 - 'emporium'@'localhost' identified by 'hacked' command, 16
 - 'localhost' identified by, 16

- 'emporium'@'localhost' parameter, 16
- emporium_development.* parameter, 16
- emporium_production database, 365
- emporium_test test database, 81
- entity relationship diagram (ERD), 73
- environment.rb configuration file, 305
- ERB (Embedded Ruby), 22
- ERB::Util library, 130
- ERD (entity relationship diagram), 73
- error message, 5
- error_message field, 254, 282
- error_messages_for helper, 182
- error_messages_for method, 43
- EVENT_NOKQUEUE=1 environment variable, 393
- Excel spreadsheet, 73
- :except parameters, 147
- execute command, 203
- execute method, 71
- Execute Tests section, TestRunner window, 350
- expire_action :index statement, 390
- expire_fragment method, 390
- expire_page :action =< "index" statement, 389
- EXPLAIN, 399
- export command, 363
- extend method, 94
- F**
- fail log in, 223
- Fail Log In user story
 - adding flash message, 235–236
 - adding login links and styling, 237–238
 - overview, 233–235
- FastCGI, 351
 - configuration of LightTPD, 365
 - installing, 356–357
 - starting processes, 369–371
- Federal Express (FedEx), shipping costs, 291
- Ferret, 113
- fieldset tag, 262
- File store option, 392
- file upload functionality, 104
- file_column method, 102
- FileColumn plugin, 102
- filter parameter, 146
- find method, 54, 117, 134, 301
- find_all_by_attribute_name finder method, 162
- find_all_in_category method, 175
- find_by format, 78
- find_by_contents class method, 127, 131
- find_by_name dynamic finder, 177
- find_tagged_with method, 205, 216
- Firefox browser, 341
- first_name method, 36, 51
- fixture files, 50, 114
- Fixtures, 50
 - fixtures :authors template, 51
 - fixtures declaration, 83, 87
- flash notifications, 55–57
- flash.now hash, 156
- follow_redirect test helper method, 56
- for attribute, 183
- foreign key constraints, 71
- forgot_password mail method, 240
- forgot_password method, 245
- form_tag helper, 43
- <form> tag, 43
- _form.rhtml partial, 211
- forum implementation
 - getting forum requirements, 169–170
 - implementing user stories
 - overview, 179
 - Post to Forum use story, 179–184
 - Reply to Post user story, 192–195
 - View Forum user story, 185–189
 - View Post user story, 190–192

- forum implementation (*continued*)
 - overview, 169
 - setting up forum
 - generating controller and view, 177–178
 - modifying model, 175–176
 - overview, 171
 - unit testing model, 176–177
 - updating database schema, 171, 173–174
 - using threaded forum plugin, 170–171
- forum_posts database table, 174
- forum_posts table, 171, 340
- forum_test database table, 343
- ForumTestDSL, 180
- fragment caching, 390–392
- fragment stores
 - caching with memcached, 393–395
 - overview, 392–393
 - storing sessions with memcached, 395
- fragment_cache_store parameter, 392
- functional testing, 31

G

- GCC (Gnu Compiler Collection), 4
- gem install capistrano command, 371
- gems, 5
- generate authenticated_mailer command, 239, 244
- generate command, 38, 201, 225
- generate controller command, 38, 42
- generate migration command, 33
- generate model command, 33
- generate script, 27, 88, 175–177, 179, 201, 203, 215, 306, 335
- generator command, 116
- get method, 130
- GET protocol, 250
- GET request, 153
- get test helper method, 40
- get_book_details_for method, 120

- get_translation_text action, 311
- GetText library, 298
- Globalize plugin, 297, 387
 - localizing with
 - localizing dates, currencies, and numbers, 302
 - localizing model, 301
 - localizing text, 300
 - overview, 300
 - overview, 298–299
 - setting up, 303
- globalize_countries database table, 299
- globalize_languages database table, 299
- globalize_translations database table, 299
- globalize_translations table, 313
- Gnu Compiler Collection (GCC), 4
- go_to_second_page method, 123, 134
- grant all command, 16
- grant database, 365

■ H

- h method, 191
- has_and_belongs_to_many :books
 - declaration, 76
- has_and_belongs_to_many mapping, 76, 79
- has_many :books declaration, 74
- has_many declaration, 77
- has_many mapping, 74
- has_many :through syntax, 144
- has_one :address declaration, 77
- has_one mapping, 77
- home directory, 368
- HTML format, 334–335
- html tag, 323
- HTTP_ACCEPT_LANGUAGE header, 305
- http-access2 library, 272

■ I

- id attribute, 334
- id column, 62

- id parameter, 27
 - :id parameter, 97
 - id=id element locator, Selenium, 334
 - identified by 'hacked' parameter, 16
 - identifier=id element locator, Selenium, 334
 - if/else branches, 314
 - image_tag method, 107
 - in_place_editor helper, 308
 - include parameter, 117
 - :include parameter, 398
 - include_translated option, 301
 - index action, 48, 116, 132, 178, 187, 386
 - index method, 260, 287
 - index.html file, 19
 - indices, 400
 - initialize_cart filter, 146, 260
 - initialize_cart method, 145
 - init.rb file, 170
 - inject method, 148
 - install command, 10, 199, 224
 - INSTALL file, 356
 - install script, 357
 - INSTALL-BINARY file, 9
 - installing
 - Capistrano, 371
 - FastCGI, 356–357
 - LightTPD web server, 353–355
 - MySQL, 8–9, 358
 - MySQL driver, 9–10
 - overview, 2–3
 - Ruby, 4–5
 - Ruby on Rails, 6–7, 356–357
 - RubyGems, 5–6
 - integration testing, 31, 90, 179
 - internal id, 308
 - irb console, Ruby, 357
 - isbn validation, 80
 - item partial, 148
-
- J**
 - join table, 75
-
- K**
 - key field, 401
-
- L**
 - language support. *See* multiple language support
 - last_name method, 36, 51
 - latest action, 137
 - Launch Sandbox button, 274
 - layout file, 64, 67
 - legend tag, 261–262
 - lft column, 172
 - lib directory, 225
 - lib file, 13
 - libevent-dev package, 394
 - LightTPD, 351, 353
 - configuring
 - access configuration, 363
 - FastCGI module configuration, 365
 - log file configuration, 361
 - mime-type configuration file, 361–363
 - module configuration, 360
 - overview, 358–360
 - SSL configuration, 364
 - starting, 368–369, 380
 - lighttpd group, 368
 - LightTPD web server, 353–355
 - link fetchers, 153
 - link_to call, 156
 - link_to method, 189
 - link_to_remote call, 156
 - link=textPattern element locator, Selenium, 334
 - Linux binary package, 8
 - list action, 216
 - List authors user story, 39

- List Books user story, 59, 106
 - adding integration test, 106
 - changing controller, 105
 - changing view, 105
 - overview, 104
 - List Publishers user stories, 60, 66
 - List tags, 198
 - List Tags user stories, 215–218
 - List Translations user story, 306–309
 - load method, 209
 - load_data method, 96, 110, 209
 - locale parameter, 304
 - Locale.set namespace, 303
 - localization requirements, 297–298
 - localize method, 302
 - localizing
 - dates, 319–320
 - with Globalize plugin
 - localizing dates, currencies, and numbers, 302
 - localizing model, 301
 - localizing text, 300
 - overview, 300
 - numbers and currencies, 320–322
 - lock_version column, 71
 - log file, 13
 - log file configuration of LightTPD, 361
 - log in, 223
 - Log In user story
 - adding filter, 229–230
 - overview, 227–229
 - testing redirection, 230–232
 - login_required function, 229
 - logs/test.log file, 85
- M**
- m option, 395
 - make command, 5
 - manual application deployment
 - copying application, 367
 - creating users and groups, 367–368
 - overview, 366
 - starting FastCGI processes, 369–371
 - starting LightTPD, 368–369
 - margin-left CSS property, 189
 - Masahiro, Tomita, 9
 - Max field value, ALL REQUESTS row, 386
 - Memcache store option, 392
 - memcache-client, 396
 - memcached
 - caching with, 393–395
 - storing sessions with, 395
 - Memory store option, 392
 - :memory_store option, 395
 - migration, 14, 32, 103, 397
 - mime-type configuration file of LightTPD, 361, 363
 - mod_access module, 360
 - mod_accesslog module, 360
 - mod_compress module, 360
 - mod_fastcgi module, 353, 360
 - mod_proxy module, 358
 - mod_proxy_core module, 358
 - mod_rewrite module, 360
 - Model-View-Controller (MVC) pattern, 20, 31
 - Money gem, 271
 - Mongrel, 358
 - multiple language support
 - adding Unicode (UTF-8) support
 - changing database to use UTF-8, 324–326
 - overview, 322
 - setting character encoding for HTTP response, 324
 - setting character encoding in HTML, 323
 - getting localization requirements, 297–298

- implementing user stories
 - Change Locale user story, 304–305
 - overview, 304
 - Translation user stories, 306–313
- overview, 297
- translating model, 317–318
- translating view, 313–316
- using Globalize plugin
 - localizing with, 300–302
 - overview, 298–299
 - setting up, 303
- MVC (Model-View-Controller) pattern, 20, 31
- MySQL, 8–9, 170, 351, 358
- MySQL command-line, 15
- MySQL driver, 9–10
- mysql> create database
 - emporium_development
 - command, 15
- mysql> create database emporium_test
 - command, 15
- mysql> grant all on
 - emporium_development.* to \
 - command, 16
- mysql> grant all on emporium_test.* to \
 - 'emporium'@'localhost' identified
 - by 'hacked' command, 16
- mysqldump command, 373

N

- name column, 62, 172
- name field, 64, 175
- name method, 36
- :name parameter, 97
- name=name element locator, Selenium, 334
- new action, 42, 96
- new page, 53
- New publisher link, 63
- new_session_as method, 94, 180
- new.rhtml template, 47
- numbers, localizing, 302, 320–322

O

- only parameter, 230
- :only parameter, 392
- onXXX attributes, 248
- open command, 343
- open status, 253
- open_session method, 90
- open(url) action, Selenium, 331
- Opera browser, 155
- <option> tag, 265
- options parameter, 325
- options_for_select helper method, 265
- options_from_collection_for_select
 - parameter, 97
- Order model, 252–255, 277, 291
- order parameter, 287
- Order_Item model, 254–255
- order_items table, 252
- orders table, 252

P

- page caching, 388–390
- page_count validation, 80
- page_title instance variable, 108, 194
- page.visual_effect method, 156
- paginate call, 117
- paginate helper, 216
- paginate method, 105, 188, 287
- pagination_links helper method, 288
- parameter, 97
- parameters hash, 111
- parent_id column, 172, 177
- passwd command, 368
- password attribute, 247
- Payment Card Industry (PCI), 268
- payment gateways, 266
 - Active Merchant plugin, installing, 271–272
 - Authorize.Net, 280–283

- payment gateways (*continued*)
 - overview, 271
 - Payment gem, 284–286
 - PayPal
 - creating API credentials, 275–277
 - creating dummy bank account and credit card, 274–275
 - overview, 272–274
 - setting up transactions, 277–279
- PayPal Developer Central, 272
- PCI (Payment Card Industry), 268
- PCRE (Perl Compatible Regular Expressions)
 - library, 354
- performance optimization
 - common performance problems in Rails
 - database access, 399–401
 - overview, 397
 - rendering speed, 397–399
 - measuring performance
 - checking log file, 382
 - overview, 382
 - using Rails Analyzer, 383–388
 - overview, 381
 - and scaling, 381
- Perl Compatible Regular Expressions (PCRE)
 - library, 354
- Person object, 30
- Person#age method, 30
- phone_number field, 253, 262
- Place Order button, 267–268
- place_order action, 268–271
- plugin command, 125
- plugins, 170
- pluralization, 298
- pluralize helper, 131, 148
- populate_order method, 269
- POSIX (Portable Operating System Interface)
 - shell command, 371
- post action, 178
- POST method, 45
- post method, 65, 69
- post object, 181
- post test helper method, 155
- Post to Forum acceptance test, 345–347
- Post to Forum user story
 - completing controller, 182
 - creating integration test, 179–181
 - creating view, 182–183
 - overview, 179
 - testing, 183–184
- Post to forum user story, 170
- post_to_forum method, 180, 185
- post.add_child(child) method, 171
- post.all_children method, 171
- post.child? method, 171
- post.children_count method, 171
- post.direct_children method, 171
- post.full_set method, 171
- post.root? method, 171
- posts variable, 189
- price field, 321
- price validation, 80
- price_localized field, 302
- priority_countries parameter, 264
- Pro Ruby, 223
- proc object, 146
- Proceed to Checkout link, 266
- process method, 270, 277, 280, 284
- process_with_active_merchant method, 277
- process_with_payment_gem method, 283
- product backlog, 11
- production environment, setting up
 - configuring LightTPD
 - access configuration, 363
 - FastCGI module configuration, 365
 - log file configuration, 361
 - mime-type configuration file, 361, 363
 - module configuration, 360

- overview, 358–360
 - SSL configuration, 364
 - connecting to production server, Secure Shell (SSH), 352–353
 - creating production database, 365–366
 - installing application server, Ruby on Rails and FastCGI, 356–357
 - installing database server (MySQL), 358
 - installing web server, LightTPD, 353–355
 - overview, 351
- Production Log Analyzer, 383–387
- project setup and proof of concept
- About Emporium user story implementation
 - creating layout, 23–27
 - modifying generated controller, 27
 - modifying generated view, 22–23
 - overview, 20–21
 - running generate script, 21–22
 - creating Emporium application
 - creating Emporium database, 14–17
 - creating skeleton application, 12–14
 - overview, 12
 - starting for first time, 18–19
 - Emporium project overview, 1–2
 - how Ruby on Rails works, 20
 - installing software
 - MySQL, 8–9
 - MySQL driver, 9–10
 - overview, 2–3
 - Ruby, 4–5
 - Ruby on Rails, 6–7
 - RubyGems, 5–6
 - overview, 1
 - Scrum overview, 10–12
 - proof of concept. *See* project setup and proof of concept
 - public directory, 18
 - public file, 13
 - public-key encryption, 364
 - public/stylesheets/scaffold.css file, 64, 89
 - published_at field, 108
 - published_at validation, 80
 - publisher administration interface implementation
 - Add Publisher user story
 - adding validations to model, 64
 - modifying generated fixture data, 65
 - modifying generated functional test, 65–66
 - overview, 64
 - Edit Publisher user story, 68–69
 - generating publisher code with scaffolding script, 62–64
 - overview, 61
 - updating schema with publishers table, 61–62
 - View Publisher user story
 - modifying generated action, 67
 - modifying generated functional test, 67–68
 - modifying View, 67
 - overview, 66
 - publisher method, 117
 - Publisher model, 64, 74–75
 - publisher object, 110
 - publisher validation, 80
 - publisher_id column, 83
 - publisher.books << Book.create(.) method, 74
 - publisher.books = new_books method, 74
 - publisher.books method, 74
 - publisher.books.clear method, 75
 - publisher.books.delete(some_book) method, 74
 - publisher.books.empty? method, 75
 - publisher.books.find method, 75
 - publisher.books.size method, 75
 - publishers table, 61, 70
 - publishers.yml fixture file, 83
 - purchase method, 281

R

- Rails Analyzer
 - overview, 383
 - running Action Profiler, 387–388
 - using Production Log Analyzer, 383–387
- Rails application directory, 127
- rails command, 12, 17
- rails directory, 368–369
- Rails framework, 328
- Rails plugin, 224, 271
- Rails wiki, 353
- RAILS_ENV environment variable, 34
- rails_stat tool, Rails Analyzer, 383
- rake cold_deploy task, 378
- rake command, 34–35, 378
- rake db, 174
- rake db:migrate command, 35, 71, 145, 174, 203
- rake db:sessions:clear command, 35
- rake db:sessions:create command, 35
- rake deploy command, 371
- rake deploy task, 378
- rake log:clear command, 35
- rake migrate command, 103
- rake rails:freeze:edge command, 35
- rake rails:freeze:gems command, 35
- rake rails:unfreeze command, 35
- rake stats command, 35
- rake test:functionals command, 64–65
- rake test:integrations test, 112
- Rakefile file, 13
- :raw => true parameter, 220
- README file, 13, 356–357, 394
- reaper script, 378
- Recognition failed for "/" error, 19
- Recommend books, 198
- Recommend Books user story, 218–221
- RedCloth, 91, 328
- releases directory, 378
- remove action, 164
- Remove Items from Cart user story, 161–162, 164–165
- remove method, 161–162
- remove_column migration, 33
- remove_with_ajax template, 164
- render method, 130
- repeat option, 370
- reply action, 178
- Reply link, 192
- Reply to Post acceptance test, 348–350
- Reply to Post user story, 170, 192–195
- reply_to action, 194
- reply_to_post method, 193
- repository variable, 372, 374
- require line, 284
- reset password, 223
- Reset Password user story
 - creating form templates, 246–248
 - modifying controller, 244–246
 - overview, 238–239
 - updating User model, 241–242
 - using ActionMailer mailers, 239–241
 - using observers, 243–244
- resource-expandable, 381
- restart task, 372
- rgt column, 172
- .rhtml suffix, 136
- .rhtml template, 137, 156
- .rjs template, 313
- root post, 169
- root_id column, 172
- routing, 31
- RSelenese format, 335
- Ruby on Rails framework, 170
- Ruby on Rails tag, 220
- Ruby Performance Validator, Windows, 388
- ruby --v command, 4
- Ruby-FastCGI library, 356
- RubyGems, 5–6, 328

ruby-memcache gem, 394

.rxml templates, 136–138

S

sales taxes, 296

Sandbox, PayPal, 272–273

save method, 177, 206

say_with_time method, 71

scaffold method, 60

scaffolding, 60–61

scaling, 395

schema_info table, 34, 73

script directory, 205

script file, 13

script.aculo.us Effect.* JavaScript methods, 156

script.aculo.us JavaScript library, 149,
207–208

script/console command, 301

script/generate command, 32, 38, 73, 116,
142–144, 173

script/plugin script, 299

script/process directory, 365

scripts directory, 7

script/server command, 18

Scrum, 10–12

search action, 130

search engine optimization (SEO), 323

searches_for_tolstoy method, 128

_search.rhtml partial view, 131

search.rhtml template, 132

Secure Shell (SSH), 352–353

security

getting authentication requirements, 223

implementing user stories

Fail Log In user story, 233–238

Log In user story, 227–232

overview, 227

Reset Password user story, 238–248

overview, 223

protecting application

cross-site request forgery, 250

cross-site scripting, 248

overview, 248

SQL injection, 249

URL and form manipulation, 248–249

using authentication plugin, 224–227

SELECT queries, 125

select_tag method, 97

select_tag parameter, 97

select(locator, value), Selenium, 331

Selenese format, 328, 335

Selenium

overview, 327

recording tests

overview, 337

Post to Forum acceptance test, 345–347

Reply to Post acceptance test, 348–350

Show Post acceptance test, 347–348

using Selenium IDE, 337–338, 340

View Forum acceptance test, 340–345

using, 327–330

writing tests

commands, 330–334

first acceptance test, 335–337

formats, 334–335

self.down method, 33

self.up method, 33

SEO (search engine optimization), 323

:separator => ',' parameter, 220

server.errorlog setting, 361

server.groupname option, 368

server.pid-file setting, 361

server.port module, 360

server.username option, 368

session hash, 147

session object, 90, 94

set_locale method, 304

- set_translation_text action, 311
- setup method, 231
- setup task, 375
- setup_email method, 239
- shared nothing architecture, 381
- shell script, 393
- ship_to field, 253
- ship_to_country field, 264
- shipping costs, calculating, 294
- Shipping gem, 294–295
- Shopify, 271
- shopping cart implementation
 - getting requirements, 141
 - implementing user stories
 - Add Items to Cart user story, 152–157, 160
 - Clear Cart user story, 166–167
 - overview, 152
 - Remove Items from Cart user story, 161–162, 164–165
 - overview, 141
 - setting up shopping cart
 - adding functional test, 142–143
 - creating controller, 142
 - creating models, 143–145
 - creating views, 147–150, 152
 - modifying controller, 145–147
 - overview, 142
- shopping_cart element, 167
- show action, 51, 178
- show action, CartController, 390
- show action, CatalogController, 387
- show databases command, 15
- show method, 67
- show page, 120
- Show Post acceptance test, 347–348
- Show Post test, 348
- Show tags, 198
- Show Tags user stories, 215–218
- show_book method, 109
- size method, 187
- SOAP, 272
- soap4r library, 272
- sort_by parameter, 105
- Source tab, Selenium IDE, 340
- spawner process, 367
- spawner script, 365, 370, 376
- spin script, 370
- spinner script, 375
- spinner task, 377
- sprint, 11
- sprint backlog, 12
- SQL Dependency Grapher, 383
- SQL injection, 249
- SSH (Secure Shell), 352–353
- SSL configuration of LightTPD, 364
- ssl.pemfile configuration property, 364
- Static scaffolding, 60
- status field, 253, 256
- status parameter, 286
- Step radio button, 350
- storeChecked(locator, variableName) accessor, Selenium, 333
- storeText(locator, variableName) accessor, Selenium, 333
- store(value, variableName) accessor, Selenium, 333
- storeValue(locator, variableName) accessor, Selenium, 333
- style sheets, 25, 64, 150
- subject column, 172
- subject field, 175
- Subversion, 363, 372
- sudo command, 368, 375
- .svn directories, 363
- svnserve daemon, 367
- syslog daemon, 383
- SysLogger class, 383

T

- table skeleton, 32
- Table tab, Selenium IDE, 340
- Tag model, 203
- tag_controller.rb file, 216
- <tag> element, 138
- tagged_with method, 205
- tagging
 - getting tagging requirements, 197–198
 - implementing user stories
 - Assign Tags user story, 207–211
 - Edit Tags user story, 211–215
 - List Tags and Show Tags user stories, 215–218
 - overview, 207
 - Recommend Books user story, 218–221
 - overview, 197
 - setting up for
 - overview, 201
 - preparing models, 203–204
 - unit testing model, 204–205
 - updating database schema, 201, 203
 - using console to test model, 205–206
 - using RubyGem, 198–200
- tags, 197
- tags attribute, 207
- tags collection, 208
- Tags field, 210
- tags parameter, 207–208
- tags table, 201, 203
- tags_books table, 201
- target, Selenium, 331
- taxes, calculating, 296
- TDD (test-driven development), 2, 29–30
- Test Accounts listing, 274
- Test Certificates, PayPal, 273
- test environment, 14
- test file, 13
- test_adding test method, 155
- test_book_administration method, 109, 111–112, 207, 212
- test_book_administration test, 94, 106
- test_browsing_the_site test method, 136
- test_create method, 46, 64, 82
- test_forum method, 180, 193
- test_has_many_and_belongs_to_mapping test, 84
- test_name method, 36
- test_tagging method, 204
- test_truth method, 36, 142, 259
- test_truth test method, 39
- test_update method, 68
- test-driven development (TDD), 2, 29–30
- test/fixtures directory, 315
- test/fixtures/publishers.yml file, 83
- test/functional/cart_controller_test.rb test, 155
- testing, acceptance. *See* Selenium
- testing in Rails
 - functional testing, 31
 - integration testing, 31
 - overview, 30
 - unit testing, 30–31
- test/integration/book_test.rb file, 92
- TestRunner window, 350
- test/selenium directory, 336
- test/selenium/forum folder, 336
- Test::Unit Ruby library, 30
- text, localizing, 300
- text markup language, 92
- text_field method, 43
- Textile, 91
- Textile markup, 108
- Textile markup format, 328
- Textile markup language, 59
- textilize method, 107–108, 397–398
- thank_you action, 270
- threaded forum plugin, 170–171
- threaded.rb file, 170

- threads, 169
 - :through option, 144
 - title parameter, 317
 - title validation, 80
 - tokens parameter, 209
 - tr_key column, 300
 - translate method, 313
 - translates method, 301, 318
 - Translation user stories
 - Add Translation user story, 310
 - Delete Translation user story, 312–313
 - Edit Translation user story, 311–312
 - List Translations user story, 306–309
 - overview, 306
 - tree command, 12, 378
 - tries_to_go_to_admin method, 228
 - trunk directory, 329
 - type column, 400
 - type(locator, value), Selenium, 331
- U**
- /u directory, 375
 - Ubuntu Linux, 3, 353
 - :unique option, 71
 - unit testing, 30–31
 - United Parcel Service (UPS), shipping costs, 294
 - update action, 53
 - update_attribute method, 162
 - update_attributes method, 54, 68
 - updated_at column, 172–173
 - Upload book cover user stories, 59
 - Upload Book Cover user story
 - adding file upload functionality, 102–103
 - changing form, 104
 - cloning changes, 104
 - modifying database schema, 103
 - overview, 102
 - UPS (United Parcel Service), shipping costs, 294
 - URL and form manipulation, 248–249
 - url_encode method, 130
 - url_for call, 399
 - url_for key, 390
 - url_for templates, 138
 - url_for_file_column method, 104, 107
 - User class, 247
 - User model, 241–242
 - user stories, 11, 29
 - adding author
 - adding test case, 39–41
 - creating author, 44–47
 - creating form, 42–44
 - overview, 39
 - validating data, 47–48
 - adjusting flash notifications, 55–57
 - deleting author, 54–55
 - editing author, 52–54
 - Fail Log In user story
 - adding flash message, 235–236
 - adding login links and styling, 237–238
 - overview, 233–235
 - listing authors, 48–50
 - Log In user story
 - adding filter, 229–230
 - overview, 227–229
 - testing redirection, 230–232
 - overview, 39, 179, 227
 - Post to Forum use story
 - completing controller, 182
 - creating integration test, 179–181
 - creating view, 182–183
 - overview, 179
 - testing, 183–184
 - Reply to Post user story, 192–195
 - Reset Password user story
 - creating form templates, 246–248
 - modifying controller, 244–246
 - overview, 238–239

- updating User model, 241–242
 - using ActionMailer mailers, 239–241
 - using observers, 243–244
 - View Forum user story
 - modifying controller, 188
 - modifying view, 186–187
 - overview, 185
 - updating integration test, 185–186
 - using view helper, 188–189
 - View Post user story
 - modifying controller, 191
 - modifying view, 191–192
 - overview, 190
 - updating integration test, 190–191
 - viewing author, 50–52
 - user variable, 372, 375
 - UserNotifier, 239
 - UserNotifier mailer, 244
 - UserObserver, 239
- V**
- validate callback method, 258
 - validates_confirmation_of validation, 247
 - validates_length_of validation method, 175
 - validates_presence_of method, 47
 - validation failure, 82
 - value-added tax (VAT), 295
 - /var/log directory, 361
 - /var/run directory, 361
 - VAT (value-added tax), 295
 - vendor file, 13
 - vendor/plugins directory, 170, 199, 299
 - vendor/plugins/active_merchant directory, 272
 - vendor/plugins/acts_as_threaded directory, 170
 - vendor/plugins/trunk directory, 102, 329
 - verifyElementNotPresent command, 343
 - view, 20, 22
 - View author user story, 39
 - View Book user story, 104, 109
 - adding integration test, 109
 - changing controller, 108–109
 - changing view, 107–108
 - overview, 107
 - View books user stories, 59
 - View Forum acceptance test, 340–345
 - View Forum test case, 336
 - View Forum user story, 170
 - modifying controller, 188
 - modifying view, 186–187
 - overview, 185
 - updating integration test, 185–186
 - using view helper, 188–189
 - view helpers, 169
 - View Order user story, 290–291
 - View Orders user story, 286–289
 - View Post user story, 169–170
 - modifying controller, 191
 - modifying view, 191–192
 - overview, 190
 - updating integration test, 190–191
 - View Publisher user story
 - modifying generated action, 67
 - modifying generated functional test, 67–68
 - modifying View, 67
 - overview, 66
 - view_post method, 190
 - ViewTranslation model, 306, 312
 - visudo command, 368
 - vv command, 393
- W**
- web accelerators, 153
 - Webalizer, 361
 - WEBrick, 63, 102, 199
 - WHERE clauses, 401
 - wiredump_dev parameter, 278

■ **X**

XMLHttpRequest JavaScript object, 155
xml.tag command, 138
xpath=xpathExpression element locator,
Selenium, 334

■ **Y**

YAML Ain't Markup Language (YAML), 17
yield method, 25, 92
yield session if block_given? line, 94

■ **Z**

ZenProfiler, 387
zlib compression library, 354