

# Index

## ■ Symbols

@ (at sign), 26

## ■ A

abort() method, 44

About dialog

    OrganizerExt sample application and, 138

    TimekeeperExt sample application and,  
    201, 231

About Window, SQL Workbench sample  
    application and, 375, 382

Absolute layout, 171

Accordion layout, 67

    LocalBusinessSearch sample application  
    and, 340, 350

    OrganizerExt sample application and, 131,  
    171, 187

AccountActivityPortlet.js file, for Finance

    Master sample application, 542–553

AccountHistoryPortlet.js file, for Finance

    Master sample application, 553–557

activeItem configuration option, 60

add event, 159, 160

add event handler

    CabinetExt sample application and, 274

    TimekeeperExt sample application and,  
    210

add() method, 22, 30

    LocalBusinessSearch sample application  
    and, 339, 346

    Stores and, 104

    TimekeeperExt sample application and,  
    215

addAccount() method, 535

addActivity() method, 551

addBehaviors() method, 26

addButton() method, 165

AddCategory() method, 286

addClass() method, 115

addDatabase() method, 389

addListener() method, 459, 465

addMult() method, 30

addSnippet() method, 289

AddToFavoritesClick() method, 345

Ajax, 9–13

    Ext namespace and, 34

    XMLHttpRequest and, 312

alert() method, 21, 30, 35, 80

    CabinetExt sample application and, 278,  
    280, 288, 302

    prototypes and, 279

allowDecimals configuration option, 81

allowNegative configuration option, 81

alphanum vtype, 86

alpha vtype, 86

AnchorLayout, 72

    OrganizerExt sample application and, 171

    SQL Workbench sample application and,  
    424, 427

AOP (aspect-oriented programming), 31

AOSD (aspect-oriented software develop-  
    ment), 31

append() method, 38, 108

appendChild() method, 456

    TimekeeperExt sample application and,  
    237

    TreeNode and, 92

appid parameter, 317

appInit() method, 114

applications. *See* web applications

apply() method, 27, 87

    prototypes and, 279

    templating and, 108, 109

applyStyles() method, 39, 524

applyTemplate() method, 109

applyTo configuration option, 60

appointments (OrganizerExt sample applica-  
    tion), 131, 141, 147–152

    Accordion layout for, 172

    creating, 167

AppointmentRecord field, 154

appointmentsStore field, 154

Array class, 21

arrowIndicator field, for Dueling Cards

    sample game, 451

arrows, Toolbars and, 90

aspect-oriented programming (AOP), 31  
 aspect-oriented software development (AOSD), 31  
 at sign (@), 26  
 attachIconTooltips() method, 339, 343  
 autoAbort property, 35  
 autoExpandColumn configuration option, 181, 182  
 autoExpandMax configuration option, 182  
 autoExpandMin configuration option, 182  
 autoHeight/autoWidth configuration option, 60  
 autoLoad configuration options, 75

## B

Banfield, Steve, 10  
 bar charts, 118  
 baseChars configuration option, 81  
 beforeshow event handler, TimekeeperExt  
 sample application and, 234, 242,  
 249, 254  
 beginEdit() method  
 CabinetExt sample application and, 299  
 TimekeeperExt sample application, 244,  
 251  
 between() method, 23  
 binding, 94, 101  
 BLANK\_IMAGE\_URL property, 24  
 body tag, 135  
 BorderLayout, 65, 171  
 LocalBusinessSearch sample application  
 and, 340, 350  
 menus and, 232  
 OrganizerExt sample application and, 179  
 vs. TableLayout, 70  
 TimekeeperExt sample application and,  
 218, 222, 228  
 vs. Window widget, 376  
 BoxComponent class, 58  
 buildUI() method  
 CabinetExt sample application and, 281  
 LocalBusinessSearch sample application  
 and, 338  
 OrganizerExt sample application and,  
 158, 187  
 TimekeeperExt sample application and,  
 216

## C

CabinetExt (sample application), 259–308  
 adding features to, 308  
 CodeCabinetExt.js file for, 275–282  
 code for, 264–307  
 markup for, 263  
 structure of/files for, 261  
 calculateStatus() method, TimekeeperExt  
 sample application and, 223, 224  
 call() method, 279  
 capitalize() method, 46, 229  
 cardBacks directory, for Dueling Cards  
 sample game, 444  
 cardFaces directory, for Dueling Cards  
 sample game, 445  
 CardLayout, 69, 171  
 CabinetExt sample application and, 289,  
 293, 306  
 OrganizerExt sample application and, 179  
 TimekeeperExt sample application and,  
 219, 222, 228, 234, 237  
 cards, creating for Dueling Cards sample  
 game, 459  
 card stack images, creating for Dueling  
 Cards sample game, 458  
 categories  
 CabinetExt sample application and, 260,  
 268  
 creating/deleting, 288  
 subcategories and, 308  
 category property, 151  
 CategoryAxis class, 34  
 categoryList field, 154  
 center region  
 LocalBusinessSearch sample application  
 and, 340, 350  
 OrganizerExt sample application and, 179  
 TimekeeperExt sample application and,  
 219  
 changeCategory() method, 174, 188, 191  
 changeViewMode() method, 189  
 charting support, caution with, 499, 540  
 charts, 118  
 checkbox input field, 77  
 Checkbox widget, 78  
 Radio widget and, 82, 175  
 SQL Workbench sample application and,  
 378  
 checked configuration option, 89

- check event, 174, 178
- check event handler, TimekeeperExt sample application and, 219
- classes, 20–34
- clear event, 160
- clearSelections() method, 360
- click event handler, CabinetExt sample application and, 291
- clickToChange config option, 99
- client-side mashups, 315
- clientvalidation event handler, Timekeeper-Ext sample application and, 238–241, 245, 252
- closures, 157
- cls configuration option, 60
- CodeCabinetExt.js file, 262, 265, 275–282
- code snippets
  - development and, 13
  - sample application for storing, 259–308
- ColorPalette widget, 96
- column charts, 120
- column layout, 171
- columns configuration option, 83
- ComboBox widget, 83
  - bug involving arrow alignment and, 144
  - OrganizerExt sample application and, 177
  - TimeField widget and, 84
  - TimekeeperExt sample application and, 238–243, 248–254
- compile() method, 43, 109
- Complete Task button, 140
- Component class, 58
  - Manager singleton and, 117
  - plug-ins and, 123
- ComponentMgr class, 58
- components. *See* widgets
- configuration options, for widgets, 60
- confirm() method, 290, 548
- console.log() method, 42
- constrain() method, 31
- constructor property, 279
- constructors, 60
- ContactRecord field, 154
- contacts (OrganizerExt sample application), 131, 141, 147–152
  - Accordion layout for, 175
  - filtering by status, 178
- contactsStore field, 154
- Container class, 58, 62
- containers, 62–75
  - menus and, 89
  - for OrganizerExt sample application, 170, 171, 179
- content property, 151
- CookieProvider() method, 118, 336, 339
  - CabinetExt sample application and, 281
  - SQL Workbench sample application and, 380
- copy() method, 216, 224
- copy operation, databases and, 411–415
- create() method, 101, 161
- createAccount() method, 515
- createActivity() method, 516
- createAndPositionIndicators() method, 452, 460
- createCardDescriptor() method, 460
- createCardStackImages() method, 452, 458
- createCategory() method, 268, 288
- createDataStores() method, 157, 158
- createInterceptor() method, 30
- createNewAppointmentDialog() method, 157
- createNewContactDialog() method, 157
- createNewNoteDialog() method, 157, 163
- createNewTaskDialog() method, 157
- createNote() method, 150, 159, 165
- createPortfolio() method, 514
- createProject() method, 207, 237
- createRecordDescriptors() method, 157
- createSequence() method, 30
- createSnippet() method, 270
- createStyleSheet() method, 44
- createTableExecute() method, 399
- createTable() method, 398
- CreateTableWindow.js, 397–403
- createWorkerFromUrl() method, 486
- createWorker() method, 486
- critical chain methodology, 196
- critical path schedules, 196
- CRUD (Create, Retrieve, Update, and Delete)
  - OrganizerExt sample application and, 146
  - TimekeeperExt sample application and, 206
- CSS class, 44
- CSS selector queries, 39
- cssAbout class, 378
- cssAbout selector, 141, 202
- cssAltRow selector, 326
- cssDDHover class, 447
- cssDDNoHover class, 447

cssDefault selector, 141  
 cssDetailsTable selector, 142  
 cssPleaseWait selector  
   CabinetExt sample application and, 264, 278  
   OrganizerExt sample application and, 141  
   TimekeeperExt sample application and, 202  
 cssProgressBarFill selector, 203  
 cssSource class, 377, 447  
 cssSource selector  
   CabinetExt sample application and, 264  
   OrganizerExt sample application and, 141  
   TimekeeperExt sample application and, 202  
 cssSummaryTableHeader selector, 202  
 cssSummaryTitle selector, 202  
 cssTableCell class, 378, 409, 428  
 cssTableCentered class, 378, 399, 406  
 cssTableHeader class, 378, 399, 406, 427  
 currentCategory field, 153

## D

DAO class, 144–152, 203  
 DAO.js file  
   for CabinetExt sample application, 262, 265–272  
   for LocalBusinessSearch sample application, 327  
   for OrganizerExt sample application, 133, 144  
   for TimekeeperExt sample application, 203–209  
 data binding, 94, 101  
   data stores. *See* Stores  
 Data.js file, for Dueling Cards sample game, 449–452  
 DataAccess.js file, for Finance Master sample application, 509–518  
 Database class, 124  
 Database component (Gears), 124  
 DatabaseRecord, 383–395  
 databases. *See also* SQL Workbench (sample application),  
   adding/removing, 388–391  
   executing table operations and, 411–415  
   list of databases and, 386  
   list of tables and, 376  
   query tool for, 422–430  
   table details and, 403–422  
 DatabasesWindow.js, for SQL Workbench sample application, 385–393  
 datachanged event, 160  
 DataProxy class, 102  
 DataViews, icon views and, 180  
 Date class, 22  
 DateField form, 96  
 datefield input field, 77  
 DateField widget, 78  
 Date().getTime() method, 160  
 date() method, 22, 46  
 DatePicker widget, 96, 175  
 DDProxy class, 115, 452  
 dealActionCard() method, 475, 476, 481  
 dealerStackImgClick() method, 459, 475  
 dealPlayerOpponentCard() method, 476, 477, 481, 495  
 decimalSeparator config option, 81  
 decode() method, 49, 284  
 defaultValue() method, 47  
 defer() method, 31, 279  
 deferredRender configuration option, 69  
 delay() method, 46  
 DelayedTask class, 45  
 deleteAccount() method, 516, 536  
 deleteActivity() method, 517, 548  
 Delete button, 186  
 Delete Task button, 140  
 deleteCategory() method, 269, 288  
 deleteNote() method, 159  
 deleteProject() method, 208  
 DeleteProjectDialog.js file, 254–257  
 DeleteResourceDialog.js file, 254–257  
 deleteSnippet() method, 290  
 DeleteTaskDialog.js file, 254–257  
 destinationContainer, 114, 115  
 detail panes, adding buttons to, 186  
 detail sections  
   for CabinetExt sample application, 293–301  
   for OrganizerExt sample application, 182  
 details, showing for selected items, 191  
 Details.js file, for LocalBusinessSearch sample application, 350–357  
 disable() method, 175, 520  
 disableCaching property, 35  
 disabled configuration option, 60  
 disabledDates configuration option, 97  
 disabledDays configuration option, 97  
 divider lines, for menus, 233  
 div tag, 135

doBoth() method, 30  
 document.getElementById() method, 29  
 doEndGame() method, 481, 482, 493  
 Dojo, 14  
 doLayout() method, 430, 540  
 doMadlib1() method, 108  
 doMadlib2() method, 108  
 DomHelper class, 36  
 DomQuery class, 39–43  
 doTableOp() method, 406, 411, 415  
 doTitle() method, 484  
 downloading Ext JS, 19  
 drag-and-drop functionality, 109–116, 453  
 drawActionCardIndicators() method, 462, 481  
 drop operation, databases and, 411–414  
 Dueling Cards (sample game), 437–495
 

- adding features to, 495
- cardBacks directory for, 444
- cardFaces directory for, 445
- cards, creating for, 459
- code for, 447–495
- DuelingCards.js file for, 471–486
- directory structure of/files for, 444
- game logic of, 471–495
- markup for, 446

**E**

eachKey() method, 52  
 each() method, 51
 

- LocalBusinessSearch sample application and, 358
- TimekeeperExt sample application and, 216, 221, 224, 251
- SQL Workbench sample application and, 391

editable configuration option, 84  
 Element class, 452–460, 465  
 Element() method, 455  
 ellipsis() method, 47  
 El() method, 454  
 email vtype, 86  
 emptyFn property, 24  
 empty operation, databases and, 411–414  
 enableGarbageCollector property, 25  
 enableListenerCollection property, 25  
 enable() method, 175, 520  
 enableTabScroll configuration options, 75  
 encode() method, 49  
 endDrag event, 115

endEdit() method
 

- CabinetExt sample application and, 299
- TimekeeperExt sample application, 244, 251

error handling
 

- JSON-P and, 316
- LocalBusinessSearch sample application and, 331

escape() method, 32

event chain methodology, 196

EvilTed, 213

executeArbitrarySQL() method, 424

execute() method
 

- OrganizerExt sample application and, 150
- TimekeeperExt sample application and, 207

expand() method, TimekeeperExt sample application and, 221, 237

Ext class, 24–29

Ext Core, 55

ext directory
 

- for OrganizerExt sample application, 133
- for TimekeeperExt sample application, 199

Ext JS, 16–55
 

- downloading, 19
- examples of, 17
- Ext Core and, 55
- licensing for, 16, 55
- plug-ins for, 122
- structure of, 20–34
- web site for, 19

Ext namespace, 21
 

- classes in, 34–44
- widgets and, 55, 95

Ext.chart namespace, 118

Ext.data package, 308

Ext.each() method, 28

Ext.util namespace, 44–55

extend() method, RowSelectionModels and, 213
 

- extensions, 122

**F**

faceValue field, for Dueling Cards sample game, 451  
 fadeIn() method, 433, 483  
 Favorites.js file, for LocalBusinessSearch sample application, 358  
 fieldByName() method, 151  
 fieldDescriptor, 419

- file cabinet application. *See* CabinetExt (sample application)
  - filterBy() method, 180
  - filter() method, 43
  - Finance Master (sample application), 497–557
    - accounts for, 498, 507–520, 531–557
    - adding features to, 557
    - code for, 506–557
    - directory structure of/files for, 500
    - FinanceMaster.js file for, 518–526
    - markup for, 501
  - Firebug, 13
  - fireEvent() method, CabinetExt sample application and, 300
  - fireEvents() method, 35
  - Firefox, 13
  - Fisheye lists, 341
  - FitLayout, 65, 171
  - Flash-based charts, 500
  - folders, 90
  - forceFit configuration option, 182
  - forceSelection config option, 85
  - Format class, 46, 302
  - format() method, 22, 32, 192, 342
  - formBine configuration option, 164
  - Form layout, 171
  - FormPanel widget, 76, 85, 164–169
    - CabinetExt sample application and, 295
    - OrganizerExt sample application and, 184
    - SQL Workbench sample application and, 398, 400
  - forms, 75–87
    - SearchForm and, 301
    - validating, 85
  - foundTables DataStore, 395
  - Function class, 30
  - FX (visual effects), 342, 346
- G**
- gameLoop() method, 488
  - gamePaused field, for Dueling Cards sample game, 466
  - Gantt charts, 195
  - Garrett, Jesse James, 9
  - Gears (browser extension), 57, 123–127
    - CabinetExt sample application and, 262, 268, 280
    - multithreading and, 54
    - NoGears dialog and, 156, 201
    - OrganizerExt sample application and, 149
    - SQLite Manager and, 371
    - SQL Workbench sample application and, 371
    - testForGears() method and, 156
    - TimekeeperExt sample application and, 204
    - WorkerPool API, 437, 440–444, 486–495
  - gears\_init.js file, 126
  - genDecks() method, 473, 474
  - generateActionImgTag() method, 342
  - get() method, 44, 52, 472
    - CookieProvider and, 336, 339
    - TimekeeperExt sample application and, 207
  - genRandom() method, 463, 473
  - getAccountBalance() method, 516, 518
  - getBody() method, 450, 452
  - getById() method
    - CabinetExt sample application and, 292
    - LocalBusinessSearch sample application and, 359
  - getCmp() method, 58, 69
    - CabinetExt sample application and, 283, 300
    - Dueling Cards sample game, 466
    - OrganizerExt sample application and, 165, 184, 189
    - ProgressBar widget and, 100
    - SQL Workbench sample application and, 414
    - TimekeeperExt sample application and, 220, 229, 233, 256
  - getConfig() method, 523, 531
  - getCount() method, 360
  - getDate() method, 22
  - getDayOfYear() method, 23
  - getDaysInMonth() method, 23
  - getDom() method, 29, 39, 43, 183, 192
  - getDragEl() method, 115
  - getElapsed() method, 23
  - getElementById() method, 40
  - getEl() method, 115, 186
  - getForm() method, 77, 85
    - CabinetExt sample application and, 302
    - TimekeeperExt sample application and, 169, 184
  - getFullYear() method, 22
  - getHeight() method, 55
  - getId() method, 235

- getLayout() method, 69
    - OrganizerExt sample application and, 189
    - TimekeeperExt sample application and, 234
  - getMap() method, 348, 353, 355
  - getNodeById() method
    - CabinetExt sample application and, 289, 300
    - TimekeeperExt sample application and, 257
  - getPortlet() method, 522
  - getPosition() method, 117
  - getRootNode() method, 92
    - CabinetExt sample application and, 281
    - TimekeeperExt sample application and, 220, 237
  - getRules() method, 45
  - getSelectedDate() method, 57
  - getSelected() method, 182
  - getSelectedRecords() method, 181
  - getSelectionModel() method, 182, 360
  - getShortDayName() method, 22
  - getShortMonthName() method, 22
  - getSize() method, 55, 117
  - getSuffix() method, 23
  - getText() method, 186
  - getUpdater() method, 44
  - getValue() method, 57
    - ComboBox widget, 84
    - HtmlEditor widget, 79
    - Slider widget, 99
  - getValues() method, 165, 169
    - CabinetExt sample application and, 302
    - TimekeeperExt sample application and, 236
  - getViewSize() method, 452, 524
  - getWeekOfYear() method, 23
  - getWidth() method, 55
  - global-scope classes, 20–34
  - Google, Gears and. *See* Gears (browser extension)
  - GPL open source license, 262
  - Gray Extended theme, 499, 502
  - Grid widget, 93
    - SQL Workbench sample application and, 388
    - TimekeeperExt sample application and, 198, 202, 212, 223–227
  - GroupingStore, 102, 509
  - grow configuration option, 78, 81
  - growMax configuration option, 78, 81
  - growMin configuration option, 78, 81
- ## H
- handlePlayerDrop() method, 455, 480, 481, 482
  - hasListener() method, 35
  - Header.js file, for LocalBusinessSearch sample application, 341–350
  - head tag, 134
  - height configuration option, 82
  - Help.js, for SQL Workbench sample application, 430–433
  - Help menu, TimekeeperExt sample application and, 231
  - hide() method
    - Dueling Cards sample game and, 456
    - OrganizerExt sample application and, 165
    - TimekeeperExt sample application and, 256
  - hideBorders configuration option, 61
  - highlight() method, 346
  - htmlDecode() method, 48
  - HtmlEditor widget, 79
  - htmlEncode() method, 48
  - HttpProxy, 102
- ## I
- icon images, 133
  - icon views
    - for OrganizerExt sample application, 180
    - switching view modes and, 189
  - id configuration option, 60
  - IDEs (integrated development environments), 13
  - id property, 151
  - images
    - card stack, for Dueling Cards sample game, 458
    - preloading, 455
  - images field, for Dueling Cards sample game, 450
  - imagesSizes field, for Dueling Cards sample game, 451
  - img directory
    - for CabinetExt sample application, 262
    - for OrganizerExt sample application, 133
    - for SQL Workbench sample application, 374
    - for TimekeeperExt sample application, 199

- increment configuration option, 99
  - index.htm file
    - for CabinetExt sample application, 263
    - for OrganizerExt sample application, 133, 134
    - for SQL Workbench sample application, 374
    - for TimekeeperExt sample application, 199, 200
  - indexOf() method, 21
  - IndicatorsCode.js file, for Dueling Cards sample game, 460–463
  - init() method
    - CabinetExt sample application and, 263, 268, 277
    - LocalBusinessSearch sample application and, 336
    - OrganizerExt sample application and, 135, 149, 154
    - plug-ins and, 123
    - TimekeeperExt sample application and, 206, 214
  - initMain() method
    - OrganizerExt sample application and, 155, 157
    - TimekeeperExt sample application and, 214, 216
  - initOpponent() method, 486, 487
    - insert() method, 39
  - insertAfter() method, 39
  - insertBefore() method, 39
  - insertFirst() method, 39
  - integrated development environments (IDEs), 13
  - is() method, 43
  - isAir property, 25
  - isArray() method, 28
  - isAutoRefreshing() method, 44
  - isBoundingBox property, 25
  - isChrome property, 25
  - isDate() method, 28, 192
  - isEmpty() method, 28, 525
  - isGecko property, 25
  - isGecko2property, 25
  - isGecko3property, 25
  - isIE property, 25
  - isIE6 property, 25
  - isIE7 property, 25
  - isIE8 property, 25
  - isLeapYear() method, 23
  - isLinux property, 25
  - isMac property, 25
  - isOpera property, 25
  - isReady property, 25
  - isSafari2 property, 25
  - isSafari3 property, 25
  - isSafari property, 25
  - isStrict property, 25
  - isUpdating() method, 44
  - isValidDrop() method, 480
  - isValid() method, 85
  - isValidRow() method, 151
  - isVisible() method
    - CabinetExt sample application and, 274
    - Dueling Cards sample game and, 465
  - isWindows property, 25
  - items array, 60, 61
  - items configuration option, 61
  - itemSelector configuration option, 181
- ## J
- JavaScript imports, 19
  - JavaScript libraries, 14
  - JavaScript Object Notation (JSON), 314
  - join() method, 525
  - jQuery, 14
  - js directory
    - for CabinetExt sample application, 262
    - for OrganizerExt sample application, 133
    - for TimekeeperExt sample application, 199
  - JSON (JavaScript Object Notation), 314
  - JSON class, 49
  - JSON-P (JSON with Padding), 312–316
  - JsonStore, 102
- ## K
- Kant, Mrinal, 371
  - keyup event handler, TimekeeperExt sample application and, 253
- ## L
- layout attribute, 60
  - layout configuration option, 61
  - layouts, 60, 62–75, 171
  - leftPad() method, 32
  - length property, 279
  - libraries, 14
  - licensing
    - for Ext Core, 55
    - for Ext JS, 16, 55, 262
  - line charts, 118



listDatabases() method, 386, 390, 392  
 listeners configuration option, 60  
 listTableDetails() method, 396  
 listTables() method, 389, 393, 414  
 list views  
   for OrganizerExt sample application, 179, 181  
   switching view modes and, 189  
 load() method, 102  
   DataStore, 364  
   ResultsStore, 367  
   ScriptTagProxy, 316, 356  
 loadData() method, TimekeeperExt sample application and, 215, 216  
 loadDefaults() method, 339  
 loadexception event, 160  
 LocalBusinessSearch (sample application), 322–369  
   adding features to, 369  
   code for, 327–368  
   favorites for, 328, 338, 345, 358  
   LocalBusinessSearch.js file for, 334–339  
   maps for, 353–357  
   markup for, 323  
   search functionality for, 360–369  
   structure of/files for, 322  
   what the application does, 310  
 LocalServer component (Gears), 124  
 lowercase() method, 46, 302

**M**

Mac OS, Fisheye lists and, 341  
 magic numbers, 336, 338  
 main region. *See* center region  
 Manager singleton, 117  
 map image service, available from Yahoo!, 320  
 markup() method, 39  
 mashups, 310, 315  
 maskRe configuration option, 77  
 maximize() method, 345  
 maxLength configuration option, 78  
 maxValue configuration option, 99  
 Menu.js file, for TimekeeperExt sample application, 229–233  
 MenuCode.js file, for Dueling Cards sample game, 464–470  
 menus, 87–90  
 MessageBox() method, 274, 278, 287, 290  
 method property, 35

Microsoft  
   Microsoft Project, 195, 257  
   Microsoft Outlook, 132  
 minColumnWidth configuration option, 181  
 minDate configuration option, 97  
 minValue configuration option, 99  
 MixedCollection class, 50  
 MochiKit, 14  
 ModifyProjectDialog.js file, for TimekeeperExt sample application, 242–248  
 ModifyResourceDialog.js file, for TimekeeperExt sample application, 248–253  
 ModifyTaskDialog.js file, for TimekeeperExt sample application, 254  
 monitorValid configuration option, 85–87  
 MooTools, 15  
 move() method, 485  
 moveTo() method, 477, 493  
 MultiSelect plug-in, 122  
 multithreading, 54

**N**

namespace() method, 276  
 namespaces  
   Ext JS high-level organizational structure and, 20  
   terminology and, 375, 379  
 native applications, 6  
 newClick, 528  
 new keyword, 60, 61  
 NewProjectDialog.js file, for TimekeeperExt sample application, 233–241  
 NewResourceDialog.js file, for TimekeeperExt sample application, 233–241  
 NewTaskDialog.js file, for TimekeeperExt sample application, 233–241  
 north region  
   LocalBusinessSearch sample application and, 340  
   OrganizerExt sample application and, 179, 184  
   TimekeeperExt sample application and, 219  
 NoteRecord class, 161  
 NoteRecord field, 154  
 notes (OrganizerExt sample application), 131, 141, 147–152  
   Accordion layout for, 175  
   creating, 163–167

- notesStore field, 154
  - Number class, 31
  - NumberField widget, 81
  - NumericAxis class, 34
  - num() method, 28
- O**
- Object class, 59, 279
  - Observable class, 58, 123
  - onDragOut event, 115
  - onDragOver event, 115
  - online/offline applications capabilities, 124
  - onLoad event, 29
  - onMouseOut event, 343
  - onMouseOver event, 342
  - onReady() method, 29, 37
    - CabinetExt sample application and, 263
    - OrganizerExt sample application and, 135
    - TimekeeperExt sample application and, 201, 214
  - onClick() method, 528
  - openPortfolio() method, 528, 529
  - OpenPortfolioWindow.js file, for Finance
    - Master sample application, 526–530
  - OpponentCode.js file, for Dueling Cards
    - sample game, 486–495
  - opponentStackImgClick() method, 474, 494
  - opponentWorkerFunction() method, 486, 487
  - OrganizerExt class, 153–192
  - OrganizerExt (sample application), 131–193
    - adding features to, 192
    - code for, 144–192
    - directory structure of/files for, 133
    - markup for, 134–141
    - OrganizerExt.js file for, 133
    - user interface for, 170–187
    - what the application does, 131
  - Outlook (Microsoft), 132
  - overClass configuration option, 180
  - override() method, 114
  - overwrite() method, templating and, 108
- P**
- PagingToolbar, 364
  - panels, 65, 179
  - parseCreateSQL() method, 408
  - parseDate() method, 23
    - OrganizerExt sample application and, 169
    - TimekeeperExt sample application and, 224
  - parseInt() method, TimekeeperExt sample
    - application and, 235
  - parsing SQL creation statements, in SQL
    - Workbench sample application, 416–422
  - pie charts, 538–541
  - PieSeries class, 34
  - playerStackImgClick() method, 476
  - plug-ins, 122
  - plugins configuration option, 60
  - PMs (project managers), 196
  - populateAvailableTasks() method, 216
  - populateProjectManagers() method, 215
  - populating view trees, 219
  - portals, 504
  - PortfolioDistributionPortlet.js file, for
    - Finance Master sample application, 538–541
  - PortfolioOverviewPortlet.js file, for Finance
    - Master sample application, 531–538
  - portlets, 504, 522, 531–557
  - position() method, 456
  - PowerWizard plug-in, 122
  - preloadImages() method, 455
  - preloading images, 455
  - primaryKeyNotNullFound, 402
  - PrintItemClick() method, 344
  - progress bars, 99, 212
  - ProgressBarSelectionModel, 213
  - project management application. *See*
    - TimekeeperExt (sample application)
  - project managers (PMs), 196
  - Project Summary view, 211, 212
  - projects (TimekeeperExt sample applica-
    - tion), 196
      - creating, 233–241
      - deleting, 254–257
      - global variables and, 214
      - menu for, 229
      - modifying, 242–248
      - summary view for, 221–227
  - projects table (TimekeeperExt sample
    - application), 204
  - ProjectsTree.js file, for TimekeeperExt
    - sample application, 227
  - ProjectSummary.js file, for TimekeeperExt
    - sample application, 225
  - prompt() method, 287
  - PrototypeExt, 14
  - prototype property, 279
  - Provider interface, 118

- publish() method, 506, 537
  - publish/subscribe (pub/sub) model, 505
  - puff() method, 433, 465
  - purgeListeners () method, 35
  - push() method
    - Dueling Cards sample game and, 455, 478
    - TimekeeperExt sample application and, 208
- Q**
- queries, 411, 426
    - query() method and, 108
    - QueryToolWindow.js and, 422–430
  - Quicken, 497
- R**
- Radio button, 82, 174
  - RadioGroup, 82
    - OrganizerExt sample application and, 174
    - TimekeeperExt sample application and, 219
  - Reader class, Stores and, 102
  - Record classes, 154
  - record descriptors, 161
  - Records, 101
    - CabinetExt sample application and, 272, 292
    - Stores and, 158
    - TimekeeperExt sample application and, 209
  - refresh() method, 44
  - refreshCache() method, 45
  - refreshChart() method, 539, 554
  - remove event, 159, 160
  - remove event handler, CabinetExt sample application and, 274
  - remove() method, 21, 53
    - CabinetExt sample application and, 289
    - Delete button and, 187
    - Finance Master sample application and, 536, 540, 548
    - LocalBusinessSearch sample application and, 348
    - TimekeeperExt sample application and, 257
  - removeAll() method
    - CabinetExt sample application and, 292
    - Finance Master sample application and, 537
    - LocalBusinessSearch sample application and, 350
    - TimekeeperExt sample application and, 216, 223, 243
  - removeAt() method, 53
  - removeChild() method
    - CabinetExt sample application and, 289
    - TimekeeperExt sample application and, 220
  - removeDatabase() method, 390
  - removeListener() method, 35
  - removeNode() method, 29
  - removeStyleSheet() method, 45
  - renameCopyTable() method, 406, 415
  - rename operation, databases and, 411–415
  - replace() method, 52
  - request() method, 34
  - reset() method, 184
    - CabinetExt sample application and, 306
    - TimekeeperExt sample application and, 234
  - resize event, LocalBusinessSearch sample application and, 340
  - resource leveling, 195
    - Resource Summary view, 211
  - resources (TimekeeperExt sample application), 196
    - creating, 233–241
    - deleting, 254–257
    - global variables and, 214
    - menu for, 231
    - modifying, 248–253
    - summary view for, 221–227
  - resources table, for TimekeeperExt sample application, 204
  - ResourcesTree.js file, for TimekeeperExt sample application, 227
  - ResourceSummary.js file (TimekeeperExt sample application), 225
  - ResultSet class, 124
  - retrieveAccounts() method, 515, 518, 537
  - retrieveActivity() method, 516, 552, 554
  - retrieveCategory() method, 269
  - retrieveNotes() method, 162
  - retrievePortfolios() method, 514
  - retrieveProjects() method, 208
  - retrieveSnippet() method, 271
  - retrieveSnippets() method, 292, 302
  - RIAs (Rich Internet Applications), 6, 10–13
  - Rico, 14

- rowclick event
    - CabinetExt sample application and, 295
    - OrganizerExt sample application and, 182
  - RowClick() method, 295, 299
  - RowSelectionModels, 211
  - RSS feed reader (sample application), 17
- S**
- sample applications
    - CabinetExt, 259–308
    - Dueling Cards game, 437–495
    - Finance Master, 497–557
    - LocalBusinessSearch, 310, 322–369
    - OrganizerExt, 131–193
    - SQL Workbench, 371–435
    - TimekeeperExt, 195–258
    - web desktop, 18
  - SaveClick() method, 294, 299
  - scale() method, 343, 485
  - script.aculo.us, 14
  - script injection trick (script tag trick), 312–316, 319
  - ScriptTagProxy class
    - JSON-P data and, 102
    - LocalBusinessSearch sample application and, 315, 330, 356
  - search services, available from Yahoo!, 317
  - Search.js file, for LocalBusinessSearch sample application, 360–368
  - SearchClick() method, 301
  - SearchForm.js file, for CabinetExt sample application, 301
  - SearchResults.js, for CabinetExt sample application, 306
  - select event, 97
  - selectionchange event, 181
  - select() method, 42
  - selectOnFocus configuration option, 78
  - sendMessage() method, 443, 466, 472
  - serializeForm() method, 35
  - Series class, 34
  - service-oriented architecture (SOA), 310
  - setActiveItem() method, 69
    - OrganizerExt sample application and, 189
    - TimekeeperExt sample application and, 234, 235
  - setFixedWidth() method, 55
  - setInterval() method, 444
  - set() method, 455
    - CookieProvider and, 336, 368
    - Delete button and, 187
    - setSize() method, 455, 458
    - setTimeout() method, 45, 46
    - setTitle() method
      - OrganizerExt sample application and, 189
      - SQL Workbench sample application and, 414
      - TimekeeperExt sample application and, 256
  - SetupCode.js file, for Dueling Cards sample game, 452–460
  - setupMenu() method, 452, 464
  - setValue() method, Slider widget and, 99
  - setValues() method
    - CabinetExt sample application and, 295, 300
    - TimekeeperExt sample application, 243
  - shift() method, 474, 477, 479
  - showAbout() method, 382
  - showAppointmentDetails() method, 181, 182
  - showFavorites() method, 346, 358
  - showHelp() method, 431
  - showMenu() method, 466
  - show() method
    - CabinetExt sample application and, 278, 293, 301, 302
    - Dueling Cards sample game and, 466, 468, 472
    - OrganizerExt sample application and, 155, 157, 184
    - TimekeeperExt sample application and, 233
  - showQueryTool() method, 422
  - SimpleStore, 102
  - single-page design, 13
  - singleSelect configuration option, 180, 182
  - slideIn() method, 480
  - Slider widget, 97
  - Slocum, Jack, 16
  - SOA (service-oriented architecture), 310
  - sourceContainer, 114, 115
  - sovereign web applications, 13, 133
  - spacers, 89
  - splice() method, 525
  - split() method, 305
  - SQL statements
    - CabinetExt sample application and, 266–272
    - OrganizerExt sample application and, 146
    - parsing in the SQL Workbench sample application, 416–422
    - Query Tool Window and, 422–430

- SQL Workbench (sample application),
    - 371–435
    - adding features to, 434
    - code for, 379–433
    - directory structure of/files for, 373
    - markup for, 374
    - SQLWorkbench.js for, 379–382
    - table operations, executing in, 411–415
    - what the application does, 371
  - SQLite, 124
  - SQLite Manager, 371
  - sqlite\_master table, 394
  - SSL\_SECURE\_URL property, 24
  - standardSubmit configuration option, 76
  - startDrag event, 115
  - startGame() method, 468, 471, 474
  - state management, 116
    - state-saving capabilities, 260, 281, 308
  - stateful configuration option, 117
  - stateId configuration option, 117
  - stop() method, 53
  - stopAll() method, 53
  - Stores, 101
    - CabinetExt sample application and, 274, 292
    - creating, 158
    - populating, 162
    - TimekeeperExt sample application and, 209
  - StoresAndRecords.js file
    - for CabinetExt sample application, 262, 272
    - for Finance Master sample application, 506
    - for LocalBusinessSearch sample application, 328–334
    - for SQL Workbench sample application, 383
    - for TimekeeperExt sample application, 209
  - String class, 32, 186
  - stripeRows configuration option, 182
  - stripTags() method, 49
  - styles.css file
    - for CabinetExt sample application, 262, 264
    - for Dueling Cards sample game, 444, 447
    - for Finance Master sample application, 503
    - for LocalBusinessSearch sample application, 326
    - for OrganizerExt sample application, 133, 134, 141–144
    - for SQL Workbench sample application, 377
    - for TimekeeperExt sample application, 199, 201
  - submit() method, 77
  - subscribe() method, 506, 536
  - subtract() method, 30
  - substr() method, 48, 235
  - summary views, TimekeeperExt sample application and, 197, 214, 221–227
  - suspendEvents() method, 35
- T**
- tableDetails structure, 416
  - TableDetailsWindow.js, 403–422
    - parsing SQL creation statements and, 416–422
    - table operations and, 411–415
    - window tabs and, 405–411
  - TableLayout, 70, 171, 326
    - LocalBusinessSearch sample application and, 342, 353
    - SQL Workbench sample application and, 378, 399, 406, 427
  - table operations, executing in the SQL Workbench sample application, 411–415
  - TableRecord, 383, 391, 395
  - TablesWindow.js, for SQL Workbench sample application, 393–396
  - TabPanel, 74
  - tabPosition configuration options, 75
  - task buttons, 140
    - Task Summary view, 211
  - TaskRecord field, 154
  - TaskRunner class, 53
  - tasks (OrganizerExt sample application), 131, 139, 147–152
    - Accordion layout for, 175
    - creating, 163–167
    - filtering by status, 178
  - tasks (TimekeeperExt sample application), 196
    - creating, 233–241
    - deleting, 254–257
    - global variables and, 214

- menu for, 230
    - modifying, 254
    - summary view for, 221–227
  - tasks table (TimekeeperExt sample application), 204
  - taskStore data store, 159
  - TasksTree.js file, for TimekeeperExt sample application, 227
  - TaskSummary.js file, for TimekeeperExt sample application, 225
  - templates, 105–109, 180
  - testForGears() method, 156
  - testIt() method, 37
  - textarea input field, 77
  - TextArea widget, 81
  - textfield input field, 77
  - TextField widget, 77
    - ComboBox widget and, 83
    - vs. TextArea widget, 81
  - TextMetrics class, 54
  - themes, Gray Extended theme and, 499, 502
  - thought experiments, 505
  - threading, WorkerPool component and, 124
  - time-tracking application. *See* TimekeeperExt (sample application)
  - TimeAxis class, 34
  - TimeField widget, 84
  - TimekeeperExt (sample application) 195–258
    - adding features to, 257
    - code for, 203–225
    - directory structure of/files for, 198
    - initializing, 214
    - markup for, 200
    - TimekeeperExt.js file for, 211–225
    - user interface for, 216–219
    - what the application does, 195
  - timeout() method, 31
    - CabinetExt sample application and, 279
    - TimekeeperExt sample application and, 214
  - timeout property, 35
  - Timer API, 444
  - toggle() method, 33, 186
  - toolbars, 87–90
    - for CabinetExt sample application, 285–290
    - images for, 133
    - for LocalBusinessSearch sample application, 342, 364
    - for OrganizerExt sample application, 183
    - for SQL Workbench sample application, 381, 396, 424
  - tooltips, 120, 343
  - toString() method, 23, 486, 554
  - TreeLoader, 92
  - TreeNode, 92
  - TreePanel, 91
  - trees. *See* view trees
  - Tree widget, 90
  - trim() method, 33, 48, 302
  - trimQuotes() method, 419
  - type() method, 29
- U**
- u.startAutoRefresh() method, 44
  - UI. *See* user interface
  - undef() method, 47
  - update event, 160
  - update event handler, TimekeeperExt sample application and, 244
  - update() method, 44, 115
  - updateDatabaseCookies() method, 390, 392
  - updateProgress() method, 101
  - Updater class, 43
  - Updater() method, 44
  - updateSnippet() method, 272
  - updateTask() method, 152
  - uppercase() method, 46
  - urlDecode() method, 29
  - urlEncode() method, 29
  - url vtype, 86
  - user interface (UI)
    - for CabinetExt sample application, 261, 281, 283
    - code-based layouts vs. markup and CSS, 381
    - for OrganizerExt sample application, building, 170–187
    - portals/portlets and, 504
    - for SQL Workbench sample application, 376
    - tabbed, 245, 249
    - for TimekeeperExt sample application, 216–219
  - useShims property, 25
  - usMoney() method, 49
- V**
- validating forms, 85
  - validation types (vtypes), 86
    - built-in, 166
    - custom, 337
  - value objects (VOs), 161
  - viewConfig configuration option, 182

- Viewport class, 171
- viewports, 62
  - for CabinetExt sample application, 282
  - for LocalBusinessSearch sample application, 339, 340
  - for OrganizerExt sample application, 170
  - for TimekeeperExt sample application, 218
- view trees, 218, 227
  - for CabinetExt sample application and, 291
  - populating, 219
- visual effects (FX), 342, 346
- VOs (value objects), 161
- vtypes (validation types), 86
  - built-in, 166
  - custom, 337

## W

- wait() method, ProgressBar widget and, 100
- waiting, Please Wait initialization dialog and
  - CabinetExt sample application and, 278
  - OrganizerExt sample application and, 135
  - TimekeeperExt sample application and, 201
- web applications (web apps), 4. *See also* sample applications
  - benefits of, 10
  - mashups and, 311
  - publish/subscribe model and, 505
  - sovereign, 13, 133
- web desktop (sample application), 18
- web development, evolution of, 13
- web services, 310
  - available from Yahoo!, 317–322
  - JSON-P and, 312–316
- web sites, 3

- Web Workers, 54, 440
- west region
  - LocalBusinessSearch sample application and, 340
  - TimekeeperExt sample application and, 219
- widgets, 57–101
  - basics of using, 60
  - configuration options for, 60
  - data-bound, 94
  - Ext namespace and, 55
  - form widgets and, 75–87
  - hierarchy of, 58
- width configuration option, 82
- Window widget, 97
  - About Window and, 375, 382
  - AnchorLayout and, 73
  - Create Table Window and, 397
  - Databases Window and, 385
  - state management and, 117
  - Table Details Window and, 403, 407, 414
  - Tables Window and, 393–414
- wizards, PowerWizard plug-in for, 122
- WorkerPool API (Gears), 437, 440–444, 486–495
- WorkerPool component (Gears), 124
- workerPoolCallback() method, 492

## X

- XMLHttpRequest, 312
- XTemplate class, 105–109
- xtypes, 64, 120

## Y

- Yahoo! Web Services, 317–322
- YUI, 15, 16