

Index

■ A

- AdventureWorks DB, 1
- AdventureWorks management, 351
- Analytic Charts report, 367
- Analytic Chart template, 316
- Analytic Grids report, 367
- Analytic Grid template, 316
- Application servers, 248

■ B

- Balanced Scorecard, 306
- Business connectivity services (BCS), 56
 - BDC model
 - import, export, and delete, 192
 - metadata store permission, 193
 - object permissions, 193
 - BDC runtime
 - access external system data through ECT using, 229
 - code for, 228
 - Entity1 in BDC service application, 227
 - features, 229
 - with Office Word, 230
 - concepts, 188
 - external content types (*see* External content type (ECT))
 - external systems, 194
 - new BDC service application
 - configure, 191
 - create, 190
 - manage, 192
 - PowerShell commands
 - clear and copy operations, 242
 - disable and enable operations, 242
 - export and import operations, 243
 - get and set operations, 243

- grant and revoke operations, 244
 - new operations, 244
 - remove operations, 244
 - software prerequisites, 187
 - terminology, 188
 - tools decision tree, 198
- Business data catalog (BDC). *See* Business connectivity services (BCS)
- Business intelligence (BI)
 - components, 56
 - data mart, 17
 - data mining, 18
 - data warehouses, 16–17
 - decision making, 2–3
 - decision support systems, 18
 - OLAP (*see* Online analytical processing systems (OLAP))
 - online banking information, 3
 - OTLP (*see* Online transaction processing system (OTLP))
 - SharePoint 2013, 54–56
 - SSDT, 20
 - SSIS (*see* SQL server integration services (SSIS))
- Business Intelligence Center
 - PerformancePoint Services
 - site-collection features, 331–332
 - selecting site-collection features, 330–331
 - selecting site settings, 330
 - selecting site template, 332
 - settings icon, 330
 - SharePoint Server Enterprise
 - site-collection features, 331
 - site-collection administrator, 330
- Business intelligence solution components
 - dashboards, 309
 - data sources, 313
 - filters, 313
 - indicators and KPIs, 311

Business intelligence solution components (*cont.*)

- PerformancePoint SharePoint components
 - business intelligence center site template, 318
 - features, 319
 - list and library templates, 317
 - PPS content types, 317
 - Web Parts, 318
- reports, 315
- scorecards, 314

■ C

- Custom data, 309
- Custom table filter, 314

■ D

- Dashboard Designer, 307
- Dashboards library, 318
- Data Connection library, 318
- Data Connection list, 335
- Data fields, 73
- Data graphics
 - creating new data graphics, 73
 - data fields, 73
 - definition, 73
 - Text option, 74
- Data mart, 17
- Data mining, 18
- Data Selector wizard, 71
- Data warehouses, 16–17
- Decision support systems, 18
- Double-Hop problem, 99

■ E

- Excel Library, 259
- Excel Services, 55
 - architecture, 248
 - backup and recovery operation, 261
 - configuration page, 251
 - creation, 249
 - data model settings, 258
 - Excel library, 259
 - existing application, editing and configuring, 250
 - features, 248
 - global settings, 252
 - allow cross domain access, 253
 - connection encryption, 253
 - external data access behavior, 254
 - file access method, 252
 - load-balancing scheme, 253
 - memory utilization, 253
 - session management, 253
 - workbook cache, 254

- new features, 261
- OData API, 270
- PowerPivot (*see* PowerPivot)
- preliminary step, 259
- REST API
 - Atom feed generation, 267
 - chart image access and retrieve, 267
 - <chart name> parameter, 268
 - external data retrieving, 269
 - non supported features, 269
 - URL, 266
 - word document configuring, 268
- sample data exported from TFS, 259
- service applications, 249
- SharePoint Server Enterprise Site Collection
 - Features activation, 249
- SOAP API
 - add Service Reference selection, 271
 - console application selection, 271
 - final logic, 274
 - GetData method, 272, 274
 - .NET Framework 4.5 selection, 271
 - output, 273
 - program.cs and app.config files addition, 271
 - Program.cs file, 272
 - project window, 271
 - read and write capabilities, 274
 - security section modification, 273
 - service reference addition, 272
 - System.Web.Services component selection, 272
 - variables declaration, 272
- software prerequisites, 247
- and SQL Server Analysis Services (SSAS)
 - data connection, 286
 - interactive data-exploration capabilities, 285
 - secure store services (*see* Secure Store Services (SSS))
- TeamTasks.xlsx file
 - EWA, 265
 - publishing steps, 259, 261
- template, 316
- trusted data connection libraries, 257
- trusted data providers, 257
- trusted file locations
 - address, 255
 - external data, 256
 - location type, 255
 - page, 254
 - session management, 255
 - trust children, 255
 - user-defined functions, 257
 - volatile function cache lifetime, 256
 - workbook properties, 255
- user-defined function assemblies, 258
- uses, 248

Excel Services report

- adding parameters, 396
- Adventure Works cube, 385
- Adventure Works DW database, 385
- All Promotions member, 398
- browser display items, 396
- Browser View Options, 394–396
- chart name, 389
- choosing data view, 386
- Connection Properties dialog, 394
- connections for dashboard, 400
- copying data connection, 392
- creating filter, 399
- dashboard page, 400
- data bars style, 390
- data connection file name, 386
- file content type, 393
- formatting Date filter, 391
- naming data connection file, 393
- new Sales Table report, 397
- pivot chart, 388
- PivotTable and PivotChart, 397
- Pivot Table Field List, 387–388
- pivot table name, 390
- reports display, 401
- saving to SharePoint, 394
- selecting chart type, 389
- selecting database server, 385

Excel Web Access (EWA), 265

External content type (ECT)

- application, 199
- app-scoped ECTs with OData sources
 - AppScopedECT project structure, 238
 - deploy app to SharePoint site, 240
 - ECT and employees list instance, 239
 - Employees external list, 241
 - features, 234
 - Hello message from AppScopedECT app, 241
 - MetadataCatalogFileName property, 240
 - select data entities, 237
 - specify OData source, 236
- configure, 194
- create ECT using SharePoint Designer and .NET Type, 224
- create/upgrade
 - BCS features, 195
 - BCS layer, 196
 - external system layer, 197
 - Office client layer, 197
 - profile pages, 194
- schema, 198
- SharePoint Designer
 - access external list, 206
 - choose ECT through external list, 222
 - create CRUD operations using ECT wizard, 203

- create ECT, 200
- create external list, 204
- data connection with Secure Store Service (*see* Secure Store Services (SSS))
- discover external data sources, 201
- ECT deployed to BDC Service Application, 221
- ECT EmployeesList_From_HR window, 204
- external lists *vs.* normal SharePoint lists, 223
- external list with data populated using ECT, 222
- manage connections for ECT, 202
- setting object permissions to ECT, 206
- setting permissions on ECT, 206
- view/edit item using ECB menu on external list, 223

Visual Studio

- add Create Updater method, 218
- add Identifier1's type name in BDC Explorer, 215
- BDC model, 219
- BDC model in Visual Studio 2012, 213
- .NET Connector Assembly in Solution Explorer, 220
- properties in the Entity1 class, 216
- ReadItem method, 217
- ReadList method, 216
- stored procedures, 210
- Type Descriptor Properties, 218
- Update method, 219

Extract, Transform, and Load (ETL) process, 7, 12

F

- Filter Web Part, 318
- Forms based authentication (FBA), 168

G

- GetServerStatusDetails method, 136

H

- Hosted environments, 70

I

- IWebPartParameters interface, 93

J

- JavaScript Mashup API, 69

K

- Kerberos/Integrated Windows authentication, 95
- Key performance indicator (KPIs), 307, 311
- KPI Details template, 316

■ **L**

Library templates, 318
 List filter, 314
 List templates, 317
 Load-balancing scheme, 253

■ **M**

Maximum Cache Age, 105
 Maximum Recalc Duration, 105
 Maximum Web Drawing Size, 104
 MDX Query filter, 314
 Member Selection filter, 314
 Microsoft SharePoint Designer 2013, 2
 Minimum Cache Age, 104
 Multidimensional data sources, 313
 Multidimensional expressions (MDX) scripting, 14
 Multi-Select Tree filter, 314

■ **N**

Named Set filter, 314
 Netflix, 3
 Nonhosted/in-house environments, 70

■ **O**

Office Business Scorecard
 Manager 2005, 306
 Online analytical processing system (OLAP)
 database models, 16
 data cubes, 8
 ETL process, 12
 key decisions, 7
 MDX scripting, 14
 vs. OTLP, 8
 OLTP data migration, 53–54
 read-only database, 7
 staging, 12
 star schema, 10
 transformation, 13
 Online transaction processing system (OTLP)
 airline reservation system, 5
 database standards, 4
 data redundancy and dependency, 4
 denormalized table, 6
 ETL process, 7
 HR relational tables, 4–5
 OLAP, 8
 query, table, 5–6
 Read/Write operations, 5–6
 real-time database, 6
 T-SQL query, 6
 Open Database Connectivity (ODBC), 308

■ **P, Q**

PerformancePoint Content list, 317
 PerformancePoint services, 55
 application configuration, 321
 application settings
 cache, 323
 comments, 322
 data sources, 323
 Decomposition Tree, 325
 EffectiveUserName, 323
 filters, 323
 PerformancePoint Service Application Settings
 page, 321–322
 secure store and unattended service
 account, 322
 selecting measure control, 324
 Show Details, 324
 business intelligence solution components
 (*see* Business intelligence solution
 components)
 components and interfaces
 data sources, 308
 PerformancePoint dashboard, 307
 PerformancePoint service databases, 308
 primary, 306–307
 SharePoint Content Lists and Libraries, 308
 SharePoint service, 307
 SSAS cubes, 308
 Excel Services report (*see* Excel Services report)
 manage PerformancePoint Services page, 321
 monitoring and analysis (M&A) module, 306
 planning module, 306
 solutions (*see* PerformancePoint solutions)
 solution security, 309
 Strategy Map report (*see* Strategy Map report)
 trusted content locations, 328
 trusted data source locations, 326
 PerformancePoint solutions
 Advanced Report Types, 329
 AdventureWorks database, 329
 business intelligence center (*see* Business
 Intelligence Center)
 dashboard
 completed dashboard, 379
 with components, 376
 connections between dashboard items, 377
 Date and Sales Territory filters, 375
 Date filter, 376
 default page template, 374
 Details panel, 375
 empty dashboard page, 375
 Promotion field, 378
 Promotion Scorecard, 375
 Sales Territory filter, 377–378

- Dashboard Designer Workspace, 333
- data source
 - adding, 333
 - Adventure Works data source, 338
 - “Adventure Works DW” SSAS database, 335
 - Dashboard Designer, 333
 - Data Connections library, 333, 338
 - Data Source Settings panel, 335
 - new Data Source screen, 335
 - saving workplace, 337
 - template, 333–334
 - time dimension, 336
 - Workspace Browser, 335
- deploying
 - cell decomposition, 384
 - Dashboards library, 380
 - exporting data to Excel, 383
 - information window text, 381
 - previous session values, 381
 - reports modification, 382
 - Sales Summary page, 381
 - to SharePoint, 380
- filters
 - adding date formulas, 361
 - confirming members, 366
 - creating date filter, 359
 - dimension, 365
 - display method, 362, 366
 - Marketing.ddwx file, 358
 - Sales Territory members, 365
 - selecting data source, 360, 363
 - selecting members, 364
 - Time Intelligence, 358
- KPIs
 - blank KPI template, 340
 - breakeven metric, 344
 - changing data source, 343
 - choosing indicator, 346
 - creating filter, 349
 - creating new KPI, 339
 - editing, 342
 - filter criteria, 350
 - Gross Profit Margin measure, 348
 - Gross Profit measure, 344
 - Marketing.ddwx file, 338
 - number format, 348
 - PerformancePoint Content list, 338
 - Profit Margin KPI, 341
 - saving workspace file, 351
 - scoring pattern, 345
 - Select Dimension dialog, 349
 - selecting measure, 343
 - selecting PerformancePoint content, 338–339
 - setting Display Folder, 341
 - setting thresholds, 351
 - Thresholds panel, 345
 - Threshold values, 347
 - “worst value”, 351
- reports
 - adding dimensions, 370
 - Adventure Works as data source, 368
 - Background panel, 372
 - choosing template, 367
 - Details tree, 369
 - empty analytic chart report, 371
 - empty “Margin by Sales Channel” report, 368
 - Information Bar, 372–373
 - member selection, 370
 - rows and columns, 369
 - types, 367
- scorecard
 - with added elements, 355
 - adding KPI, 353
 - Adventure Works as data source, 353
 - confirming member selection, 355
 - empty scorecard, 352
 - Filter Empty Rows, 357–358
 - Marketing.ddwx workspace file, 352
 - PerformancePoint Content list, 352
 - processed scorecard, 357
 - Profit Margin KPI, 353
 - Promotions hierarchy, 354
 - saving, 358
 - selecting members, 354
 - target settings, Breakeven, 356
 - solution sequence, 329
- PowerPivot, 55
 - attribute Date Fiscal Year, 293
 - connection properties viewing, 293
 - connection properties window, 297
 - data sources, 288–289
 - drop-down menu, 296
 - and ECMAScript, 300
 - Excel Viewer, 298–299
 - features and capabilities, 287
 - final data, 295–296
 - final Excel workbook, 297
 - final window, 293–294
 - Fiscal Date.Fiscal Year hierarchy, 293
 - Fiscal Year, drag and drop, 296
 - “From Analysis Services or PowerPivot” selection, 292–293
 - gallery creation, 292
 - INSERT ribbon menu, 297
 - Internet Sales Amount, drag and drop, 296
 - library, 298
 - MDX query configuring, 293
 - MDX query generation and validation, 294–295
 - Measure Group pane, 293
 - Save & Send option, 297

- PowerPivot (*cont.*)
 - set up, 289
 - tab in Excel, 288
 - Table Import Wizard, 293
- Power View report
 - back-end model, 176
 - creation
 - bar chart, 180–181
 - configuration, 178
 - data connection, 177
 - field list, 180–181
 - Internet Total Sales, 179–180
 - line chart, 181–182
 - report designer, 178–179
 - data visualization tools, 176
 - interaction
 - cross-filtering feature, 183
 - data bars, 184
 - document library, 182
 - edit mode, 185
 - export, 185
 - filter operation, 184
 - SharePoint library, 183

■ R

- Reporting Services
 - architecture
 - data processing, 145
 - delivery, 145
 - manager, 144
 - modes, 146
 - rendering, 145
 - security, 144
 - service and component, 145
 - web service components, 144
 - builder and publishing
 - Actions menu, 160–161
 - add subscription, 170
 - browser, 159
 - chart fields, 163
 - client application, 160
 - content types, 167
 - creation, 169
 - data-driven subscription, 169
 - data source, 152, 168
 - Delivery Event, 172
 - deployment, 159
 - design-mode window, 157
 - ECB menu, 160–161
 - error message, 170
 - Group option, 155
 - integration, 174
 - launching, 162
 - library, 157–158

- manage subscriptions, 172
 - placeholders, 158
 - Property Page settings, 158
 - Query Designer, 153–154
 - report library, 173
 - Report Viewer Web Part, 165
 - report Wizard, 155
 - rptinternetSales.mhtml, 172
 - SSAS, 171, 174
 - style, 163
 - test connection, 171
 - Text Box properties, 156
 - types, 173
 - user permission, 162
 - viewer, 164–165
 - web page, 160
- data sources, 150
- features, 144
- infrastructure
 - add-in, 149
 - configuration modes, 147–148
 - life cycle, 150
 - local mode *vs.* connected mode, 149
 - native mode, 148
 - SharePoint mode, 148
 - SQL Server, 146–147
- Power View (*see* Power View report)
- software, 143
- template, 316
- tools, 151
- Report View Web Part, 318

■ S

- Scorecard, 306
- Scorecard Web Part, 318
- Secure Store Services (SSS), 95, 99, 308–309
 - AdventureWorks database
 - selection, 279–280
 - Always attempt to use this file to refresh
 - data check box selection, 280
 - application ID set up, 276
 - authenticate with credentials, 209
 - Authentication Settings button, 280
 - Authentication Settings window, 280–281
 - configuration
 - add Field window, 102
 - choosing SSS, 100
 - Farm Administrator, 99
 - generate New Key option, 100
 - manage service applications, 99
 - pass phrase, 101
 - refresh Key option, 101
 - set credentials for Secure Store Target
 - Application screen, 103

- setting credentials, 103
 - Target Application Settings window, 101–102
- credentials set up, 277
- data source selection, 279
- Excel sparklines and conditional formatting, 283
- Fiscal Year, 282
- import Data window, 281
- log-on credentials selection, 279
- manage credentials for SSS target application, 209
- PivotTable and PivotChart, 281
- Product Categories, 282
- save Data Connection file and Finish window, 280
- set SSS ID for ECT database connection, 208
- slicer, 283
- and SQL Server, 104
- target application administrators and members set up, 277
- target application group credentials set up, 278
- target application ID credentials set up, 277
- Setting Up Manage Service Applications page, 319
- Setting Up PerformancePoint Service Application dialog, 320
- Setting Up SharePoint Central Administration, 319
- SharePoint Designer, 70
- SharePoint Designer 2013, 111
- SharePoint Server 2013 Enterprise Edition, 1
- SharePoint Server Enterprise Site Collection Feature, 89
- Special-purpose scorecards, 306
- SQL Server 2012 analysis services tabular model, 54
- SQL Server 2012 Developer Edition, 1
- SQL Server 2012 Developer Training Kit, 1
- SQL Server Analysis Services (SSAS), 171, 308–309
- SQL Server Data Tools (SSDT), 20
- SQL Server development tools (SSDT), 1
- SQL server integration services (SSIS)
 - ADONET columns, 29
 - ADO.NET Source Editor dialog, 26
 - ADONET source editor settings, 28
 - aggregate transformation, 35
 - connection manager, 26–27, 31–32
 - control flow, 23
 - cubes creation
 - Attributes, Hierarchies, and Data Source View, 49
 - AW Sales Data Project sample, 50
 - AW Sales Data View cube, 47–48
 - basic project structure, 42
 - BIDS databases, 52
 - completion page, 46–47
 - connection manager options, 43
 - Data Source View Wizard, 43–44
 - Data Source Wizard completion screen, 43
 - db_datareader permissions, 41
 - Deployment Progress window, 51
 - Deployment Target Server property, 41
 - Dim_Date.dim dimension, 45
 - dimension settings, 49
 - Dimension Wizard, 44–45
 - Dim_SalesTerritory, 50
 - impersonation option, 43
 - MDX query, 53
 - MDX query execution, 41–42
 - measure—Fact Sales Order Details Count, 50
 - Measure group table selection, 45–46
 - select Measures screen, 46
 - select new dimensions screen, 46
 - SQL server analysis services, 52
 - data extraction, 21
 - data flow, 22
 - completion, 32–33
 - destination, 29–30
 - merge options, 35
 - source, 26
 - task panel enabling, 26
 - Dim_Customer, 37
 - Dim_DateTime, 37
 - Dim_SalesOrderHeader, 37
 - Dim_SalesPerson, 37
 - Dim_SalesTerritory, 37
 - Dim_SalesTerritoryHistory, 38
 - Dim_Store, 38
 - Fact_SalesOrderDetails, 38–39
 - Flat File Format settings, 30–31
 - import and export wizard, 23
 - importing, 23
 - Integration Services, 25
 - mappings node, 32
 - package execution progress, 34
 - project package creation, 22
 - script component, 40
 - seven AdventureWorks sales tables, 24–25
 - star schema, 36, 39
- SQL Server Management Studio (SSMS), 19
- SQL Server Reporting Services (SSRS), 308
- Stack Web Part, 318
- Star schema, 10, 36, 39
- Strategy Map report
 - balanced scorecard, 401
 - data graphic shapes, 407
 - data graphic values, 406
 - Date and Sales Territory filters, 409
 - editor, 404
 - limitation, 409
 - map features, 409
 - Marketing Dashboard, 408
 - new page components, 408
 - new page connections, 408
 - Promotion Map, 407
 - Promotion Scorecard, 402–403
 - Promotion Tree, 404

Strategy Map report (*cont.*)

- Reseller Promotions shape, 405
 - Strategy Map template, 402
 - Visio diagram, 402
- Strategy Map template, 316

■ T

- Tabular List data sources, 313
- Time Intelligence (Connection Formula) filter, 314
- Tree filter, 314
- Tuples, 15

■ U

- Unattended Service Account, 95
- Untitled Workspace, 335
- uspGetServerDetails stored procedure, 120, 135

■ V

- Visio 2013 Data tab
 - Automatically Link functionality, 76
 - data graphics
 - creating new data graphics, 73
 - data fields, 73
 - definition, 73
 - Text option, 74
 - Data Selector wizard, 72
 - External Data window, 81
 - insert Legend wizard, 79
 - refresh All button, 78
 - Shape Data Window, 80
- Visio diagram, 61
 - designing
 - applying data and data graphics, 132
 - external data connection refresh error, 134
 - LoadData() subroutine, 131
 - loading external data, 131
 - Microsoft Visual Basic, 130
 - retrieving data from SQL Server data source, 130
 - setting up data graphics, 132
 - for test servers, 129
 - life cycle, 71
- Visio Library document library, 88–89
- Visio Services, 55
 - architecture, 70
 - basic operations, 64
 - custom data providers
 - AddonDataHandler abstract class, 136
 - BeginData() method, 136
 - BeginGetData() method, 136
 - components, 119
 - creation, 125

- designing Visio diagram, 129
- GetData() method, 136
- Microsoft.Office.Visio.Server assembly, 136
- retrieving server status information, 120
- uspGetServerDetails stored procedure, 134
- VBA code, 136
- Windows Communication Foundation (WCF) services, 119
 - writing WCF Service library, 121
- Data tab (*see* Visio 2013 Data tab)
- Farm Configuration wizard, 61
- features
 - authentication models, 69
 - client-side installation, 69
 - compatibility, 67
 - hyperlinks, 68
 - publishing, 69
 - real-time data, 69
 - rendering, 67
- JavaScript Mashup API
 - assets.js code, 107, 110
 - classes, methods, and events
 - hierarchy, 106
 - Content Editor web part, 109
 - monument details, 107
 - operations on drawings, 106
 - Page object, 107
 - ShapeCollection object, 107
 - VWA web part interaction, 110
- loading and interacting, 69
- “My day begins with . . .” storyboard, 60
- new Visio Graphics Service application, 64
- performance affecting factors, 140
- SharePoint Designer 2013, 111
- with SQL Server and SSS, 104
- SSS (*see* Secure Store Services (SSS))
- Visio diagram, 61
- Visio Graphics Service Application
 - Administrators group, 137
 - application pool and managed account, 137
 - creating, 138
 - deleting, 138
 - global settings, 139
 - list, 138
 - proxy creation, 138
 - proxy deletion, 138
 - proxy list, 139
 - trusted data provider, 139
- Visio Web Access (VWA) web part
 - connections
 - information filter, 91
 - IWebPartParameters interface, 93
 - options, 93
 - SharePoint Designer, 93
 - two-way communications, 91

- header options, 91
- SharePoint Server Enterprise Site Collection
 - Feature, 89
- Visio drawing file, 90
- Visio Web Access Web Part, 69
- Visio with SharePoint
 - airport flight status example
 - accessing Link Data to Shapes, 82–83
 - Arrival delays, 85
 - Automatically Link button, 87
 - completed Visio diagram, 88
 - Data Graphics, 85, 87
 - Data Selector window, 83
 - Data Selector wizard, 83
 - External Data window, 84
 - link to selected shapes, 84
 - missing baggage count, 85–86, 89
 - publishing Visio diagram, 88
 - real-time values, 89
 - refresh status, 89
 - sample custom SharePoint list structure, 82
 - setting shape, 87
 - Star rating, 86
 - Unlink option, 85
 - Visio Library document library, 88–89
- SQL Server data source
 - Automatically Link, 96
 - custom SQL table structure, 94
 - Data Connection wizard, 95
 - Data Graphics, 96
 - data-refreshable web drawing, 96
 - Data Selector screen, 96
 - double-hop issue, 98–99
 - error, 98

- External Data window, 96
- insert Legend option, 96
- Link Data to Shapes, 95
- Mall.vsd file, 98
- new database, 94
- populating custom table, 95
- refresh Data window, 97–98
 - and SSS, 104
- tblLandmarks table, 94
- Visio drawing shapes, 97
- Visitors data field, 96
- Windows authentication, 95
- Visio Web Access web part (*see* Visio Web Access (VWA) web part)
- Visual Studio 2012 Professional Edition, 1

■ W, X, Y, Z

- WCF Service library
 - accessing, 125
 - application project, 121
 - bin folder, 123
 - connectionStrings section, 121
 - consumer project structure, 126
 - interface class, 123, 135
 - .NET Framework 4.5, 121
 - retrieving server status, 122
 - service host folder, 124
 - WCF data provider Web.config file
 - settings, 123
 - wcfServicehost folder, 123
- Web front-end server, 248
- Web Page template, 317
- Workspace Browser, 335, 337–338