

Index

Symbols

2,5-Dihydroxybenzoic acid (DHB), 179, 190

A

Absorption, 111–114, 116, 117, 127, 130, 160, 205, 211, 216, 223, 226, 241–245, 247, 251, 252, 254–257

Adenovirus, 226

Aerodynamic diameter, 19, 36, 66, 88, 191

Aerodynamic particle sizer (APS), 18–20, 23, 282

Aeromonas hydrophila, 217

Aerosol

concentration, 63

density, 19

deposition, 33, 38, 40, 42

jet, 79, 82

particles, 6, 9, 12, 13, 19, 33, 40, 45, 64, 79, 102, 129, 148, 159, 179, 211

sampling, 15, 82, 132, 170, 226

settling velocity, 41, 58, 59, 66, 73, 74

size distribution, 63

size range, 4, 13, 25, 33, 210

transport, 82, 132

Aerosol sodium detector (ASD), 149

Aerosol time-of-flight mass spectrometry system (ATOF-MS), 185

Agent containing particle per liter of air (ACPLA), 5, 122, 129, 155, 282, 297

Air viscosity, 65

Alditol acetate derivatization, 194, 195

Allergens, 24, 33, 37, 38, 43

Alternaria spp., 37

Amino acid, 24, 25, 39, 45, 114, 116, 117, 119, 127, 188, 190, 215, 270

Analogue to digital convertors (ADC), 23

Anemophilous, 37

Anthrax, 4, 11, 12, 116, 222, 317

AP2C, 146, 147, 149, 150

Arabitol, 38, 195, 196

Archaea, 36

Army Research Laboratory (ARL), 117, 121, 124, 126, 131, 279

Ascospores, 37

Aspergillosis, 43

Aspergillus flavus, 44

Aspiration efficiency, 69–71

Asymmetry factor, 14, 97

Atmospheric transmission, 282, 296

Atomic emission spectroscopy (AES), 112, 163

Auto-fluorescence, 270, 279

Avalanche photo-diodes (APD), 131

B

Bacillus anthracis, 40, 221, 226, 234, 277

Bacillus atrophaeus, 117, 119, 152, 158

Bacillus globigii, 12, 117, 226, 271, 277, 297

Bacillus megaterium, 214, 217

Bacillus subtilis, 117, 171, 214, 217, 220, 221, 226, 244, 280

Bacillus thuringiensis, 185, 214, 218, 226, 231, 232, 234, 251, 277, 280

Background

image, 310

particles, 79, 129, 155, 192

Backscatter power, 302

Backscattering, 45, 272, 288, 302–304, 311

Bacteria, 12–14, 24, 34–41, 97, 119, 120, 128, 144, 147, 152, 155, 159, 163, 170, 192–197, 214, 217, 234, 242, 251, 254, 280

Bacterial

cells, 13, 14, 21, 33, 226, 234, 245, 246, 254

shape analysis, 15

- Basidiospores, 37
 BAST, 123, 125, 131
 Bioaerosol
 aerodynamic diameter, 19, 36, 66, 88, 191
 aging, 41
 ambient concentration, 34
 coagulation, 73
 non-viable, 43
 particles, 33, 34, 39, 40, 42, 45, 68, 79,
 114, 116, 119, 123, 126, 127, 130, 131,
 133, 169–171, 178, 179, 197, 210, 213
 size characterization technique, 310
 sources, 40
 Bioaerosol Mass Spectrometry (BAMS), 192,
 197, 198
 Biofilm, 34, 39, 41
 BioLert, 123
 Biological
 identifier, 144
 macromolecules, 243, 245, 246, 250, 256,
 257, 260
 Biological Aerosol-Capture-Enrichment
 (BioACE), 124
 Biological Agent Real Time Sensor
 (BARTS), 123, 128
 Biological Agent Warning Sensor
 (BAWS), 122, 123, 125, 128, 131
 Moniteur d'Alarme Biologique (Biological
 Alarm Monitor) (MAB), 145,
 150–155, 163
 Biological and Toxin Weapons Convention
 (BTWC), 3, 4
 Biological warfare (BW), 4, 40
 Biological warfare agents (BWA), 3–5, 109,
 116, 124, 153, 267
 BioSense, 293
 BioVigilant, 129
 Biral, 126, 128
 Bird flu, 43
 Blastomycosis, 43
 Blunt sampler, 70
 Bond, 223, 242
 adsorbate–substrate, 231
 chemical, 113, 207, 224
 conjugate, 113, 116
 covalent, 241
 double, 113
 hydrogen, 241
 Botulinum toxin, 40, 317
Burkholderia spp., 10
C
 CCD camera, 96, 97, 123, 124, 131, 145, 151,
 212, 213, 230, 308, 310, 311
 C-FLAPS, 122
 CHASE, 146
 Chemical
 field enhancement, 224
 fingerprint, 144
 matrix effect, 160
 Chemical biological radiological and nuclear
 (CBRN), 4, 191, 192, 198
 Chemiluminescence, 15, 17
 Chemometrics *see* Data analysis
 artificial intelligence, 103, 104, 109, 285
 artificial neural network (ANN), 106
 discriminant analysis (DA), 233
 discriminant factor analysis (DFA), 233
 Gaussian mixture discriminant analysis
 (MDA), 233
 hierarchical cluster analysis (HCA), 233
 K-nearest neighbor classifier (kNN), 233
 learning machines, 105, 107, 109
 linear discriminant analysis (LDA), 233
 megavariable data analysis, 161
 multivariate analysis, 234, 235, 281
 multivariate data analysis (MVDA), 161,
 163, 171, 318
 partial least squares (PLS), 145,
 161–163, 233
 partial least squares-discriminant analysis
 (PLS-DA), 233
 principal component analysis (PCA), 123,
 145, 153, 161–163, 233, 234
 quadratic discriminant analysis (QDA), 233
 spectral angle mapping, 234
 support vector machines (SVM), 107,
 233, 285
Chlamydomonas spp., 35
Cladosporium spp., 37
 Classification, 15, 56, 64, 65, 67, 79, 106,
 111, 281, 296
 Clogging, 69, 175
Clostridium spp., 36
 Clostridium botulinum, 40
 Cloud condensation nuclei, 45
 Coarse particle concentration, 63, 81
 Collection efficiency, 68, 80, 131, 197
 Colony forming unit (CFU), 231, 282
 Computational modeling, 245
 Concentration factor, 80, 81, 151
 Confirmed identification, 7
 Continuous wave (CW), 130, 159, 191
 Covariance matrix, 286, 291, 292, 295, 296
 Cross section
 absorption, 115, 116, 245
 fluorescence, 114–117, 124, 127, 131,
 287, 288, 294
 Cyanobacteria, 38
 Cytoplasm, 144
 Cytoskeleton, 14

D

Data analysis
Dandruffs, 38
Data acquisition, 98, 250, 310
Defence Research and Development Canada (DRDC), 121
Defence Science and Technology Laboratory (Dstl), 125, 128
Defense Advanced Research Projects Agency (DARPA), 123, 129, 130, 317, 319, 320
Defense Threat Reduction Agency (DTRA), 129, 319, 320
Dekati, 129
Deoxyribonucleic acid (DNA), 197, 220, 241–245, 250, 254
Derivatization reagent, 170
DETALAC, 146
Detect to treat, 7
Detect to warn, 7
Detection, 8, 26, 89, 128, 151, 155, 159, 197, 215, 218, 222, 226, 267, 321
 volume, 63, 64, 79, 82, 130, 132
D-Glucose, 195, 196
Differential mobility analyzer (DMA), 103
Differential scattering (DISC), 207, 267
Diffraction,
 effect, 308
 peak, 305
Diffractive target plates, 311
Diffusiophoresis, 72
Dioctyl phthalate (DOP), 13
Dipicolinic acid (DPA), 116, 188–190, 214, 217, 221
Direction Générale de l'Armement (DGA), 150
Dispersion, 3, 51, 52, 54, 59, 66
DNA vaccines, 36, 89, 144, 197, 220, 241–245, 250, 254, 255
Double scattered light, 302
Dugway Proving Grounds (DPG), 20, 278

E

Ebola, 40
Edgewood Chemical Biological Center (ECBC), 123, 317
Effective diameter, 304, 305, 307, 308, 310, 311, 313
Elastic cloud mapping, 270
Electrical effects, 72
Electrical low pressure impactor (ELPI), 103
Electromagnetic field enhancement, 224
Electronic conversion factor, 275, 287
Electrospray ionization (ESI), 170, 194

Endospores, 36, 41, 214, 221, 226, 235
Endotoxin, 36, 43, 193
Enterobacter aerogenes, 172, 217
ENVI BioScout, 127–129
Environics, 129
Epithelium, 197
Ergosterol, 38, 44, 193, 194
Erwinia herbicola, 45, 185, 226, 277, 279
Escherichia coli, 10, 180, 215–218, 225, 226, 231, 254–256
Eukaryotic, 38
European Defence Agency (EDA), 4, 6, 127, 320
European Space Agency (ESA), 157
Excitation-emission matrix (EEM), 279
Experimental, 60, 80, 158, 186, 188, 216, 232, 242, 244–246, 276, 304, 313
 validation, 308, 313
Extinction coefficient, 301–303
 scattering, 303

F

False alarms, 5, 7, 9, 17, 18, 20, 127, 155, 162, 192, 269, 270, 284, 296, 297, 313, 318, 319
Ferrulic acid, 184
FIDO B2, 129
Field-of-view (FOV), 314
Fingerprints, 114, 144, 152, 207, 213, 228, 241, 242, 247
First responder, 319
Flame emission photometry, 318
Flame emission spectroscopy (FES), 143–146, 150–152, 155, 156, 161–163, 319
Flame photometric detector (FPD), 112, 146
Flame photometry, 146, 147
Flavin, 117, 118
Flavin adenine dinucleotide (FAD), 116
Flavivirus, 35
Flawbacterium capsdatum, 217
FLIR, 129
Flow velocity, 64, 67, 70, 73–75
Fluid,
 density, 64
 dynamics, 64, 93
 properties, 64
 viscosity, 64
Fluorescence, 119
 cross section, 287, 288, 293
 decay time, 119, 127
 fluorescent dyes, 21
 intrinsic protein, 14
 quenching, 226

- Fluorescence aerodynamic particle sizer (FLAPS), 23, 24, 26
- Fluorescence aerosol shape analysis system (FLASAS), 125, 131
- Fluorescence applied to biological agents detection (FABIOLA), 127, 131
- Fluorescent Aerosol Particle Sensor, 122, 123, 128, 317
- Flying insects, 72
- Foot-and-mouth disease, 41
- Fransisella tularensis*, 40, 117
- Frequency, 208, 233
resolved, femtosecond techniques, 221
- Fungi, 38
- Fur fibers, 38
- G**
- Gas chromatography (GC), 170, 171, 193, 195, 196
- Gaussian distribution, 286, 287
- GC-MS, 192–196
- General guidelines, 78
- Glycogen, 221
- Gram-negative, 10, 35, 36, 197, 234
- Gram-positive, 10, 35, 36, 197, 231, 234
- H**
- H5N1 virus, 43
- Health effects, 38, 44
- Hemoglobin, 15
- High-resolution, 96, 108, 145, 206, 250
- Holograph optics, 213
- Human immunodeficiency virus (HIV), 226
- Hybrid photodiode detector (HPD), 125
- Hygiene hypothesis, 44
- Hyphae, 37
- I**
- Ice nuclei, 45
- ICx Technologies, 129, 317
- Identification, 5, 6, 10, 24, 112, 147, 170, 180, 185, 189–198, 217, 220–226, 232–235, 242, 244, 247, 250, 252, 319
- Immunoassay, 122, 123, 128, 169
- Impactors, 15, 23, 67, 68, 79–81, 103, 128, 129, 150, 151, 192
- Impinger sampler, 282
- Improved dielectric filters, 213
- Inductively coupled plasma (ICP), 143, 147, 161
- Inertial deposition, 67, 73, 77, 78
in a bend, 77
in contractions, 77
- Infectivity, 9, 10, 24
- Influenza virus, 41
- Infrared spectroscopy (IR), 112, 114, 185, 206, 208, 242, 245, 248, 250, 251, 254, 267, 271
- Insect secretions, 38
- Instantaneous Biological Analyzer and Collector (IBAC), 128, 129
- Intensified charge-coupled device (ICCD), 131, 161, 280, 285, 308, 310, 311, 313, 314
- Interferants, 286
- Interference filter, 313
- Internal reference standard, 147
- Ion trap mass spectrometry, 182, 183, 195, 197
- Ion trap mass spectrometry, 172
- Irradiance, 175, 272, 274, 288
- Isoaxial sampling, 70, 71
- Isokinetic sampling, 70, 171
- J**
- Jablonski diagram, 112
- Jet velocity, 67, 81
- Joint biological standoff detection system (JBSDS), 277, 279
- L**
- Laminar
aerosol flow, 64
parabolic flow profile, 73
- Laser
Argon laser, 123, 131
HeAg laser, 131
HeCd laser, 23, 24, 121, 130
hollow cathode laser, 131
KrF laser, 130
Nd, 24, 122, 130, 155, 157, 159, 185, 212
YAG laser, 122, 130, 155, 157, 159, 185, 212
YLF laser, 24, 122, 130
NeCu laser, 131
XeCl laser, 130
XeF laser, 130
- Laser Doppler Anemometry, 103
- Laser pyrolysis, 171
- Laser-induced breakdown spectroscopy (LIBS), 112, 125, 132, 143–147, 155, 157, 161–163, 318
- Laser-induced fluorescence (LIF), 111, 122, 123, 147, 157, 163, 191, 298
- Latex beads, 13
- Legionella pneumophila*, 226
- Legionnaire's disease, 43

- LIBS-LIF, 157
LIBS-Raman, 157
Lichens, 38
Light detection and ranging (LIDAR), 19, 25, 269–278, 280–289, 291–293, 296–298, 308–313
 based biological standoff detection, 279
 transmitter, 273, 274
Light-emitting diodes (LED), 11, 25, 111, 123, 125, 130, 131
Lipopolysaccharides (LPS), 36, 193, 194
Liquid chromatography (LC), 171, 175, 194
Listeria monocytogenes, 10
Long-Wavelength InfraRed, 284
Lorenz-Mie theory, 211, 222
Luminol, 17
Luminescence, 112, 113
- M**
Mahalanobis distance, 285, 286, 291–293, 295
MALDI matrix, 175, 178, 179, 183, 184, 188, 190, 197
Male-specific bacteriophage 2 (MS2), 276
Mannitol, 38, 195, 196
Mars Science Laboratory (MSL), 157
Mass spectrometry (MS), 146, 161, 198, 318
Matrix effect, 159, 160
Matrix-assisted laser desorption-ionization (MALDI), 170, 185, 188, 190, 197, 198
Maximum energy position, 308
Maxwell's electromagnetic field equations, 91
Megavirus chilensis, 36
Metallic colloidal nanoparticles, 224
Microalgae, 38
Micrococcus spp., 35
Micrococcus lysodeikticus, 172
Microwave induced plasma (MIP), 143
Mid-Wavelength InfraRed, 284
MIT Lincoln Laboratory, 121–123, 125, 132, 318
Mobile aerosol sampling unit (MASU), 19
MODTRAN, 296
Moniteur d'Alarme Biologique (MAB), 145, 150–155, 163
Monochromator, 21, 206, 212, 213, 229
Monodisperse particles, 179
Monte Carlo simulations, 61, 313
Morphological structures, 14
Multichannel detectors, 212, 213
Multidrug-resistant *Staphylococcus aureus* (MRSA), 44
Multiple scattering, 301–303, 307
Multiple-field-of-view (MFOV), 314
Multiple-Field-Of-View lidar, 301, 302, 304, 308, 312, 313
Multi-slit arrangement, 81
Multi-stage construction, 81
Multivariate analysis, 234, 235, 281
Multivariate data analysis (MVDA), 161, 163, 171, 318
Muramic acid (Mur), 193
Mycelium, 37
Mycobacterium tuberculosis, 43
Mycotoxin, 38, 40, 44
- N**
National Aeronautics and Space Administration (NASA), 157
Naval Research Laboratory (NRL), 121, 125, 131
Newton's second law, 65
Nicotinamide adenine dinucleotide (NADH), 21, 22, 116–119, 270
Nozzle
 circular nozzles, 67, 68, 81
 impactors, 68
 slit nozzle impactor, 67
- O**
Oligonucleotides, 170
Optical depth, 301, 304, 305, 311–313
Optical parametric oscillator (OPO), 131, 220
Optical particle counters (OPC), 13, 20, 23
Optics transmittance, 296
Orifices, 77, 150, 175, 188
Orthogonal, 318, 319
Ovalbumin (OV), 280
- P**
Pantoea agglomerans, 234
Particle
 analysis by mass spectrometry (PAMS), 172
 asymmetry, 93, 97
 background, 144
 charge, 102
 counter, 12, 13, 20, 23
 deposition, 64, 70, 73, 82
 refractive index, 13, 90, 91, 243, 246, 250, 253–255, 308
 relaxation time, 67, 75
 shape, 14, 91, 94, 96, 97, 103, 104, 23
 sizing, 11, 12, 58, 67, 69, 71, 72, 96, 103, 112, 122, 124, 129, 132, 159, 175, 178, 179, 198, 231, 243, 301, 302, 305, 308
 transfer, 63

- Particles per liter (ppl), 282
 Pathogen, 10, 33, 43, 87, 89
 Peptidoglycans, 14, 36, 182, 193, 194
 Phase Doppler Anemometry, 103
 Phase function, 303–305, 308
 Phenylalanine, 24, 116, 188, 233, 270
 Phospholipids, 170, 221
 Phosphorescence, 113
 Photomultiplier tube (PMT), 12, 17, 23, 97,
 122, 124–126, 131, 280, 318
 Physical matrix effect, 160
 Picolinic acid (PA), 179, 214
 Plank-Einstein energy conservation
 principle, 204
 Plant fragments, 38, 39
 Plaque-forming unit (PFU), 282
 Plasma, 143–145, 147, 155–163
 PM10 inlets designs, 72
 Point detector, 7, 8, 63, 69, 280, 319
 Poisson distribution, 286, 288–290
 Polarization detection module, 310
 Pollen, 37
 Populus deltoides (cottonwood), 226
 Sequoia sempervirens (redwood), 226
 apricot pollen, 217
 elm pollen, 312
 grass pollen, 217
 ragweed pollen, 217
 redbud pollen, 35
 timothy pollen, 312
 Polydispersed particles, 179
 Polymerase chain reaction (PCR), 5, 123, 128
 Proengin, 146, 150, 163
 Prophylaxis, 10, 269
 Provisional identification, 7
Pseudomonas aeruginosa, 226
Pseudomonas fluorescens, 45
Pseudomonas syringae, 45
 Pulse repetition frequency (PRF), 122, 130,
 131, 144, 284
 Pulse shaping, 221
 Pyrolysis (Py), 169–171, 190, 197
- Q**
- Quadrupole mass spectrometry, 171
 Quantum efficiency (QE), 115, 131
 Quantum yield, 24, 115, 116, 275, 287,
 293–296
- R**
- Rain, 5, 39, 41, 58, 72
 Raman
 Cavity enhanced Raman Spectroscopy
 (CERS), 228
 Coherent anti-stokes Raman Spectroscopy
 (CARS), 215, 222
 FAST CARS, 217, 221, 222
 Laser trapping Raman spectroscopy
 (LTRS), 226
 Microscopy, 213, 214, 220
 Microspectroscopy, 213, 214, 226
 Normal Raman Spectroscopy, 204,
 214, 220
 Resonances, 127, 206, 241–245, 250, 254,
 257, 260
 Resonance Raman Spectroscopy (RRS), 206,
 215, 218, 229
 Spatially offset Raman Spectroscopy, 229
 Spontaneous Raman Spectroscopy, 203,
 210, 213, 214
 Spontaneous Raman imaging, 215
 Surface-enhanced Raman Spectroscopy
 (SERS), 215, 226
 UV Raman Spectroscopy, 215, 218
 Ultraviolet resonance Raman
 (UVRR), 217
- Rayleigh
 radiation, 204
 scattering, 204, 212, 243
 scattering coefficient, 304
- Receiver operating characteristic (ROC), 130,
 281, 319
- Rectangular slit nozzle, 68, 81
- Reflectron TOF-MS, 178
- Remote detection, 8, 19, 210, 217, 244
- Resonant enhancement, 221
- Respiratory tract depositions, 42
- Resuspension, 37, 54
- Reynolds number, 64, 68, 75, 76, 81
- Rhinovirus,
- Ribonuclease A, 221
- Ribonucleic acid (RNA), 36, 89, 217, 221,
 242, 245
- Royal Institute of Technology (KTH), 126
- S**
- Salmonella typhimurium*, 227
- Sampling
 efficiency, 69, 70, 72
 in calm air, 72
 system, 69, 72, 145, 150, 214, 226, 270
- Scatterers, 207, 229, 272, 273, 275, 282
- Scattering,
 elastic scattering, 112, 122–125, 128, 129,
 132, 267, 281, 314
 forward scattering, 94, 302, 303
 inelastic scattering, 203, 204, 214, 273
 light scattering, 33, 45, 108, 204, 223,
 224, 231
 light scattering, 94
 Mie scattering, 13, 243

- multiple scattering, 301–303, 307
 - Raman scattering, 114, 127, 203–206, 219, 224, 226, 229
 - Rayleigh scattering, 204, 205, 212, 243, 304
 - SCP 1021, 15
 - Segregation, 10
 - Semiconducting absorbers, 213
 - Semiconductor ultraviolet optical source (SUVOS), 123, 317
 - Settling under gravitational force, 64
 - Settling velocity, 41, 58, 59, 65, 66, 73, 74
 - Shape analyser (SA), 14
 - Sheath
 - air, 82
 - flow, 12, 122, 159
 - Short-wavelength infrared (SWIR), 284
 - Shot noise, 285, 286, 308, 313
 - Shot noise factor, 313
 - Sick building syndrome (SBS), 44
 - Signal-to-noise ratio (SNR), 130, 131, 175, 212, 247, 277, 280, 281
 - Simulants, 104, 124, 153, 155, 208, 277, 283, 285, 297
 - Sinapinic acid (SA), 180, 185
 - Single particle aerosol mass spectrometry (SPAMS), 192, 198
 - Single particle fluorescence analyzer (SPFA), 124
 - Single pulse multiplex, 221
 - Size classification, 65
 - Skin fragments, 35, 38, 40
 - Slip correction, 65
 - Smallpox, 40
 - Solution, 117, 119, 131, 146, 147, 159, 175, 207, 208
 - Sorting, 10, 11, 22, 124, 156
 - Spark spectroscopy, 143, 147
 - Spatiotemporal evolution, 277
 - Specificity, 5–7, 111, 114, 119, 127, 132, 163, 194, 241, 256, 271, 281, 297, 318
 - Spectra, 24, 117, 119, 153, 172, 179, 180, 182, 185, 188, 189, 276, 277
 - bacterium flame, 147
 - CARS, 220, 222
 - fluorescence
 - as in fluorescence spectra
 - LIBS, 161
 - Raman, 206–208, 215, 217, 218, 226
 - SERS, 234
 - Spectroscopy, 24, 133, 163, 260, 235
 - Standoff
 - biosensors, 273, 284
 - detection, 112, 118, 121, 157, 206, 221, 222, 235, 271, 279, 281, 297
 - monitoring systems, 269
 - optical trigger, 269
 - Standoff integrated bioaerosol active hyperspectral detection (SINBAHD), 276, 277, 279, 282, 283
 - Staphylococcus epidermidis*, 218
 - Stokes drag, 102
 - Stokes law, 65
 - Stokes number, 67, 68, 70, 72, 75, 76, 81
 - Streptococcus* spp., 35
 - Sub-isokinetic sampling, 70
 - Sub-micrometer cutpoint, 81
 - Super-isokinetic sampling, 70
 - Swedish Defence Research Agency (FOI), 126
 - Swine flu, 43
 - SWOrRD, 128
- ## T
- Tactical Biological Detector (TAC-BIO), 123, 317
 - Tampere University of Technology (TUT), 127, 129
 - Targeted ultraviolet chemical, biological, and explosives (TUCBE), 127
 - Taxonomy, 10
 - Technological readiness level (TRL), 163
 - Tee connectors, 77
 - Terahertz spectroscopy (THz), 112, 114, 260
 - Terminal settling velocity, 65, 73
 - Thermophoresis, 41, 72
 - Thin-walled sample probes, 70
 - Time-gated approaches, 221
 - Time-of-flight mass spectrometry (TOF-MS), 185, 186, 189, 191, 197, 198
 - Time-resolved studies, 203
 - Transmission, 250, 251, 275
 - airborne, 40
 - efficiency, 69–71, 74, 76, 77
 - optical, 284, 293
 - Transmittance, 287, 288, 291, 293, 295, 296
 - Transport efficiency, 70–74, 77
 - Triangular centroid plot, 99
 - Tribocharging, 101
 - Trimethylsilyl derivative, 193–195
 - Tryptophan (Trp), 24, 116, 117, 183, 188, 270
 - Turbulent,
 - deposition efficiency, 75
 - eddies, 41, 52, 64
 - Turex (commercial prep. of *Bacillus thuringiensis*), 119
 - Tyndall
 - effect, 11
 - meter, 11
 - Tyrosine (Tyr), 24, 116, 188, 270

U

UV-APS, 122

V

Valves, 77, 78

Variola major, 40

Vena contracta, 70, 96

VeroTect, 126, 128, 129

Vibrational, 112, 114, 132, 204–208, 214–
217, 220–224, 230, 232, 241, 243, 247,
248, 250, 251, 254, 255, 257, 260

analysis, 203

assignments, 233

resonances, 245

spectroscopy, 114, 208, 213

Vibrio cholerae, 10Virtual impactor (VI), 15, 23, 79–81, 128,
129, 151

Virulence, 6, 9

Virus, 3, 24, 33, 36, 40–43, 87, 89, 118, 169,
210, 217, 282

Volumetric flow rate, 72, 74, 78, 80

W

Wide issue bioaerosol sensor (WIBS), 126

Wind speed, 37–40, 49–51, 54, 56–59, 72, 89,
102, 105**X**

Xenon lamp, 125, 131

XM19, 15, 17, 18

XM2, 15, 17, 18, 23

Y

Yale University, 121, 123, 124, 318

Yersinia pestis, 40, 42*Yersinia pseudotuberculosis*, 117