

Index

A

- Abiotic parameters, gammarid toxicity effects, 18
- Acetylcholinesterase
 - activity, neurotoxicity biomarker, 50
 - inhibition, OP mode-of-action, 119
- Acute poisoning, OP (organophosphorous) pesticides, 132
- Acute toxicity, fenamiphos in fish, (table), 140
- Animals, fenamiphos acute toxicity (table), 143
- Aquatic ecotoxicology, *Gammarus* spp., 1 ff
- Aquatic species effects
 - coumaphos, 152
 - isofenphos, 146
- Aquatic species toxicity, fenamiphos (table), 141
- Arctic avian species, use as bioindicators, 105
- Avian species, bioindicators, 105
- Avian species effects
 - coumaphos, 152
 - isofenphos, 146

B

- Behavioral assays, gammarids, 22
- Behavioral test methods, gammarid toxicity (table), 23
- Behavior testing, drift and foraging activity, 29
- Bioaccumulation in gulls
 - feeding affects, 87
 - influential factors, 86
- Bioavailability of OP pesticides
 - earthworms, 130
 - microbes, 130
- Bioavailability from soil, OP pesticides, 129
- Bioenergetic responses, gammarids, 32
- Bioindicator species
 - Arctic birds, 105

- in the European Arctic, Svalbard glaucous gull, 77 ff
- Biological degradation, OP pesticides, 127
- Biomarker(s)
 - acetylcholinesterase, 50
 - for detoxification, glutathione-S-transferase, 52
 - in gammarids, vitellogenin-like proteins, 45
 - in *Gammarus* spp. (table), 38
 - metallothioneins and lipid peroxidation, 49
 - Svalbard glaucous gulls, 89
 - tests, gammarids, 32
- Biomonitoring system, multispecies freshwater biomonitor (MFB), 27
- Birds
 - effects of coumaphos, 152
 - effects of isofenphos, 146
- Breakdown in water, coumaphos, 151
- Brominated flame retardants, Svalbard glaucous gulls, 81

C

- Carbamate insecticides, neurotoxic biomarker, 50
- Carcinogenicity, isofenphos, 148
- Chemical classes, OP pesticides, 119
- Chemical contamination, European Arctic, 78
- Chemical properties, fenamiphos (table), 134
- Chemical toxicity, freshwater invertebrates and fish (table), 9
- Chemical toxicity, gammarids, 7
- Chemistry, OP pesticides, 118
- Chiral legacy organochlorines, glaucous gulls, 81
- Chitin and molting, gammarid biomarker, 46
- Chronic toxicity
 - fenamiphos, 143
 - isofenphos, 147

- Coastal sediment toxicity, *G. locusta*, 8
- Contaminant(s)
- effects, Svalbard glaucous gulls (table), 89
 - exposure, thermoregulatory effects, 97
 - genotoxicity, Svalbard glaucous gulls, 100
 - levels and patterns, Svalbard glaucous gulls, 79
 - vs. nest temperature, Svalbard glaucous gulls (illus.), 98
 - research, Svalbard glaucous gulls, 77 ff
 - Svalbard glaucous gull residues, 84
- Contaminated sediment toxicity, *G. pulex*, 8
- Contaminate effects, on avian species, 104
- Contaminate list, definitions (table), 109
- Coumaphos
- aquatic species effects, 152
 - avian species effects, 152
 - description, 150
 - ecotoxicology, 152
 - environmental fate, 150
 - fate in water, 151
- Culturing gammarids, methods, 6
- D**
- Daphnia*, post-exposure feeding depression, 20
- DDT contamination, European Arctic, 80
- Degradation
- of isofenphos, vegetation, 146
 - in soil and water, fenamiphos, 134
- Depuration, gammarid toxicity, 19
- Drift behavior, *Gammarus*
- and pollution, 22
 - and predators, 22
- E**
- Earthworms, bioavailability of OP pesticides, 130
- Ecological biomarkers, Svalbard glaucous gulls, 89
- Ecotoxicology
- coumaphos, 152
 - fenamiphos, 139
 - Gammarus* spp., 1 ff
 - isofenphos, 146
- Embryotoxicity in gammarids, pollutants, 42
- Emerging test species, *Gammarus* spp., 64
- Endocrine disruption in Gammarids, endpoints, 45
- Environmental fate
- coumaphos, 150
 - fenamiphos, 134
 - OP pesticides, 117 ff., 121
- European Arctic
- chemical contamination, 78
 - organochlorine contamination, 80
 - Svalbard glaucous gull bioindicator species, 77 ff
- Excretion rate, gammarids, 32
- Exposure modes, assessing gammarids (table), 54
- Exposure types, gammarids, 53
- Extraction methods, organic pollutants in soil, 131
- F**
- Fate
- in animals, isofenphos, 149
 - in humans, isofenphos, 149
 - in mammals, fenamiphos, 142
 - in soil, isofenphos, 154
 - in water, coumaphos, 151
 - in water, isofenphos, 145
- Feeding activity
- testing, gammarids, 10
 - methods (table), 11
- Feeding rate and uptake, gammarid toxicity, 19
- Fenamiphos
- acute toxicity
 - animals (table), 143
 - aquatic and terrestrial species (table), 141
 - chronic toxicity, 143
 - description, 133
 - ecotoxicology, 139
 - environmental fate, 134
 - fate and toxicity, 117 ff
 - mammalian fate and toxicity, 142
 - and metabolites
 - leaching behavior, 137
 - soil sorption (tables), 136
 - microbial effects, 137
 - physiochemical properties (table), 134
 - plant metabolism, 138
 - soil behavior, 135
 - water residues (table), 135
 - wildlife effects, 141
- Fish toxicity, fenamiphos and metabolites (table), 140
- Food choice experiments, *Gammarus*, 16
- Freshwater invertebrates and fish, chemical toxicity (table), 9
- G**
- Gametogenesis activity, *Gammarus* spp., 48
- Gammaridea, natural habitat, 2
- Gammarid(s)
- behavioral assays, 22
 - bioenergetic responses, 32

- biomarker(s)
 - chitin and molting, 46
 - heat shock proteins, 45, 48
- effects, pulsed exposure models, 57
- endocrine disruption endpoints, 45
- excretion and respiration rates, 32
- exposure
 - assessment, modes (tables), 54
 - types, 53
- feeding activity
 - testing, 10
 - and rate, modeling, 19
 - test methods (table), 11
 - toxicity effects, 18
- feeding ecology, parasite effects, 21
- in situ* testing approaches, 58
- in situ* vs. *ex situ* test results, 18
- laboratory vs. field tests, 18
- lethality testing, 7
- metallothionein induction, effects, 42
- mode-of-action
 - studies, 32
 - test methods (table), 33
- parasites, antipredator effects, 26
- predation effects, 20
- reproduction, pesticide effects, 44
- sediment toxicity assays, 57
- sensitivity, metal toxicity, 8
- test methods, evaluating existing ones, 62
- time-response assays, testing method, 10
- toxicity
 - behavioral test methods (table), 23
 - feeding rate, uptake and depuration, 19
 - PAHs (polyaromatic hydrocarbons), 8
 - population dynamics effect, 43
 - testing, feeding activity (table), 11
- use in biomarker tests, 32
- Gammarus*
 - aquatic ecotoxicology, 1 ff
 - behavior and character, 2
 - behavior testing, 4
 - biomarkers (table), 38
 - culturing methods, 5
 - drift behavior
 - and pollution, 22
 - and predators, 22
 - emerging test species, 5
 - feeding behavior, 3
 - food choice experiments, 16
 - gametogenesis activity, 48
 - as indicator species, 5
 - leaf-mass feeding assays, 17
 - life cycle, 2
 - mating behavior, 3
 - multimetric test systems, 64
 - species distribution, 2
 - toxicity endpoints, 4
 - in water quality testing, 1 ff
- Genotoxicity of contaminants, Svalbard
 - glaucous gulls, 100
- Glaucous gulls
 - legacy chiral organochlorines, 81
 - organohalogen contaminants (illus.), 80
- G. locusta*, coastal sediment toxicity, 8
- Glucocorticoid effects, Svalbard glaucous gull
 - residues, 96
- Glutathione-S-transferase activity, detoxification biomarker, 52
- Gonadal steroid hormones, Svalbard glaucous
 - gull effects, 95
- G. pulex*, contaminated sediment toxicity, 8
- Groundwater residues, fenamiphos (table), 135
- H**
 - Half-lives in soil, OP pesticides (table), 130
 - Hazards to humans and wildlife, OP
 - pesticides, 118
 - Health effects, OP pesticides, 132
 - Heat shock proteins, gammarid biomarkers,
 - 45, 48
 - Hormone effects, Svalbard glaucous gull
 - residues, 94
 - Hydrolysis
 - affects, OP pesticides, 126
 - half lives, OP pesticides (table), 124
- I**
 - Immunity, Svalbard glaucous gulls, 98
 - In situ* testing approaches, gammarids, 58
 - In situ* vs. *ex situ* test results, gammarids, 18
 - Isofenphos
 - aquatic species effects, 146
 - carcinogenicity, 148
 - chronic toxicity, 147
 - description, 144
 - effects on birds, 146
 - fate
 - in humans and animals, 149
 - in soil, 145
 - in water, 145
 - mammalian toxicity, 147
 - mutagenicity, 148
 - reproductive toxicity, 148
 - teratogenic effects, 148
- L**
 - Laboratory vs. field tests, gammarids, 18
 - Leaching behavior, fenamiphos, 137

- Leaching potential, OP pesticides, 125
table, 124
- Leaf-mass feeding assays, *Gammarus*, 17
- Lethality testing, gammarids, 7
- Life cycle, *Gammarus*, 2
- Lipid peroxidation, biomarker for metal exposure, 49
- Long-term toxicity, fenamiphos, 143
- M**
- Mammalian fate and toxicity, fenamiphos, 142
- Mammalian toxicity, isofenphos, 147
- Mercury residues, Svalbard glaucous gulls, 86
- Metabolic enzymes, vertebrate effects, 93
- Metabolism
OP pesticides, 121
in plants, fenamiphos, 138
- Metabolites, Svalbard glaucous gulls, 82
- Metallothionein(s)
induction in gammarids, effects, 42
and metal exposure, biomarkers, 49
- Metal toxicity
gammarids, 7
sensitivity, 8
- Microbial bioavailability, OP pesticides, 129
- Microbial degradation, OP pesticides, 127
- Microbial effects, fenamiphos, 137
- Mode-of-action
OP pesticides, 119
studies, gammarids, 32
test methods, gammarids (table), 33
- Modeling, gammarid feeding activity and rate, 19
- Multimetric *Gammarus* spp. tests,
perspectives, 64
- Multiple stressor biomarkers, *Gammarus* spp.
(table), 38
- Multispecies freshwater biomonitor (MFB),
biomonitoring system, 27
- Mutagenicity, isofenphos, 148
- N**
- Nemacur, fenamiphos, 133
- Nematicide description, fenamiphos, 133
- Nematode infestation vs. PCB levels, Svalbard
glaucous gulls (illus.), 100
- Neurotoxic biomarker, acetylcholinesterase, 50
- Neurotoxic effects, OP pesticides, 132
- Neurotoxic mechanism, OP pesticides, 119
- O**
- Occupational poisoning, OP pesticides, 132
- OP mode-of-action, acetylcholinesterase
inhibition, 119
- OP (organophosphorous) pesticides,
description, 118
- OP pesticides
acute poisoning, 132
affect of hydrolysis, 126
biological degradation, 127
chemistry, 118
environmental fate and transport, 121
factors affecting bioavailability, 129
health effects, 132
human and wildlife hazards, 118
hydrolysis half lives (table), 124
leaching potential, 125
table, 124
metabolism, 121
microbial bioavailability, 129
microbial degradation, 127
mode-of-action, 119
neurotoxic biomarker, 50
neurotoxic effects, 132
occupational poisoning, 132
oxidation/reduction, 126
photolytic stability, 126
run-off potential, 125
soil
adsorption values (table), 124
bioavailability, 129
half-lives (table), 130
sorption to soil, 122
structural types, 119
illustration, 120
volatility, 124
- Organic pollutants in soil, extraction
methods, 131
- Organochlorine(s)
contamination, Svalbard glaucous gulls, 84
in glaucous gulls, legacy chiral forms, 81
gull residues over time (illus.), 85
legacy contaminants, 79
site-specific accumulation effects, 88
- Organohalogen contaminants, male glaucous
gulls (illus.), 80
- Organometals, Svalbard glaucous gulls, 83
- Organophosphorous (OP) pesticides, fate and
toxicity, 117 ff
- Organotins, Svalbard glaucous gulls, 84
- Oxidation/reduction, OP pesticides, 126
- Oxidative stress, metal exposure, 49
- Oxychloridane effects, gull breeding affects
(illus.), 104
- P**
- PAHs (polyaromatic hydrocarbons), gammarid
toxicity, 8

- Parasite(s)
 effects, gammarid feeding ecology, 21
 Svalbard glaucous gulls, 98
- PBBs (polybrominated biphenyls), Svalbard
 glaucous gulls, 81
- PBDE (polybrominated dephenyl ether)
 residues, Svalbard glaucous gulls, 86
 Svalbard glaucous gulls, 81
 vertebrate metabolism, 82
- PCBs (polychlorinated biphenyls)
 contaminants, European Arctic, 79
 levels vs. nematode infestation, Svalbard
 glaucous gulls (illus.), 100
 thyroxin ratio effects (illus.), 95
 vertebrate metabolism, 82
- Persistence in soil, OP pesticides (table), 130
- Pesticide(s)
 effects, gammarid reproduction, 44
 exposure types, gammarids, 53
 fate and toxicity of OPs, 117 ff
 toxicity, gammarids, 7
- PFASs (per- and poly-fluorinated alkyl
 substances), Svalbard glaucous gull
 residues, 83
- PFOS (perfluorooctane sulfonate), Svalbard
 glaucous gull residues, 83
- Photolytic stability, OP pesticides, 126
- Physical properties, fenamiphos (table), 134
- Plant
 degradation, isofenphos, 146
 metabolism, fenamiphos, 138
- Pleopod beat frequency, pollutant bioassay, 29
- Pollutant
 bioassay, pleopod beat frequency, 29
 effects in gammarids, embryotoxicity, 42
- Population dynamics effect, gammarids, 43
- Porphyrins, Svalbard glaucous gulls, 93
- Post-exposure feeding depression, *Daphnia*, 20
- Predation effects, gammarids, 20
- Prolactin effects, Svalbard glaucous gull
 residues, 96
- Pulsed exposure models, gammarid
 effects, 57
- R**
- Reproduction effects, Svalbard glaucous gull
 residues, 101
- Reproductive behavior effects, Svalbard
 glaucous gull residues, 102
- Reproductive toxicity, isofenphos, 148
- Residue accumulation affects, Svalbard
 glaucous gulls, 88
- Respiration rate, gammarids, 32
- Retinoid effects, Svalbard glaucous gull
 metabolism, 93
- Runoff potential, OP pesticides, 125
- S**
- Sediment toxicity assays, gammarids, 57
- Soil
 adsorption values, OP pesticides
 (table), 124
 behavior, fenamiphos, 135
 bioavailability, OP pesticides, 129
 degradation
 coumaphos, 150
 fenamiphos, 134
 fate, isofenphos, 145
 persistence, OP pesticides (table), 130
 sorption
 fenamiphos and metabolites
 (tables), 136
 OP pesticides, 122
 processes, OP pesticides, 123
- Structural types, OP pesticides (illus.), 120
- Surfactant toxicity, gammarids, 7
- Svalbard glaucous gull
 bioaccumulation and age, 87
 bioindicator species, 77 ff
 breeding effects, oxychlorodane residues
 (illus.), 104
 brominated flame retardants, 81
 chemical-induced effects, 78
 contaminant(s)
 effects (table), 89
 genotoxicity, 100
 levels and patterns, 79
 vs. next temperature (illus.), 98
 contamination, 84
 ecological biomarkers, 89
 effects, immunity and parasites, 98
 gender and bioaccumulation, 86
 hydroxylated metabolites, 82
 mercury residues, 86
 metabolic enzyme effects, 93
 metabolism, retinoids, 93
 organochlorine residues over time
 (illus.), 85
 organometals, 83
 PBBs, 81
 PBDEs, 81
 residues, 86
 PFAS residues, 83
 PFOS residues, 83
 porphyrins, 93
 residues

- Svalbard glaucous (*cont.*)
 accumulation affects, 88
 gonadal steroid hormones, 95
 hormone effects, 94
 reproduction effects, 101
 reproductive behavior effects, 102
 thermoregulatory effects, 97
 trace elements, 83
- T**
- Teratogenic effects, isofenphos, 148
 Terrestrial species toxicity, fenamiphos
 (table), 141
 Test methods for gammarids, evaluating
 existing ones, 62
 Threshold level effects, contaminants and
 avian species, 104
 Thyroxin ratio effect, PCBs (illus.), 95
 Time-response assay methods, gammarids, 10
 Toxicant effects, gammarid exposure modes
 (table), 54
 Toxic effects, behavioral changes in MFB, 27
 Toxicity
 in animals, fenamiphos (table), 143
 of chemicals, gammarids, 7
 effects
 on feeding, gammarid test methods
 (table), 11
 gammarid feeding activity, 18
 in fish, fenamiphos and metabolites
 (table), 140
 to gammarids, behavioral test methods
 (table), 23
 in mammals, fenamiphos, 142
 OP pesticides, 117 ff
 Trace elements, Svalbard glaucous gulls, 83
 Transport
 in environment, OP pesticides, 121
 processes, OP pesticides, 122
- V**
- Vegetation, isofenphos breakdown, 146
 Vertebrate(s)
 metabolic enzyme effects, 93
 metabolism, PCBs and PBDEs, 82
 Vitellogenin-like proteins, gammarid
 biomarkers, 45
 Volatility, OP pesticides, 124
- W**
- Water
 -induced degradation, fenamiphos, 134
 quality testing, *Gammarus* spp., 1 ff
 residues, fenamiphos (table), 135
 Wildlife effects, fenamiphos, 141