

# Index

## A

ABEL. *See* Electrokinetic anti-Brownian  
Absorbance (E), 83, 84, 86, 91  
Absorption maximum ( $\lambda_{\max}$ ), 91–93  
Acoustic wave, 55–56  
Acrylamide polymer, 102  
Actin filaments, 113  
Activation energy ( $E^*$ ), 98  
Active pixel sensor, 186  
Affinity chromatography, 93  
Affinity constant ( $K_A$ ), 94, 100–104  
Affinity distribution, 95  
Affymetrix, 11  
AFM. *See* Atomic force microscopy  
Alkanethiols, 9, 135, 144  
Ammonia, 142  
Amplicon, 109, 110, 113  
Amplification, in immunoassay, 220  
Analyte, 46, 49–52, 55–58, 60, 65, 67, 70, 72, 75–77, 93, 94, 99, 100, 116, 217, 219, 222, 223, 226  
AND logic, 221, 226–228, 232–234, 237  
Angular sensitivity, 87  
Anisotropy, 86  
Antibodies, 3, 7, 46, 47, 60, 61, 72, 93, 101–107, 111–113, 217–219, 222–224, 226, 231  
Antigen-antibody interaction, 101  
anti-TNT antibody, 103  
APD. *See* Avalanche photodiode  
Apparent affinity constant ( $K_A$ ), 94  
Aptamer, 108, 217  
Arachidonic acid, 128, 140  
Arc discharge, 8, 131  
ARQ. *See* Automatic repeat request  
Arrhenius equation, 98  
Ascorbate, 90, 91  
Association rate, 97

Asymmetric code, 231, 232, 234–238  
Atomic force microscopy (AFM), 2, 3, 23–31, 34–41, 58, 61–63, 65, 66, 68, 69, 74, 75, 90, 110–114  
Attenuation index (k), 84  
Automatic repeat request (ARQ), 14  
Avalanche photodiode (APD), 178, 179, 190  
Avidin, 102

## B

B-DNA, 17  
Bell's model, 32  
Benzphetamine, 140  
Biacore, 7, 93, 99, 101, 110  
Bi-dimensional, 114, 141–142, 234, 236  
Bilirubin, 73–74  
Binding capacity (Q/Rmax/Gmax), 66, 72, 94, 101  
Binding constants, 93–97  
Binding exponent ( $\eta$ ), in Sips equation, 94, 102, 103  
Binning, Gerd, 1  
Biochromatography, 102  
Biomolecular encoder, 218, 228–234  
Biomolecular redundancy, 220  
Biomolecular switch, 222  
Biosensor  
    channel capacity, 219, 220  
    circuit models, 222, 229, 231  
    LDPC code, 232  
    noise, 221, 237  
    signal-to-noise ratio, 30, 217, 219, 220  
Biotin, 102, 103, 109  
Biotinylated DNA probes, 109  
BK-7 glass, 85, 87  
Blocking agent, 104, 108  
Blodgett Katherine, 4

- Blood, 13, 57, 62, 68, 75, 93, 145  
 Blue-shift, 91  
 Boolean logic, 160  
 Bovine leukemia virus (BLV), 65  
 Bovine serum albumin (BSA), 66  
 Brust method, 135  
 Bulk effect, 100
- C**
- Cadmium arachidate (CdS), 227  
 Cadmium lead (PdS), 227  
 Cadmium sulfide, 135, 155  
 Calibration curve, 91  
 Calixarenes, 52  
 Cantilever, 24–26, 29, 30, 33, 34, 39, 40, 111  
 Capping agent, 90  
 Carbohydrate group, in the Fc-domain of antibody, 102  
 Carbon nanotubes, 8, 9, 14, 110, 131, 132, 137–140, 143–145, 156, 195–213  
 Carbon nanotubes multi-walled, 9, 131, 132, 140, 143  
 Carbon nanotubes single-walled, 9, 110, 131  
 Carboxylated dextran, 109  
 CCD. *See* Charge coupled device  
 CdS, 135, 155  
 Cellulose, 102, 224  
 Ceramic, 53  
 Charge confinement, 8–9, 145  
 Charge coupled device (CCD), 152, 177, 178, 186  
 Charge quantization, 5, 8  
 Chemical deposition, 5, 8, 48, 49, 53, 131, 139, 197  
 Chemiluminescence, 59, 188, 189  
 Chip, 12, 15, 16, 64, 100, 102, 159, 160, 162, 169, 180, 181, 186, 189, 219, 231  
 chi-square fitting, 95  
 Cholestenone, 129  
 Cholesterol, 40, 112, 113, 128, 129, 132, 135, 140  
 Citrate, 90, 91  
 CLAMP-routine, 100  
 Clinical analyzer, 93  
 CMOS. *See* Complementary metal oxide semiconductor  
 Coagulation, 93  
 Co-detection, 234, 235, 237  
 Colloidal gold, 75, 83  
 Colloidal particles, 9, 10, 83, 162  
 Complementary metal oxide semiconductor (CMOS), 12, 177–181, 186, 188–191  
 Complementary ssDNA, binding of, 109  
 Complement, part of the innate immune system, 101  
 Conductivity, 8, 9, 65, 84, 139, 142, 143, 145, 153, 154, 156, 158, 159, 166  
 CONTIN, fitting method, 95  
 Control transconductance, 225, 229  
 Cooperativity (of binding), 94, 97  
 Covalent binding, 102, 109  
 C-reactive protein (CRP), 104  
 Cross linker, 50, 51, 57, 74–76  
 Cross-talk, 180, 221  
 CRP. *See* C-reactive protein  
 Cryogenic samples, use in AFM, 110  
 Crystal structure, 3, 8  
 Current, 1, 2, 8, 13, 25, 54, 128–131, 135, 137–139, 144, 158, 177, 179, 180, 182, 183, 185, 190, 223  
 Current peak, 144  
 CuS, 135  
 Cytochromes, 3, 67, 68, 128, 129, 131, 135, 136, 140
- D**
- Damping factor, imaginary part of the refractive index ( $k$ ), 84, 86  
 Dark count rate (DCR), 179, 184  
 DCR. *See* Dark count rate  
 de Feiter-equation, 88  
 Degrees of freedom, of a data set, 95  
 Denaturation, 104  
 DEP. *See* Dielectrophoresis  
 Desiccation, of samples, in AFM, 111  
 Detection constant, 225, 229  
 Detection error rate (DER), 218, 220, 221, 234–238  
 Detection limit, 60, 67, 72, 101, 106, 132, 222  
 Dextran, 38, 101, 102, 109  
 Diaminopropane linker, 104  
 Dielectric constant ( $\epsilon$ ), 84, 91  
 Dielectrophoresis (DEP), 11, 152, 155–158, 161, 163, 166, 167  
 Diffusion  
   coefficient, 130, 131  
   rate constant, 97–100  
 Digoxin, 93  
 Dimension, 8, 9, 25, 26, 53, 57, 58, 69, 76, 83, 114, 133, 136, 137, 144, 159  
 Dimethoxytrityl group, 109  
 Dissociation constant (KD), 94, 185  
 Dissociation rate, 97, 100, 101

- Disulfide-modified single-stranded DNA probes (DMT-S-S-ssDNA), 109
- DMT-S-S-ssDNA. *See* Disulfide-modified single-stranded DNA probes
- DNA, 3, 11, 12, 27, 28, 46, 48, 59, 75, 108–110, 112, 113, 160, 186, 187, 189, 217, 219, 220
- DNA detection, 11, 12, 186, 187
- Dopamine, 72, 143, 144
- E**
- Electrochemical current, 212
- Electrochemical detection, 11
- Electrochemical interface, 129
- Electrochemical potential, 130
- Electrochemistry, 128–130
- Electrokinetic anti-Brownian (ABEL), 163
- Electrokinetic forces, 154, 156–158, 166
- Electro-magnetic multipole oscillations, 91
- Electrons, 1, 5–11, 65, 84, 91, 129–131, 133–135, 137, 139, 140, 142, 145, 152, 153, 178, 182, 197, 208
- Electron transfer, 129–131, 135, 139, 140
- Electrophoresis, 11, 102, 151
- ELISA test, 12
- Ellipsometry, 86, 87
- Energy barrier, 1, 35, 36
- Energy scavenging, 12–14
- Entrapment, 102
- Enzyme, 5, 47, 66, 67, 76, 127–129, 135, 139, 140
- Epitope, 65, 104
- Equilibrium, 35, 93, 98, 99, 102, 105, 129, 130
- Erasable programmable read-only memory (EPROM), 12, 15
- Error-free, 14–16, 217–238
- Erythrocytes, 40, 68–70, 76
- Escherichia coli* (*E.coli*), 59–61, 156, 222, 224, 226, 227, 230–232, 234–236
- Ethylene-glycol, 7
- Evanescent field, 85
- Extinction coefficient ( $c$ ), 84
- Extinction cross-section ( $\sigma_{\text{ext}}$ ), 91
- Extraction of surface molecules, 38–39
- Extravidin, 109
- F**
- Fab-fragment, 103
- Factor-graph, 231–234, 238
- Faraday, M., 83
- Fault-tolerant, 14, 15
- Fc-receptor, 102
- FCS. *See* Fluorescence correlation spectroscopy
- FEC. *See* Forward error-correction
- Fendler, Jonas, 9
- Fermi energy, 1
- Fermi level, 1
- Fermi sea, 5
- Feynman, Richard, 1, 127
- Field emission, 137, 139
- Film
- Langmuir, 4
  - Langmuir-Blodgett, 4, 5, 103, 135, 164
  - Langmuir-Schaeffer, 4, 5, 135
  - layer, 7
  - layer-by-layer, 5, 47, 48
  - sol-gel, 65
- First order reaction, 98
- Fixed-electrode dielectrophoresis, 151
- FLIM. *See* Fluorescence lifetime imaging microscopy
- Fluorescence correlation spectroscopy (FCS), 179, 180
- Fluorescence lifetime imaging microscopy (FLIM), 179
- Foot and mouth disease viruses (FMDV), 64, 65
- Force clamp, 33–34
- Force distance curves, 26, 27, 39
- Force ramp, 33–34
- Forces on the molecular scale, 24
- Force spectroscopy, 3, 15, 23–41
- Force volume (FV) imaging, 26
- Förster resonance energy transfer (FRET), 179
- Forward error-correction (FEC), 14, 217
- Fourier transform, 95
- Fractional surface coverage ( $\theta$ ), 94, 97
- Free-waves, 134
- Fresnell coefficients, 115
- FRET. *See* Förster resonance energy transfer
- Fully-electronic, 11, 12, 16, 127
- G**
- Gaussian, 36, 95, 97, 204, 209, 210, 220, 234
- Gene mutation, 108
- Gibbs surface excess, 88
- Gluconic acid, 128–129
- Glucose, 11, 13, 14, 38, 70, 128, 129, 136, 140, 143, 144
- Glutamate, 128, 129
- Gold, 2, 5, 6, 9, 12, 60, 61, 65, 74, 75, 83, 86, 87, 89–93, 103, 104, 106–110, 131, 135, 136, 162, 163, 165, 166, 168, 169
- Gold colloid. *See* Colloidal gold

Gold film, 85, 87, 89, 222  
 Gold nanoparticles (AuNPs), 9, 61, 75, 91,  
 93, 104, 131, 132, 135, 136, 162,  
 163, 165, 166, 168, 169. *See also*  
 Colloidal gold  
 Goodness of fit, 89, 90  
 Gradient forces, 10, 11, 152  
 Graphene, 8, 9, 141–144, 194, 198, 199  
 Graphite, 2, 3, 8, 141, 143, 144  
 GroES, binding to GroEL, 113

## H

HAuCl<sub>4</sub>, 90  
 hCG. *See* Human chorionic gonadotropin  
 HEPES (=4-(2-hydroxyethyl)piperazine-  
 1-ethanesulfonic acid), 88  
 Hermann, Gaub, 3  
 Hertz model, 26  
 Heterogeneity (of binding), 94, 95, 97  
 Heterogeneous affinity constant ( $K_A'$ ), 94  
 High performance liquid chromatography  
 (HPLC), 72  
 High-speed atomic force microscopy, 25, 113  
 Histidine tag, 102  
 HIV, 62  
 Holes, 8, 9, 113, 153, 159, 182, 197  
 Homogeneous immunoassay, 93  
 Hormones, 70–73  
 Human chorionic gonadotropin (hCG), 93  
 Human rhinovirus (HRV), 63, 64  
 Hybridisation, 108–110, 113  
 Hydration, 89  
 Hydrogel, 93, 94  
 Hydrogen peroxide, 128, 129, 131, 132, 140  
 Hydrogen sulfide, 135  
 Hydrophilic gold, 104  
 Hydroxy-alkyl-substituted lipoamides, 109

## I

Immunoassay, 93, 219, 231, 236  
 Immunochromatography, 93  
 Immunoglobulin G (IgG), 88, 95, 96,  
 104–107, 110–113, 188  
 Immunoprobe, 101  
 Immunosensor, 5, 101, 222–224  
 Imprinting bulk, 51, 65  
 Imprinting covalent molecular, 51–53  
 Imprinting molecular, 47, 49–53, 57, 62, 64,  
 65, 68–70, 72–76  
 Imprinting non-covalent, 51–53  
 Imprinting surface, 51–52, 56, 57, 59, 61–63,  
 65–66, 68–69, 71, 76, 114

Incident angle ( $\theta$ ), 5–6, 84–86  
 Indentation, 26  
 Indium-tin-oxide (ITO), 152–153  
 Initiator, 74, 75, 104  
 Insulator, 8, 9, 135  
 Intercalation, 8, 104, 106, 114  
 Interference, 10, 46, 51, 90, 93, 101, 109,  
 114, 144, 152, 157, 180, 216  
 Ion sensitive field-effect transistor (ISFET),  
 186, 190  
 Isoform, 128, 140  
 Isotherm  
   Langmuir-Freundlich, 94  
   Sips, 94–95, 97, 102, 105  
 ITO. *See* Indium-tin-oxide

## J

Jones matrix, 86, 115

## K

Kinetics, 13, 35–36, 41, 93, 97–101,  
 195, 196  
 Kretschmann configuration, 7, 85

## L

Label, 93, 106, 107, 224, 234  
 Labeling, 46, 57, 108  
 Lactate, 128, 129, 132, 136, 140  
 Laminar flow, 188  
 Langmuir–Blodgett (LB) film, 4, 5, 103,  
 135, 164  
 Langmuir-Freundlich isotherm, 94  
 Langmuir Irvin, 3–4  
 Langmuir–Schaeffer (LS) film, 4–5, 135  
 Lateral-flow immunoassay, 231  
 Latex particles, 104, 106  
 LB-film. *See* Langmuir–Blodgett film  
 LEDs. *See* Light-emitting diodes  
 Ligand, 24, 26, 35–37, 41, 93–94,  
 99–101, 109  
 Light-emitting diodes, 153  
 Lipid, 112–113  
 Lipid bilayer, 102  
 Lipoate, 104, 110, 114  
 $\alpha$ -Lipoic acid, 104  
 Liposomes, 75, 104  
 Loading rate, 32, 35–37, 39  
 Localised surface plasmon resonance  
 (LSPR), 83  
 LS-film. *See* Langmuir–Schaeffer film  
 Lysozyme, 66–68, 88

**M**

Magnetic tweezers, 23, 29  
Mapping of surface molecules, 39–40  
Mass action, 97, 99  
Mass sensitive devices, 46, 47, 53, 59, 60, 65, 70, 73, 75, 76  
Mass transport, 93, 100, 101  
Maxwell, 84  
MCP. *See* Microchannel/Multichannel plate  
Mean free-paths, 9, 132, 139, 142, 145  
Mercaptohexanol, 109  
11-Mercaptoundecanoic acid, 109  
11-Mercaptoundecanol, 109  
Message-passing algorithms, 232, 234  
Metal, 5–10, 13, 14, 62, 83–85, 90, 91, 132, 135, 144–145, 155, 156, 161–164, 166, 169, 178, 186, 197, 199–202, 208, 209, 211–213  
Mica surface, 63, 110–111  
Micelle, 112. *See also* Liposomes; Vesicles  
Microarrays, 108, 236  
Microbalances crystal, 57  
Microchannel/Multichannel plate (MCP), 177–178  
Microchannel plate, 117  
Microfluidic, 7, 10, 101, 152, 162, 168, 187–190  
Mie equation, 92  
Mie theory, 91  
Molecular imprinted, 46  
Molecules, 3–5, 7, 8, 10–12, 23, 26–29, 34, 35, 37–40, 46, 48–52, 65, 67, 68, 74–76, 83, 84, 88, 93, 102, 104, 108, 110–114, 127–131, 135, 139, 140, 143, 144, 159, 162–165, 168, 169, 186–187, 217  
Monoclonal antibody, 7, 100  
Mono-dimensional, 8, 9, 36, 132, 134, 136–140, 166  
Monte-Carlo simulation, 32, 204, 205, 209, 210, 221  
Müller matrix, 86  
Multi-pathogen detection, 59, 65, 218, 219, 222, 230–232, 236–238  
Multi-walled carbon nanotubes (SWCNT), 132, 140, 143  
Myosin V, 113

**N**  
NaBH<sub>4</sub>, 90  
Nano-biosensors, 7, 218–221  
Nano-bio-VLSI, 217–238

Nano meter, 1, 3, 5, 6, 24, 47, 48, 52, 63, 76, 114, 127, 131, 134, 141, 144  
Nano-particles, 9–11, 14, 48, 61, 74, 75, 83, 90, 91, 93, 104, 108, 131, 132, 135, 136, 143–145, 151, 155–157, 161–166, 168–169, 204, 208, 213  
NanoPen technology, 11, 166–169  
Nano-photonics, 151–169  
Near-IR, 86, 87  
Nernst equation, 129  
Nernstian diffusion layer, 99  
Network on chip, 15  
Newton, 2  
Nitrocellulose, 102, 224  
N-methyl-aminoethanol linker, 104  
Non-contact mode, in AFM, 111, 113  
Non-specific binding, 63, 65, 95, 101, 107, 109, 110, 113  
Non-specific interactions, 93, 105  
Number density of particles (N), 91

**O**

Oligonucleotides, 28, 75, 102, 108–109, 113  
Optical tweezers, 10, 11, 27, 29, 152, 154, 162, 163, 166, 169  
Optoelectronic tweezers (OETs), 152–161, 163–169  
Opto-fluidics, 10, 151–169  
Orientation, effect of (in immunoassay), 102  
OR logic, 221, 226  
Otto configuration, 85  
Ovalbumin, 88  
Oxidases, 3, 128–129, 131, 136, 140, 143  
Oxidized form, 90, 128, 140  
Oxoglutarate, 129  
Oxynitride, 89–90

**P**

P450, 128, 129, 135, 140, 145  
Paracyclophanes, 52  
Pathogen detection, 59, 65, 218, 219, 222, 224–226, 229–232, 234–238  
PBS. *See* Phosphate buffered saline  
PbS, 135  
PCR. *See* Polymerase chain reaction  
Penetration depth (of a sensor), 104, 114  
Permeability (m), 84  
Phosphate buffered saline (PBS), 88, 158–159  
Photo-multiplier tube, 177–179  
Photomultiplier tubes (PMT), 177–179  
Physical adsorption, 5, 102

Pico meter, 2, 15  
 Pico Newton, 15  
 Plasmon, 155, 161, 166  
 Plasmonics, 155, 162, 166  
 Plasmon resonance, 5–8, 10, 11, 15, 46,  
 59, 83–117, 162  
 Platinum, 135, 143, 144  
 Point-of-care, 186  
 Point-of-care devices, 106  
 Polyaniline, 222–226, 231, 237  
 Polyclonal antibody, 95, 100, 104, 223, 224  
 Polymerase chain reaction (PCR), 46, 59,  
 62, 64, 108, 109, 217, 219, 220  
 Polymer matrix, use in immunoassay, 49–51,  
 76, 95  
 Polymers, 3, 5, 11, 24, 27, 28, 45–77, 95,  
 102, 104–110, 114, 155, 217, 223  
 Polyproteins, 30–34  
 Polysaccharides, 3, 37–38  
 Polystyrene, 102, 155–157  
 Poly[tris-(hydroxymethyl)methyl-acrylamide]  
 (pTHMMAA), 104–109  
 Polyurethane, 57–58, 61, 62, 64, 68–69, 71  
 Potentiometric detection, 186  
 Prostate specific antigen (PSA), 106  
 Protein, 3, 5, 7, 11, 12, 15, 23, 24, 26–41, 46,  
 48, 60, 65–68, 75, 76, 88, 89, 93,  
 101–104, 108, 109, 111, 128, 135,  
 139, 140, 143, 184, 237  
 Protein A, 102  
 Protein antibody, 7, 65, 102  
 Protein cytochrome, 3, 67–68, 128–129, 131,  
 135, 136, 139, 140  
 Protein data bank, 111  
 Protein enzyme, 5, 45–47, 62, 66, 67, 76,  
 127–129, 135, 139, 140, 143  
 Protein G, 102–103  
 Protein LA, 102  
 Protein LG, 102  
 Protein-ligand interactions, 35–37, 101  
 Protein oxidase, 3, 45, 128–129, 131, 136,  
 140, 143  
 Proteins  
 PSA. *See* Prostate specific antigen  
 pTHMMAA. *See* Poly[tris-(hydroxymethyl)  
 methyl-acrylamide]  
 Pyruvate, 129

**Q**  
 QCM. *See* Quartz crystal microbalance  
 Quality factor, 54  
 Quantitative imaging, 177  
 Quantum dot, 9, 131, 133–136, 141

Quantum well, 8, 9, 141–144  
 Quantum wire, 136–141  
 Quartz, 13, 46, 53–55, 57, 60, 65, 66, 68,  
 71, 72, 74, 75, 77  
 Quartz crystal microbalance (QCM), 46, 55,  
 57, 59–63, 66–67, 69–77, 89, 104  
 Quenching, 34, 179, 180

**R**

Raman, 162–165, 168, 169  
 Raman spectroscopy, 162–164, 169  
 Redox reaction, 13, 128–131, 139, 140  
 Reduced form, 140, 222  
 Reducing agent, 90–91  
 Reference surface, subtraction of, 100  
 Referencing, in immunosensing, 101  
 Reflectance (R), 69, 85, 86, 212  
 Refolding, 34  
 Refractive index (n), 6, 7, 84–90  
 Refractive index increment (dn/dc), 88, 104  
 Regeneration (in immunoassay), 99–101, 104  
 Reliability, 46, 86, 196, 217–220, 229, 235,  
 237, 238  
 Remote powering, 13  
 Repetition code, 230, 232, 234–237  
 Reproducibility, 57, 71, 73, 111, 199,  
 213, 217  
 Reversibility, 47, 49, 51, 52, 61, 71, 76, 77,  
 97, 101  
 Rhodium, 135  
 Rockchille salt, 53  
 Rorer Heinrich, 1  
 Ruthenium, 135

**S**

Sandwich assay, 104, 106, 107  
 Sauerbrey, 53–54, 61  
 SAW, 46, 55–56, 76  
 Scanning probe microscopy, 2–3  
 Scanning tunneling microscopy (STM), 1–3,  
 141, 204  
 Scattering, 83, 91, 152, 162, 196  
 Scattering matrix, 86  
 Schaeffer Vincent, 4  
 Schrödinger equation, 8, 133, 134, 137, 141  
 ss-DNA, 75, 109–110, 113  
 Second order reaction, 98  
 Seebeck effect, 13  
 Seed particles, 91  
 Self-assembled, 5, 65, 103–104, 109, 197  
 Self-assembled monolayer (SAM), 12, 46  
 Self-assembly, 5, 11, 27, 109, 114, 164

- Semiconducting, 8, 9, 13, 135, 141, 145, 155–156, 178–179, 189, 195, 197–205, 208–210, 212
- Sensitivity, 9, 14, 15, 24, 46, 47, 51, 58, 60–64, 66, 67, 74–77, 86–87, 93, 101, 104–108, 114, 128, 130–132, 135–136, 139–140, 143–145, 160, 161, 179, 180, 198, 219–220
- Sensitivity factor, 225, 229
- Sensor, 46, 55, 57, 60–65, 67, 69–77, 100, 108, 114, 128–132, 139, 164, 178, 180–181, 185–189
- Sephacryl, 102
- Sephadex, 102
- Sequencing DNA, 14, 28
- Serum, 45, 65, 66, 93, 104, 145
- Shannon theorem, 219
- Silanes, 5, 65, 102, 114
- Silanisation, 109
- Silicon, 5, 11, 12, 14, 16, 89, 111–113, 137, 152, 153, 155, 156, 158, 187, 190, 221–227
- Silicon decoders, 218, 228–234
- Silicon dioxide ( $\text{SiO}_2$ ), 90
- Silicon nitride ( $\text{Si}_3\text{N}_4$ ), 24, 90
- Silicon photomultipliers (SiPMs), 179
- Silver, 135
- Simulations, 6, 31, 32, 166, 167, 198, 199, 204–210, 221, 227, 234–238
- $\text{Si}_3\text{N}_4$ . *See* Silicon nitride
- Single nucleotide polymorphism (SNP), 186
- Single-photon avalanche diode (SPAD), 12, 177–186, 188–191
- Single-stranded DNA oligonucleotide probes (biotin-ssDNA), 109
- Single-walled carbon nanotubes (SWCNT), 110, 196–213
- $\text{SiO}_2$ . *See* Silicon dioxide
- SiPMs. *See* Silicon photomultipliers
- Sips isotherm, 94, 95, 97, 102, 105
- Site-directed immobilization, 103
- Size distribution, 90, 91
- SNARE complex, 37
- Sol-gel matrices, 102
- SPAD. *See* Single-photon avalanche diode
- Specific activity (of antibody), 103
- Spectrometric ellipsometry, 86–87
- SPR. *See* Surface plasmon resonance
- SPREETA™ sensor, 108
- Staphylococcus aureus*, 60
- Steady-states, 9, 99, 129, 133–135, 137, 141, 226
- Steric hindrance, 102, 109
- Stimuli-responsive polymer brushes, 114
- STM. *See* Scanning tunneling microscopy
- Streptavidin, 102–103, 109, 114
- Stretching, 23, 24, 29, 31–33, 35, 37–38
- Stretching DNA, 3, 27–28
- Sum-product decoding, 232–233
- Surface density (G), 70, 88, 100, 103, 109, 113
- Surface-enhanced Raman spectroscopy (SERS), 162, 164–169
- Surface imprinting, 51–52, 56, 57, 59, 61–63, 65–66, 68–69, 71, 76, 114
- Surface plasmon, 161
- Surface plasmon resonance (SPR), 6, 7, 15, 46, 59, 83–117
- Surface recognition, 49–53
- Surface roughness, 87
- T**
- Tapping mode, in AFM, 111–112
- Technology node, 12, 14, 16
- TE mode, 89
- Theophiline, 93
- Thermal conductivity, 139
- Thermal polymerisation, 104
- Thin film, 4–5, 12, 47–48, 65, 84, 88–90, 102
- Thiol-modified single-stranded DNA probes (SH-ssDNA), 109–110
- Thiols, 3, 5, 74, 90, 131
- Three-dimensional, 24, 28
- Time-of-flight
- Titin, 30, 34–35
- TM mode, 89
- Tobacco mosaic virus (TMV), 46, 62–64
- Topography, in AFM, 24–26, 39–40, 110
- Trace pathogen detection, 235, 237, 238
- Transmission electron microscopy (TEM), 91
- Transmittance (T), 84–86
- Tunneling barrier, 1, 134–135
- Tunneling distance
- Tunneling effect, 1, 141, 185
- Tweezers, 10, 11, 16, 23, 27, 29, 152–154, 162–163, 166, 167, 169
- U**
- Unbinding, 26, 35–37, 40
- Unfolding, 28–35, 38
- Unfolding proteins, 34
- Unzipping, 27–28
- USB, 15
- UV/VIS spectra, 91

**V**

Vesicles, 37

## Virus

foot and mouth disease viruses, 45, 64

hepatitis C, 62

HIV, 62

human rhinovirus, 45, 63

tobacco mosaic, 46, 62

VLSI, 11, 12, 15–16, 217–238

Voltage sensitive dye (VSD), 179

**W**

Waveforms, 134, 136

Wavelengths, 5, 8–9, 55, 83–89, 91, 93, 133,  
135–137, 141, 145, 153–154, 161, 184,  
196, 211, 212

Wave-matching, 84

Worm-like chain model, 31

**X**

X-ray crystallography, 90, 111

**Y**

Yeast cells, 40, 57–59, 156