

Subject Index

- Adsorption chromatography, urinary oxalate separation 11–12
- Alanine:glyoxylate aminotransferase deficiency 65–9, 83, 166–7, 178
- Allopurinol, enteric hyperoxaluria (EHO) 115
- Alumina, oxalate adsorbent 11
- Aluminium hydroxide, enteric hyperoxaluria (EHO) 114
- Amniotic fluid, oxalate levels 99
- Apoptryptophanase assay, pyridoxal phosphate 180
- Ascorbate assay interference 1–2, 17–20, 33–4, 36–8, 39, 41–2 hyperoxaluria 104 oxalogenesis 1–2, 17–20, 45
- Bile salts, oxalate intestinal permeability 108–9
- Bioluminescent multi-enzyme assay system, plasma oxalate 49
- Bone, oxalosis 94
- Boric acid, ascorbate interference suppression 19
- Calcium absorption inhibition, hydrochlorothiazide 73 urinary crystalluria 141, 146–9 envelope crystal aggregation 145–6, 149–50 oxalate crystalluria role 146–9 oxalate level correlation 143–4
- Calcium measurements, urinary oxalate analysis 13
- Calcium oxalate, amorphous form, urinary pH 155, 156, 158–9
- Calcium oxalate crystallisation amorphous phosphate association 159–60 inhibitors 160–3, 169
- Calcium oxalate crystalluria 131–66 calculi formation 141–2 “eroded” envelopes 139–41 microscopic appearances 132, 134 Tamm–Horsfall mucoprotein, effect 133 urinary calcium concentration role 141, 146–9 urinary oxalate 141–2 urinary pH effects 155–8 urinary pH rise 156 urine osmolality 150, 151
- Calcium phosphate, amorphous oxalate coprecipitation 133, 160 oxalate crystals association 159–60
- Calcium phosphate crystalluria microscopic appearances 132–3 Tamm–Horsfall mucoprotein, effect 133 urinary pH 151, 152–3 urine osmolality 150–3
- Calculi calcium oxalate crystalluria 141–2 oxalate/phosphate coprecipitation 133, 160
- Children, primary hyperoxaluria 83–101
- Cholestyramine, enteric hyperoxaluria (EHO) 114
- Chromotropic acid, urinary oxalate assay 33–4
- Circadian variations, plasma oxalate 55–61
- Citrate calcium salts urinary solution 162–3 enteric hyperoxaluria (EHO) 115
- Colorimetry peroxidase-mediated, hydrogen peroxide measurement 50 plasma oxalate assay 46–7, 50
- Coulter counter, crystalluria measurements 136–7
- Crohn's disease 109
- Crystallisation, induction 134–5 evaporation 135, 141
- Crystalluria calcium oxalate 131–66

- Crystalluria (*contd*)**
- calcium phosphate 132–3
 - crystal chemical analysis 137–8
 - crystal sizes 139
 - hydroxyapatite 132
 - investigation 134–5
 - microscopy 142–5
 - octocalcium phosphate 132
 - oxalate crystals
 - absolute quantities 136–7
 - relative amounts 136
 - pH effects 153–60
 - quantitative measurements 136–7
 - recent studies 139
 - urinary pH effects 155–60
 - urine composition change effects 141
 - urine osmolality 150–3
 - see also* Dumb-bell and Envelope oxalate crystals
- D-glycerate dehydrogenase deficiency** 65, 69
- Dialysis**
- childhood primary hyperoxaluria 97–8
 - and oxalate overproduction 170–2
 - oxalosis 170–2
- Dietary oxalate**
- enteric hyperoxaluria (EHO) 150–6
 - hyperabsorption
 - EHO 106–10
 - oxalate bacterial degradation 109
 - permeability theory 108–9
 - solubility theory 106–7
 - Divalent cations, enteric hyperoxaluria (EHO) 114
 - Dumb-bell oxalate crystals
 - hyperoxaluria 143, 145
 - urine calcium/oxalate ratio 145
- EDTA**
- ascorbate interference suppression 19
 - calcium oxalate crystal determination 137
- Enteric hyperoxaluria (EHO)** 65, 69–70, 72, 103–19
- aluminium hydroxide 114
 - antibiotics 114
 - childhood 92
 - cholestyramine 114
 - dietary oxalate 105–6
 - dietary treatment 113–14
 - divalent cations 114
 - drug therapy 114–15
 - glyoxylate theory 105
 - low fat diet 113–14
 - low oxalate diet 113
 - oxalate absorption site 109–10
 - pathogenesis 105–10
 - renal complications 110–11
 - surgery 115
 - transmucosal oxalate transport 110
 - treatment 112–15
 - urinary oxalate origin 105–6
- Envelope oxalate crystals**
- aggregation 145–6, 149
 - metabolic hyperoxaluria 146
 - eroded 139–41
 - microscopy 142–5
 - urinary calcium concentration 146–9
- Enzyme electrodes, oxalate-specific** 17
- Epilepsy, pyridoxine deficiency/dependency** 127
- Ethylene glycol, oxalate hepatic synthesis** 103
- Fatty acids, oxalate intestinal permeability** 108–9
- Ferric chloride, ascorbate interference suppression** 19
- Fetus, liver biopsy, hyperoxaluria** 99
- Fluorimetry, plasma oxalate assay** 47
- Gas chromatography, oxalate assay**
- plasma 47
 - urinary 13
- Gastrointestinal disease, childhood, oxalate excretion** 92
- Glomerular filtration rate (GFR)**
- and oxalosis 76–7
 - systemic oxalosis 170
- Glutamine:glyoxalate aminotransferase** 69
- infantile oxalosis 87
- Glycine**
- oxalogenesis 1–2
 - post-prostatectomy, hyperoxaluria 104
- Glycollate**
- chemistry 7–9
 - molecular structure 7, 8
 - urinary assay 20–3
 - chemical techniques 20
 - childhood 92
 - enzymatic techniques 21–2
 - isotope dilution procedures 20
 - physical techniques 21
- Glycollate/oxalate ratio, childhood hyperoxaluria** 92
- Glycolide formation** 9
- Haemodialysis, oxalosis** 76, 78, 170–2
- Hepatorenal transplantation** 79, 174
- primary hyperoxaluria 78–9
 - see also* Renal transplantation; Liver transplantation
- Homocystinuria, mental retardation, pyridoxine** 127
- HPLC (high performance liquid chromatography)**
- plasma oxalate assay 47
 - pyridoxine metabolism studies 179, 180
 - urinary oxalate analysis 14
 - vitamin B6 plasma assay 180–3
- Hydrochlorothiazide**
- calcium absorption inhibition 73
 - oxalate excretion effects 72–3

- Hydrogen peroxide measurement, peroxidase-mediated colorimetry 50
- Hydroxyapatite, crystalluria 132
- Hypercalciuria, idiopathic 124
- Hyperoxaluria 2
dumb-bell oxalate crystals 143, 145
mild, calcium oxalate stones 27–43
origin, and urinary glycollate 22–3
vitamin B6 deficiency 177–8
see also Primary hyperoxaluria; *and other types*
- Hyperparathyroidism, primary, with MMH 122, 124
- Ileostomy, enteric hyperoxaluria (EHO) 115
- Ion exchange chromatography, urinary oxalate separation 11–12, 13–14
- Isotachophoresis, urinary oxalate analysis 14
- L-glycine aciduria 83, 168
- Lithotripsy 168–9
childhood primary hyperoxaluria 97
renal damage induction 169
- Liver biopsy, foetal, hyperoxaluria 99
- Liver transplantation, primary hyperoxaluria 78, 79, 99, 174
see also Hepatorenal transplantation
- Magnesium, calcium oxalate stones
recurrence prevention 161–2
treatment 161–2
- Medullary sponge kidney, with MMH 124
- Mental retardation, homocystinuria, pyridoxine deficiency/dependency 127
- Metabolic hyperoxaluria
aggregated envelope crystals 146
vitamin B6 metabolism 177–92
vitamin B6 plasma levels 190–1
- Metabolic hyperoxaluria, mild (MMH) 121–30, 178
aetiology 127–8
associated conditions 122, 124
characteristics 121
clinical aspects 122, 123
early cases 121–2
pyridoxine response 122, 124–7, 129, 178
single dose 184, 185
- Methoxyfluorane, hyperoxaluria 104
- MMH *see* Metabolic hyperoxaluria, mild (MMH)
- Nephrocalcinosis, hyperoxaluria
childhood 89
primary 83
- Nephrolithiasis *see* Renal calculi
- Nephrolithotomy, percutaneous 168
- Nephron reabsorption, urinary oxalate 60
- Octocalcium phosphate, crystalluria 132
- Oestodystrophy, uraemic 94
- Osmolality, urine
calcium oxalate crystalluria 150, 151
calcium phosphate crystalluria 150–3
- Oxalate
bacterial degradation 109
chemistry 7–9
intestinal absorption 1, 109–10
metabolism, secondary hyperoxaluria 103–5
molecular structure 7, 8
nephron reabsorption 60
plant role 1
production *see* Oxalogenesis
properties 171
- Oxalate/creatinine clearance ratio 58–60
- Oxalate/creatinine ratio
childhood 91
plasma 3, 4–5
renal failure 53–5
primary hyperoxaluria 53, 55
- Oxalate crystalluria, urinary calcium concentration role 146–9
- Oxalate decarboxylase
oxalate degradation 14–17
plasma oxalate assay 48–50
- Oxalate oxidase
advantages 16
immobilised, continuous flow procedure 38, 40
oxalate degradation 14–17
plasma oxalate assay 48–50
sources 17
urinary oxalate continuous flow assay 137–8
- Oxalate, urinary analysis
ascorbate interference suppression 19–20
automated 16, 38
calcium measurements 13
chromotropic acid 33–4
colorimetric methods 12–13
enzymatic techniques 14–17
fluorimetric methods 12–13
gas chromatography 13
HPLC procedures 14
ion chromatography 11–12, 13–14
isotachophoresis 14
normal range 20
oxidation-titrimetric methods 12
procedures 10, 12–17
reduction to glyoxylate 12–13, 146
Sigma kit 17, 29, 32–4, 36, 38, 39, 41, 42
stripping 30
calcium level correlation 143–4
childhood hyperoxaluria 91–2
normal children 89–91
steatorrhoea 106
see also Hyperoxaluria; Plasma oxalate
- Oxalobacter formigenes*, oxalate degradation 72, 109

- Oxalogenesis
 ascorbate 1–2, 17–20, 45
 endogenous 1–2
 glycine 1–2
- Oxalosis
 associated disorders 66
 dialysis 170–2
 quality of life 170–1
 GFR 76–7
 infantile 87
 renal 111
 renal failure 53, 73, 74
 renal transplantation 172–4
 systemic 83, 170
 childhood 94
 primary hyperoxaluria 71–2
- 2-Oxoglutarate: glyoxylate carboligase, glyoxylate decarboxylation 68
- Peritoneal dialysis, oxalosis 170–2
- Peroxisomal diseases 68–9
- pH
 crystalluria effects 153–60
 microscopic 153
 urinary
 calcium oxalate crystalluria effects 155–8
 calcium phosphate precipitation 151, 152–3
 high levels, calcium oxalate crystalluria 155–6
- Pigmentary retinopathy 87, 90
- Plasma oxalate assay 45–64
 chemical techniques 46–7
 circadian variations 55–61
 colorimetric 46–7, 50
 dietary effects 56–9
 enzymatic techniques 48–50
 fluorimetric 47
in vitro 46–51
 normal levels, range 45, 48, 52, 54
 oxalate/plasma separation 46
 physical techniques 47
 radioisotopic, *in vivo* 50–1
 renal failure 52–5
- St. Peter's Hospitals (London) 51–3
 variations 45, 48
see also Oxalate, urinary
- Plasma oxalate/creatinine ratio 3, 5
 renal failure 3, 5, 53–5
- Plasma oxalate dialysance 171
- Precipitants, oxalate 11
- Precipitation/potassium permanganate titration, urinary oxalase assay 38, 40
- Primary hyperoxaluria 65–81
 antenatal diagnosis 99
 biochemistry 66–70
 childhood 83–101
 age and sex 85
 biochemical features 89–93
 clinical features 84–9
 dialysis 97–8
- glycollate/oxalate ratio 92
 lithotripsy 97
 presentation 85–7, 88, 89
 pyridoxine 95–7, 128
 investigation and evaluation 70
 treatment 73
 type II 69, 83, 168
 type III 67–70
- Pyridoxal 178
 plasma levels, pyridoxine dose effects 188–9
- Pyridoxal phosphate
 apotryptophanase assay 180
 HPLC assay 182
 plasma
 diurnal rhythm 183–4
 primary hyperoxaluria 190
 pyridoxine dose effects 189–90
 reference values 185
- Pyridoxamine 178
- Pyridoxic acid 178
 assay 183
 plasma levels, pyridoxine dose effects 189
 urinary
 assay 180
 and pyridoxine loading 191
- Pyridoxine
 calculi formation decrease 129
 childhood type I hyperoxaluria 95–7
 deficiency, associated conditions 127
 HPLC procedures 179, 180
 hyperoxaluria therapy 66–72, 95–7, 124–7, 168, 169
 metabolism 2
 study methods 179–83
 MMH therapy 122, 124–7
 single dose effects 184, 185
 new metabolites 186, 187
 physiology 183
 plasma, half-life 188
 resistance 125–6
 supplementation
 plasma vitamer levels 188–90
 plasma vitamin B6 profiles 186–7
- Quality assessment scheme, oxalate assay
 accuracy 35–6
 assay frequency 29, 31
 between-laboratory imprecision 33–5, 41
 data selection 32
 need 27–8
 organisation 24–32
 participants 28–9
 preparation/distribution of material 29–32
 procedure specificity assessment 35–6, 37
 results 32–8
 technique range 29
 urinary oxalate analysis 27–43
 workload figures 29, 30
- Radioenzymatic isotope-dilution assay, plasma oxalate 49

- Radioisotopic assays, *in vivo*, plasma oxalate 50–1
- Renal calculi
childhood hyperoxaluria 89
oxalate, EHO 110–11
recurrent, primary hyperoxaluria 83
- Renal failure
early onset 87
oxalate retention 72
oxalosis 53, 73, 74
plasma oxalate/creatinine ratio 3–5, 53–5
plasma oxalate assay 52–5
primary hyperoxaluria 166–76
diagnosis 92–3
- Renal function, childhood hyperoxaluria 93
- Renal hyperoxaluria 3, 5, 6
- Renal insufficiency, progressive, primary hyperoxaluria 83
- Renal transplantation 2
childhood oxalosis 94
childhood primary hyperoxaluria 98–9
graft oxalate deposition 172
oxalosis 172–4
primary hyperoxaluria 76–8
results 173–4
see also Hepatorenal transplantation
- Renal tubular acidosis (RTA), MMH link 124
- Retinopathy, pigmentary 87, 90
- St. Peter's Hospitals (London), plasma oxalate assay 51–3
- Secondary hyperoxaluria 2, 103–19, 168
causes 103–5
oxalate metabolism 103–5
- Sideroblastic anaemia, pyridoxine deficiency/dependency 127
- Silica gel, oxalate adsorbent 11
- Sodium nitrite, ascorbate interference suppression 19
- Staghorn calculi 169
- Steatorrhoea
screening, oxalate loading test 111–12
urinary oxalate 106
- Tamm-Horsfall mucoprotein 133
- Tri-*n*-butyl phosphate, urinary oxalate separation 11
- Uraemia
osteodystrophy 94
primary hyperoxaluria 3–5, 75–6
- Urinary constituents, oxalate separation 10–12
precipitation 10–11
solvent extraction 11
- Urinary evaporation 135, 141
- Vitamin B6
deficiency, hyperoxaluria 177–8
HPLC procedures 180–3
calibration 181
precision 182
plasma
assay 180–3
normal profile 186
pyridoxine supplementation effects 186–7
standards separation 180–1
structure/function 177, 178
vitamers, chemical recovery 181–2
see also Pyridoxal; Pyridoxal phosphate; Pyridoxamine; Pyridoxic acid; Pyridoxine
- Xylitol, hyperoxaluria 104
- Zellweger syndrome 68–9
- Zeta potential 132