

References

1. Reynolds, T.S.: *Stronger Than a Hundred Men: A History of the Vertical Water Wheel. Studies in the History of Technology*. Johns Hopkins University Press, Baltimore (1983)
2. Denny, M.: The efficiency of overshot and undershot waterwheels. *Eur. J. Phys.* **25**, 193–202 (2004)
3. Layton Jr., E.T.: James B Francis and the rise of scientific technology. In: Pursell, C.W. (ed.) *Technology in America: A History of Individuals and Ideas*, pp. 92–104. The MIT Press, Cambridge (1990). ISBN 0-262-66067-9
4. Bindon, F.J.L.: Cwm Dyli hydro station. *Power Eng. J.* **4**, 265–269 (1990)
5. McNeil, I.: *An Encyclopaedia of the History of Technology*. Routledge, New York (1990)
6. Annual energy review 2009, US Energy Information Administration, Pittsburgh, PA, US (2010)
7. Roberts, B.: Capturing grid power. *IEEE Power Energy Mag.* **7**(July/August), 32–41 (2009)
8. Beaudin, M., Zareipour, H., Schellenberglobe, A., Rosehart, W.: Energy storage for mitigating the variability of renewable electricity sources: an updated review. *Energy Sustain. Dev.* **14**, 302–314 (2010)
9. Seoni, R.M., Shadeed, E.N., Simpson, R.J., Warnock, J.G.: Review of trends of large hydroelectric generating equipment. *Proc. IEE* **123**(10), 1138–1162 (1976)
10. Hiwassee Dam Unit: Hiwassee Dam Unit 2 Reversible Pump Turbine (1956), The American Society of Mechanical Engineers, New York (1981)
11. European Small Hydropower Association: *Guide on How to Develop a Small Hydropower Plant*, Brussels (2004)
12. Power Engineering Society IEEE: *IEEE Standard 1020-1988: Guide for Control of Small Hydroelectric Power Plants IEEE*. IEEE, New York (1988)
13. Briand, M.H., Ng, K.: Kinetic energy recovery turbine technology: resource assessment and site development strategy. In: *World Energy Conference*, Montreal, Canada, 2010
14. Khan, M.J., Bhuyan, G., Iqbal, M.T., Quaicoe, J.E.: Hydrokinetic energy conversion systems and assessment of horizontal and vertical axis turbines for river and tidal applications: a technology status review. *Appl. Energy* **86**, 1823–1835 (2009)
15. Lago, L.I., Ponta, F.L., Chen, L.: Advances and trends in hydrokinetic turbine systems. *Energy Sustain. Dev.* **14**, 287–296 (2010)
16. Güney, M.S., Kaygusuz, K.: Hydrokinetic energy conversion systems: a technology status review. *Renew. Sustain. Energy Rev.* **14**, 2996–3004 (2010)
17. The British Hydropower Association: *A Guide to UK Mini-Hydro Developments*, Gussage St Michael, UK (2005)
18. Jones, D.I.: Dynamic parameters for the national grid. *Proc. IEE Gener. Transm. Distrib.* **152**(1), 53–60 (2005)

19. Kundur, P.: *Power System Stability and Control* New York. Mc Graw Hill, New York (1994)
20. Erinmez, I.A., Bickers, D.O., Wood, G.F., Hung, W.W.: NGC experience with frequency control in England and Wales – Provision of frequency response by generators. In: *IEEE PES 1999 Winter Meeting*, vol. 1, pp. 590–593, New York (1998)
21. Vuorinen, A.: Controlling frequency and power balance. *Wärtsilä Tech. J.*, January 10–13 (2009)
22. Koessler, R.J., Feltes, J.W., Willis, J.R.: A methodology for management of spinning reserve requirements. In: *IEEE Winter Power Meeting*, pp. 584–589, New York (1999)
23. Fasol, K.H.: A short history of hydropower control. *IEEE Control Syst. Mag.* **22**, 68–76 (2002)
24. Bissell, C.C.: *A History of Automatic Control*. Springer Handbook of Automation. Springer, London (2009)
25. Leum, M.: The development and field experience of a transistor electric governor for hydro turbines. *IEEE Trans. Power Appar. Syst.* **85**, 393–400 (1966)
26. See reference [25]
27. Wylie, E.B., Streeter, V.L.: *Fluid Transients*. Advanced Book Program. McGraw Hill, New York (1978)
28. IEEE Working group on prime mover energy supply: Hydraulic turbine and turbine control model for system dynamic studies. *IEEE Trans. Power Syst.* **7**, 167–179 (1992)
29. Kishor, N., Saini, R.P., Singh, S.P.: A review on hydropower plant models and control. *Renew. Sustain. Energy Rev.* **11**, 776–796 (2007)
30. Thorne, D.H., Hill, E.F.: Extensions of stability boundaries of a hydraulic turbine generating unit. *IEEE Trans. Power Appar. Syst.* **PAS-94**, 1401–1409 (1975)
31. Dhaliwal, N.S., Wichert, H.E.: Analysis of P.I.D. governors in multimachine system. *IEEE Trans. Power Appar. Syst.* **PAS-97**, 456–463 (1978)
32. Hagihara, S.: Stability of a hydraulic turbine generating unit controlled by P.I.D governor. *IEEE Trans. Power Appar. Syst.* **98**, 2294–2298 (1979)
33. Mansoor, S.P.: Behaviour and operation of pumped storage hydro plants. Ph.D. thesis, Bangor University, Bangor (2000)
34. Ore Lind, G., Wozniak, L., Medanic, J., Whitmore, T.: Optimal PID gain schedule for hydrogenerators – design and application. *IEEE Trans. Energy Convers.* **4**, 300–307 (1989)
35. Ye, L., Wei, S., Xu, H., Malik, O.P., Hope, G.S.: Variable structure and time-varying parameter control for hydroelectric generating unit. *IEEE Trans. Energy Convers.* **4**, 293–299 (1989)
36. Mansoor, S.P., Jones, D.I., King, D.J., Bradley, D.A., Aris, F.C., Jones, G.R.: Investigation into a new governor scheme for the Dinorwig pumped-storage plant. In: *Proceedings of the International Conference in Hydropower and Dams*, pp. 29–38, Kiris, Turkey (2002)
37. Lansberry, J.E., Wozniak, L.: Adaptive hydrogenerator governor tuning with a genetic algorithm. *IEEE Trans. Energy Convers.* **9**, 179–183 (1994)
38. Eker, I., Tumay, M.: Robust multivariable-cascade governors for hydroturbine controls. *Electr. Eng.* **84**, 229–237 (2002)
39. Hannett, L.N., Feltes, J.W., Fardanesh, B., Crean, W.: Modeling and control tuning of a hydro station with units sharing a common penstock section. *IEEE Trans. Power Syst.* **14**, 1407–1414 (1999)
40. Mansoor, S.P., Jones, D.I., Bradley, D.A., Aris, F.C., Jones, G.R.: Reproducing oscillatory behaviour of a hydroelectric power station by computer simulation. *Control Eng. Pract.* **8**, 1261–1272 (2000)
41. Jones, D.I.: Multivariable control analysis of a hydraulic turbine. *Trans. Inst. Meas. Control* **2**(3), 122–136 (1999)
42. Gomez-Exposito, A., Conejo, A.J., Canizares, C.: *Electric Energy Systems: Analysis and Operation*. CRC Press/Taylor & Francis/LLC, Boca Raton (2009)
43. Power Engineering Society IEEE: *IEEE Standard 125-2007: Recommended Practice for Preparation of Equipment Specifications for Speed-Governing of Hydraulic Turbines Intended to Drive Electric Generators*. IEEE, New York (2007)

44. Power Engineering Society IEEE: IEEE Standard 1010-2006: Guide for Control of Hydroelectric Power Plants. IEEE, New York (2006)
45. Power Engineering Society IEEE: IEEE Standard 1147-2005: Guide for the Rehabilitation of Hydroelectric Power Plants. IEEE, New York (2005)
46. Power Engineering Society IEEE: IEEE Standard 1207-2004: Guide for the Application of Turbine Governing Systems for Hydroelectric Generating Units. IEEE, New York (2004)
47. Power Engineering Society IEEE: IEEE Standard 1248-1998: Guide for the Commissioning of Electrical Systems in Hydroelectric Power Plants. IEEE, New York (1998)
48. Power Engineering Society IEEE: IEEE Standard 1249-1996: Guide for Computer-Based Control for Hydroelectric Power Plant Automation. IEEE, New York (1996)
49. Douglas, J.F., Matthews, R.D.: Solving Problems in Fluid Mechanics, vol. 1, 3rd edn. Addison Wesley, Harlow (1996)
50. Undrill, J., Woodward, J.: Calculation for determining temporary droop. IEEE Trans. Power Appar. Syst. **PAS-86**, 443–451 (1966)
51. Central Electricity Generating Board: Report on Studies for Hydraulic System. Merz & McLellan, Newcastle, U.K. (1975)
52. Woodward, J.L.: Hydraulic-turbine transfer function for use in governing studies. Proc. IEE **115**, 424–426 (1968)
53. Thorne, D.H., Hill, E.F.: Field testing and simulation of hydraulic turbine governing performance. IEEE Trans. Power Appar. Syst. **PAS-93**, 1183–1191 (1974)
54. Smith, J.R.: Assessment of hydro-turbine models for power-systems studies. IEE Proc. Part C **130**, 1–6 (1983)
55. Kvaerner Boving Ltd: Commissioning report for unit #1 replacement governors, 55 Montgomery Way, Radcliffe, Manchester, M26 3TG, UK (1995)
56. Schleif, F.R., Wilbor, A.B.: The coordination of hydraulic turbine governors for power system operation. IEEE Trans. Power Appar. Syst. **PAS-85**, 750–756 (1966)
57. IEEE Committee Report: Dynamic models for hydro turbines in power system studies. IEEE Trans. Power Appar. Syst. **Pas-92**(6), 1904–1915 (1973)
58. Vournas, C., Zaharakis, A.: Hydro turbine transfer functions with hydraulic coupling. IEEE Trans. Energy Convers. **8**, 527–532 (1993)
59. Ramey, D.G., Skooglund, J.W.: Detailed hydro-governor representation for system stability studies. IEEE Trans. Power Appar. Syst. **PAS-89**, 106–112 (1970)
60. Warnick, C.C.: Hydropower Engineering. Prentice-Hall, Englewood Cliffs (1984)
61. Wozniak, L., Fett, G.H.: Conduit representation in closed loop simulation of hydraulic systems. ASME Publ. **71**, 1–5 (1971)
62. Hannett, L.N., Feltes, J.W., Fardanesh, B.: Field tests to validate hydro turbine-governor model structure and parameters. IEEE Trans. Power Syst. **9**, 1744–1751 (1994)
63. Munoz-Hernandez, G.A.: Application of model based predictive control to a pumped storage hydroelectric plant. Ph.D. thesis, Bangor University, Bangor (2005)
64. Hannett, L.N.: Field tests to validate hydro turbine-governor model structure and parameters. IEEE Trans. Power Syst. **9**, 1744–1750 (1994)
65. Dutton, K., Thompson, S., Barraclough, B.: The Art of Control Engineering. Addison-Wesley, Menlo Park (1998)
66. Sanathanan, C.K.: Accurate low order model for hydraulic turbine – penstock. IEEE Trans. Energy Convers. **EC-2**, 196–200 (1987)
67. Goodson, R.E.: Distributed system simulation using infinite product expansions. Simulation **15**, 255–263 (1970)
68. Azoury, P., Baasiri, M., Najm, H.: Effects of valve-closure schedule on water hammer. J. Hydraul. Eng. **112**(10), 890–903 (1986)
69. Paynter, H.M.: Methods and results from M.I.T studies in unsteady flow. BSCE J. **39**, 224–227 (1952)
70. Kung, C.S., Yang, X.L.: Energy interpretation of hydraulic transients in power plant with surge tank. J. Hydraul. Res. **31**, 825–839 (1993)

71. Vournas, C.D., Papaioannou, G.: Modelling and stability of a hydro plant with two surge tanks. *IEEE Trans. Energy Convers.* **10**, 368–375 (1994)
72. Parmakian, J.: *Water Hammer Analysis*. Dover Publication, New York (1963)
73. Sabersky, R.H., Acosta, A.J.: *Fluid Flow*. The Macmillan Company, New York (1975)
74. First Hydro Company: FHC Report D21: Head Loss Calculation for Dinorwig System, Llamberis (1995)
75. Nicolet, C., Avellan, F., Allenbach, P., Sapin, A., Simond, J.J.: New tool for the simulation of transient phenomena in Francis turbine power plants. In: *Hydraulic Machinery and Systems 21st IAHR Symposium, Lausanne* (2002)
76. Nicolet, C., Greiveldinger, B., Herou, J.J., Kawkabani, B., Allenbach, P., Simond, J.J., Avellan, F.: High-order modeling of hydraulic power plant in islanded power network. *IEEE Trans. Power Syst.* **22**(4), 1870–1880 (2007)
77. Larock, B.E., Jeppson, R.W., Watters, G.Z.: *Hydraulics of Pipeline Systems*. CRC Press, Boca Raton (1999)
78. de Mello, F.P., Concordia, C.: Concepts of synchronous machine stability as affected by excitation control. *IEEE Trans. Power Appar. Syst.* **88**, 316–329 (1969)
79. Concordia, C.: Load representation in power system stability studies. *IEEE Trans. Power Appar. Syst.* **PAS-101**, 969–977 (1982)
80. Berg, G.L.: Power system load representation. *Proc. IEE* **120**, 344–348 (1973)
81. IEEE Task Force: Load representation for dynamic performance analysis. *IEEE Trans. Power Syst.* **8**, 472–481 (1993)
82. Delfino, B., Denegri, G.B., Bonini, E.C., Marconato, R., Scarpellini, P.: Black-start and restoration of a part of the Italian HV network: modelling and simulation of a field test. *IEEE Trans. Power Syst.* **11**, 1371–1379 (1996)
83. Basanez, L., Riera, J., Ayza, J.: Modelling and simulation of multiarea power system load-frequency control. *Math. Comput. Simul.* **26**, 54–62 (1984)
84. Elgerd, O.L., Fosha, C.H.: Optimum megawatt-frequency control of multiarea electric energy systems. *IEEE Trans. Power Appar. Syst.* **PAS-89**, 556–563 (1970)
85. Inoue, T., Taniguchi, H., Ikeguchi, Y., Yoshida, K.: Estimation of power system inertia constant and capacity of spinning-reserve support generators using measured frequency transients. *IEEE Trans. Power Syst.* **12**, 136–143 (1997)
86. Wright, R.M.: Understanding modern governor control. *IEEE Trans. Energy Convers.* **4**, 453–458 (1989)
87. Astrom, K.J., Hagglund, T.: *PID Controllers: Theory, Design and Tuning*, 2nd edn. ISA, Research Triangle Park (1995)
88. Franklin, G.F., Powell, J.D., Workman, M.L.: *Digital Control of Dynamic Systems*, 3rd edn. Addison-Wesley, Reading (2006)
89. ABB: *Instruction Manual: ABB Turbine Governor HPC640 PC Diagram*. ABB Generation, Sweden (1995)
90. Astrom, K.J., Wittenmark, B.: *Adaptive Control*. Addison-Wesley, Reading (1989)
91. Wellstead, P.E., Zarrop, M.B.: *Self-Tuning Systems*. Wiley, New York (1991)
92. Solartron Instruments: *1253 Gain-phase analyser operating manual*. Schlumberger Technologies, Houston, TX, USA (1987)
93. *Analogue Devices: Instruction Manual: Analogue Devices Voltage-to-Frequency Converter AD537*. Analogue Devices, Norwood (2000)
94. *MathWorks: Using Matlab, Version 6*. MathWorks, Natick (2000)
95. Undrill, J.M., Strauss, W.: Influence of hydro plant design on regulating and reserve response capacity. *IEEE Trans. Power Appar. Syst.* **PAS-93**, 1192–1200 (1974)
96. Franklin, G.F., Powell, J.D.: *Feedback Control of Dynamic Systems*, 3rd edn. Prentice Hall, Upper Saddle River (2009)
97. Jones, D.I., Mansoor, S.P., Aris, F.C., Jones, G.R., Bradley, D.A., King, D.J.: A standard method for specifying the response of hydroelectric plant in frequency-control mode. *Electr. Power Syst. Res.* **68**, 19–32 (2004)

98. Munoz-Hernandez, G.A., Jones, D.I.: Applying generalized predictive control to a pumped-storage hydroelectric power station. In: IASTED MIC, pp. 380–385, Grindelwald, Switzerland, 2004
99. Munoz-Hernandez, G.A., Jones, D.I.: MIMO generalized predictive control for a hydroelectric power station. *IEEE Trans. Energy Convers.* **21**(4), 921–929 (2006)
100. Alpigini, J., Piovoso, M.J.: Visual tuning of controllers. *IET Comput. Control Eng.* **15**(3), 34–39 (2004)
101. Mansoor, S.P., Jones, D.I., Bradley, D.A., Aris, C., Jones, G.: Modelling of a pumped storage hydro power station for stability studies. Proceedings of 3rd International Conference “Hydropower into the Next Century”, Gmunden, Austria, 535–544 (1999)
102. Mansoor, S.P.: Modelling of a multiple pump-storage units connected to a power system. In: Conference Proceeding PREP’99, Manchester, pp. 412–415 (1999)
103. Boldy, A.P.: Dinorwig Power Station Parametric Study, HydroSim Consultants, Wellesbourne, UK (1998)
104. Mansoor, S.P., Jones, D.I., Bradley, D.A., Aris, F.C.: Stability of a pumped storage hydropower station connected to a power system. In: IEEE Power Engineering Society Winter Meeting, New York, pp. 646–650 (1999)
105. Throckmorton, P.J., Wozniak, L.: A generic DSP-based real-time simulator with application to hydro-generator speed controller development. *IEEE Trans. Energy Convers.* **9**, 238–242 (1993)
106. Mansoor, S.P., Bradley, D.A., Aris, C., Jones, G.: The development of a hardware-in-the-loop simulation of a pump storage hydro power station. In: Proceedings of Mechatronics ’98, Skövde, pp. 633–638, Pergamon, Elsevier Science Ltd. Oxford (1998)
107. Mansoor, S.P., Jones, D.I., Bradley, D.A., Aris, F.C., Jones, G.R.: Hardware-in-the-loop simulation of a pumped storage hydro station. *Int. J. Power Energy Syst.* **23**(2), 127–133 (2003)
108. Fang, H., Shen, Z.: Dynamic real-time simulator for hydraulic turbine generating unit based on programmable computer controller. In: Proceedings of 30th Conference IEEE Industrial Electronics Society, pp. 1502–1507, Busan (2004)
109. Li, X., Wu, C., Hu, X.: Full scope real-time simulation of hydropower plant for a training and research simulator. In: IEEE/PES Transmission and Distribution Conference & Exhibition, Dalian, China (2005)
110. Sharma, J.D., Kumar, A., Singhal, M.K.: Real time digital simulator for small hydropower plant. In: International Conference on Small Hydropower, Kandy, Sri Lanka (2007)
111. Stankovic, J.A.: Real-time computing. *Byte* **17**, 155–159 (1992)
112. Cooling, J.: *Software Engineering for Real-Time Systems*. Addison-Wesley, Essex (2003)
113. Peckol, J.K.: *Embedded Systems: A Contemporary Design Tool*. Wiley, Hoboken (2008)
114. dSPACE: *dSPACE User’s Guide*. dSPACE GmbH. dSPACE, Paderborn (1996)
115. Astrom, K.J., Murray, R.M.: *Feedback Systems*. Princeton University Press, Princeton (2008)
116. Ogata, K.: *Modern Control Engineering*, 5th edn. Prentice Hall, Upper Saddle River (2009)
117. Hovey, L.M., Bateman, L.A.: Speed-regulation tests on a hydro station supplying an isolated load. *AIEE Trans.* **62**, 364–371 (1962)
118. Hovey, L.M.: Optimum adjustment of hydro governors on Manitoba hydro. *AIEE Trans.* **81**, 585 (1962)
119. Van Ness, J.E.: Root loci of load frequency control systems. *IEEE Trans. Power Appar. Syst.* **S82**, 712–724 (1963)
120. Graham, D., Lathrop, R.C.: The synthesis of optimum responses: criteria and standard forms. *Trans. Am. Inst. Electr. Eng.* **72**, 273–288 (1953)
121. Mason, S.J.: Feedback theory: some properties of signal flow graphs. *Proc. IRE* **41**, 1144–1156 (1953)
122. Power Engineering Society IEEE: IEEE Standard 122-1991: Recommended Practice for Functional and Performance Characteristics of Control Systems for Steam Turbine-Generator Units. IEEE, New York (1992)
123. Rossiter, J.A.: *Model-Based Predictive Control*. CRC Press, Boca Raton (2003)

124. Peng, Y., Vrancic, D., Hanus, R.: Anti-windup, bumpless, and conditioned transfer techniques for PID controllers. *IEEE Control Syst. Mag.* **16**, 48–57 (1996)
125. Bohn, C., Atherton, D.P.: An analysis package comparing PID anti-windup strategies. *IEEE Control Syst. Mag.* **15**, 34–40 (1995)
126. Goodwin, G.C., Graebe, S.F., Salgado, M.E.: *Control System Design*. Prentice Hall, Upper Saddle River (2001)
127. Jones, D.I., Mansoor, S.P.: Predictive feedforward control for a hydroelectric plant. *IEEE Trans. Control Syst. Technol.* **12**, 956–965 (2004)
128. Anderson, P.M., Mirheydar, M.: A low-order frequency response model. *IEEE Trans. Power Syst.* **5**(3), 720–729 (1990)
129. Ljung, L.: *System Identification: Theory for the User*, 2nd edn. Prentice Hall, Upper Saddle River (1999)
130. Ljung, L.: *Systems Identification Toolbox v5. User's Guide*. MathWorks, Natick (2000)
131. Jones, D.I.: Estimation of power system parameters. *IEEE Trans. Power Syst.* **19**(4), 1980–1989 (2004)
132. Prasad, G., Irwin, G.W., Swidenbank, E., Hogg, B.W.: A hierarchical physical model-based approach to predictive control of a thermal power plant for efficient plant-wide disturbance rejection. *Trans. Inst. Meas. Control* **24**(2), 107–128 (2002)
133. Rossiter, J.A., Neal, P.W., Yao, L.: Applying predictive control to a fossil-fired power station. *Trans. Inst. Meas. Control* **3**, 177–194 (2002)
134. Sansevero, G., Pascoli Botura, C.: Model predictive control algorithm for Francis hydro turbo-generators. In: *Waterpower XIII*, Buffalo, NY (USA) (2003)
135. Munoz-Hernandez, G.A., Jones, D.I.: Simulation studies of a GPC controller for a hydroelectric plant. *Trans. Inst. Meas. Control* **29**(1), 35–51 (2007)
136. Camacho, E.F., Bordons, C.: *Model Predictive Control*, 2nd edn. Springer, London (2004)
137. Maciejowski, J.: *Predictive Control with Constraints*. Prentice Hall, Essex (2001)
138. Richalet, J., Rault, A., Testud, J.L., Papon, J.: Model predictive heuristic control: applications to industrial processes. *Automatica* **14**, 413–428 (1978)
139. Peterka, V.: Predictor-based self-tuning control. *Automatica* **20**, 39–50 (1984)
140. De Keyser, R.M.C., Van de Velde, G.A., Dumortier, F.A.G.: A comparative study of self-adaptive long-range control methods. *Automatica* **24**, 149–163 (1988)
141. Clarke, D.W., Mohtadi, C., Tuffs, P.S.: Generalized predictive control (Part I: The basic algorithm). *Automatica* **23**, 137–148 (1987)
142. Ramond, G., Dumur, D., Libaux, A., Boucher, P.: Direct adaptive predictive control of an hydro-electric plant. In: *IEEE International Conference on Control Applications*, pp. 606–611, Mexico (2001)
143. Clarke, D.W., Mohtadi, C., Tuffs, P.S.: Generalized predictive control (Part II: Extensions and interpretations). *Automatica* **23**, 149–160 (1987)
144. Richalet, J.: Industrial applications of model based predictive control. *Automatica* **29**, 1251–1274 (1993)
145. Clarke, D.W.: Application of generalized predictive control to industrial processes. *IEEE Control Syst. Mag.* **8**, 49–55 (1988)
146. Lu, S., Hogg, B.W.: Predictive co-ordinated control for power-plant steam pressure and power output. *Control Eng. Prac.* **5**, 79–84 (1997)
147. Bordons, C., Camacho, E.F.: A generalized predictive controller for a wide class of industrial processes. *IEEE Trans. Control Syst. Technol.* **6**, 372–387 (1998)
148. Chow, C., Kuznetsov, A., Clarke, D.W.: Application of multivariable generalised predictive control to the simulink model of a paper machine. *Control Appl.* **3**, 1675–1691 (1994)
149. Clarke, D.W. (ed.): *Advances in Model-Based Predictive Control*, pp. 3–21, Oxford Science, Midsomer Norton (1994)
150. Tsang, T.T.C., Clarke, D.W.: Generalised predictive control with input constraints. *IEE Proc. Part D* **135**, 451–460 (1988)
151. Rossiter, J.A., Kouvaritakis, B.: Constrained stable generalised predictive control. *IEE Proc. Part D* **140**, 243–254 (1993)

152. Banerjee, P., Shah, S.L.: Tuning guidelines for robust generalized predictive control. In: Conference on Decision and Control, pp. 3233–3234, Tucson, AZ (USA) (1992)
153. Bemporad, A., Morari, M.H.: Control of systems integrating logic, dynamics, and constraints. *Automatica* **35**, 407–427 (1999)
154. Bemporad, A., Torrisi, F.D., Morari, M.: Performance analysis of piecewise linear systems and model predictive control systems. In: Conference on Decision and Control, pp. 4957–4962, Sydney (2000)
155. Witsenhausen, H.S.: A class of hybrid-state continuous-time dynamic systems. *IEEE Trans. Autom. Control* **11**, 161–167 (1966)
156. Branicky, M.S., Borkar, V.S., Mitter, S.K.: A unified framework for hybrid control: model and optimal control theory. *IEEE Trans. Autom. Control* **43**, 31–45 (1998)
157. Gollu, A., Varaiya, P.: Hybrid dynamical systems. In: 28th Conference on Decision and Control, pp. 2708–2712. Omni Press, Tampa (1989)
158. Cavalier, T.M., Pardalos, P.M., Soyster, A.L.: Modelling and integer programming techniques applied to propositional calculus. *Comput. Oper. Res.* **17**, 561–570 (1990)
159. Williams, H.P.: Logic applied to integer programming and integer programming applied to logic. *Eur. J. Oper. Res.* **81**, 605–616 (1995)
160. Tyler, M.L., Morari, M.: Propositional logic in control and monitoring problems. *Automatica* **35**, 565–582 (1999)
161. Munoz-Hernandez, G.A., Jones, D.I., Fuentes-Goiz, S.I.: Modelling and simulation of a hydroelectric power station using MLD. In: Proceedings of the 15th International Conference on Electronics, Communications and Computers (CONIELECOMP), Cholula, Pue, Mexico, 2005
162. Munoz-Hernandez, G.A., Jones, D.I., Mansoor, S.P.: Evaluation of a MLD predictive control in a nonlinear model of a power station. In: IASTED Modelling and Simulation, pp. 422–427, Cancun, Acta Press (2005)
163. Munoz-Hernandez, G.A., Gracios-Marin, C.A., Diaz-Sanchez, A., Mansoor, S.P., Jones, D.I.: Implementing a mixed logical dynamical model of a hydroelectric power station in a FPGA system. In: 2nd International Conference on Electronic Design (ICED), pp. 136–140, Veracruz (2006)
164. Lu, Q.: SDM hybrid control approach for nonlinear systems and application to power systems. In: IEEE International Conference on Power Control, pp. 19–23, China (2002)
165. Thomas, J.J., Dumur, D., Buisson, D., Falinower, C.: Moving horizon state estimation of hybrid systems. Application to fault detection of sensors of a steam generator. In: Conference on Control Applications, pp. 1375–1380 (2003)
166. Mansoor, S.P., Munoz-Hernandez, G.A.: Development of gain scheduling scheme for pumped storage plant. In: IASTED International Conference on Intelligent Systems and Control, pp. 13–18, Honolulu (2006)
167. Ulieru, M.: Approaching intelligent control systems design. In: IEEE International Conference on Intelligent Systems for the 21st Century, pp. 563–568 (1995)
168. Lu, N., Chow, J.H., Desrochers, A.A.: Pumped-Storage hydro-turbine bidding strategies in a competitive electricity market. *IEEE Trans. Power Syst.* **19**, 834–841 (2004)
169. Pereira, M.V.F., McCoy, M.F., Merrill, H.M.: Managing risk in the new power business. *IEEE Comput. Appl. Power* **13**, 18–24 (2000)
170. Song, Y., Johns, A.T.: Applications of fuzzy logic in power systems. *Power Eng. J.* **13**, 97–103 (1999)
171. King, D.J., Bradley, D.A., Mansoor, S.P., Jones, D.I., Aris, F.C., Jones, G.R.: Using a fuzzy inference system to control a pumped storage hydro plant. *IEEE Intl. Fuzzy Syst.* **3**, 1008–1011 (2001)
172. Gallestey, E., Stothert, A., Antoine, M., Morton, S.: Model predictive control and the optimization of power plant load while considering lifetime consumption. *IEEE Trans. Power Syst.* **186–191**, 17 (2002)

173. Chang, G.W., Aganagic, M., Waight, J.G., Medina, J., Burton, T., Reeves, S., Christoforidis, M.: Experiences with mixed integer linear programming based approaches on short-term hydro scheduling. *IEEE Trans. Power Syst.* **16**(4), 743–749 (2001)
174. Qin, S.J., Badgwell, T.A.: A survey of industrial model predictive control technology. *Control Eng. Pract.* **11**, 733–764 (2003)
175. Bemporad, A., Morari, M., Dua, V., Pistikopoulos, E.: The explicit linear quadratic regulator for constrained systems. *Automatica* **38**(1), 3–20 (2002)
176. Bemporad, A., Borrelli, F., Morari, M.: Model predictive control based on linear programming—the explicit solution. *IEEE Trans. Autom. Control* **47**(12), 1974–1985 (2002)
177. Baotic, M., Christophersen, F.J., Morari, M.: Constrained optimal control of hybrid systems with a linear performance index. *IEEE Trans. Autom. Control* **51**(12), 1903–1919 (2006)
178. Zeilinger, M.N., Jones, C.N., Morari, M.: Real-time suboptimal model predictive control using a combination of explicit MPC and online optimization. *IEEE Trans. Autom. Control* **56**(7), pp. 1524–1534 (2011)
179. Bleris, L.G., Kothare, M.V., Garcia, J., Arnold, M.G.: Embedded model predictive control for system-on-a-chip applications. In: 7th International Symposium on Dynamics and Control of Process Systems, Boston, July 2004
180. Ling, K.V., Yue, S.P., Maciejowski, J.M.: A FPGA implementation of model predictive control (I). In: American Control Conference, p. Paper WeC15.4, Minneapolis (2006)
181. Bleris, L.G., Vouzis, P.D., Arnold, M.G., Kothare, M.V.: A co-processor FPGA platform for the implementation of real-time model predictive control. In: American Control Conference, p. Paper WeC15.1, Minneapolis (2006)
182. Lin-Shi, X., Morel, F., Llor, A.M., Allard, B., Retif, J.M.: Implementation of hybrid control for motor drives. *IEEE Trans. Ind. Electron.* **54**(4), 1946–1952 (2007)
183. Naouar, M.W., Naassani, A.A., Monmasson, E., Slama-Belkhdja, I.: FPGA-based predictive current controller for synchronous machine speed drive. *IEEE Trans. Power Electron.* **23**(4), 2115–2126 (2008)
184. Vouzis, P.D., Bleris, L.G., Arnold, M.G., Kothare, M.V.: A system-on-a-chip implementation for embedded real-time model predictive control. *IEEE Trans. Control Syst. Technol.* **17**(5), 1006–1017 (2009)
185. Shoukry, Y., El-Kharashi, M.V., Hammad, S.: MPC-on-chip: an embedded GPC coprocessor for automotive active suspension systems. *IEEE Embed. Syst. Lett.* **2**(2), 31–34 (2010)
186. International Energy Outlook 2010. U.S. Energy Information Administration, Washington, DC (2010)
187. The UK Renewable Energy Strategy. The Stationery Office, London (2009)
188. MacKay, D.J.C.: *Sustainable Energy – Without the Hot Air*. UIT Cambridge, Cambridge (2009)
189. Jevons, W.S.: *The Coal Question: An Enquiry Concerning the Progress of the Nation and the Probable Exhaustion of Our Coal Mines*, 2nd edn. Macmillan, London (1866)
190. Tuohy, A., O’Malley, M.J.: Impact of pumped storage on power systems with increasing wind penetration. In: IEEE Power & Energy Society General Meeting, Calgary (2009)
191. Soder, L., Hofmann, L., Orths, A., Holtinen, H., Wan, Y.H., Tuohy, A.: Experience from wind integration in some high penetration areas. *IEEE Trans. Energy Convers.* **22**(1), 4–12 (2007)
192. Taulan, J.P., Laurier, P., Bourrilhon, M., Bornard, L.: Pump-turbine integration in renewable energy systems. In: *Waterpower XVI*, Spokane (2009)
193. Schoppe, C.: *Wind and Pumped-Hydro Power Storage: Determining Optimal Commitment Policies with Knowledge Gradient Non-Parametric Estimation*. Princeton University, Princeton (2010)
194. Bakos, G.C.: Feasibility study of a hybrid wind/hydro power-system for low-cost electricity production. *Appl. Energy* **72**, 599–608 (2002)
195. Cheng, E.: Economic viability of a wind-powered hydroelectric system. *J. Wind. Eng. Ind. Aerodyn.* **74–76**, 411–418 (1998)
196. Mitteregger, A.: Austrian pumped storage power stations supply peak demands. *World Pumps*, 16–21 May (2008)

197. Koutnik, J., Foust, J., Nicolet, C., Saiju, R., Kawkabani, B.: Pump-storage integration with renewables – meeting the needs using various concepts. In: Hydrovision International, Charlotte, 2010
198. Kuwabara, T., Shibuya, A., Furuta, H., Kita, E., Mitsuhashi, K.: Design and dynamic response characteristics of 400MW adjustable speed pumped storage unit for Ohkawachi power station. *IEEE Trans. Energy Convers.* **11**(2), 376–384 (1996)
199. Ansel, A., Robyns, B.: Modelling and simulation of an autonomous variable speed micro hydropower station. *Math. Comput. Simul.* **71**, 320–332 (2006)
200. Breban, S., Ansel, A., Nasser, M., Robyns, B., Radulescu, M.M.: Experimental results on a variable-speed small hydro power station feeding isolated loads or connected to power grid. In: *IEEE International Aegean Conference on Electrical Machines and Power Electronics*, pp. 760–765, Bodrum, Turkey (2007)
201. Fairley, P.: Flywheels keep the grid in tune. *IEEE Spectr.* **48**, 14–16 (2011)
202. Yamuna Rani, K., Unbehauens, H.: Study of predictive controller tuning methods. *Automatica* **33**(12), 2243–2248 (1997)
203. Garcia, C.E., Prett, D.M., Morari, M.: Model predictive control: theory and practice a survey. *Automatica* **25**(3), 335–348 (1989)
204. Shridhar, R., Cooper, D.J.: A tuning strategy for unconstrained SISO model predictive control. *Ind. Eng. Chem. Res.* **36**, 729–746 (1997)
205. Shridhar, R., Cooper, D.J.: A novel tuning strategy for multivariable model predictive control. *ISA Trans.* **36**(4), 273–280 (1998)
206. Wibowo, T.C.S., Saad, N., Karsiti, M.N.: A heuristic approach for tuning model predictive controller. *Elektrika* **11**(1), 8–14 (2009)
207. Di Cairano, S., Bemporad, A.: Model predictive control tuning by controller matching. *IEEE Trans. Autom. Control* **55**(1), 185–190 (2010)

Index

A

Anti-windup, 176, 178–179, 222, 234, 284
Auto Regressive Moving Average with
eXogenous (ARMAX) model, 98, 187,
189, 192, 193, 229–230

B

Black-start operation, 162
Bode, 62, 100–102, 177

C

Common tunnel, 43, 56–59, 66, 68, 75, 119,
128, 170
Constrained GPC, 200, 249
Controller Auto-Regressive Moving-Average,
202
Cross-coupling, 33, 134, 211, 212, 221, 223,
226, 235, 241, 244–246, 249

D

Damped poles, 201
Damping ratio, 86, 167, 169
Deadband response, 151, 153
Dead time, 201, 205
Digital governors, 31
Droop, 33, 90, 91, 95–97, 100, 123, 130, 145,
150–152, 161, 170, 173, 175, 179,
181–183, 190, 251

E

Effort of control weighting factor, 208
Elastic model, 109, 110, 133, 134, 137, 211,
224–231

Electrical coupling, 77, 84, 85, 122, 126
Electrical power, 78, 79, 93, 119, 136, 157,
182, 183, 185, 190, 194, 195, 208–210
Electromagnetic torque, 78

F

Feed forward, 97, 227, 229
Francis turbine, 6–8, 45
Frequency control loop, 35, 95, 174, 176, 177
Future reference trajectory-tracking factor, 208

G

Gain margin, 173, 175
Generalized predictive control, 197, 199, 200
Generator loading, 83–84
Grid dynamics, 187, 189
Grid frequency, 108, 152, 181, 183, 185, 186,
189, 190, 193, 264
Guide vane, 32–35, 43, 46–50, 52–60, 63, 90,
93, 95, 97, 103, 104, 106, 107, 117,
120–123, 126, 128, 129, 131, 132, 134,
136, 145, 146, 149, 152, 155, 158, 162,
171, 172, 175, 183–185, 196, 221, 241,
243, 250

H

Hardware-in-the-loop simulation, 119
Head loss coefficients, 67–68
Hierarchical control, 251–254
High-level control rules, 251–255, 259
Horizon of control, 206, 209, 210, 212, 248,
285
Horizon of prediction, 197, 200, 201, 206, 209,
248, 285

Hybrid systems, 240, 251, 252
 Hydraulic head, 31, 45, 228, 234, 237, 241, 243
 Hydraulic transients, 63
 Hydropower standards, 39

I

Impulse turbine, 7, 44–45
 Inelastic water column, 33, 51, 55, 58, 125
 Integer programming, 240
 Integration algorithm, 146
 Isolated operation, 146

K

Kaplan turbine, 6–7, 46

L

Load damping, 89–91, 120, 123, 162, 173
 Load imbalance, 185
 Load modelling, 80–83

M

Manifold, 67
 Mechanical angular velocity, 79
 Mechanical power, 47, 51, 58, 59, 78, 120, 184, 185, 221
 Mechanical shaft, 78
 Mechanical starting time, 80, 162
 Method of Characteristics (MoC), 70, 73–75, 129, 153
 Mixed logical dynamical (MLD), 239–259
 Monic polynomial matrices, 202

N

Nonlinear models, 239
 Non-minimum phase behaviour, 112, 128

P

Parametric model, 187
 Penstock, 43, 50–58, 61–65, 67, 68, 93, 119–127, 133, 162, 171, 172, 241
 Phase margin, 94, 101, 102, 173
 Pipe wall elasticity, 43, 50
 PLCs. *See* Programmable logic controllers (PLCs)

Power control loop, 34, 96, 176, 177
 Power system stability, 81
 Prediction model, 199, 205, 206, 211, 239, 247, 248, 285
 Predictive controller, 197–238, 239–259
 Primary response, 108, 110, 112, 113, 116, 131, 177, 220, 221, 226, 228, 229, 233, 249
 Programmable logic controllers (PLCs), 93, 95–97, 115, 140, 144, 145, 148, 156
 Proportional-integral-derivative (PID) controllers, 93–97

Q

Quadratic cost function, 201, 209

R

Ramp response specification, 110
 Rate limits, 204, 228–229, 237
 Reaction turbine, 7, 8, 45
 Real-time systems, 141, 142
 Receding horizon, 197
 Reynolds number, 68
 Root locus method, 161, 166
 Routh–Hurwitz stability criterion, 163–166
 Routh's method, 163

S

Sensitivity analysis, 234
 Shaft speed, 78
 Shaft torque, 78
 Stability analysis, 88
 Stability conditions, 29, 170
 Stability limits, 85, 161, 167
 Static load model, 82
 Step response specification, 108
 Strength of coupling, 85
 Surge tank, 51, 52, 54, 63–67, 119, 121, 125
 Swing equation, 78
 Synchronising coefficient, 85, 126

T

Torque angle, 78, 79, 85
 Transient response, 31, 50, 94, 104, 163, 166, 169
 Tuning guidelines, 170, 197
 Turbine models, 56

W

Water column, 43, 47, 50, 51, 53–62, 68, 74,
121, 125, 128, 146, 150, 171, 211, 221,
233

Water elasticity, 54

Water hammer, 51, 53, 56, 74, 119, 121,
125

Water starting time, 32–33, 52, 55, 58, 62, 66,
75, 111, 120, 194, 195, 211, 241, 243

Wave travel time, 33, 54, 62

Z

Z-transform, 123