
Index

A

Abductor pollicis longus (APL), 227

Acute DRUJ instability

aetiology, 382

anatomy

ECU, 380

fibrocartilaginous lip, 379–380

IOM, 380

pronator quadratus, 380

TFCC, 380–381

ulnar styloid, 380, 381

vascular supply, 381

biomechanics, 381–382

imaging

arthroscopy, TFCC, 384–385

CT scan, volar subluxation, 384

MRI, TFCC tear, 384

plain radiographs, 383

physical examination, 383

presentation, 382–383

treatment options

TFCC repair, 385–386

ulnar styloid fracture repair, 386–387

Acute pain

adjuvants

gabapentin and pregabalin, 447

ketamine, 447

to chronic pain, progression, 438–439

diagnosis, 442

local anaesthetic blockade

intra-articular joint injection, 448

IVRA, 448

local infiltration, 447–448

peripheral nerve blocks, 448

plexus blocks, 448

non opioid analgesics

COX-2 inhibitors, 444

NSAIDs, 443–444

opioid analgesics

intravenous routes, 446–447

oral administration, 445–446

pharmacology, 444–445

side effects, 445

patient information and education, 442

pharmacotherapy, 442

ultrasound visualisation, 448–449

Acute scaphoid fracture

anatomy, 250

assessment of union, 253–254

clinical examination

inspection, 251

movement, 251

palpation, 251

tests, 251

description, 249

diagnosis, 250

history, 251

imaging, 251–252

mechanism, 249–250

non-operative management, 252–253

operative management, 254

outcome, 256

proximal pole fractures, 254–255, 257

soft tissue injuries, 257

surgical techniques, 255–256

vascularity/displacement, 257

Advanced Trauma Life Support (ATLS), 90, 393

Amputation

avulsed hand, 96–98

complex upper limb trauma, 395, 397

distal phalanx, 171, 173

of fingertip, 168–169

Anaesthesia/analgesia. *See also* Analgesia

distal phalanx, 169

management, 90

Analgesia

non opioid, 450, 453

COX-2 inhibitors, 444

NSAIDs, 443–444

opioid, 450, 453

intravenous administration, 446–447

oral, 445–446

oral administration, 445–446

pharmacology, 444–445

side effects, 445

pre-emptive and preventive, 439–440

- 'Anatomic' plates, 279
 - Aneurysms, 15
 - Angiography, 12
 - Angular stability
 - advantages, 279
 - non-locking plates, 278
 - palmar surface, 273
 - volar plate, 271
 - Arterial system
 - anatomical variations, 3–4
 - axillary artery, 2
 - brachial, 2
 - deep palmar arch, 3
 - digital, 3
 - hand and wrist, 3
 - interosseous, 2
 - radial, 2
 - superficial palmar arch, 3
 - thumb, 3
 - ulnar, 2
 - upper limbs, 1
 - Arthritis
 - septic, 423–424
 - tuberculous, 431
 - Articular fractures
 - extra, 270–272
 - intra, 272–274
 - Associated injuries
 - interventional approach, 261
 - wrist fractures
 - arthroscopic study, 277
 - median nerve dysfunction, 278
 - radiographic clues, 277
 - scapholunate (SL) ligament tears, 277–278
 - Avascular necrosis, 238, 239, 244
 - Avulsion
 - bony, 182
 - head metacarpal fractures, 223–224
 - metacarpophalangeal joint fractures
 - base of proximal phalanx, 212
 - description, 211
 - fixation, dorsal approach, 213, 214
 - flexion, 212
 - metacarpal head, 212–213
 - non-union, 211
 - palmar approach, 212, 213
 - palmar plate, 211
 - nail (*see* Nail avulsions)
 - of nail, 165
 - volar rim fractures, 280
- B**
- Bands of Fontana, 31
 - Bennett's fracture, 229, 233
 - Bilateral lateral VY flaps
 - advantages, 137
 - indications, 136
 - limitations, 137
 - outcomes, 137
 - technique and refinements, 136
 - Biopsychosocial model, 440
 - Bite injuries
 - animal bites, 427
 - human bites
 - bacterial species, 426
 - fight bites, 425–426
 - infective complications, 426
 - vaccination or anti-viral treatment, 426–427
 - Blood disorders, 19
 - Blood vessels
 - arterial system, 1–4
 - compartment syndrome, 10–13
 - conditions, acute occlusive, 12–19
 - injuries
 - blood disorders, 19
 - causes, 7–8
 - connective tissue, 18–19
 - renal insufficiency, 19
 - sepsis, 19
 - vasospastic (*see* Vasospastic injuries)
 - lymphatic, 4–5
 - physiology, 5
 - trauma
 - blunt, 8–9
 - management, 7
 - penetration, 7–8
 - surgical treatment, 9–10
 - vascular, 7
 - vascular disorders, 1
 - venous, 4
 - Blunt trauma, 8–9
 - Bone loss
 - bone forearm, creation, 403–404
 - in fracture, 273
 - metacarpal fractures, 231–232
 - Boutonnière injury
 - Carducci's, Elson's and Boyes' tests, 78
 - description, 77
 - middle phalanx, 188
 - PIP joint, 77–78, 179–180
 - shape, 78
 - treatment, 78
 - 'Boxer's fracture, 224
 - Boye's test, 70, 74, 75, 78
 - Bursal infections, 421
- C**
- Cancer reconstruction
 - adjuvant therapy, 96
 - MDT, 95
 - radiotherapy, 95–96
 - Capitate fractures
 - imaging, 245
 - incidence, 245
 - mechanism, 245
 - treatment, 245–246

Capsular injuries

MCPJ of thumb

- clinical features and diagnosis, 338
- complications, 339
- epidemiology, 337–338
- outcome and lit review, 338–339
- surgical treatment, 338
- treatment options, 338

PIPJ

- classification, 328
- clinical features and diagnosis, 328
- complications, 330–335
- epidemiology and pathomechanics, 327–328
- outcomes, 335
- type III injuries, 329, 331, 332
- type II injuries, 328–330
- type I injuries, 328, 329
- type IV injuries, 329–330, 333–335

Carducci's test, 70, 73, 74, 78

Carpal fracture/dislocation

aetiology

- intrinsic and extrinsic components, 368
- prevalence, 368
- radio-scapholunate ligament, 368–369
- reverse perilunate instability, 368
- stages of lunate instability, 368

arthroscopy, 371–372

characteristics, 237

classification

- of carpal dislocations, 372
- CID, CIND and CIC, 373
- dorsal subluxation, 373
- static and dynamic instability, 373
- total radiocarpal dislocation, 372, 373
- transradial perilunar dislocation, 372, 373
- ulnar translocation, 373

CT and MRI scans, 370–371

description, 237

perilunar dislocation, 369

scapholunate gap, 370, 371

scapholunate interosseous ligament, 369–371

surgical techniques and rehabilitation

- closed reduction, 374
- immobilizing wrist, 373–374
- isolated lunotriquetral dissociation, 377
- isolated scapholunate dissociation, 376–377
- open reduction and repair technique, 374–376

transcaphoid perilunar dislocation, 369

Carpal instability complex (CIC), 373

Carpal instability dissociative (CID), 373

Carpal instability non-dissociative (CIND), 373

Carpometacarpal joint (CMCJ)

of fingers

- bony architecture, 357–358
- clinical features and diagnosis, 358–360
- complications, 360
- dorsal dislocations, 358–360
- epidemiology, 358
- extrinsic joint support, 358
- joint capsule, 358

outcome and lit review, 359–360

pathology, 358

surgical treatment, 359

treatment options, 359

fracture-dislocations

- articular incongruity, 229
- base fractures, 227
- CT scan, 222
- intra-articular base fractures, 229
- metacarpal shaft fractures, 228
- post-traumatic osteoarthritis, 231
- transcarpal, 227

of thumb

- bony architecture, 361
- clinical features and diagnosis, 361–362
- complications, 363
- dorsal dislocations, 361–363
- epidemiology, 361
- extrinsic joint support, 361
- joint capsule, 361
- outcome and lit review, 363
- surgical treatment, 362, 363
- treatment options, 362

Children

- assessment, 286, 287
- complex and mutilating hand injuries, 305–306
- distal phalanx injury, 289
- epidemiology/aetiology, 285–286
- fingertip pulp injury, 289
- fractures
 - carpal, 294
 - distal radius and ulna fractures, 294–297
 - metacarpal, 293–294
 - phalangeal, 291–293
 - Salter Harris classification, 289, 290
- joint injury, 297–298
- management, 286–288
- nail bed injury, 288–289
- nerve injury, 301–304
- tendon injury
 - closed, 300
 - diagnosis, 299
 - extensor, 301
 - flexor, 300–301
 - jersey finger, 299
 - management, 299
- vascular injury, 304–305

Chinese flap

- Allen's test, 108
- extensor tendon reconstruction, 108
- PIPJ's, 109–110
- skin marking, 106–108
- volar surface, fingers and distal palm, 109, 111

Choke vessels, 105

Chromatolysis, 301

Chronic pain

- CRPS, 452–454
- neuropathic pain, 450–452
- post amputation pain, 449–450

CMCJ. *See* Carpometacarpal joint (CMCJ)

- Coaptation neurosynthesis, 31
- Collateral ligament tear
 clinical features, diagnosis and treatment, 317–318
 PIPJ
 clinical features and diagnosis, 324
 complications, 326
 conclusions/personal view, 326–327
 epidemiology and pathomechanics, 324, 325
 outcome and lit review, 326
 surgical treatment, 325, 326
 treatment options, 324
 radial, MCPJ of thumb
 clinical features and diagnosis, 348
 complications, 349
 epidemiology, 347
 outcome and lit review, 349
 pathology, 348
 surgical treatment, 348–349
 treatment options, 348
 thumb (acute) instability, 317–318
 ulnar, MCPJ of thumb
 clinical features and diagnosis, 343–345
 complications, 346
 epidemiology, 342
 pathology, 342–343
 surgical treatment, 345–346
 treatment options, 345
- Columnar theory, 260–261, 263, 273
- Comminuted fractures, 209–210
- Comparative studies, soft tissue cover
 fingertip reconstruction, 145–147
 Microvascular Toenail Transfer, 142
 thumb reconstruction, 154
 VY advancement flaps, 135
- Compartment syndrome
 conditions, 10
 consequences, 11
 fasciotomies
 dorsal, 12, 13
 forearm and palmar, 12
 incisions, 12
 pain, 12
 relationship, LBF and arteriovenous gradient, 10–11
 swollen forearm after crush injury, 12
 symptoms, 10
- Complex regional pain syndrome (CRPS)
 anti-neuropathic agents, 453
 diagnosis, 452
 epidemiology, 452
 interventional procedures, 454
 opioid analgesia, 453
 patient information and education, 453
 physical and vocational rehabilitation, 454
 psychological intervention, 454
 simple (non opioid) analgesia, 453
 surgery, 454
- Complex upper limb trauma
 assessment
 amputation, 395, 397
 hand transplantation, 395
- MESS, 397
 of patient, 393
 repair of functional units, 406
- debridement
 contaminants, removal, 398
 degloved skin edges, assessment, 398–399
 fasciotomy, 400
 ‘on arrival block,’ 397
 polytrauma patients, outcome, 397
 radical, 398
 serial or staged, 399–400
 skeletonization of longitudinal structures, 398
 use of tourniquet, 398
 wound excision, 398
- microsurgical techniques, 391–393
 outcome, 411–412
 pain relief (concept of ‘on arrival block’),
 393–394
- reconstruction
 revascularization considerations, 400–401
 skeletal fixation considerations, 401–406
 rehabilitation, 410
 repair of functional units, 406
 secondary reconstruction, 411, 412
 soft tissue cover, 409–410
 total primary vs. staged reconstruction, 407–408
- Composite grafts, non-flap, 133–134
- Condylar fractures
 articular surface, 206
 dorsal approach, 207
 K-wires, 206–207
 lateral approach, 207–208
 open reduction and internal fixation, 206, 207
 timing of surgery, 208
 un-displaced position and non-operative
 treatment, 206
- Condyle, 205, 207–208, 312–313
- Cross finger flap
 advantages, 138
 indications, 138
 limitations, 138
 outcomes, 139
 technique and refinements, 138, 140
- Crush injury upper limb, 393–394
- D**
- DASH. *See* Disabilities of Arm, Shoulder & Hand (DASH)
- Deep space infections, 421, 433
- Denervation
 injury, axonotmesis, 36
 Schwann cells, 27
 spontaneous spike potential, nerve transfer, 41
- Diaphyseal fractures
 displaced
 closed K-wire fixation, 198, 199
 fixation, 198
 precise restoration of the anatomy, 198
 X-rays, 198

- K-wires, 199–200
- lag screws, 201
- plates, 201
- undisplaced
 - buddy-taping, 197
 - custom-made, thermoplastic splint, 197, 198
 - intrinsic-plus position with MCP, 197
- Digital (distal) dislocations
 - collateral ligament injury, 317–318
 - DIPJ of fingers, 312–313
 - IPJ of thumb, 313
 - joint dislocation, 318–319
 - mallet finger, 313–315
 - mallet thumb, 315–317
- Disabilities of Arm, Shoulder & Hand (DASH), 156, 226, 265
- Distal interphalangeal joint (DIPJ)
 - dislocation, 168
 - of fingers
 - bony architecture, 312
 - joint capsule, 312–313
 - fusion, 173
- Distal phalanx
 - anatomy, 163–164
 - avulsion of nail, 165
 - fingertip, anatomy, 163
 - fractures
 - amputations of fingertip, 168–169
 - DIP joint dislocation, 168
 - intra-articular, 166–167
 - Jersey finger or FDP tendon avulsions, 167, 168
 - of shaft, 166
 - of tuft, 165
 - injury, 289
 - investigations, 164
 - presentation, 164
 - subungual haematoma, 164–165
 - surgical techniques and rehabilitation
 - amputation, 171
 - anaesthesia/analgesia, 169
 - bony mallet finger fixation techniques, 170
 - fixation of the nail, 170, 171
 - fixation techniques, 170
 - Jersey finger, 171
 - nail removal, 170
 - outcomes, 171–172
 - replacing the nail, 170
 - subungual haematoma, 169
 - Tourniquet, 169
 - treatment, complications
 - absence of nail, 172
 - amputation, 173
 - DIP joint fusion, 173
 - eponychial deformities, 172
 - fingertip deformities, 172
 - hyponychial deformities, 172–173
 - nail spikes and cysts, 172
 - outcomes, 174
 - paronychia, 173
 - split nail, 172
 - technique, 173
- Distal radioulnar joint (DRUJ)
 - carpal malalignment, 265
 - component skeletal structures, 263
 - disruption, tilt and translation, 281
 - extra articular fractures, 270–272
 - injury
 - distal ulna, 263
 - forearm rotation, 263
 - skeletal structures, 263
 - instability (*see* Acute DRUJ instability)
 - ligament injury, 298
 - ligaments, 270
 - malalignment or ligament injury, 265
 - plain x-ray, 276
 - radial component, 261
 - radial shortening, 270
 - radial translation, 266, 271
 - sigmoid notch, 261
 - stability, 270
 - and TFC detachment, 275
 - ulna, 263
 - weight bearing fulcrum, 274
- Distal radius fractures
 - absorption characteristics, 280
 - acceptable reduction, 265
 - adaptive carpal instability, 265
 - anatomic plates, 279
 - angular stability, 279
 - articular (*see* Articular fractures)
 - bone mineral density, 265
 - carpal malalignment, 264–265
 - characterizes, 259
 - classification
 - AO comprehensive classification, 263
 - distal ulnar fractures, 275
 - Frykman's classification, 260, 274
 - Melone, 262
 - Universal System, 263–264
 - external fixators, 279
 - fixed angle locking plates, 279
 - fixed-angle stability, 279
 - imaging, 266–270
 - injury
 - articular fragmentation, 262
 - articular surface, 261–262
 - bending' fracture, 262
 - classification of Melone, 262
 - 3-column concept, 260–261
 - CT analysis, 261
 - dye-punch injury, 261, 262
 - extrinsic ligament attachments, 262
 - Frykman's classification, 260
 - intermediate column, 260, 261
 - load pattern, 261
 - properties of bone and ligament, 262
 - types, 262
 - volar extrinsic ligaments, 262

- Distal radius fractures (*cont.*)
 internal fixation implants, 279, 280
 management, 260
 overpenetration of screw tips, 279, 280
 palmar surface, 280
 Radial styloid fractures, 280
 radiographic parameters, 264
 scoring systems, 265
 and ulna fractures
 forearm fractures, 294–295
 remodelling, 295, 296
 unicortical or bicortical fractures, 295
 volar rim avulsion fractures, 280
- Distant flaps, 140
- Distant pedicled flaps
 cross-arm flaps, 116
 inferiorly based abdominal flaps
 intra-operative technique, 113–114
 large defect, dorsum, 112–113, 115
 SIEA, 112
 pedicled groin flap, 114–120
- Donor nerves, 38
- Dorsal fracture subluxation
 dynamic external fixator, 186–187
 manipulation and K wiring, 186
 open reduction and internal fixation, 187
 radiograph, 182–183
- Dorsal metacarpal artery perforator flaps (Quaba flap), 144–145
- “Dropped knuckle,” 219
- DRUJ. *See* Distal radioulnar joint (DRUJ)
- E**
- Elson’s test, 73–75, 78
- Embolism
 acute onset ischaemia, 14
 anticoagulation, 14
 conditions, 14
 distal, 14
 evaluation, 14
 intra arterial injection injuries, 14–15
 management, 15
 upper limb, 14
- Escharotomy, 92
- Extensor carpi ulnaris (ECU), 380
- Extensor pollicis brevis (EPB), 227
- Extensor pollicis longus (EPL) tendon, 227, 313
- Extensor tendon injuries
 anatomy
 blood supply, 69
 brachioradialis and carpi radialis longus, 69
 compartments, retinaculum, 68
 Digitum Communis, 68
 excursions, 69
 finger, 69
 flexor system, 68
 gliding surfaces, 69
 oblique retinacular ligament, 68–69
 proximal and middle phalanx, 68
 superficial and deep group, 67
 wrist, 67–68
 carpi radialis longus and brevis, 72, 73
 classification, 79
 closed
 mallet finger, 76–77
 rupture, central slip (*see* Boutonnière injury)
 controlled active rehabilitation, 85
 Digitum Communis, 70–71
 fingers extension, 71, 72
 indicis and digiti minimi, 71
 long-term outcomes, 84–85
 Miller’s rating, 84
 mobilisation programmes, 86
 observation, 69–70
 open injuries
 open zone 1 (distal interphalangeal joint), 81
 open zone 2 (middle phalanx), 82
 open zone 3 (proximal interphalangeal joint), 82–83
 open zone 4 (proximal phalanx), 83
 open zone 5 (metacarpophalangeal joint), 83
 open zone 6 (metacarpal), 86
 open zone 7 (wrist), 84
 open zone 8 (distal forearm), 84
 Pollicis Brevis test, 70, 71
 rehabilitation, 84, 85
 sagittal band rupture, 78–79
 snuffbox, 70
 surgical treatment, open injuries, 79–81
 tests
 Boyes’, 74, 75
 Carducci’s, 71, 72
 Carpi Ulnaris, 73, 74
 Elson’s, 73–75
 Pollicis Longus, 70, 71
- Extensor tendon repair
 Braided and non-absorbable sutures, 80
 flexor, 79–80
 general anaesthesia, 79
 injury, 301
 Kessler core suture, 80
 mobilisation technique, 80
 prophylactic antibiotics, 79
 schemes, open injuries, 80–81
 surgical treatment, 79
 technique, 79
 tourniquet and loupe magnification, 79
- Extra articular fractures
 carpal deformity, 270
 description, 270
 and intra articular fractures
 closed K-wiring, 185
 condylar fracture, 181
 K-wires, 183–184
 open K-wiring, 185
 open reduction and internal fixation, 185–186
 unicondylar fracture of head, 181–182

- loss of palmar tilt, 270
 - non-surgical treatments, 271
 - percutaneous K-wires, 271
 - Pulsed low-intensity ultrasound, 271
 - radial shortening, 270
 - radial translation, 270, 271
 - shortening, 270
 - stable reduction, 270
 - ulnar sided wrist pain, 270
 - undisplaced and stable injuries, 271
- F**
- Fascicular neurosynthesis, 31
 - Fascio-cutaneous flaps
 - distally based
 - dorsal ulnar, 111–113
 - PIIF, 109–112
 - radial forearm/Chinese flap, 108–111
 - upper and lower limb, 106
 - perforator, 105–107
 - proximally base, 105, 106
 - Felon, 418–419
 - Finger instability
 - CMCJ, 357–360
 - DIPJ, 312–313
 - mallet finger, 313–315
 - MCPJ, 349–357
 - Fingertip pulp injury, 289
 - First dorsal metacarpal artery flap (FDMCA/Foucher flap)
 - advantages, 151
 - indications, 150
 - limitations, 150
 - outcomes, 151
 - technique and refinements, 150, 151
 - First webspace free flap/dorsalis pedis free flap
 - advantages, 159
 - indications, 158
 - limitations, 159
 - outcomes, 159
 - technique and refinements, 158–159
 - Fixation techniques
 - bony mallet finger, 170
 - distal phalanx, 170
 - of nail, 170, 171
 - Flap(s)
 - algorithm, soft tissue defects, 147
 - fingertips (index to little)
 - dorsal middle phalanx defects, 142
 - dorsal proximal phalanx defects, 142, 144–145
 - heterodigital flaps, 138–140
 - homodigital flaps (*see* Homodigital flaps)
 - Ishikawa's classification, 134, 135
 - nailbed defects, 140–142
 - outcomes, 145–147
 - surgical techniques, 134
 - volar finger defects, 145
 - functional considerations, 134
 - non-flap
 - composite grafts, 133–134
 - healing by secondary intention, 133
 - skin grafts, 133
 - sensory considerations, 134
 - small free (*see* Small free flaps)
 - thumb (*see* Thumb)
 - Flap cover
 - primary radical debridement, 409
 - secondary reconstruction procedures, 409
 - skin graft, 409–410
 - Flap reconstruction
 - angiosome, 105
 - axial pattern flap, 105
 - blood supply, 102
 - choke vessels, 105
 - design flaps, 105
 - distant pedicled flaps, 112–118
 - fascio-cutaneous flaps, 105
 - hallux transfer, 128–130
 - local flaps, 105–112
 - micro vascular free flap transfers, 118–128
 - myocutaneous flaps, 105
 - pedicled abdominal flaps, 104
 - planning and evolution, 127, 129–130
 - random pattern flaps, 102, 104
 - robust healing, 102
 - skin ref, 105
 - Taylor's anatomical studies, 105
 - Tintle pedicled flap cases, 127
 - upper limb defect, 105
 - Flexor Digitorum Profundus (FDP)
 - tendon, 167, 313
 - Flexor pollicis longus (FPL) repairs, 52–53
 - Flexor tendon
 - adhesions effects, 45
 - anatomy
 - pulley system, sheaths, 47
 - Verdan classification, 47–48
 - zones 1 and 2, 48–49
 - classification, injuries, 60–61
 - closed rupture, 45
 - division, 47
 - finger, 45
 - healing process, 45
 - injury, 300–301
 - mobilisation, 46
 - post-operative management, 54–58
 - primary repair (*see* Primary flexor tendon repair)
 - proximity, 46–47
 - radiological investigations, 45
 - repair
 - methods, 51–53
 - primary (*see* Primary flexor tendon repair)
 - techniques, 49–50
 - timing of, 49
 - zone 2 injuries, 58–59
 - scarring, 46

- Flexor tendon (*cont.*)
- severe injuries
 - 'black-box,' zone 2, 60
 - FDP tendons, 59, 60
 - finger and palmar trauma, 59
 - finger function, 59
 - surgical techniques, 59
 - zone 2C/2D, 59–60
 - surgery and rehabilitation, 45, 61
 - tendon sheath (*see* Tendon(s))
- Flexor tendon adhesion
- post-operative management
 - adequate analgesia, 57
 - dorsal blocking splint, 54
 - dynamic extension splinting, 57
 - early and controlled active motion, 55, 56
 - excellent finger mobility, 57–58
 - fingers extension, 55
 - formation of adhesions, 54
 - inter-phalangeal joints, 57
 - Kleinert traction, 55
 - MCP joints, 56, 57
 - mobilisation, 54–55
 - passive extension exercises, 57
 - Phalen test, 56
 - PIP joints, 57
 - protective palmar bars, 57
 - proximal phalanx, 57
 - rehabilitation method, 57
 - repairs, fingers and plam, 56–57
 - rupture patients, 55–56
 - tendon healing, 54
 - ultrasound, 57
 - severe injuries, 59
- Flexor tendon rehabilitation
- post-operative management, 54, 56, 57
 - and surgery, 61
 - zone 2 'black-box,' 60
- Flexor tendon rupture, 54, 55, 57, 64
- Flexor tenosynovitis
- bursal infections, 421
 - clinical, 419–420
 - definition, 419
 - outcome, 421
 - surgery, 420
- Fracture(s)
- articular (*see* Articular fractures)
 - carpal, 294
 - dislocation, 190–192, 227–229
 - distal phalanx
 - amputations of fingertip, 168–169
 - DIP joint dislocation, 168
 - intra-articular, 166–167
 - Jersey finger or FDP Tendon
 - Avulsions, 167
 - of shaft, 166
 - of tuft, 165
 - distal radius (*see* Distal radius fractures)
 - distal ulna, 274–277
 - DRUJ (*see* Distal radioulnar joint (DRUJ))
 - extra articular, 270–272
 - insufficiency, 278–279
 - malunion, 291
 - metacarpo phalangeal joint (*see* Metacarpophalangeal joint (MCPJ))
 - phalangeal, 291–293
 - proximal phalanx (*see* Proximal phalanx)
 - Salter Harris classification, 289, 290
- Fractures, carpal bones
- anatomy, 238
 - capitate, 245–246
 - greater-arc injuries, 238
 - hamate, 241–244
 - Kienböck's, 237
 - lunate, 238–239
 - mechanism, 237–238
 - non-scaphoid, 237
 - pisiform, 241
 - trapezium, 246–247
 - trapezoid, 247
 - triquetrum, 239–240
- Free flaps, toe pulp and variations
- advantages, 153
 - indications, 151
 - limitations, 153
 - outcomes, 153
 - technique and refinements, 151–153
- Free medial plantar flap
- advantages, 158
 - indications, 157
 - limitations, 158
 - outcomes, 158
 - technique and refinements, 157–158
- Free posterior interosseus flap
- advantages, 157
 - indications, 156
 - limitations, 157
 - outcomes, 157
 - technique and refinements, 156–158
- Fungal infections
- cutaneous
 - dermatophytosis (tinea manuum), 432
 - onychomycosis, 433
 - deep or systemic, 433
 - subcutaneous, 433
- G**
- Greater-arc injuries, 238
 - Grouped-fascicular neurosynthesis, 31
 - Growth plate fracture, 289, 290
 - Gunshot wound, 36–37
- H**
- Hamate fractures
 - anatomy, 241–242
 - diagnosis, 242–243
 - mechanism, 242–244
 - treatment, 243–244

Hand infections

acute infections

- bite injures, 425–427
- deep space infections, 421–423
- felon, 418–419
- herpetic whitlow, 417–418
- Methicillin-resistant *S. aureus* (MRSA), 416
- necrotising fasciitis, 427–429
- osteomyelitis, 424–425
- paronychia, 416–417
- pyogenic flexor tenosynovitis, 419–421
- septic arthritis, 423–424

atypical infections

- fungal infections, 432–434
- mycobacterial infections, 429–432

signs and symptoms, 415

Hansen's disease. *See* Leprosy

Hatchet flap

- advantages, 135
- indications, 135
- limitations, 135
- outcomes, 136
- technique and refinements, 135, 136

Head metacarpal fractures

- avulsion fractures, 223–224
- coronal vertical fracture, 223, 224
- countersunk screws, 223, 224
- dorsal view, 223, 224
- longitudinal curvilinear incision, 223
- osteochondral damage, 223
- thumb, 227

Herpetic whitlow

- antiviral therapy, 417–418
- type 1 or 2 herpes simplex virus, 417

Heterodigital flaps

- cross finger flap, 138–140
- distant flaps, 140
- FDMCA/Foucher flap, 150–151
- neurovascular island flaps (Littler/Buchler flaps), 149–150

Homodigital flaps

- adipofascial turnover flap (Merle flap), 142
- bilateral lateral VY flaps (Kutler and Segmuller flaps), 136–137
- hatchet flap, 135–136
- palmar advancement flaps (Moberg flap), 148, 149
- reverse, 138, 139
- switch flap, 148–149
- triangular advancement island flaps, 137–138
- VY advancement flaps, 135

Hyphae, 432

Hyponychium, 164

Hypothenar hammer syndrome, 12

I

Iatrogenic arterial injuries, 15–16

Imaging

- distal radius fractures

- AP distance, 267, 269
- capitate and distal pole of scaphoid, 266
- CT scans, 268, 270
- dorsal and volar rims, 266, 268
- 3D reconstruction, 268
- lunate fossa and sigmoid notch, 267
- PA, 267–268
- palmar cortex of the pisiform lies, 266
- palmar inclination, 266, 267
- plain radiographs, 266
- radial height (RH), 266, 267
- radial inclination, 266, 267
- radial translation, 266, 267
- standard and angled radiographs, 267, 269
- standard radiographic angles, 266, 267
- teardrop, 266, 268
- ulnar variance (UV), 266, 267
- of scaphoid
 - bone scintigraphy, 251
 - CT scans, 252
 - inter and intra observer reliability, 251
 - MRI, 252
 - PA, 251
 - undisplaced, 251
 - x-rays demonstrates, 251

Instability

- definition, 311
- fingers (*see* Finger instability)
- thumb (*see* Thumb)

Insufficiency fractures, 278–279

Internal fixation

- displaced condylar fractures, 206, 207
- lag screws, 201
- non-union, 210
- occasional surgeon, 214
- spiral fractures, 202

Interosseous membrane (IOM), 380

Inter phalangeal joint (IPJ) of thumb

- bony architecture, 313
- joint capsule, 313

Intra articular fractures

- anatomical reconstruction, 274
- anatomical reduction and stable
 - internal fixation, 272
- angularly stable implants, 273
- bone grafting, 274
- chondral injuries, 272
- CT scanning, 272
- desired screw, measurement, 273–274
- distal radius, curved dorsal surface, 273
- dorsal approach, 273
- incongruity, 272
- intermediate column, 273
- metaphysis and diaphysis, 274
- palmar surface, distal radius, 273
- persistent pain, 272
- randomized trial, 272
- surgical approach, 273
- volar shearing fractures, 274

IPJ. *See* Inter phalangeal joint (IPJ) of thumb

J

- Jersey finger, 167, 168, 171
- Joint dislocation
 - CMC, 219, 220, 222, 228
 - dorsal
 - clinical features and diagnosis, 318
 - epidemiology, 318
 - treatment options, 318
 - TMC, 229–230
 - volar, 318–319
- Joint injury, children
 - DRUJ ligament injury, 298
 - interphalangeal joint dislocations, 297
 - ligament injuries in wrist, 298
 - in thumb, 297–298

K

- “Kleinert traction,” 54
- Kutler and Segmuller flaps, 136–137
- K-wires, diaphyseal fractures
 - bone sutures, 199
 - buddy-taping, 200
 - disadvantages, 199
 - length and rotation, 199
 - PIP joint, 199
 - poor use, 199, 200
 - single ended wire, 200
 - soft tissue injury, 199, 200

L

- Lag screws, diaphyseal fractures, 201
- Leprosy (*Mycobacterium leprae*), 432
- Ligamentous injuries. *See* Collateral ligament tear
- Ligamentum subcrucetum, 381
- Little/Buchler flaps
 - advantages, 150
 - indications, 149
 - limitations, 150
 - outcomes, 150
 - technique and refinements, 149–150
- Local flaps
 - adipo fascial turnover flaps, 112, 114
 - description, 105
 - fascio-cutaneous flaps (*see* Fascio-cutaneous flaps)
- LRINEC (Laboratory Risk Indicator for Necrotizing Fasciitis) Score, 428–429
- Lunate fractures
 - diagnosis, 239
 - mechanism, 238
 - treatment, 239
- Lunula, 163
- Lymphatic system, 4–5

M

- Mallet finger
 - Baseball, 76
 - classification, 76–77
 - clinical features and diagnosis, 314
 - complications, 315
 - diagnosis, 76
 - Doyle’s classification, 314
 - epidemiology, 313–314
 - extensor tendon insertion, 76
 - fixation techniques, 170, 171
 - fracture, 76
 - obscure, 76
 - outcome and lit review, 314–315
 - splinting, joints, 77
 - subluxed distal phalanx, 77
 - surgical treatment, 314
 - treatment, 77
 - treatment options, 314, 315
- Mallet thumb
 - clinical features and diagnosis, 315–316
 - complications, 317
 - epidemiology, 315
 - outcome and lit review, 316–317
 - surgical treatment, 316
 - treatment options, 316
- Malunion
 - angulation deformity, 232
 - boxer’s fracture, 232
 - diaphyseal fractures, 198
 - fifth metacarpal, 232
 - phalangeal neck fracture, 206
 - proximal phalanx, 210, 211
 - pseudoclaving, 232
 - rotational deformity, 232
 - step/rotational osteotomy, 232
- Mangled Extremity Severity Score (MESS), 397
- MCPJ. *See* Metacarpophalangeal joint (MCPJ)
- Merle flap
 - advantages, 142
 - indications, 142
 - limitations, 142
 - outcomes, 142
 - technique and refinements, 142, 143
- Metacarpal fractures
 - base fractures, 227, 228
 - bone loss, 231–232
 - carpometacarpal fracture-dislocations, 227, 228
 - clinical assessment
 - dropped knuckle, 219
 - inspection, 218
 - palpation, 218
 - rotational, angulation/shortening deformity, 218–219
 - shortening of digit, 219
 - tenodesis effect, 219
 - complications, 231
 - functional anatomy
 - articulations, 218
 - cadaveric study, 218
 - CMC joint, 218
 - deforming force, 217
 - dorsal apex, 217
 - intervening connections, 218

- intrinsic muscles, 217
 - MCP joint, 218
 - thumb metacarpal, 218
 - volar cortex, 217
 - hardware issues, 231
 - head fractures, 223–224
 - indications, fixation, 222
 - infection, 231
 - investigations
 - Brewerton view, 220
 - CMC joint dislocations, 220, 222
 - CT scan, 221, 222
 - MCP joint, 220
 - Mehara and Bhan view, 221, 222
 - plain radiographs, 220
 - skyline view, 220, 221
 - irreducible/unstable, 217
 - malunion, 232
 - management, 222, 233
 - mechanisms of injury, 218
 - neck fractures, 224–225
 - nonoperative treatment, 222–223
 - operative treatment, 223
 - post-traumatic osteoarthritis, 231
 - rehabilitation, 230–231
 - shaft fractures, 225–226
 - stiffness, 231
 - thumb, 227–230
 - Metacarpophalangeal joint (MCPJ)
 - avulsion fractures, 211–213
 - of fingers
 - bony architecture, 349
 - clinical features and diagnosis, 355
 - complex MCP subluxation, 351–353
 - complications, 355–356
 - dorsal dislocations, 350
 - epidemiology, 354–355
 - extensor retinacular system, 350
 - extrinsic joint support, 350
 - joint capsule, 349–350
 - lateral dislocations, 354–356
 - outcome and lit review, 355
 - sagittal band disruptions, 356–357
 - simple MCP subluxation, 351
 - surgical treatment, 355
 - treatment options, 355
 - volar dislocations, 353–354
 - metacarpal head, 213–215
 - of thumb
 - bony architecture, 335–336
 - dorsal dislocations, 339–342
 - extrinsic joint support, 337
 - joint capsule, 336–337
 - radial collateral ligament tear, 347–349
 - UCL tear, 342–346
 - volar dislocations, 337–339
 - Metaphyseal fractures, proximal phalanx
 - angulation, 204
 - dorsal angulation, 204
 - extensor influence, 204
 - flexor influence, 204
 - intramedullary K-wire fixation, 204–205
 - intrinsic muscles, 204
 - lumbrical tendons passes palmer, 204
 - metacarpophalangeal joint, 204
 - middle aged and elderly, 204
 - Micro vascular free flap transfers
 - anatomy and elevation techniques, 119
 - cosmetic implications, 118
 - description, 118
 - free innervated muscle flaps
 - gastrocnemius muscle, 125–127
 - gracilis muscle, 126, 128
 - latissimus dorsi flap, 125
 - myo-cutaneous flaps, 124–126
 - skin and fasciocutaneous free flaps, 119–124
 - and team work, 118
 - Microvascular toenail transfer
 - advantages, 142
 - indications, 142
 - limitations, 142
 - outcomes, 142
 - technique and refinements, 142
 - Middle phalangeal fractures
 - dorsal fracture subluxation, 182–183, 186–187
 - pilon fracture, 183, 184, 187–188
 - soft tissue injuries, 188
 - volar plate bony avulsion, 182
 - Motor neuron
 - location, 24
 - protection, 27–28
 - Mycobacterial infections
 - cutaneous tuberculosis, 430
 - leprosy (*Mycobacterium leprae*), 432
 - mycobacterium tuberculosis, 429–430
 - non-tuberculous, 431–432
 - tuberculous arthritis, 431
 - tuberculous osteomyelitis, 430–431
 - tuberculous tenosynovitis, 430
 - Mycobacterium tuberculosis (TB), 429–430
 - Myo-cutaneous flaps
 - latissimus dorsi flap, 124–125
 - non innervated muscle free flaps, 125, 126
- N**
- Nail avulsions
 - fixation, 170, 171
 - removal, 169–170
 - replacing, 170
 - Nailbed defects
 - microvascular toenail transfer, 142
 - turnover adipofascial flap, 140–142
 - Nail bed injury
 - deformities, 289
 - laceration of sterile matrix, 288–289
 - Nail bed lacerations, 164, 170
 - Neck fractures, proximal phalanx
 - dorsal periosteum, 205
 - fixation, 205, 206

- Neck fractures, proximal phalanx (*cont.*)
 - K-wire, 205
 - mal-union, 205–206
 - and subcondylar, 205
 - Neck metacarpal fractures
 - boxer's fracture, 224–225
 - immobilisation, 224
 - intramedullary wiring, 224, 225
 - Kirschner wires, 224, 225
 - locking plates, 224
 - and shaft fractures, 224
 - ulnar gutter cast, 224
 - Necrotising fasciitis
 - cellulitis, 427
 - finger test, 428
 - LRINEC Score, 428–429
 - mortality rates, 429
 - polymicrobial, 428
 - treatment modalities, 428–429
 - Negative pressure wound therapy (NPWT), 99
 - Nerve conduits, 39–40
 - Nerve fascicle, 24
 - Nerve fibre, 24, 31
 - Nerve gap management
 - conduits, 39–40
 - donor nerves, 38
 - grafting (*see* Nerve graft)
 - Nerve graft
 - allografts, 39
 - principles, 37–38
 - reconstruction, 42
 - surgical technique, 38–39
 - vascularised, 39
 - Nerve injury
 - assessment
 - general, 28
 - history, 28
 - motor function, 30
 - sensory function, 28–30
 - water immersion test, 31
 - blood supply and surgical anatomy, 25
 - classifications, 302
 - closed injury, 302
 - development, neurophysiology, 23
 - lacerated nerve, 303
 - management, nerve gap (*see* Nerve gap management)
 - micro-anatomy
 - axon, 24
 - epineurium, 25
 - fascicles collection, 24, 25
 - neuron, 24
 - peripheral nerve, 24
 - peripheral, 303
 - peripheral nerve (*see* Peripheral nerve)
 - proximal, 304
 - regeneration and recovery, 301–304
 - repair (*see* Nerve repair)
 - transfer (*see* Nerve transfer)
 - Nerve repair
 - outcomes, 42
 - recovery
 - bleeding, 32
 - epineural, 31
 - meticulous microsurgical techniques, 31
 - neurosynthesis, 31
 - postoperative motor and sensory re-education, 32
 - primary, 31
 - timing, 32
 - tissue, 31
 - surgical technique
 - anaesthesia and pneumatic tourniquet, 33
 - classification, 35–36
 - delayed exploration, 32
 - epineural, 33
 - fascicular, 33–34
 - gunshot wound, 36–37
 - immediate/primary, 32, 33
 - motor and sensory return, 34
 - neurapraxia, 36
 - post-operative care and complications, 34–35
 - traction injury, 35
 - wound closure, 33
 - Nerve transfer
 - clinical application, 40–41
 - electromyography, 41, 42
 - end to side neurosynthesis, 41
 - exploration, 41
 - grafting, 40
 - investigations, 41
 - motor, 40
 - principles, 40
 - proximal peripheral nerve injuries, 40
 - restore function, 40
 - Neurapraxia, 36
 - Neuropathic pain
 - epidemiology, 450
 - interventional procedures, 452
 - patient information and education, 451
 - pharmacotherapy
 - first line treatment, 451
 - second line treatment, 451
 - third line treatment, 451
 - physical and vocational rehabilitation, 452
 - signs, 451
 - symptoms, 451
 - Nociception
 - central, 438
 - peripheral, 438
 - Nociceptive pain
 - central nociception, 438
 - peripheral nociception, 438
 - Non-tuberculous mycobacteria (NTM), 431–432
 - Non-union
 - avulsion fractures, 211–213
 - proximal phalanx, 210, 211
 - Numerical rating scale (NRS), 441
- O**
- Open–dorsal approach, 255–256
 - Open fractures, 400

- Open–palmar approach, 255
- Opiates, 444
- Opioids, 444
- Osteomyelitis
- acute or chronic, 424
 - of fourth metacarpal head, 425
 - iatrogenic, 424
 - infecting organisms, 424
 - intramedullary infection, 425
 - localised, 425
 - Stage IV, 425
 - stages, classification, 425
 - superficial, 425
 - treatment, 425
 - tuberculous, 430–431
- Osteotomy
- de-rotational, 210, 211
 - healed mal-union, 208
 - metacarpal, 210
 - metaphyseal fractures, 204
 - site, 210
 - timing, 210
- Outcomes, PIP joint
- bone injuries, 189
 - head of proximal phalanx, 188
 - soft tissue injuries, 188
- P**
- Pain
- acute (*see* Acute pain)
 - character, 440–441
 - chronic (*see* Chronic pain)
 - intensity
 - NRS, 441
 - VAS, 441
 - VRS, 441
 - neuropathic, 438
 - nociceptive
 - central nociception, 438
 - peripheral nociception, 438
 - pre-emptive and preventive analgesia, 439–440
- Pain management
- acute pain
 - local anaesthetic blockade, 447–448
 - patient information and education, 442
 - pharmacotherapy, 442
 - ultrasound visualisation, 448–449
 - chronic pain, 449
 - CRPS
 - interventional procedures, 454
 - patient information and education, 453
 - pharmacotherapy, 453
 - physical and vocational rehabilitation, 454
 - psychological intervention, 454
 - surgery, 454
 - neuropathic pain
 - interventional procedures, 452
 - patient information and education, 451
 - pharmacotherapy, 451–452
 - physical and vocational rehabilitation, 452
 - post amputation pain
 - non-pharmacological, 450
 - pharmacotherapy, 450
 - prevention, 450
- Palmar advancement flaps (Moberg flap)
- advantages, 148
 - indications, 148
 - limitations, 148
 - outcomes, 148
 - technique and refinements, 148, 149
- Paronychia
- chronic, 417
 - infection or abscess, 416
 - release, 417
 - “run-around abscess,” 416
- Patient-Rated Wrist Evaluation (PRWE) scores, 265
- Pedicled groin flap
- ASIS, 115, 116
 - medial length, 116, 119–120
 - neonate with extensive defect, 116, 118
 - SCIA, 114–116
- Perforator flap, 107
- Peripheral nerve
- denervated Schwann cells, 27
 - lacerations, 23
 - management, 23
 - morphology, 26–27
 - physiology, 25–26
 - protection, motor neurons, 27
 - sensory neurons, 27–28
- Phalangeal fractures
- distal, 291–292
 - middle and proximal, 292–293
- Phantom limb pain, 450
- Pilon fracture, 183, 184, 187–188
- PIPJ. *See* Proximal interphalangeal joint (PIPJ)
- Pisiform fractures
- anatomy, 241
 - diagnosis, 241
 - mechanism, 241
 - treatment, 241
- Post amputation pain
- epidemiology, 449–450
 - non-pharmacological, 450
 - pharmacotherapy
 - antineuropathic agents, 450
 - calcitonin, 450
 - ketamine, 450
 - opioid analgesics, 450
 - simple (non opioid) analgesics, 450
 - prevention, 450
- Posterior interosseous island fascio-cutaneous flap (PIIF), 109–112
- Postoperative pain. *See* Acute pain
- Pretrochlear bursa, 321
- Preventive analgesia, 439–440
- Primary flexor tendon repair
- A2 and A4 pulleys, 50
 - advantages, 50

Primary flexor tendon repair (*cont.*)

- Bruner incision, 61
 - cost, 52
 - cuts
 - finger extension, 49, 62–63
 - finger flexion, 49, 63–64
 - early mobilisation, 50
 - FPL tendon, 52, 53
 - post-operative management, 50, 64
 - rupture rates, 51–52
 - skin
 - incision, 49, 50
 - marking adjacent to wound, 61–62
 - splint for early active motion, 52
 - suture technique, 50–51, 64
 - timing, 49
 - tourniquet control, surgery, 49, 61
 - ‘triple-Tsuge’ technique, 52–53
- Primary idiopathic disease, 16
- Primary reconstruction, 407–408
- Propeller flaps, 111
- Proximal interphalangeal joint (PIPJ)
- aetiology
 - bony anatomy, 176, 177
 - concave joint surfaces, 176
 - convex joint surfaces, 176
 - dorsal dislocation, proximal phalanx, 176
 - dorsal subluxation, 176
 - mechanism of injury, 175
 - side and volar views, 175, 176
 - bone injuries, 189
 - bony architecture and angles in hand, 319–320
 - clinical presentation, 176–178
 - collateral ligament ruptures, 324–327
 - complications, 189
 - CT scan, 178
 - description, 175
 - dorsal dislocations
 - classification, 321–322
 - clinical features and diagnosis, 322
 - complications, 324
 - epidemiology and pathomechanics, 321
 - outcomes, 324, 325
 - surgical treatment, 324
 - treatment options, 322, 323
 - type I and II Injuries, 322–323
 - type III Injuries, 323
 - of fingers
 - bony architecture, 320
 - injuries to the PIPJ, 321
 - joint capsule, 320–321
 - middle phalanx injuries (*see* Middle phalangeal fractures)
 - open dorsal capsular injuries, 327–335
 - palpation, 177
 - phalanx (*see* Proximal phalangeal fractures)
 - prognosis, 189
 - radiograph, 178
 - soft tissue injuries, 178–181
 - stiffness, 176
 - swelling, 176–177

- volar dislocation
 - clinical features and diagnosis, 327
 - complications, 327
 - epidemiology and pathomechanics, 327
 - surgical treatment, 327
 - treatment options, 327
 - volar split laceration, 177
- Proximal phalangeal fractures
- extra-articular fracture
 - bone, 181
 - surgical treatment, 183–184
 - head, 188
 - intra-articular fractures
 - bone, 181–182
 - surgical treatment, 183–186
- Proximal phalanx
- assessment
 - computerised radiology, 197
 - crush injury, 196
 - malrotation, 197
 - radiographs, 197
 - spiral fracture, 196–197
 - transverse fractures, 196
 - catastrophic and irretrievable, 195, 196
 - comminuted fractures, 209–210
 - condylar fractures, 206–209
 - conservative treatment, 195
 - description, 195
 - diaphyseal fractures, 197–202
 - fixations, 195
 - good/perfect results, 195
 - internal fixation, 214
 - malunion, 210, 211
 - metaphyseal fractures, 204–205
 - neck fractures, 205–206
 - non-union, 210
 - spiral fractures, 202, 203
 - surgical time, 215
 - transverse fractures, 202–204
 - union, 210
- Proximal pole fractures, 254–255, 257

Q

- Quaba flap
- advantages, 145
 - indications, 144
 - limitations, 145
 - outcomes, 145
 - technique and refinements, 144–145

R

- Radial collateral ligament tear
- clinical features and diagnosis, 348
 - complications, 349
 - epidemiology, 347
 - outcome and lit review, 349
 - pathology, 348
 - surgical treatment, 348–349
 - treatment options, 348

- Radical debridement, 397–400
- Random pattern flaps, 102, 104
- Raynaud's disease, 16–17
- Recurrent or chronic exertional compartment syndrome, 10
- Rehabilitation
- acute carpal instability
 - closed reduction, 374
 - immobilizing wrist, 373–374
 - isolated lunotriquetral dissociation, 377
 - isolated scapholunate dissociation, 376–377
 - open reduction and repair technique, 374–376
 - complex upper limb trauma, 410
 - CRPS, 454
 - distal phalanx, 169–171
 - extensor tendon injuries, 84, 85
 - flexor tendon, 45, 61
 - metacarpal fractures, 230–231
- Reinnervation, nerve, 27, 34, 38, 41
- Replantation, fingertip, 289–290
- Revascularization, injured extremity
- embolectomy, role, 401
 - of proximal injuries, 400–401
 - quality of debridement, 401
 - reperfusion injury, 400
 - vein grafting, 401
 - viability of limb, 400
- Reverse Bennett's fracture, 360
- Reverse homodigital flap
- advantages, 138
 - indication, 138
 - limitations, 138
 - outcomes, 138, 139
 - technique and refinements, 138
- Reverse perilunate instability, 368
- Rolando's fracture, 229, 233
- Rotational deformity, 218–219, 227, 232
- "Run-around abscess," 416
- Rutherford classification, lower extremity, 13
- S**
- Sagittal band (SB) disruptions
- clinical features and diagnosis, 356
 - complications, 357
 - epidemiology, 356
 - outcome and lit review, 357
 - rupture, 78–79
 - surgical treatment, 356–357
 - treatment options, 356
- Salvage, 376–377
- Scaphoid fracture(s)
- acute (*see* Acute scaphoid fracture)
 - Herbert classification, 250
 - Russe classification, 250
- Sensory function
- areas, 28–29
 - digital nerves, 29
 - distribution, sensory supply, 29
 - hand, 28
 - motor function, 30
 - moving touch, 28
 - proximal/brachial plexus injuries, 29–30
 - testing, nerve repair, 28
 - vibration, 28
- Septic arthritis
- arthroscopic debridement, 423, 424
 - of DIPJ, sinus formation and osteomyelitis, 423
 - H-flap and retraction, extensor tendon, 424
 - S. Aureus* and Streptococcal infections, 423
 - treatment, 423
- Shaft metacarpal fractures
- early mobilisation, 225
 - functional brace, 225
 - intramedullary fixation, 226
 - nailing, 226
 - open reduction, 226
 - plaster slab/immediate mobilisation, 225
 - plating, 226
 - surgical techniques, 225–226
 - thumb, 227
- Short arc motion protocol, 83
- Skeletal fixation
- bone loss, 404–406
 - bone shortening and fixation, 403–404
 - bone viability, assessment, 403
 - debridement, 402
 - internal fixation, 401–402
 - stable, 401
- Skin
- and fasciocutaneous free flaps
 - anterior thigh flap, 120–122
 - dorsal circumflex scapular artery axis, 123, 124
 - free groin flap, 119–121
 - lateral arm fascio-cutaneous flap, 121, 123
 - medial plantar flap, 123
 - radial forearm flap, 120
 - temporal fascia free flap, 124
 - tensor fascia lata flap, 123–124
 - trauma
 - conservative resection, 94
 - degloved skin and subcutaneous tissue, 93
 - dermis bleeds, 93
 - full thickness gloving injury, 94, 95
 - SSG/full thickness skin graft, 93–94
 - vacuum assisted dressings (VAC), 94
 - vascularised or contaminated skin, 94
- Skin cover
- avulsed hand amputation, 96–98
 - bone fixation, 96
 - choice of reconstruction, 96
 - compound defect, skin and ulnar nerve loss, 98, 100–101
 - concept, 96
 - cosmesis, 98, 102
 - debridement and proper repair, 96
 - forearm revascularization, 96, 99–100
 - guide/tool kit, 96
 - management, compound fractures, 96
 - pedicled forearm flap, 98

- Skin cover (*cont.*)
 quality and durability, 98
 skin loss and extensor tendon loss, 98, 101
 split skin graft donor site, 98, 102
 SSG, 98
 tendon and nerve grafts, 98
 wound closure techniques, 98–104
- Skin grafts, non-flap, 133
- Small free flaps
 artificial dermis, 156
 DASH score, 156
 digits, 155
 disadvantages, 156
 first webspace free flap/dorsalis pedis free flap, 158–159
 free medial plantar flap, 157–158
 free posterior interosseus flap, 156–158
 functional surfaces of digits, 155
 pain and cosmetic deformity, 156
 toe pulp transfer, 155
 venous flow through flap, 156, 157
 webspace reconstruction, 155
- Soft tissue cover
 comparative reviews
 in distal thumb reconstruction, 154
 of fingertip reconstruction, 145–147
 flap (*see* Flap(s))
 non-comparative case series
 in distal thumb reconstruction, 154
 of fingertip reconstruction, 146, 147
 non-flap, 133–134
 thumb (*see* Thumb)
- Soft tissue injuries
 collateral ligament injuries, 178–181
 middle phalanx, 188
 volar plate, 178–181
- Space of Poirier, 368
- Spiral fractures, proximal phalanx
 collateral damage, 202
 extensor and periosteum, 202
 intra-medullary K-wire, 202
 lateral approach, 202, 203
 ulnar approach, 202
- Sports hand injuries, 313, 321, 342, 355
- Staged reconstruction, 407–408
- Stener lesion, 344, 345, 348, 355
- Stiffness (digital), 319, 321, 326, 330, 333, 342, 353
- Subluxation, MCPJ of fingers
 complex
 clinical features and diagnosis, 351–353
 complications, 353
 outcome and lit review, 353
 surgical treatment, 352–354
 treatment options, 351
 simple, 351
- Subungual haematoma, 164–165, 169
- Surgery
 condylar fractures, 208
 CRPS, 454
 flexor tendon, 45, 61
- PIP joint (*see* Proximal interphalangeal joint (PIPJ))
 for scaphoid fracture
 open–dorsal approach, 255–256
 open–palmar approach, 255
 percutaneous, 256
 vasospastic injuries, 17–18
- Swanson's classification, 134
- Switch flap
 advantages, 148
 indications, 148
 limitations, 148, 149
 outcomes, 148–149
 technique and refinements, 148, 149
- T**
- Tendon(s)
 flexor (*see* Flexor tendon)
 injury, 299–300
 sheath management
 A2 and A4 pulleys, 53–54
 closure, 53
 free movement repair, 54
 haemostasis, wound, 54
 plastic surgery, 53
- Tenosynovitis
 flexor (*see* Flexor tenosynovitis)
 tuberculous, 430
- Thromboangitis obliterans, 19
- Thrombosis
 Allen's test, 14
 conditions, 13–14
 graft, 14
 hypothenar hammer syndrome, 13
 occlusive, 14
 symptoms, 13
 treatment, 14
- Thumb
 acute instability
 CM CJ, 361–363
 collateral ligament injury, 317–318
 IPJ, 313
 joint dislocation, 318–319
 mallet thumb, 315–317
 MCPJ, 335–349
 PIPJ, 319–330
 algorithm, soft-tissue, 155
 classification, 148
 free flaps, 151–153
 local flaps
 distant pedicled flaps, 151
 heterodigital flaps, 149–151
 homodigital flaps, 148–149
 metacarpal fractures
 carpometacarpal fracture-dislocations, 229
 description, 227
 extra-articular base fractures, 227–228
 head fractures, 227
 intra-articular base fractures, 229

- shaft fractures, 227
 - TMC joint dislocations, 229–230
 - outcomes, 154–155
 - Tinea infections, 432
 - Tourniquet, 169
 - Traction injury, 35
 - Transverse fractures, proximal phalanx
 - configuration, 202
 - description, 202
 - dorsal approach, 203–204
 - lister loop technique, 202–203
 - Trapeziometacarpal (TMC) joint dislocations
 - cadaveric study, 229–230
 - description, 229, 230
 - diagnosis, 230
 - open and closed reduction, 230
 - pronation and extension after reduction, 230
 - Trapezium fractures
 - complications, 246–247
 - diagnosis, 246
 - incidence, 246
 - mechanism, 246
 - treatment, 246
 - Trapezoid fractures, 247
 - Trauma
 - assessment, 89
 - compartmental compression
 - carpal tunnel/Guyon's canal, 92
 - fasciotomies, 92
 - forearm, 91–92
 - intra-compartmental pressures, 91
 - muscles of forearm and hand, 91
 - pain, 91
 - wait and watch approach, 91
 - escharotomy, 92
 - limb injury, 90
 - mechanism of injury, 90
 - plastic and vascular surgical skills, 89–90
 - vascularity, 90–91
 - wound contamination, 91
 - wound debridement, tissue viability and degloving
 - bone, 95
 - crushed forearm before and after, 92, 93
 - muscle, 95
 - skin, 93–95
 - sub-cutaneous tissue, 92–94
 - vessels, 95
 - Triangular fibrocartilage complex (TFCC), 380–381
 - Triquetrum fractures
 - complications, 240
 - diagnosis, 240
 - incidence, 239–240
 - treatment, 240
 - Tuberculosis (TB)
 - cutaneous, 430
 - mycobacterium, 429–430
 - Turnover adipofascial flap
 - advantages, 142
 - indications, 140
 - limitations, 141
 - outcomes, 142
 - technique and refinements, 140–141
- U**
- UCL. *See* Ulnar collateral ligament (UCL) tear
 - Ulna, distal fractures
 - classification, 274–275
 - distal ulnar fractures and symptomatic non-unions, 277
 - DRUJ congruity or stability, 276
 - DRUJ stability, 275, 276
 - forearm fractures, 276–277
 - pathoanatomy of TFCC attachments, 275–276
 - styloid, 274
 - ulnar styloid, 277
 - weight bearing function, 274, 275
 - Ulnar collateral ligament (UCL) tear
 - clinical features and diagnosis, 343–345
 - complications, 346
 - epidemiology, 342
 - pathology, 342–343
 - surgical treatment, 345–347
 - treatment options, 345
- V**
- Vacuum assisted therapy (VAC) therapy, 99
 - Variable angle, 281
 - Vascular disorders, upper limb
 - clinical presentation, 5
 - clinical tests, 5–6
 - Doppler signal, 6
 - investigations, 6–7
 - and neck, 5
 - palpation, 5
 - patient history, 5
 - symptoms, 5
 - Vascular injury
 - closed injuries, upper limb arteries, 304–305
 - management, 305
 - open trauma, 304
 - Vascularised nerve grafts, 39
 - Vasospastic injuries
 - arteriovenous fistula, 18
 - cessation, 16
 - diagnostic testing, 17
 - disease
 - primary idiopathic, 16
 - Raynaud's, 16–17
 - management, 17
 - physical examination, 17
 - regulation, 17
 - surgery, 17–18
 - symptoms and signs, 17
 - therapy, 17
 - vascular constriction, distal extremities, 16
 - vasomotor homeostasis, 17
 - Venkatwami flap
 - advantages, 138
 - indications, 137

- Venkatswami flap (*cont.*)
 limitations, 138
 outcomes, 138
 technique and refinements, 137–138
- Venous flow through flap
 advantages, 156
 indications, 156
 limitations, 156
 outcomes, 156
 technique and refinements, 156, 157
- Verbal rating scale (VRS), 441
- Visual analogue scale (VAS), 441
- Volar finger defects, 145
- Volar oblique (or volar facing), 134
- Volar plate injury(ies)
 bony avulsion, 182–183
 and collateral ligament
 bony avulsion, 178, 179
 boutonniere injuries, 179
 farm environment, 180–181
 hyperextension injury, 178
 outcome, 181
 PIP joint dislocation, 179–180
 radiographs, bony boutonniere injuries, 179, 180
 staphylococci and streptococci, 180
 steroid injection, 178
 suspicions, 179
- dorsal dislocations
 clinical features and diagnosis, 339–342
 complications, 342, 343
 epidemiology, 339, 340
 outcome and lit review, 341–342
 surgical treatment, 341
 treatment options, 340–341
- VY advancement flaps
 advantages, 135
 indications, 135
 limitations, 135
 outcomes, 135
 technique and refinements, 135
- W**
- Wallerian degeneration, 25
- Wound closure techniques
 collagen substitutes, 102
 full thickness skin grafts, 102
 meshed skin grafts, 102–104
 natural healing with dressings, 99
 neonate, 102, 103
 primary and delayed primary wound
 closure, 98–99
 SSG, 102–104
 VAC therapy, 99, 102
 vacuum therapy, 102
- Wound excision, 398
- Wrist fracture(s)
 arthroscopy, 256
 associated injuries, 277–278
 and axial loading, 249
 bone quality, 262
 component of multiple injuries, 262
 joint effusion/haemarthrosis, 251
 movement, 251
 outcome, 261
 radial deviation and extending, 250
 skeletally immature, 261