

Index

A

- 2014 ACC/AHA guidelines, infective endocarditis, 150
- Acute myocardial infarction (AMI), 197
 - chronic ischemic mitral regurgitation, 198–200
 - post-myocardial infarction mitral regurgitation and ventricular septal rupture, 200–203
- Alfieri stitch, 207–209
- Alport's disease, 36
- Amplatzer Vascular Plug II, 91
- Annuloplasty ring dehiscence, 230–233
- Anterior leaflet prolapse, MitraClip devices
 - atrial septostomy, 108
 - color Doppler imaging, 107, 112
 - continuous wave Doppler imaging, 113
 - left atrial view, 111
 - long-axis view, 109
 - optimal leaflet coaptation, 111
 - steerable guide catheter, 109
 - transgastric TEE view, 110
- Aortic root abscess extension, aortomitral curtain perforation, 156–162
- Aortomitral curtain perforation, aortic root abscess extension, 156–162
- Assessment, mitral valve function
 - Carpentier classification, 21–23
 - color Doppler imaging, 20–21
 - mitral regurgitation, 21–23
 - mitral stenosis (*see* Mitral stenosis (MS))
 - M-mode imaging, 17–18
 - spectral Doppler imaging, 19–20
 - two-dimensional imaging, 17
- Atrial septal defect, cor triatriatum sinister with, 188–192
- Atrial septostomy, MitraClip device, 108
- Atrioventricular transthoracic echocardiography, 31
- Atrioventricular valves, 1

B

- Barlow's disease, 55
- Bileaflet mitral valve prolapse
 - central vs. anteriorly directed mitral regurgitation, 51
 - color M-mode, 51, 53
 - continuous wave Doppler trace, 54
 - 2D and color Doppler imaging, 52
 - flail posterior leaflet, 52
 - parasternal long-axis imaging, 50
 - pulse-wave spectral Doppler, 53
- Bioprosthetic mitral valve replacement and pseudoaneurysm, 223–225
- Bioprosthetic valve dehiscence, 228–229
- Blood cyst, 274–276

C

- Calcific degenerative mitral disease
 - calcific mitral stenosis, 36–39
 - caseous calcification of the mitral annulus, 31–35
- Calcific mitral stenosis
 - Alport's disease, 36
 - cardiac CT scans, 39
 - continuous-wave Doppler image, 38
 - mitral annular calcification, 36
 - posteroanterior chest x-ray, 36
 - radiation therapy, 40–41
 - TTE, 37
- Cardiac crux abscess and mitral inflow obstruction, 167–169
- Cardiac masses
 - blood cyst, 274–276
 - diastolic mitral and tricuspid regurgitation, 277–279
 - mitral valve myxoma, 269–273
- Cardiac myxoma, 273. *See also* Mitral valve myxoma
- Cardiac resynchronization therapy, 142–145
- Carpentier classification, mitral regurgitation, 21–23
- Caseous calcification of mitral annulus (CCMA)
 - cardiac CT scans, 34
 - 3D CT reconstruction, 35
 - transthoracic echocardiography, 31–34
- Chronic ischemic mitral regurgitation, 198–200
- Color Doppler imaging
 - flail posterior mitral valve leaflet, 47
 - MitraClip device
 - anterior leaflet prolapse, 107, 112
 - cardiac resynchronization therapy, 143–144
 - 3D guidance, 115
 - mitral balloon valvuloplasty, 140
 - paravalvular leak (*see* Paravalvular leak)
 - mitral regurgitation, 148
 - mitral valve assessment, 20–21
 - mitral valve prolapse, 44
 - radiation therapy, calcific mitral stenosis, 40–41
- Color M-mode imaging
 - anterior leaflet flail, 60
 - bileaflet mitral valve prolapse, 51, 53
 - flail posterior mitral valve leaflet, 45
 - myxomatous degenerative disease, 66
- Congenital mitral valve diseases
 - cor triatriatum sinister with atrial septal defect, 188–192
 - parachute mitral valve, 185–188
 - primum atrial septal defect with mitral valve cleft, 179–184
- Continuity equation, MVA, 28
- Continuous wave (CW) Doppler, 19
 - flail posterior mitral valve leaflet, 45
 - MitraClip device

- Continuous wave (CW) Doppler (*cont.*)
 anterior leaflet prolapse, 113
 3D guidance, 114, 116, 118
 mitral balloon valvuloplasty, 139, 141
- Contractile reserve
 impaired, 258–260
 preserved, 256–257
- Coronary angiogram, infective endocarditis, 154
- Cor triatriatum sinister with atrial septal defect, 188–192
- D**
- Diastolic mitral and tricuspid regurgitation
 continuous-wave Doppler, 278–279
 TTE, 277–278
- Doppler imaging
 color, 20–21 (*see also* Color Doppler imaging)
 continuous wave, 19 (*see also* Continuous wave (CW) Doppler)
 pulsed wave, 19
 spectral, 19–20
- E**
- Endocarditis. *See* Infective endocarditis (IE)
- Exercise stress echocardiography, 255
- F**
- Familial hypertrophic obstructive cardiomyopathy, 171–172
- G**
- Gerbode defect, endocarditis, 160–162
- H**
- Hypertensive heart disease of elderly with severe LVOT obstruction, 173
- Hypertrophic obstructive cardiomyopathy (HOCM), 17
 familial hypertrophic obstructive cardiomyopathy, 171–172
 hypertensive heart disease of elderly with severe LVOT obstruction, 173
 obstructive cardiomyopathy without overt basal septal hypertrophy, 174–178
- I**
- Infective endocarditis (IE)
 2014 ACC/AHA guidelines, 150
 aortomitral curtain perforation, extension of aortic root abscess, 156–162
 cardiac crux abscess and mitral inflow obstruction, 167–169
 with complications, 151–155
 with Gerbode defect, 160–162
 native valve, 147–150
 with submitral left ventricular pseudoaneurysm, 163–166
- Inflammatory response, mitral valve repair, 234–244
- Inoue balloon, 73
- L**
- Left ventricular outflow tract (LVOT) obstruction, 17
 balanced steady-state free precession cine cardiac magnetic resonance image, 171
 hypertensive heart disease of elderly and, 173
- M**
- Mechanical valve replacement and pseudoaneurysm, 226–227
- MitraClip device
 anterior leaflet prolapse, 107–113
 arms and grippers, 89, 90
 cardiac resynchronization therapy, 142–145
 deployment steps, 92–102
 3D guidance, 114–118
 mechanism, 90
 mitral balloon valvuloplasty, 137–141
 paravalvular leak
 after mechanical mitral valve replacement, 119–122
 bioprosthetic mitral valve replacement, 123–125
 mechanical mitral valve replacement with hemolysis, 126–131
 percutaneous devices, 146
 posterior leaflet prolapse, 103–106
 transcatheter mitral valve replacement, 132–135
- Mitral annular calcification (MAC), 36
- Mitral balloon valvuloplasty, 137–141
- Mitral inflow obstruction, cardiac crux abscess and, 167–169
- Mitral regurgitation (MR), 259. *See also* Diastolic mitral and tricuspid regurgitation
 Carpentier classification, 21
 type I, 22
 type II, 22
 type IIIA, 23
 type IIIB, 23
 chronic ischemic, 198–200
 and ventricular septal rupture, post-myocardial infarction, 200–203
- Mitral stenosis (MS)
 continuity equation, 28
 PHT method, 27
 PISA method, 28
 planimetry, 24–26
 pulmonary artery pressure, 29
 transmitral pressure gradient, 29
- Mitral valve
 cleft, primum atrial septal defect with, 179–184
 parachute, 185–188
- Mitral valve area (MVA). *See* Mitral stenosis (MS)
- Mitral valve myxoma
 cardiac MRI, 272
 intraoperative findings, 273
 M-mode echocardiography, 270
 pathology, 273
 TTE, 269–271
- Mitral valve nomenclature
 apparatus, 2
 labeling systems, 4
 leaflet structure, 3
 mitral annulus, 2
 papillary muscles, 2
 saddle-shaped structure, 2
 TEE imaging planes, 4
- Mitral valve prolapse
 anterior leaflet flail
 color M-mode, 60
 continuous wave Doppler, 60
 2D and color Doppler imaging, 58–59
 PISA, 61
 transgastric biplane view, 59
- bileaflet

- central vs. anteriorly directed mitral regurgitation, 51
- color M-mode, 51, 53
- continuous wave Doppler trace, 54
- 2D and color Doppler imaging, 52
- flail posterior leaflet, 52
- parasternal long-axis imaging, 50
- pulse-wave spectral Doppler, 53
- exercise stress, 257
- flail posterior mitral valve leaflet
 - color Doppler, 47
 - color M-mode, 45
 - continuous-wave Doppler, 45
 - three-dimensional reconstruction, 47
 - transesophageal, 46
- myxoid degeneration
 - apical two-chamber transthoracic view, 56
 - transesophageal view, 56–57
 - transthoracic parasternal long-axis view, 55
- myxomatous degenerative disease
 - color M-mode, 66
 - continuous wave Doppler, 66
 - 3D zoom view, 64
 - pulse wave Doppler trace, 65
 - transesophageal view, 62–63
- posterior leaflet, 43–44
- previous mitral valve repair, 48–49
- Mitral valve prostheses
 - Alfieri stitch, 207–209
 - annuloplasty ring dehiscence, 230–233
 - bioprosthetic mitral valve replacement and pseudoaneurysm, 223–225
 - bioprosthetic valve dehiscence, 228–229
 - 3D/4D imaging, 205
 - inflammatory response, 234–244
 - mechanical valve replacement and pseudoaneurysm, 226–227
 - mitral valve thrombus, 250–254
 - paravalvular leak 1, 215–216
 - paravalvular leak 2, 217–219
 - paravalvular leak 3, 220–222
 - robotic surgery, 205
 - thrombus, 245–249
 - valvuloplasty, 210–214
- Mitral valve repair
 - anterior mitral valve regurgitation, 48
 - 2D and color Doppler imaging, 48
 - proximal isovelocity surface area measurements, 49
 - regurgitant jet, continuous wave Doppler, 49
- Mitral valve thrombus, 250–254
- M-mode imaging, mitral valve assessment
 - HOCM, 17
 - LVOT, 17
 - mitral valve tips, 18
 - systolic anterior motion, 17
 - transvalvular flow during diastole only, 18
- Myocardial infarction, papillary muscle rupture, 193–197
- Myxoid degeneration, mitral valve prolapse
 - apical two-chamber transthoracic view, 56
 - transesophageal view, 56–57
 - transthoracic parasternal long-axis view, 55
- Myxomatous degenerative disease
 - color M-mode, 66
 - continuous wave Doppler, 66
 - 3D zoom view, 64
 - pulse wave Doppler trace, 65
 - transesophageal view, 62–63
- N**
- Native valve infective endocarditis, 147–150
- Nitinol mesh design, 91
- O**
- Obstructive cardiomyopathy without overt basal septal hypertrophy
 - intrinsic mitral valve pathology, 174–175,
 - mitral subvalvular (papillary muscle) pathology, 175–178
- Occluder devices, 91
- P**
- Papillary muscle rupture (PMR), 197
- Parachute mitral valve, 185–188
- Paravalvular leak
 - MitraClip device
 - after mechanical mitral valve replacement, 119–122
 - bioprosthetic mitral valve replacement, 123–125
 - mechanical mitral valve replacement with hemolysis, 126–131
 - paravalvular leak 1, 215–216
 - paravalvular leak 2, 217–219
 - paravalvular leak 3, 220–222
- Percutaneous balloon mitral commissurotomy (PBMC)
 - decreased transmitral pressure gradient, 74
 - improved mitral valve opening, 73
 - increased mitral valve area, 74
 - mild mitral regurgitation, 75
- Percutaneous devices, 146
- Percutaneous valve replacement, 205
- Planimetry, 24–26
- Posterior leaflet prolapse, MitraClip device
 - biplane view, 104, 105
 - 3D zoom view, 105
 - multiplanar view, 106
 - RVSP, 103
 - TEE view, 103, 104
- Post-myocardial infarction mitral regurgitation and ventricular septal rupture, 200–203
- Pressure half-time (PHT) method, 27
- Primum atrial septal defect with mitral valve cleft, 179–184
- Proximal isovelocity surface area (PISA) method, 20–21, 28
 - anterior mitral valve leaflet flail, 61
 - mitral valve repair, 49
- Pseudoaneurysm, 163–166. *See also* Mechanical valve replacement and pseudoaneurysm
- Pulmonary artery pressure, 29
- Pulsed wave (PW) Doppler, 19
- R**
- Rheumatic mitral regurgitation
 - color Doppler imaging, 84
 - dilated left atrium, 85
 - malcoapted mitral valve, 86
 - mitral valve and left atrium, 85
 - thickened mitral valve, 84
- Rheumatic mitral valve disease
 - percutaneous mitral commissurotomy
 - color flow imaging, 71
 - inoue balloon, 73
 - lateral chest x-ray, 70
 - posteroanterior chest x-ray, 70
 - post PBMC, 73–75

- Rheumatic mitral valve disease (*cont.*)
 three-dimensional imaging, 72
 transesophageal echocardiography, 70
 transmitral gradient, 71
 x-plane imaging, 72
 pulmonary hypertension and tricuspid regurgitation
 color Doppler imaging, 78
 continuous wave Doppler imaging, 79, 81
 TTE (*see* Transthoracic echocardiography (TTE))
 regurgitation (*see* Rheumatic mitral regurgitation)
- Right ventricular systolic pressure (RVSP), 29, 103
- S**
- Shone's anomaly, 188
 Spectral Doppler imaging, 19–20
 Stress echocardiography, 255
 gradients at peak, 261–266
 Submitral left ventricular pseudoaneurysm, 163–166
 Systolic anterior motion (SAM), 17, 171, 173
- T**
- Three-dimensional reconstruction, flail posterior mitral valve
 leaflet, 47
 Thrombus, mitral valve, 245–249
 Transcatheter mitral valve replacement, 132–135
 Transesophageal echocardiography (TEE)
 MitraClip device
 3D guidance, 114, 116
 mitral balloon valvuloplasty, 137–140
 paravalvular leak (*see* Paravalvular leak)
 posterior leaflet prolapse, 103–105
 transcatheter mitral valve, 132, 136
 transgastric, 110
 mitral valve prolapse, 43–44
 percutaneous mitral commissurotomy, 70
 Transmitral pressure gradient, 29
 Transthoracic echocardiography (TTE)
 apical four-chamber view, 13
 apical three-chamber view, 15
 apical two-chamber view, 14
 basal short-axis view, 9
 blood cyst, 274–276
 calcific mitral stenosis, 37
 CCMA, 32–34
 four-chamber view, 5
 imaging planes, 4
 mitral commissural view, 6
 mitral regurgitation, 148–149
 mitral valve cleft, primum atrial septal defect with, 179–184
 mitral valve myxoma, 269–271
 parasternal basal short-axis view, 12
 parasternal long-axis view, 11
 pulmonary hypertension and tricuspid regurgitation
 calcified and thickened aortic valve, 79
 calcified mitral valve with malcoapted tricuspid valve, 80
 mild aortic insufficiency, 80
 mitral valve severe calcification, 78
 moderate mitral regurgitation, 81
 parasternal long-axis, 77
 parasternal with color Doppler flow imaging, 77
 three-dimensional imaging, 82
 rheumatic mitral regurgitation
 color Doppler imaging, 84
 dilated left atrium, 85
 malcoapted mitral valve, 86
 mitral valve and left atrium, 85
 thickened mitral valve, 84
 subcostal four-chamber view, 16
 three-chamber, long-axis view, 8
 two-chamber view, 7, 10
 valvuloplasty, 210–211
 Tricuspid regurgitation. *See* Diastolic mitral and tricuspid regurgitation
 Two-dimensional imaging, mitral valve assessment, 17
- V**
- Valvuloplasty, 205, 210–214
 Ventricular response, exercise stress, 256–258
 Ventricular septal rupture (VSR), post-myocardial
 infarction, 200–203