

LITERATURE

- Abrahamse, A.F. (1970). A comparison between the Martin boundary theory and the theory of likelihood ratios. Ann. Math. Statist. 41, 1064-1067.
- Accardi, L. and Pistone, G. (1982). de Finetti's theorem, sufficiency and Dobrushin's theory. In Exchangeability in Probability and Statistics, G. Koch and F. Spizzichino (eds). North-Holland, Amsterdam.
- Aldous, D.J. (1981). Representations for partially exchangeable arrays of random variables. J. Mult. Anal., 11, 581-598.
- Aldous, D. (1985). Exchangeability and related topics. In Ecole d'Eté de Probabilités de Saint-Flour XIII-1983 (ed. P.L. Hennequin). Springer Lecture Notes in Mathematics, 1117. Springer, Berlin.
- Aldous, D.J. and J.W. Pitman (1979). On the zero-one law for exchangeable events. Annals of Probability, 7, 704-723.
- Andersen, E.B. (1970). Sufficiency and exponential families for discrete sample spaces. J. Amer. Statist. Assoc., 65, 1248-1255.
- Andersen, E.B. (1973). Conditional Inference and Models for Measuring. Sc. D. Thesis, Mentalhygieinisk Forskningsinstitut, Copenhagen.
- Asmussen, S. (1978). Measure-Theoretic Foundations of Probability Theory in Polish Spaces. Institute of Mathematical Statistics, Univ. of Copenhagen.
- Bahadur, R.R. (1954). Sufficiency and statistical decision functions. Ann. Math. Statist., 25, 423-462.

- Barndorff-Nielsen, O. (1970). Exponential Families. Exact Theory. Var. Publ. Series No. 19, Aarhus University.
- Barndorff-Nielsen, O. (1978). Information and Exponential Families and conditioning. Wiley, New York.
- Basawa, I.V. and Scott, D.J. (1983). Asymptotic Optimal Inference for Non-ergodic Models, Springer Lecture Notes in Statistics, 17. Springer-Verlag.
- Berg C., Christensen, J.P.R. and Ressel, P. (1984). Harmonic Analysis on Semigroups. Springer, Berlin.
- Billingsley, P. (1968). Convergence of Probability Measures. Wiley, New York.
- Bühlmann, H. (1960). Austauschbare stochastische Variabeln und ihre Grenzwertsätze. Univ. California Publ. Statist., 3, 1-36.
- Chentsov, N.N. (1972). Statistical Decision Rules and Optimal Conclusions. (in Russian) Nauka. Moscow.
- Clifford, A.H. and G.B. Preston (1961). The Algebraic Theory of Semigroups. Vol. I., Amer. Math. Soc.
- Cohn, H. (1974). On the tail events of a Markov Chain Z.f. Wahrscheinlichkeitstheorie und verw. Gebiete, 29, 65-72.
- Cohn, H. (1976). On the tail σ -field of the countable Markov chains Rev. Roum. Math. Pures et Appl. 21, 667-675.
- Cramér, H. (1946). Mathematical Methods of Statistics. Princeton Univ. Press.
- Dawid, A.P. (1977). Spherical matrix distributions and a multivariate model J. Roy. Statist. Soc., B, 39, 254-261.

- Dawid, A.P. (1978). Extendibility of spherical matrix distributions. J. Multivariate Anal., 8, 567-572.
- Dawid, A.P. (1982). Intersubjective statistical models. In Exchangeability in Probability and Statistics, G. Koch and F. Spizzichino (eds). North-Holland, Amsterdam.
- Diaconis, P. (1977). Finite forms of de Finetti's theorem of exchangeability. Synthese, 36, 271-281.
- Diaconis, P. and Freedman, D. (1980). de Finetti's theorem for Markov Chains. Annals of Probability, 8, 115-130.
- Diaconis, P. and Freedman, D. (1980a). Finite exchangeable sequences. Ann. Probability, 8, 745-764.
- Diaconis, P. and Freedman, D.A. (1980b). de Finetti's generalizations of exchangeability. Studies in inductive logic and probability. R. Jeffreys ed. Univ. of California Press, Berkeley.
- Diaconis, P. and Freedman, D. (1981). On the statistics of vision: the Julesz conjecture. J. Math. Psychology, 24, 112-138.
- Diaconis, P. and Freedman, D. (1984). Partial exchangeability and sufficiency. Proceedings of the Indian Statistical Institute Golden Jubilee International Conference on "Statistics: Applications and New Directions". Calcutta 1981. Sankhya A.
- Diaconis, P. and Freedman, D. (1987a). A dozen de Finetti-style results in search of a theory. Ann. Inst. Henri Poincaré, 23, 397-423.
- Diaconis, P. and Freedman, D. (1987b). A finite version of de Finetti's theorem for exponential families, with uniform asymptotic estimates. Tech. Rep. No. 91. Dept. of Statistics, Berkeley.

- Diaconis, P., M.L. Eaton and S.L. Lauritzen. (1987). Applications of finite de Finetti style theorems to linear models. Tech. Rep. No. 502, School of Statistics, Univ. Minnesota.
- Dynkin, E.B. (1978). Sufficient statistics and extreme points. Ann. Probability, 6, 705-730.
- Feller, W. (1971). An Introduction to Probability and Its Applications. Vol. 2., Wiley, New York.
- Fenstad, J.E. (1967). Representations of probabilities defined on first order languages. In Sets, Models and Recursion Theory, Ed. Crossley. North-Holland, Amsterdam.
- Fenstad, J.E. (1968). The structure of logical probabilities. Synthese, 18, 1-23.
- de Finetti, B. (1931). Funzione caratteristica di un fenomeno aleatorio. Atti della R. Accademia Nazionale del Lincei, Ser. 6. Memorie, Classe di Scienze Fisiche, Matematiche e Naturale, 4, 251-299.
- de Finetti, B. (1937). La prévision: ses lois logiques, ses sources subjectives. Ann. Inst. H. Poincaré, 7, 1-68.
- Freedman, D.A. (1962). Invariants under mixing which generalize de Finetti's theorem. Ann. Math. Statist., 33, 916-923.
- Freedman, D.A. (1963). Invariants under mixing which generalize de Finetti's theorem. Continuous time parameter. Ann. Math. Statist., 34, 1194-1216.
- Freedman, D. and Diaconis, P. (1982). de Finetti's theorem for symmetric location families. Ann. Statist., 10, 184-189.
- Föllmer, H. (1975a). On the potential theory of random fields. Proceedings of the 40th session of ISI, Warsaw. ISI Bulletin, 46, Book 2, 362-370.

- Föllmer, H. (1975b). Phase transition and Martin Boundary. Sem. Probabilités de Strasbourg IX. Springer.
- Georgii, H.O. (1979). Canonical Gibbs Measures. Lecture notes in Mathematics, 760. Springer. Berlin, Heidelberg, New York.
- Griffeath, D. (1975). A maximal coupling of Markov chains. Z. Wahrscheinlichkeitstheorie u. verw. Gebiete, 31, 95-106.
- Hald, A. (1960). The compound hypergeometric distribution and a system of single sampling inspection plans bases on prior distributions and costs. Technometrics, 2, 275-340.
- Hewitt, E. and Savage, L.J. (1955). Symmetric measures on Cartesian products, Trans. Amer. Math. Soc., 80, 470-501.
- Hewitt, E. and Zuckerman, H.S. (1956). The ℓ_1 -algebra of a commutative semigroup, Trans. Amer. Math. Soc., 83, 70-97.
- Höglund, T.H. (1974). Central limit theorems and statistical inference for Markov chains, Z. f. Wahrscheinlichkeitstheorie u. verw. Gebiete, 29, 123-151.
- Jensen, J.L. and Johannson, B. (1988). The extremal family generated by the Yule process. TRITA-MAT-1988-1. Roy. Inst. Techn. Stockholm.
- Johansen, S. (1967). Extremalpunktsmetoder i sandsynlighedsregningen. Guldmedaljeafhandling. Københavns Universitet.
- Johansen, S. (1977). Homomorphisms and general exponential families, In Barra, Brodean, Romier and Van Cutsem: Recent Developments in Statistics, North-Holland. Amsterdam.

- Johansen, S. (1979). Introduction to the Theory of Regular exponential families. Lect. notes 3. Univ. Copenhagen, Inst. Math. Stat.
- Kallenberg, O. (1973). Canonical representations and convergence criteria for processes with interchangeable increments. Z. Wahrscheinlichkeitstheorie u. verw. Gebiete, 27, 23-36.
- Keiding, N. (1974). Estimation in the birth process, Biometrika, 61, 71-80.
- Kingman, J.F.C. (1978). Random partitions in population genetics. Proc. R. Soc. Lond. A, 361, 1-20.
- Koch, G. and Spizzichino, F. (eds). (1982). Exchangeability in Probability and Statistics. North-Holland, Amsterdam.
- Küchler, U. and Lauritzen, S.L. (1986). Exponential families, extreme point models and minimal space-time invariant functions for stochastic processes with stationary and independent increments. Res. Rep. R-86-18, Inst. Electr. Syst., Aalborg Univ.
- Lauritzen, S.L. (1972). Sufficiency and time series analysis, Univ. Copenhagen. Inst. Math. Stat., Preprint No. 11.
- Lauritzen, S.L. (1973). Maximum likelihood prediction, Mimeographed. Seminar Notes. Univ. Copenhagen, Inst. Math. Stat.
- Lauritzen, S.L. (1974). On the interrelationships among sufficiency and some related concepts, Univ. Copenhagen, Inst. Math. Stat., Preprint No. 8.
- Lauritzen, S.L. (1974). Sufficiency, Prediction and extreme models, Scand. J. Statist., 1, 128-134.

- Lauritzen, S.L. (1975). General exponential models for discrete observations, Scand. J. Statist., 2, 23-33.
- Lauritzen, S.L. (1976). Projective Statistical Fields, Univ. Copenhagen, Inst. Math. Stat., Preprint No. 6.
- Lauritzen, S.L. (1984). Extreme point models in statistics. Scand. J. Statist., 11, 65-91.
- Lindenstrauss, J., Olsen, G. and Sternfeld, Y. (1978). The Poulsen simplex. Ann. Inst. Fourier Grenoble, 28, 91-114.
- Martin-Löf, P. (1970). Statistiska Modeller. Notes by Rolf Sundberg Mimeographed.
- Martin-Löf, P. (1974). Repetitive structures. In Proceedings of Conference of Foundational Questions in Statistical Inference, Aarhus 1974. Memoirs 1. Ed. O. Barndorff-Nielsen, P. Blæsild and G. Schou.
- Martin-Löf, P. (1975). Reply to Sverdrup's polemical article: tests without power. Scand. J. Statist., 2, 161-165.
- Neveu, J. (1964). Chaines de Markov et théorie du potentiel. Ann. Faculté des Sciences Clermont, 3, 37-65.
- Orey, S. (1971). Limit Theorems for Markov Chain Probabilities. Van Nostrand. London.
- Petrich, M. (1977). Lectures in Semigroups, Wiley, Akademie-Verlag.
- Phelps, R.R. (1966). Lectures on Choquet's Theorem. Van Nostrand, Princeton, N.J.

- Pitman, J.W. (1978). An extension of de Finetti's theorem. Adv. Appl. Prob., 10, 268-269.
- Poulsen, E.T. (1961). A simplex with dense extreme points. Ann. Inst. Fourier Grenoble, 11, 83-87.
- Rasch, G. (1960). Probabilistic Models for Some Intelligence and Attainment Tests. Danmarks Pædagogiske Institut. Studies in Mathematical Psychology I.
- Ressel, P. (1985). de Finetti type theorems: An analytical approach. Ann. Prob., 13, 898-922.
- Ressel, P. (1986). Integral representations of symmetric stochastic processes. Manuscript.
- Salminen, P. (1981). Martin boundaries for some space-time Markov processes. Z. Wahrscheinlichkeitstheorie u. verw. Gebiete, 55, 41-53.
- Scheffer, C.L. (1971). La limite projective des espaces topologiques de Hausdorff compacts dans la catégorie des diffusions continues sousmarkoviennes. Co. R. Acad. Sc. Paris, 272, 1198-1201.
- Schoenberg, I.J. (1938). Metric spaces and positive definite functions. Trans. Amer. Math. Soc., 44, 522-536.
- Skibinsky, M. (1967). Adequate subfields and sufficiency. Ann. Math. Statist., 38, 155-161.
- Smith, A.F.M. (1981). On random sequences with centered spherical symmetry. J. Roy. Statist. Soc. Ser. B., 43, 208-209.
- Spitzer, F. (1976). Principles of Random Walk, 2nd ed. Springer. New York, Heidelberg. Berlin.

- Sweeting, T. (1986). Asymptotic conditional inference for the offspring mean of a supercritical Galton-Watson process. Ann. Statist., 14, 925-933.
- Wilson, A.G. (1967). A statistical theory of spatial distribution models. Transportation Research, 1, 253-269.
- Winkler, G. (1985). Choquet Order and Simplices with Applications in Probabilistic Models. Lecture Notes in Mathematics, No. 1145, Springer, Berlin.
- Zaman, A. (1984). Urn Models for Markov exchangeability. Ann. Probability, 12, 223-229.