

---

# INDEX

- Abbe flaps, 23  
  "flour de lis", 37  
  for lip reconstruction, 31–45  
  size of, comments, 40
- Abbe-Stein-Sabattini flap, 31
- Abdomen  
  closure of, in TRAM flap breast reconstruction, 79–83  
  upper, repair possibilities, 177
- Abdominal wall, full-thickness defects of, 169–189
- Aesthetics  
  of coverage in hand reconstruction, 163  
  of outcomes, lumpectomy with radiation, 66–67
- Age  
  and breast reconstruction with a TRAM flap, 72  
  for using an Abbe flap for lip repair, 41, 42
- Alar reconstruction, 16–17
- Allen's test, 153
- Anastomosis  
  arterial, in the lower extremity, 258  
  microvascular, in the upper extremity, 134  
  venous, in the lower extremity, 258
- Anesthesia  
  in Abbe flap lip reconstruction, 35  
  for forehead flap reconstruction of nasal tissue, 8, 21  
  general, for Abbe flap surgery, comments, 44  
  in wound examination, hand injury, 160
- Antibiotics, after debridement, 104
- Aponeurosis, double layered, temporal muscle, 50–51
- Arterial graft  
  brachial artery, intraoperative view, 136  
  flow-through concept, 139–140
- Arteriogram  
  for examining the blood supply to the latissimus muscle, 128  
  in free flap reconstruction of the lower extremity, 263
- Artery  
  gluteal, damage to, accompanying ischial pressure sores, 240  
  inferior epigastric  
    deep, blood supply from, 232–233  
    superficial, 57  
  labial, Abbe flap, 34  
  mammary, 109  
    and choice of muscle flap, 110–111  
  radial, division of, 156–157  
  subscapular, for upper extremity repair, 134  
  supratrochlear, advantage of forehead flap based on, 20
- Aspirin, after upper extremity reconstruction, 144
- Asymmetry, avoiding, with Abbe flap use, 42
- Autogenous tissue, placement of, during initial mastectomy, 87
- Axial flap, forehead, 5–6
- Becker expander, 86
- Biceps femoris muscle, contraindication to reconstruction with, ambulatory patient, 222
- Bilateral cleft lip, Abbe flap for, 37–39
- Bipedicle technique, in unilateral breast reconstruction, 72
- Bladder mucosa, for urethra reconstruction, 192, 194, 198
- Blanch test, of an Abbe flap, 34
- Bone grafting  
  in lower extremity reconstruction, 269  
  in penile reconstruction, potential for, 208–209  
  after temporal muscle reconstruction, 55
- Bone scan, for documenting blood flow into a free fibula flap, 279
- Bowel resection, mesentery preservation in, 225
- Brachial artery, reconstruction of, 136
- Breast reconstruction, 63–92
- Breasts  
  heavy, and use of a pectoralis flap, 108
- Brow, distortion of, with the galea frontalis flap, 55
- Buccal mucosa flap, 4–5  
  oral-nasal fistula resulting from, 21
- Buccal sulcus flap  
  for large lining defects, 8
- Burn, preserving tissue in, 192–194
- Cancer  
  minimal incision requirements in, 91  
  recurrent, excision and Mohs' defect, 15  
  rhabdomyosarcoma, 47–59
- Capsulectomy, 73
- Carcinoma  
  basal cell, nasal, 3–4  
  lobular, following lumpectomy, 64–68

- Cartilage  
costal, removal of, in infection, 104  
for nose reconstruction, 5, 8–10  
  additional support for, 13  
for penis reconstruction, 200  
  problems with, 202
- Cautery  
for dissection of a muscle flap, 118, 124, 233  
fiberoptic, 73
- Cephalic vein, in hand coverage, 153
- Cheek flap for nasal reconstruction, 5, 14, 16  
  positioning of, 25  
  in younger patients, 24
- Chest wall reconstruction, sternal wound, 95–113
- Childbearing, potential problems in TRAM flap for breast reconstruction, 71
- Circumflex scapular pedicle, identification of, 257
- "Cis sarcosis" of Bichat, 50–51
- Cleft lip  
bilateral, Abbe flap for, 37  
unilateral, 32–34  
  Abbe flap advantages in, 40
- Closure, layered, in ischial pressure sore construction, 222
- Colectomy wounds, posterior perineum problems in, 227, 241
- Columellar defects, 17–18
- Columellar flap, 25
- Compliance, in distant flap use for hand repair, 160–161
- Composite deficiencies, indication for Abbe flap in repair of, 41
- Composite flap, bridging an arterial defect, 142
- Composite graft, alternative to pedicled flap, 43
- Conchal cartilage, for simulating alar cartilage domes, 9–10
- Congestion, with Abbe flap use, comments, 42–43
- Contraindications, to flap coverage, upper extremities, 143
- Coronal incision, for approach to the temporal muscle, 51
- Criteria, for selecting a donor site, lower extremity osteomyelitis, 251
- Crohn's disease, risks of surgery in, 184–185
- Cutaneous advancement flap, for coverage, sternal wound, 95, 97
- Dead space, effect on, of debridement, 112
- Debilitation, and use of a rectus abdominis flap, 111
- Debridement  
in burns, 192–194  
in infection, loss of abdominal tissue, 169  
and success of surgery, lower extremity, 251, 284  
in wound reconstruction, 104, 111, 143, 148, 233, 249  
  comments, 109  
  issues in extent of, 159
- Defatting  
at inset, forehead flap, 19  
at pedicle division, 27–28
- Deltoid flap, for penis reconstruction, 200
- Desiccation, of bone and tendon, 153
- Dextran, administration after upper extremity reconstruction, 144
- Diabetes  
and infection resulting in an abdominal wall defect, 169–170  
and use of a pectoralis flap, 107–108  
and use of a rectus abdominis flap, 111
- Donor defect  
in free fibula reconstruction, 281  
morbidity of, with tensor fasciae latae flaps, 177  
with radial forearm flaps, 156, 197, 262  
with scapular flaps, 260
- Dorsal neurovascular bundle, for penis reconstruction, 192–194
- Dorsal pedis flap, for a hand defect, 162
- Drainage, in sternal wound care, 110
- Edema  
in forehead flaps used on the nose, 19  
in reversed radial forearm flap transfer, 161
- Empyema cavity  
alternative to space-filling surgery in, 125  
obliterating dead space of, 126
- Epigastric artery  
  deep inferior, blood supply from, 232–233  
  superficial inferior, flap compared with temporal muscle, 57
- Erectile function, preserving, penis reconstruction, 198, 201
- Erectile tissue, preserving, in partial amputation of penis, 203
- Esophagoscopy, 115
- Excision, of a pressure sore, 233
- Exenteration, postpelvic, 241–242
- Extensor tendon reconstruction, 162–164
- External fixation, after free fibula transfer, 279
- Fascia  
  amount of, and closure, 243–244  
  mesh closure of, 171, 177
- Fascia/aponeurosis flap, alternative to temporal muscle, comment, 56
- Fasciotomy  
  to avoid compartment syndrome in ischemia, 158  
  in an ischemic upper extremity, 148
- Fiberoptic electrocautery, for dissection in implant pocket development, 73
- Fibula reconstruction, free, for lower extremity injury, 267–287
- Fistula, persistent, managing in abdominal wall reconstruction, 184–185
- "Fleur de lis" Abbe flap, 37
- Flexor muscles, damage to, in devascularizing injuries of the proximal forearm, 146–147
- Forearm coverage, with free latissimus muscle flap, 133–149
- Forehead  
  axial flap from, 3–29  
  flap for nasal reconstruction, 5  
  secondary defect, closure of, 18–19  
  tissue expansion  
    intraoperative, 11, 19  
    intraoperative, comment, 24, 25
- Free fibula reconstruction  
  anatomy of, 270–274  
  for bone defects, evaluation of, 285
- Free flaps  
  in breast reconstruction, 88–89  
  in orbital reconstruction with prosthesis, 59

- Free tissue transfer  
 for abdominal reconstruction, 177  
 emergency, 159  
 for large hand defects, 161  
 for penis reconstruction, advantages of, 204  
 with a serratus anterior muscle, 116–117, 118, 123  
 to the upper extremity, 141–144
- Frontalis muscle flaps, 25  
 for nasal reconstruction, 23
- Functional loss  
 hand injury, 160  
 recovery from, and free tissue transfer, 143
- Galea frontalis flap, alternative to temporal muscle reconstruction, 54–55
- General surgeon, advice of, in breast reconstruction, 66
- Glans  
 conservative management of injury to, 200  
 reconstruction of, 205
- Gluteal artery, damage to, accompanying ischial pressure sores, 240
- Gluteal thigh flap, 223–224  
 in perineal reconstruction, 242
- Gluteus island myocutaneous flap, 227
- Gortex graft, 147
- Gracilis musculocutaneous flap, 223  
 alternative to rectus abdominis myocutaneous flap, 239  
 donor morbidity from, 262  
 versus free tissue transfer, 226  
 for an ischial pressure sore, 240
- Graft  
 for a donor site, 153  
 forearm, 197  
 scapular free flap, 260  
 indication for, 160  
 split-thickness, abdominal wall reconstruction, 171
- Granulation tissue, covering exposed tissue, debridement of infection, 169
- Groin flap for hand reconstruction, 163  
 pedicled, 164
- Groin wounds, 231–245
- Hair growth, from skin used for flaps, 198
- Hamstring muscles, anatomy of, 220
- Hand, reversed radial forearm flap for coverage of, 151–165
- Healing  
 primary, of a wound, 151, 153  
 by secondary intention, 98  
 time for  
 and flap reconstruction, 159  
 and free fibula reconstruction, 282
- Hemostasis, in flap donor sites, 107
- Herniation, after fascia closure, 244
- Hospitalization, in forehead flap reconstruction, 21
- Hypertrophy, bony, 285
- Iliac crest bone flap, free, 281
- Ilizarov bone transit technique, 284  
 versus vascularized bone flaps, 270
- Incisions, for mastectomy, 68
- Indications, for perineal reconstruction, 218
- Innervation  
 in free tissue transfer, for penis reconstruction, 201, 202  
 preserving, to the tensor fasciae latae and the rectus femoris, 183
- Intercostal flap, 126–127  
 for cardiac repair, experimental in animals, 120
- Intercostal space, second, incision in, 119
- Intrathoracic wounds, closure of, 115–129
- Ischemia, in hand injury, 158
- Ischial pressure sore  
 gracilis graft for, 239–240  
 reconstruction with "V-Y" hamstring advancement flap, 213–229
- Island flap, alternative to pedicled flap, nasal reconstruction, 27
- Labial artery, divided, Abbe flap, 34
- Lassus reduction, for mammoplasty patients, 86
- Latissimus dorsi  
 anatomy of, 137  
 for anterior chest wall reconstruction, 101, 182  
 for anterior mediastinal reconstruction, 108  
 for closure of an intrathoracic wound, 117  
 for forearm coverage, 133
- for free tissue transfer  
 abdominal reconstruction, 145  
 "Z" extension, 138  
 for tibia reconstruction, failure of, 267  
 for upper extremity reconstruction, 134
- Layered construction, of an axial forehead flap, 7
- Le Forte I advancement, timing of, prior to Abbe flap lip repair, 41
- Lid sparing, choices allowing for, 59
- "Like with like" principle, 145–146, 160  
 in closure of lining defects, 8  
 comment on, nasal reconstruction, 23
- Lining defects, nose, sources of mucosa for, 8
- Lip  
 Abbe flaps for reconstruction of, 31–45  
 upper, anatomy of, 32  
 use of two Abbe flaps, comment, 45
- Lumpectomy, 64–68  
 with radiation, aesthetic outcomes, 66–67
- Malleolus, osteomyelitis with *Staphylococcus*-positive open wounds, 250
- Mammary artery  
 and choice of muscle flap, 110–111  
 for coronary revascularization, 109
- Mandibular reconstruction, 284
- Mastectomy, modified radical, 64–68
- Mathes-Nahai type V muscle, pectoralis major as, 104
- Mediastinal wound, indications for closure of, 109
- Mediastinitis, chest wall reconstruction following, 98
- Mesh, synthetic  
 skin graft over, 187–188  
 with a tensor fasciae latae, 182–183
- Methylmethacrylate beads, to maintain space in a cavity, 283–284
- Millard lip repair, 43
- Mohs' surgery  
 outcome, 12  
 reconstruction after, 3–4
- Monitoring, postoperative, lower extremity reconstruction, 259, 279, 286

- Morbidity, donor site, 160  
  hamstring muscles, 220  
  radial forearm flap, 207–208
- Mucosal defect, nasal, closure of, 4
- Muscle, covering for tissue expanders,  
  breast reconstruction, 73–76, 87
- Musculofascial flaps, thigh, for abdominal reconstruction, 177
- Myonecrosis, 158
- Nasal defect  
  axial forehead flap for reconstructing, 3–29  
  template for, x-ray film, 18
- Nerve, supratrochlear, results of sacrificing, forehead flap reconstruction, 21
- Neurological impairment, atrophic and fibrotic muscles associated with, 233
- Obesity  
  and use of a pectoralis flap, 107–108  
  and use of a rectus abdominis flap, 111  
  and use of a scapular flap, 260, 261
- Omentum  
  for anterior chest wall reconstruction, 101–104  
  indications for, 108, 109  
  for covering a bronchopleural fistula, 125  
  free flap, compared with muscle flap, 57  
  for perineal reconstruction, 224  
  for sternal wound coverage, in ventilator-dependent patients, 111–112
- Orbitomy, superolateral, in rhabdomyosarcoma, 52
- Osteomyelitis  
  history of, and choice of flap, 251  
  pelvic, 231  
  sternal  
    chest wall reconstruction following, 96  
    wound resection in, 109
- Osteosynthesis, promoting, 284
- Ostomy, rectus abdominis flap in, 228  
  question of availability, 242
- Oxygen, nasal, after upper extremity reconstruction, 144
- Paraplegic patient  
  chronic wound of the perineum and left groin, 231  
  relative advantages of muscle flap locations, 228  
  treatment of a trochanteric pressure sore, 219
- Parascapular flaps, anatomy of, 252–255
- Patient  
  large-breasted, reconstruction for, 71–72  
  large breasted, and use of a pectoralis flap, 108  
  management of  
    abdominal wall reconstruction, 171  
    penis reconstruction, 192–194  
    positioning for surgery, 240–241  
    free fibula reconstruction, 275  
  small-breasted, reconstruction for, 69–71
- Pectoralis major muscle  
  anatomy of, 101, 104  
  flaps for coverage, sternal wound, 95, 97, 98–101  
  problems with, potential, 110
- Pectoralis turnover flap, 105, 106
- Pedicle  
  choice of, free fibula reconstruction, 279  
  circumflex scapular, identification of, 257  
  for a pectoralis flap, injury to, 107
- Pelvic floor, involvement of, rectus abdominis for reconstructing, 227
- Penis, reconstruction of, 191–210
- Pericardiectomy, 95
- Pericarditis, constrictive, after closure of a ventricular septal defect, 95–96
- Pericranium  
  blood supply to, questioning, 57–58  
  flap from, 25  
  reconstructing the orbital cavity, 54
- Pericranium extension, question about resultant temporal hollow, 56
- Perineum  
  anatomy of, 194–196  
  challenges in reconstruction at, 217  
  wounds of, 231–245
- Peroneal muscles, management in fibula free flap preparation, 276
- Peroneal nerve, lateral, avoiding injury to, 282
- Peroneal vessels, supply to the free fibula flap, 270–273
- Pfannenstiel incision, 244
- Philtral deformity, 31
- Philtral dimensions, resulting from Abbe flap design, 40–41
- Pleural cavity, source for flaps for intrathoracic wounds, 115–116
- Pressure sores, 231  
  ischial  
    gracilis graft for, 239–240  
    reconstruction with "V-Y" hamstring advancement flap, 213–229
- Primary wound healing, 151, 153
- Prolene  
  mesh of, for abdominal reconstruction, 178  
  suture of, for intrathoracic wound repair, 120
- Proplast, for correcting hollow from temporalis muscle flap removal, 58
- Prosthesis  
  mesh, abdominal, 171  
  penile, 200  
  permanent, eye, 52–53
- Psychiatric disturbance, contraindication to free flap upper extremity reconstruction, 143
- Ptosis, of autogenous tissue, breast reconstruction, 70
- Pulmonary complication, potential for, in serratus muscle flap use, 123
- Radial artery, division of, 156–157
- Radial forearm flap  
  anatomy of, 153–156  
  for lower extremity coverage, 261–262  
  for penis coverage, 192–194, 195, 201  
  reversed, for hand coverage, 151–165
- Radiation therapy for breast cancer conditions for, 67  
  and free flap reconstruction, 89
- Recipient site, preparation of the tibia, free fibula flap, 278–279

- Rectus abdominis, 106  
 for abdominal reconstruction, 181  
 anatomy of the muscle, 235–238  
 for anterior chest wall reconstruction, 101–104, 110–111  
 indications for, 108, 109  
 for groin and perineal wound reconstruction, 232  
 for lower extremity reconstruction, 262  
 versus pectoralis flap, 110  
 for perineal reconstruction, 224  
 considerations, 242  
 for sternal wound reconstruction, 95, 97
- Rectus fascia, for pressure sore reconstruction, 233
- Rectus femoris, 224  
 for abdominal reconstruction, 177, 181  
 alternative to rectus abdominis myocutaneous flap, 239
- Rectus muscle, for penis reconstruction, potential for, 209
- Recurrent malignancy  
 and choice of tissue for reconstruction, 20, 23  
 and temporal muscle reconstruction, 55
- Reduction genioplasty, at revision of lip reconstruction, 35
- Rehabilitation consultants, in ischial pressure sore reconstruction, 222
- Resection, of a pressure ulcer, 221
- Respiratory failure, with a distal tracheal perforation, 115
- Revascularization  
 after bone graft insertion, 270  
 after bypass graft failure, 145  
 after free fibula reconstruction, 279
- Rhabdomyosarcoma, left orbital, 47–59
- Rhinoplasty, at revision of lip reconstruction, 35
- Rib  
 midlevel, removal during thoracotomy, 119  
 resection, during thoracotomy, 126
- Roundtable discussion  
 Abbe flap for lip reconstruction, 40–45  
 abdominal wall, full-thickness reconstruction, 179–188  
 breast reconstruction, 85–91  
 forearm coverage with free latissimus muscle flap, 145–148  
 free fibula reconstruction, 283–286  
 hand coverage with a radial forearm flap, 162–164  
 lip reconstruction, 40–45  
 nasal reconstruction with an axial forehead flap, 23–28  
 orbital prosthesis insertion, temporal muscle reconstruction, 56–59  
 paraplegic patient with a groin wound and osteomyelitis, 239–244  
 penis reconstruction, 201–209  
 perineal reconstruction, 226–228  
 scapular free flap, 261–264  
 serratus anterior flap, for closure of an intrathoracic wound, 125–128  
 sternal wound reconstruction, 109–112
- Saphenous vein graft, for brachial artery repair, 137
- Scalping flap, alternative to a pedicled forehead flap, 25
- Scapular bone flap, free, 281
- Scapular fascial flap  
 alternative to temporal muscle, 57  
 free, in obese patients, 260  
 without overlying skin, 261
- Scapular flap  
 anatomy of, 252–255  
 free, 249–265  
 vascularization of, 254  
 for hand reconstruction, 163
- Scarring  
 from Abbe flaps, 35–37, 41–42  
 from forehead flaps, 20
- Sciatic nerve, injury to, in hamstring advancement flap use, 222
- Scrotum, free tissue coverage versus skin graft, 205, 207
- “Seagull flap”, relative disadvantages of, 20
- Secondary revision, planning for with Abbe flaps, 43  
 size of Abbe flap, 34
- Sensation, cutaneous  
 lower extremity, 264  
 and tissue breakdown, 261
- Septal flaps, nasal septal perforations accompanying, 26
- Septal mucosal flap  
 hinged, accompanied by septal cartilage, 24  
 for large lining defects, 8
- Septal pivot flap, to avoid stenosing the nose vestibule, 24
- Seroma, donor area, avoiding, 187
- Serratus anterior muscle  
 anatomy of, 116–117  
 flap, demonstration of muscle placement, 120, 122  
 flap for an intrathoracic wound, 116  
 submuscular dissection of, 74
- Serratus free flap, for lower extremity reconstruction, 263
- Silicone gel, for breast implants, 70
- Siltex Spectrum implant, adjustable, 86
- Siltex Spectrum permanent prosthesis, breast, 70
- Skin cover  
 matching thickness to normal skin of the nose, 9  
 for a nasal defect, size of forehead graft, 13–14
- Skin grafts  
 advantages of, for nasal reconstruction, 23  
 for muscle coverage, 134  
 for penis reconstruction, 203–204
- Skin island  
 design of, 238  
 with a fibula free flap, 276
- Smoking  
 and breast reconstruction, 89–91  
 as an indication for microvascular breast reconstruction, 71
- Space, for bone transfer, maintaining during wound stabilization, 283–284
- Sternal wounds, 108
- Sternum, removal of, in debridement, 104
- Subscapular artery, for upper extremity repair, 134
- Suction catheter, management of, in chest reconstruction, 126
- Supratrochlear artery, advantage of forehead flap based on, 20
- Supratrochlear nerve, results of sacrificing, forehead flap reconstruction, 21

- Supratrochlear neurovascular bundle, forehead flap based on, 5–6
- Sutures, absorbable, for ischial pressure sore reconstruction, 221
- Suturing
- burying lines in vascularized tissue, 178
  - of a circular abdominal defect, 186–187
- Symmetry, as a goal in breast reconstruction, comment, 85
- Systemic disease, contraindication to free tissue transfer, upper extremity, 143
- Tagliacozzi's upper arm flap, for nasal reconstruction, 26
- Template, x-ray film
- for hand coverage, 156
  - for a nasal defect, 18
- Temporal fascia, alternative to temporal muscle use, 55
- Temporal muscle, 47
- anatomy of, 50–51
  - for head and neck reconstruction, 47–59
- Temporoparietal fascia
- compared with temporal muscle reconstruction, 57
  - raising, comment, 58
- Temporoparietal flap for lower extremity reconstruction, 262–263
- blood vessels of, 264
- Tendon grafting, sandwich, 164
- Tendon reconstruction, 164
- Tensor fasciae latae, 224
- for abdominal reconstruction, 182
  - island flap, 172–175
  - for abdominal reconstruction, 177
  - anatomy of, 176
- Thigh
- gluteal flap, in perineal reconstruction, 242
  - muscle compartments of, 273–274
  - posterior flap, for pressure sore reconstruction, 226, 227
- Thoracic reconstruction, muscle flaps suitable for, 101
- Thoracotomy incision, for intrathoracic wound closure with the serratus anterior muscle, 117
- Thrombosis, complication of free flap surgery, 144
- Tibia
- osteomyelitis with *Staphylococcus*-positive open wounds, 250
  - reconstruction of, free fibula for, 267–287
- Tightness, upper lip, relieving with an Abbe flap, 43
- Timing
- of abdominal reconstruction, stages of, 184
  - of breast reconstruction, 70, 87
  - of forearm coverage, in devascularizing injury, 147
  - of nasal reconstruction after Mohs' excision, 20
  - of pedicle division
    - Abbe flap, 44
    - in forehead flap reconstruction, 27
    - in forehead flap reconstruction, comments, 21
- of wound breakdown, and sequence of treatment, 111
- of wound reconstruction, 159
- hand defect, 163
- Tissue expansion
- for breast reconstruction, 64–65, 69, 73–76
  - comment, 85
  - large breast, 71
  - of forehead tissue, 23
  - for lip reconstruction, comment, 45
- Tracheal perforation, distal, respiratory failure with, 115
- Transabdominal transposition, for a central perineal wound, 243
- Transverse rectus abdominis myocutaneous (TRAM) flap, 64–68
- comparison with rectus abdominis flap, 235, 238
  - complications with, comments, 87–88
  - contralateral unipedicle variant, 70–71
  - with a serratus flap, 125
  - in smokers, 90–91
  - technique, 76–83
- Turnover flap, for covering the lower third of the sternum, 110
- Two-team approach, to arm surgery, 137–138
- Ulcerative colitis, and osteomyelitis associated with open wounds, 249–265
- Umbilicus, location of, following TRAM flap preparation, 79–83
- Urethra reconstruction
- from bladder mucosa, 192, 194, 198
  - from radial forearm skin, 201
- Vagina, reconstruction of, 227, 241
- Vascularization
- of a forearm flap, 163
  - of a pedicled forehead flap, testing, 19
  - of recipient tissue, consideration in upper extremity reconstruction, 143
  - of a scapular free flap, 254
  - of tissue for urethra reconstruction, 198
- Vascular reconstruction, 145
- Vein, cephalic, in hand coverage, 153
- Vein graft
- saphenous, for brachial artery repair, 137
  - thrombosis of, 134
- Venous versus arterial interposition, forearm coverage, 145–146
- Vicryl mesh, absorbable, between permanent mesh and the viscera, 183
- "V-to-Y" advancement, 17–18
- hamstring flap, ischial pressure sore coverage, 213–229
- Washio flap, comments, 26
- Weight-bearing surface, limitation on donor sites for covering, 263
- "W" flap, 44
- Winged scapula, after serratus anterior flap use, 123, 127
- Wise pattern skin excision, 64–65, 71, 77
- comment, 85–86, 88–90
- Wise pattern skin incision, 69–71
- Wound
- delayed or chronic, scarring found at, 257–258
  - infections of, 243
  - size of, and choice of muscle flap, 110
  - stabilization of, before free fibula reconstruction, 283