

Index

- Activated charcoal, therapeutant in atrazine poisoning, 52
- Acute poisoning, atrazine, 50
- Acute poisoning, atrazine in humans, 53
- Air pollutants, allergens, 62
- Air pollutants, children's exposure, 59 ff.
- Air pollutants, indoor delineated, 59
- Allergens, indoor house dust, 62
- Allergens, percentage of population sensitized, 73
- Allergic disease, family related, 62
- Allergies, asthma related, 62
- Allergies, dust mites, 64
- Aminolevulinic acid dehydratase, biomarker for lead toxicity, 30
- Analytical methods, lead, 10
- Anodic stripping voltammetry, lead analysis, 16
- Asthma, annual costs in U.S., 63
- Asthma, dust mites, 64
- Asthma, hospitalization rates, 62
- Asthma, number of children affected in U.S., 62
- Asthma, relationship to allergens, 62
- Atomic absorption spectrometry, lead analysis, 15
- Atomic emission spectrometry, lead analysis, 15
- Atrazine, acute human poisonings, 53
- Atrazine, acute ruminant poisoning, 51, 55
- Atrazine, chronic exposure effects, human, 48
- Atrazine, field worker studies, 48
- Atrazine, human epidemiology, 47 ff.
- Atrazine, human poisonings, 50
- Atrazine, mammary tumors in rats, 47
- Atrazine, manufacturing exposure, 49
- Atrazine, ovarian cancer related, 53
- Atrazine, ovarian tumors, 48
- Atrazine poisoning, activated charcoal therapeutant, 52
- BAFs**, PAHs in marine organisms, 140
- Baseline blood levels, lead, 3
- BCFs, bioconcentration factors, 89
- BCFs, PAHs in marine organisms, 137
- BCFs, PAHs in *Rhepoxynius abronius* (amphipod), 90
- Benzo(a)pyrene, in house dust, 66
- Bioaccumulation factors (BAF), PAHs in marine organisms, 140
- Bioavailability, PAHs to sediment ingestors, 91
- Bioconcentration factors (BCF), PAHs in marine organisms, 137
- Biological markers, lead toxicity, 30
- Biological properties, lead, 4
- Biomarkers, lead toxicity, 30
- Blood levels, lead 2, 3
- Cancer cases, related to indoor air/house dust, 68
- Carbaryl, in house dust, 66
- Carpets, dust pollutants, 61
- Carpets, dust removal cleaning recommendations, 62
- Cat allergies, children, 70
- Cerrusite ore, lead source, 5
- Chemical properties, lead, 4
- Children, asthma hospitalization rates, 63
- Children, average daily dust ingestion, 60
- Children, lead exposure via house dust, 61
- Children, pica behavior, 60
- Children, pollutants exposure in house dust/indoor air, 59 ff.
- Chlordane, in house dust, 66

- Chlorpyrifos, in house dust, 66
- Chromatographic methods, lead analysis, 17
- Chronic exposure effects, atrazine, 53
- Chronic exposure, humans to atrazine, 52
- Colon cancer, atrazine-related, 49
- Colorimetric analytical methods, lead, 15
- Cotinine, in house dust, 66
- DDT**, in house dust, 66
- Depuration, in marine organisms, defined, 106
- Dieldrin, in house dust, 66
- Differential pulse polarography, lead analysis, 16
- Dioxins, indoor air pollutant, 68
- Dissolved organic carbon (DOC), 89
- Dursban, in house dust, 66
- Dust, children's daily ingestion, 60
- Dust mites, source of allergies/asthma, 64
- Dust, road/street pollutants, 61
- Electrochemical analytical methods, lead analysis, 16
- Electron x-ray microprobe, lead analysis, 26
- Electron-capture detectors, lead analysis, 17
- Elimination, in marine organisms, defined, 105
- Elimination kinetics, PAHs in marine organisms, 109
- Elimination, PAHs in marine invertebrates, 107
- Elimination, PAHs in marine organisms, 105
- Elimination, PAHs in marine fish, 109
- Elimination rate constant (k_2) defined, 94
- Environmental lead contamination, 1 ff., 7
- Environmental lead, measurement, 1 ff.
- Epidemiology, atrazine herbicide, 47 ff.
- Extended x-ray absorption fine structure, lead analysis, 27
- Ferrochelata**se inhibition, lead, 30
- Field workers, atrazine exposure, 48
- Flame ionization detectors, lead analysis, 17
- Fleece factor, defined, 65
- Galena** ore, lead source, 5
- Glow discharge mass spectrometry, lead analysis, 18
- Half-lives**, PAHs in marine organisms, 111 (table), 114
- Herbicidal s-triazines, atrazine, 47
- Herbicides, human epidemiology, 47 ff.
- Herbicides, human poisonings, 50
- High performance liquid chromatography (HPLC), lead analysis, 17
- High Volume Furniture Sampler, dust, 60
- Home air pollutants, children's exposure, 59 ff.
- House dust, children's exposure, 59 ff.
- House dust, pesticide content, 65
- House dust, pollutant removal methods, 69
- House dust pollutants, children's exposure, 59 ff.
- House dust, related cancer cases, 68
- House dust, sampling methods, 60
- HPAHs, high-molecular-weight PAHs, 82
- HPLC, lead analysis, 17
- Human exposure, lead, 1 ff.
- Human exposure, lead measurement techniques, 28
- Human toxicity, lead measurement techniques, 28
- ICPMS**, see Inductively coupled plasma mass spectrometry
- Indoor air pollutants, allergens, 62
- Indoor air pollutants, delineated, 59

- Indoor air pollutants, radon, 67
Indoor air, related cancer cases, 68
Indoor pollutants, delineated, 61
Indoor pollutants, lead, 61
Inductively coupled plasma-mass spectrometry, lead analysis, 10, 20
Ingleside ore, lead source, 5
Isotope dilution mass spectrometry, lead analysis, 19, 21
- K-shell x-rays, lead analysis, 18**
 k_1 , uptake clearance constant defined, 93
 k_2 , elimination rate constant defined, 94
 K_{oc} , PAHs, 82
 K_{ow} , PAHs, 82, 83
- L-shell x-rays, lead analysis, 18**
Laser microprobe mass analysis spectrometry, lead analysis, 18
Lead alkyles, gasoline, 2
Lead, analysis by HPLC-ICPMS, 11
Lead analysis, sample contamination, 2
Lead, analytical contamination, 13
Lead, analytical contamination sources, 14
Lead, analytical isolation/concentration, 14
Lead, analytical methods, 10 ff.
Lead, baseline blood levels, 3
Lead, biological markers of toxicity, 30
Lead, biomarkers of toxicity, 30
Lead, biomolecular speciation, 31
Lead, biosphere cycling, 5
Lead, blood levels, 2
Lead, calcium analog, 5
Lead, categories of emissions to atmosphere, 8
Lead, chemical/biological properties, 4
Lead, childhood blood levels, 2
Lead, colorimetric analytical methods, 15
Lead contamination, environmental, 1 ff.
Lead, coupled analytical techniques, 27
Lead, cumulative environmental discharge over time, 7
Lead, cycling environmental, 5
Lead, divalent, 4
Lead, electrochemical analytical methods, 16
Lead, environmental decline an analytical anomaly, 12
Lead, environmental measurement, 1 ff.
Lead exposure, children via house dust, 61
Lead, ferrochelataze inhibition, 30
Lead, gasoline additives, 7
Lead, Greenland snowpack deposits over time, 9
Lead, house dust pollutant, 61
Lead, human exposure, 1 ff.
Lead, human exposure markers, 28
Lead, human exposure measurements, 28
Lead, human toxicity measurement techniques, 28
Lead, hybrid analytical techniques, 27
Lead, *in situ* measurement methodologies, 24
Lead, interference with calcium cellular processes, 5
Lead, isotopic composition measurement, analytical method, 22
Lead, isotopic compositions, 6
Lead, isotopic metabolism tracer studies, 29
Lead, mass spectrometry analytical methods, 18
Lead, mass-204, 6
Lead, mass-206, 6
Lead, mass-207, 6
Lead, mass-208, 6
Lead, measurement methodologies, 10
Lead, metabolic isotopic tracer studies, 29
Lead, microprobe analysis (electron, proton, photon), 25
Lead, mode of action, 5
Lead, neurobehavioral impairment in children, 3
Lead, nuclear magnetic resonance analytical methods, 16

- Lead, occupational exposure, 3
- Lead, spectrometric analytical methods, 15
- Lead, sublethal toxicity, 2
- Lead, tetravalent, 4
- Lead, use in batteries, 10
- Lead, x-ray fluorescence analytical methods, 17
- Leaded gasoline, highest emissions to atmosphere, 8
- LPAHs, low-molecular-weight PAHs, 82
- Marine organisms, PAH bioaccumulation, 79 ff.
- Marine organisms, PAH uptake and elimination, 93
- Mass spectrometry, lead analysis, 18
- Master Home Environmentalist Program, described, 70
- Measurement, environmental lead, 1 ff.
- Microbial oxidation, PAHs, 88
- Microprobes (electron, proton, photon), lead analysis, 25
- Mite-proof mattress/pillow covers, 70
- Mode of action, lead, 5
- Non-Hodgkin's lymphoma, atrazine-related, 49
- Nuclear magnetic resonance, lead analysis, 16
- Ovarian cancer, atrazine-related, 53
- Ovarian tumors, atrazine-related, 48
- PAHs, abbreviations, 165
- PAHs, bioaccumulation factors (BAF) in marine organisms, 140
- PAHs, bioaccumulation in marine organisms, 79 ff.
- PAHs, bioavailability to marine organisms, 89
- PAHs, bioconcentration factors (BCF) in marine organisms, 137
- PAHs, bioconcentration factors (BCFs), 89
- PAHs, defined, 82
- PAHs, differential accumulation in marine organisms, 142
- PAHs, distribution within marine organisms, 129
- PAHs, elimination by marine organisms, 105
- PAHs, elimination constants for oyster/clam, 113
- PAHs, elimination kinetics in marine organisms, 109
- PAHs, half-lives in marine organisms (table), 111
- PAHs, in house dust, 66
- PAHs, K_{oc} , 82
- PAHs, K_{ow} , 82, 83
- PAHs, microbial oxidation in sediment, 88
- PAHs, occurrence in marine organisms (table), 124
- PAHs, occurrence in tissues of marine organisms, 122
- PAHs, occurrence in water/sediment, 85, 87
- PAHs, octanol-water partition coefficients, 82
- PAHs, patterns of accumulation in marine organisms, 132
- PAHs, persistence in marine organisms, 115
- PAHs, properties in environmental matrices, 82
- PAHs, seasonal effects on marine tissue concentrations, 128
- PAHs, sorption to dissolved organic carbon (DOC), 89
- PAHs, sources in marine organisms, 126
- PAHs, steady-state tissue burdens in marine organisms, 119
- PAHs, uptake by marine organisms, 95
- PAHs, uptake/elimination by marine organisms, 93
- PAHs, uptake kinetics in marine organisms, 104
- Paradichlorobenzene, indoor air pollutant, 70
- PCBs, in house dust, 66
- Pentachlorophenol, in house dust, 65

- Pentachlorophenol, indoor air pollutant, 68
- Pesticides, in house dust, 65
- Phenylphenol (*ortho*), in house dust, 66
- Pica behavior, in children, 60
- Pollutant removal methods, house dust/indoor air, 69
- Pollutants, children's exposure from home air, 59 ff.
- Pollutants, indoor delineated, 61
- Polychlorinated biphenyls (PCBs), in house dust, 66
- Polycyclic aromatic hydrocarbons (PAHs), in house dust, 66
- Polycyclic aromatic hydrocarbons (PAHs), bioaccumulation in marine organisms, 79 ff.
- Proton-induced x-ray emission, lead analysis, 26
- Radon**, indoor air pollutant, 67
- Ruminant poisonings, atrazine, 51, 55
- S-triazine herbicides**, atrazine, 47
- Sampling, methods for house dust, 60
- Secondary tobacco smoke, 67
- Sick building syndrome, defined, 64
- Sofas, dust pollutants, 61
- Spectrometric analytical methods, 15
- Subacute poisoning, atrazine, 50
- Synchrotron radiation-induced x-ray emission, lead analysis, 26
- Temperature, effects on PAH metabolite distribution in marine organisms, 131
- Thermal conductivity detectors, lead analysis, 17
- Thermal ionization magnetic sector mass spectrometry, lead analysis, 18
- Thermoionic-specific detectors, lead analysis, 17
- Tobacco smoke, secondary, 67
- Trace metal clean, definition, 2
- Trace-metal-clean techniques, 11
- Uptake clearance constant (k_1) defined, 93
- Uptake efficiency, PAHs by marine organisms, 102
- Uptake kinetics, PAHs in marine organisms, 104
- Uptake kinetics, PAHs temperature effects, 105
- Uptake, PAHs by marine organisms, 95
- Uranium, radioactive decay to lead(s), 6
- Volatile organic compounds (VOCs)**, 59, 61
- X-ray absorption near edge structure**, lead analysis, 27
- X-ray fluorescence**, lead analysis, 17
- Zinc protoporphyrin**, biomarker for lead toxicity, 30